

Taku Iwami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4383132/publications.pdf>

Version: 2024-02-01

154
papers

7,364
citations

61857

43
h-index

60497

81
g-index

157
all docs

157
docs citations

157
times ranked

4608
citing authors

#	ARTICLE	IF	CITATIONS
1	Laypersons' Psychological Barriers Against Rescue Actions in Emergency Situations—A Questionnaire Survey. <i>Circulation Journal</i> , 2022, 86, 679-686.	0.7	8
2	Suicide prevention measures in the national universities of Japan. <i>Asian Journal of Psychiatry</i> , 2022, 73, 103149.	0.9	1
3	Clinical decision rules for termination of resuscitation during in-hospital cardiac arrest: A systematic review of diagnostic test accuracy studies. <i>Resuscitation</i> , 2021, 158, 23-29.	1.3	8
4	Diagnostic ability of a newly developed system for recognition of cardiac arrests. <i>Journal of Cardiology</i> , 2021, 77, 599-604.	0.8	2
5	G20 Summit and emergency medical services in Osaka, Japan. <i>Acute Medicine & Surgery</i> , 2021, 8, e661.	0.5	0
6	New Strategy to Prevent Acute Myocardial Infarction by Public Education—A Position Statement of the Committee on Public Education About Emergency Medical Care of the Japanese Circulation Society. <i>Circulation Journal</i> , 2021, 85, 319-322.	0.7	7
7	Diagnosis of out-of-hospital cardiac arrest by emergency medical dispatch: A diagnostic systematic review. <i>Resuscitation</i> , 2021, 159, 85-96.	1.3	20
8	The effect of team and leadership training of advanced life support providers on patient outcomes: A systematic review. <i>Resuscitation</i> , 2021, 160, 126-139.	1.3	9
9	Influence of COVID-19 pandemic on bystander interventions, emergency medical service activities, and patient outcomes in out-of-hospital cardiac arrest in Osaka City, Japan. <i>Resuscitation Plus</i> , 2021, 5, 100088.	0.6	23
10	Outcome Related to Level of Targeted Temperature Management in Postcardiac Arrest Syndrome of Low, Moderate, and High Severities: A Nationwide Multicenter Prospective Registry. <i>Critical Care Medicine</i> , 2021, 49, e741-e750.	0.4	63
11	Reply letter to: Utstein-style and the importance of the system, is it time for a new Utstein revision?. <i>Resuscitation</i> , 2021, 165, 198.	1.3	4
12	Increase in suicide rates among undergraduate students in Japanese national universities during the COVID-19 pandemic. <i>Psychiatry and Clinical Neurosciences</i> , 2021, 75, 351-352.	1.0	18
13	Predictive value of sarcopenic findings in the psoas muscle on CT imaging among patients with sepsis. <i>American Journal of Emergency Medicine</i> , 2021, 47, 180-186.	0.7	8
14	Trends in In-Hospital Advanced Management and Survival of Out-of-Hospital Cardiac Arrest Among Adults From 2013 to 2017—A Multicenter, Prospective Registry in Osaka, Japan. <i>Circulation Journal</i> , 2021, 85, 1851-1859.	0.7	6
15	Timing of Prehospital Advanced Airway Management for Adult Patients With Out-of-Hospital Cardiac Arrest: A Nationwide Cohort Study in Japan. <i>Journal of the American Heart Association</i> , 2021, 10, e021679.	1.6	7
16	Physicians' presence in pre-hospital setting improves one-month favorable neurological survival after out-of-hospital cardiac arrest: A propensity score matching analysis of the JAAM-OHCA Registry. <i>Resuscitation</i> , 2021, 167, 38-46.	1.3	9
17	Development and validation of early prediction for neurological outcome at 90 days after return of spontaneous circulation in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2021, 168, 142-150.	1.3	5
18	Incidence and Mortality of Emergency Patients Transported by Emergency Medical Service Personnel during the Novel Corona Virus Pandemic in Osaka Prefecture, Japan: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5662.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Effectiveness of dispatcher instructions-dependent or independent bystander cardiopulmonary resuscitation on neurological survival among patients with out-of-hospital cardiac arrest. <i>Journal of Cardiology</i> , 2020, 75, 315-322.	0.8	9
20	Public-access automated external defibrillator pad application and favorable neurological outcome after out-of-hospital cardiac arrest in public locations: A prospective population-based propensity score-matched study. <i>International Journal of Cardiology</i> , 2020, 299, 140-146.	0.8	8
21	Public location and survival from out-of-hospital cardiac arrest in the public-access defibrillation era in Japan. <i>Journal of Cardiology</i> , 2020, 75, 97-104.	0.8	23
22	A follow-up report on the effect of a simplified basic life support training program for non-medical staff working at a university hospital: changes in attitude toward cardiopulmonary resuscitation and automated external defibrillator use through repeat training. <i>Acute Medicine & Surgery</i> , 2020, 7, e548.	0.5	2
23	Willingness to perform bystander cardiopulmonary resuscitation: A scoping review. <i>Resuscitation Plus</i> , 2020, 4, 100043.	0.6	20
24	Impact of Low-Flow Duration on Favorable Neurological Outcomes of Extracorporeal Cardiopulmonary Resuscitation After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2020, 141, 1031-1033.	1.6	32
25	Effectiveness of a digital device providing real-time visualized tooth brushing instructions: A randomized controlled trial. <i>PLoS ONE</i> , 2020, 15, e0235194.	1.1	9
26	Incidence, characteristics, and outcomes of pediatric out-of-hospital cardiac arrest in nursery schools and kindergartens in Japan. <i>Journal of Cardiology</i> , 2020, 76, 549-556.	0.8	7
27	Pre-Hospital Administration of Epinephrine in Pediatric Patients With Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020, 75, 194-204.	1.2	17
28	Gender disparities in the application of public-access AED pads among OHCA patients in public locations. <i>Resuscitation</i> , 2020, 150, 60-64.	1.3	9
29	Out-of-hospital cardiac arrest across the World: First report from the International Liaison Committee on Resuscitation (ILCOR). <i>Resuscitation</i> , 2020, 152, 39-49.	1.3	295
30	Health Observation App for COVID-19 Symptom Tracking Integrated With Personal Health Records: Proof of Concept and Practical Use Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e19902.	1.8	43
31	Psychological Conflicts in Bystander Cardiopulmonary Resuscitation for Out-of-Hospital Cardiac Arrest. <i>International Journal of First Aid Education</i> , 2020, 3, 10-21.	0.1	2
32	Effect of Instituting Upper Limits for Chest Compression Depth for Laypersons at Six-months After Chest Compression-Only Training: A Randomized Controlled Simulation Study. <i>International Journal of First Aid Education</i> , 2020, 3, 22-35.	0.1	0
33	Development and Validation of a Clinical Score to Predict Neurological Outcomes in Patients With Out-of-Hospital Cardiac Arrest Treated With Extracorporeal Cardiopulmonary Resuscitation. <i>JAMA Network Open</i> , 2020, 3, e2022920.	2.8	39
34	Intra-aortic balloon pump and survival with favorable neurological outcome after out-of-hospital cardiac arrest: A multicenter, prospective propensity score-matched study. <i>Resuscitation</i> , 2019, 143, 165-172.	1.3	5
35	Prehospital advanced airway management for paediatric patients with out-of-hospital cardiac arrest: A nationwide cohort study. <i>Resuscitation</i> , 2019, 145, 175-184.	1.3	29
36	Impact of age on survival of patients with out-of-hospital cardiac arrest transported to tertiary emergency medical institutions in Osaka, Japan. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1088-1095.	0.7	4

#	ARTICLE	IF	CITATIONS
37	Community-Wide Dissemination of Bystander Cardiopulmonary Resuscitation and Automated External Defibrillator Use Using a 45-Minute Chest Compression-Only Cardiopulmonary Resuscitation Training. <i>Journal of the American Heart Association</i> , 2019, 8, e009436.	1.6	21
38	Sex Differences in Receiving Layperson Cardiopulmonary Resuscitation in Pediatric Out-of-Hospital Cardiac Arrest: A Nationwide Cohort Study in Japan. <i>Journal of the American Heart Association</i> , 2019, 8, e010324.	1.6	12
39	Actual resuscitation actions after the training of chest compression-only CPR and AED use among new university students. <i>Resuscitation</i> , 2019, 141, 63-68.	1.3	17
40	Sex Disparities in Receipt of Bystander Interventions for Students Who Experienced Cardiac Arrest in Japan. <i>JAMA Network Open</i> , 2019, 2, e195111.	2.8	19
41	The association between public access defibrillation and outcome in witnessed out-of-hospital cardiac arrest with shockable rhythm. <i>Resuscitation</i> , 2019, 140, 93-97.	1.3	18
42	External validation of a risk classification at the emergency department of post-cardiac arrest syndrome patients undergoing targeted temperature management. <i>Resuscitation</i> , 2019, 140, 135-141.	1.3	36
43	Location of arrest and survival from out-of-hospital cardiac arrest among children in the public-access defibrillation era in Japan. <i>Resuscitation</i> , 2019, 140, 150-158.	1.3	23
44	International variation in survival after out-of-hospital cardiac arrest: A validation study of the Utstein template. <i>Resuscitation</i> , 2019, 138, 168-181.	1.3	77
45	Sex-Based Disparities in Receiving Bystander Cardiopulmonary Resuscitation by Location of Cardiac Arrest in Japan. <i>Mayo Clinic Proceedings</i> , 2019, 94, 577-587.	1.4	37
46	Sample size estimation and re-estimation of cluster randomized controlled trials for real-time feedback, debriefing, and retraining system of cardiopulmonary resuscitation for out-of-hospital cardiac arrests. <i>Contemporary Clinical Trials Communications</i> , 2019, 14, 100316.	0.5	1
47	Outcomes of Patients 65 Years or Older After Out-of-Hospital Cardiac Arrest Based on Location of Cardiac Arrest in Japan. <i>JAMA Network Open</i> , 2019, 2, e191011.	2.8	27
48	Sports activity and paediatric out-of-hospital cardiac arrest at schools in Japan. <i>Resuscitation</i> , 2019, 139, 33-40.	1.3	11
49	Out-of-Hospital Cardiac Arrest at Home in Japan. <i>American Journal of Cardiology</i> , 2019, 123, 1060-1068.	0.7	18
50	Association between the Japan Coma Scale scores at the scene of injury and in-hospital outcomes in trauma patients: an analysis from the nationwide trauma database in Japan. <i>BMJ Open</i> , 2019, 9, e029706.	0.8	24
51	Full Moon and Out-of-Hospital Cardiac Arrest in Japan - Population-Based, Double-Controlled Case Series Analysis. <i>Circulation Reports</i> , 2019, 1, 212-218.	0.4	3
52	2019 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations: Summary From the Basic Life Support; Advanced Life Support; Pediatric Life Support; Neonatal Life Support; Education, Implementation, and Teams; and First Aid Task Forces. <i>Circulation</i> , 2019, 140, e826-e880.	1.6	138
53	Public-access defibrillation and neurological outcomes in patients with out-of-hospital cardiac arrest in Japan: a population-based cohort study. <i>Lancet, The</i> , 2019, 394, 2255-2262.	6.3	44
54	Cardiopulmonary resuscitation performed by off-duty medical professionals versus laypersons and survival from out-of-hospital cardiac arrest among adult patients. <i>Resuscitation</i> , 2019, 135, 66-72.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Profile of the ORION (Osaka emergency information Research Intelligent Operation Network system) between 2015 and 2016 in Osaka, Japan: a population-based registry of emergency patients with both ambulance and in-hospital records. <i>Acute Medicine & Surgery</i> , 2019, 6, 12-24.	0.5	27
56	Public-access automated external defibrillation and bystander-initiated cardiopulmonary resuscitation in schools: a nationwide investigation in Japan. <i>Europace</i> , 2019, 21, 451-458.	0.7	23
57	Human atrial natriuretic peptide for acute kidney injury in adult critically ill patients: A multicenter prospective observational study. <i>Journal of Critical Care</i> , 2019, 51, 229-235.	1.0	4
58	Survival After Cardiac Arrest With Instantaneous Rigorlike Stiffness: A Case Report. <i>Annals of Emergency Medicine</i> , 2019, 73, 393-396.	0.3	5
59	A comprehensive validation of very early rule-out strategies for non-ST-segment elevation myocardial infarction in emergency departments: protocol for a multicentre prospective cohort study. <i>BMJ Open</i> , 2019, 9, e026985.	0.8	2
60	Chest compression-only versus conventional cardiopulmonary resuscitation for bystander-witnessed out-of-hospital cardiac arrest of medical origin: A propensity score-matched cohort from 143,500 patients. <i>Resuscitation</i> , 2018, 126, 29-35.	1.3	27
61	A Smartphone Application to Reduce the Time to Automated External Defibrillator Delivery After a Witnessed Out-of-Hospital Cardiac Arrest. <i>Simulation in Healthcare</i> , 2018, 13, 387-393.	0.7	16
62	Prognostic Impact of Serum Albumin Concentration for Neurologically Favorable Outcome in Patients Treated with Targeted Temperature Management After Out-of-Hospital Cardiac Arrest: A Multicenter Prospective Study. <i>Therapeutic Hypothermia and Temperature Management</i> , 2018, 8, 165-172.	0.3	3
63	Effect of Serum Albumin Concentration on Neurological Outcome After Out-of-Hospital Cardiac Arrest (from the CRITICAL [Comprehensive Registry of Intensive Cares for OHCA Survival] Study in Tj ETQq1 1 0.7+14 rgBI4/Overl		
64	Regional variation in functional outcome after out-of-hospital cardiac arrest across 47 prefectures in Japan. <i>Resuscitation</i> , 2018, 124, 21-28.	1.3	19
65	The profile of Japanese Association for Acute Medicine "out-of-hospital cardiac arrest registry in 2014-2015. <i>Acute Medicine & Surgery</i> , 2018, 5, 249-258.	0.5	77
66	Timing of advanced airway management by emergency medical services personnel following out-of-hospital cardiac arrest: A population-based cohort study. <i>Resuscitation</i> , 2018, 128, 16-23.	1.3	34
67	Characteristics and Outcomes of Out-of-Hospital Cardiac Arrest Occurring While in a Motor Vehicle. <i>American Journal of Cardiology</i> , 2018, 121, 1387-1392.	0.7	4
68	Factors associated with prehospital death among traffic accident patients in Osaka City, Japan: A population-based study. <i>Traffic Injury Prevention</i> , 2018, 19, 49-53.	0.6	11
69	Three-Year Follow-up After the Great East Japan Earthquake in the Incidence of Out-of-Hospital Cardiac Arrest With Cardiac Origin. <i>Circulation Journal</i> , 2018, 82, 919-922.	0.7	7
70	Prehospital physician's presence and neurological outcome among patients with out-of-hospital cardiac arrest: A multicenter cohort study. <i>Resuscitation</i> , 2018, 130, e27.	1.3	0
71	International variation in survival after out-of-hospital cardiac arrest: a validation study of the Utstein template. <i>Resuscitation</i> , 2018, 130, e2-e3.	1.3	0
72	The effect of different target temperatures in targeted temperature management on neurologically favorable outcome after out-of-hospital cardiac arrest: A nationwide multicenter observational study in Japan (the JAAM-OHCA registry). <i>Resuscitation</i> , 2018, 133, 82-87.	1.3	21

#	ARTICLE	IF	CITATIONS
73	Ten-Year Trends of Public-Access Defibrillation in Japanese School-Aged Patients Having Neurologically Favorable Survival After Out-of-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2018, 122, 890-897.	0.7	20
74	Out-of-hospital cardiac arrests in the toilet in Japan: a population-based descriptive study. <i>Acute Medicine & Surgery</i> , 2018, 5, 369-373.	0.5	4
75	Assessment of the 11-year nationwide trend of out-of-hospital cardiac arrest cases among elderly patients in Japan (2005–2015). <i>Resuscitation</i> , 2018, 131, 83-90.	1.3	18
76	Impact of cardiopulmonary resuscitation duration on neurologically favourable outcome after out-of-hospital cardiac arrest: A population-based study in Japan. <i>Resuscitation</i> , 2017, 113, 1-7.	1.3	34
77	Public-Access Defibrillation in Japan. <i>New England Journal of Medicine</i> , 2017, 376, e12.	13.9	1
78	Barriers to patient positioning for telephone cardiopulmonary resuscitation in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2017, 115, 163-168.	1.3	24
79	Nationwide and regional trends in survival from out-of-hospital cardiac arrest in Japan: A 10-year cohort study from 2005 to 2014. <i>Resuscitation</i> , 2017, 115, 120-128.	1.3	63
80	Hospital characteristics and favourable neurological outcome among patients with out-of-hospital cardiac arrest in Osaka, Japan. <i>Resuscitation</i> , 2017, 110, 146-153.	1.3	34
81	Out-of-hospital cardiac arrests during exercise among urban inhabitants in Japan: Insights from a population-based registry of Osaka City. <i>Resuscitation</i> , 2017, 117, 14-17.	1.3	11
82	Effectiveness of a One-minute Self-retraining for Chest Compression-only Cardiopulmonary Resuscitation: Randomized Controlled Trial. <i>AEM Education and Training</i> , 2017, 1, 200-207.	0.6	2
83	Evaluation of factors associated with the difficulty in finding receiving hospitals for traffic accident patients at the scene treated by emergency medical services: a population-based study in Osaka City, Japan. <i>Acute Medicine & Surgery</i> , 2017, 4, 401-407.	0.5	10
84	Factors associated with the difficulty in hospital acceptance among elderly emergency patients: A population-based study in Osaka City, Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2441-2448.	0.7	13
85	Prehospital intravenous access for survival from out-of-hospital cardiac arrest: propensity score matched analyses from a population-based cohort study in Osaka, Japan. <i>BMJ Open</i> , 2017, 7, e015055.	0.8	6
86	The International Liaison Committee on Resuscitation—Review of the last 25 years and vision for the future. <i>Resuscitation</i> , 2017, 121, 104-116.	1.3	54
87	Improvements in Patient Acceptance by Hospitals Following the Introduction of a Smartphone App for the Emergency Medical Service System: A Population-Based Before-and-After Observational Study in Osaka City, Japan. <i>JMIR MHealth and UHealth</i> , 2017, 5, e134.	1.8	19
88	Compression-only CPR training in elementary schools and student attitude toward CPR. <i>Pediatrics International</i> , 2016, 58, 698-704.	0.2	19
89	Incidence and outcomes of emergency self-harm among adolescents: a descriptive epidemiological study in Osaka City, Japan. <i>BMJ Open</i> , 2016, 6, e011419.	0.8	3
90	High-rise buildings and neurologically favorable outcome after out-of-hospital cardiac arrest. <i>International Journal of Cardiology</i> , 2016, 224, 178-182.	0.8	17

#	ARTICLE	IF	CITATIONS
91	Public-access AED pad application and outcomes for out-of-hospital cardiac arrests in Osaka, Japan. Resuscitation, 2016, 106, 70-75.	1.3	38
92	Characteristics and Outcomes of Bath-Related Out-of-Hospital Cardiac Arrest in Japan. Circulation Journal, 2016, 80, 1564-1570.	0.7	18
93	Public-Access Defibrillation and Out-of-Hospital Cardiac Arrest in Japan. New England Journal of Medicine, 2016, 375, 1649-1659.	13.9	234
94	Factors associated with the difficulty in hospital acceptance at the scene by emergency medical service personnel: a population-based study in Osaka City, Japan. BMJ Open, 2016, 6, e013849.	0.8	33
95	Bystander CPR performance and AED retrieval during out-of-hospital cardiac arrest. Resuscitation, 2016, 106, e29-e30.	1.3	0
96	1316: EARLY- VERSUS LATE-ONSET OLIGURIC AKI FOR STAGE PROGRESSION AMONG ICU PATIENTS AFTER CARDIAC SURGERY. Critical Care Medicine, 2016, 44, 404-404.	0.4	0
97	Temporal Trends in Outcomes after Out-of-Hospital Cardiac Arrests Witnessed by Emergency Medical Services in Japan: A Population-Based Study. Prehospital Emergency Care, 2016, 20, 477-484.	1.0	7
98	Epidemiology of Out-of-Hospital Cardiac Arrests Among Japanese Centenarians: 2005 to 2013. American Journal of Cardiology, 2016, 117, 894-900.	0.7	6
99	Characteristics and trends of emergency patients with drug overdose in Osaka. Acute Medicine & Surgery, 2015, 2, 237-243.	0.5	5
100	Cardiopulmonary Resuscitation Support Application on a Smartphone—Randomized Controlled Trial. Circulation Journal, 2015, 79, 1052-1057.	0.7	23
101	Aiming for Zero Deaths: Prevention of Sudden Cardiac Death in Schools—Statement From the AED Committee of the Japanese Circulation Society. Circulation Journal, 2015, 79, 1398-1401.	0.7	18
102	Dissemination of Chest Compression—Only Cardiopulmonary Resuscitation and Survival After Out-of-Hospital Cardiac Arrest. Circulation, 2015, 132, 415-422.	1.6	117
103	Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports: Update of the Utstein Resuscitation Registry Templates for Out-of-Hospital Cardiac Arrest. Circulation, 2015, 132, 1286-1300.	1.6	726
104	Impact of the Great East Japan earthquake on out-of-hospital cardiac arrest with cardiac origin in non-disaster reas. Journal of Epidemiology and Community Health, 2015, 69, 185-188.	2.0	8
105	Effectiveness of simplified 15-min refresher BLS training program: A randomized controlled trial. Resuscitation, 2015, 90, 56-60.	1.3	97
106	Temporal trends in out-of-hospital cardiac arrest survival outcomes between two metropolitan communities: Seoul-Osaka resuscitation study. BMJ Open, 2015, 5, e007626-e007626.	0.8	23
107	Abnormal breathing of sudden cardiac arrest victims described by laypersons and its association with emergency medical service dispatcher-assisted cardiopulmonary resuscitation instruction. Emergency Medicine Journal, 2015, 32, 314-317.	0.4	49
108	Epidemiology and outcome of adult out-of-hospital cardiac arrest of non-cardiac origin in Osaka: a population-based study. BMJ Open, 2014, 4, e006462.	0.8	71

#	ARTICLE	IF	CITATIONS
109	Actual treatments for out-of-hospital ventricular fibrillation at critical care medical centers in Osaka: a pilot descriptive study. <i>Acute Medicine & Surgery</i> , 2014, 1, 150-158.	0.5	2
110	Apples to apples or apples to oranges? International variation in reporting of process and outcome of care for out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014, 85, 1599-1609.	1.3	63
111	Long-term Retention of Cardiopulmonary Resuscitation Skills After Shortened Chest Compression-only Training and Conventional Training: A Randomized Controlled Trial. <i>Academic Emergency Medicine</i> , 2014, 21, 47-54.	0.8	43
112	Ambulance calls and prehospital transportation time of emergency patients with cardiovascular events in Osaka City. <i>Acute Medicine & Surgery</i> , 2014, 1, 135-144.	0.5	8
113	Outcomes of Out-of-Hospital Cardiac Arrest by Public Location in the Public-Access Defibrillation Era. <i>Journal of the American Heart Association</i> , 2014, 3, e000533.	1.6	96
114	Survival following witnessed pediatric out-of-hospital cardiac arrests during nights and weekends. <i>Resuscitation</i> , 2014, 85, 1692-1698.	1.3	28
115	Trends in survival among elderly patients with out-of-hospital cardiac arrest: a prospective, population-based observation from 1999 to 2011 in Osaka. <i>Resuscitation</i> , 2014, 85, 1432-1438.	1.3	47
116	Association between resuscitation time interval at the scene and neurological outcome after out-of-hospital cardiac arrest in two Asian cities. <i>Resuscitation</i> , 2014, 85, 203-210.	1.3	50
117	Impact of the number of on-scene emergency life-saving technicians and outcomes from out-of-hospital cardiac arrest in Osaka City. <i>Resuscitation</i> , 2014, 85, 59-64.	1.3	37
118	Epidemiological characteristics of sudden cardiac arrest in schools. <i>Resuscitation</i> , 2014, 85, 1001-1006.	1.3	26
119	An association between systolic blood pressure and stroke among patients with impaired consciousness in out-of-hospital emergency settings. <i>BMC Emergency Medicine</i> , 2013, 13, 24.	0.7	16
120	Global Health and Emergency Care: A Resuscitation Research Agenda—Part 2. <i>Academic Emergency Medicine</i> , 2013, 20, 1297-1303.	0.8	13
121	Recommendations on Ambulance Cardiopulmonary Resuscitation in Basic Life Support Systems. <i>Prehospital Emergency Care</i> , 2013, 17, 491-500.	1.0	17
122	Prodromal symptoms of out-of-hospital cardiac arrests: A report from a large-scale population-based cohort study. <i>Resuscitation</i> , 2013, 84, 558-563.	1.3	50
123	Current termination of resuscitation (TOR) guidelines predict neurologically favorable outcome in Japan. <i>Resuscitation</i> , 2013, 84, 54-59.	1.3	55
124	Out-of-hospital cardiac arrest due to drowning among children and adults from the Utstein Osaka Project. <i>Resuscitation</i> , 2013, 84, 1568-1573.	1.3	56
125	Association Between Atmospheric Conditions and Occurrence of Out-of-Hospital Cardiac Arrest. <i>Circulation Journal</i> , 2013, 77, 2073-2078.	0.7	25
126	Nationwide Improvements in Survival From Out-of-Hospital Cardiac Arrest in Japan. <i>Circulation</i> , 2012, 126, 2834-2843.	1.6	288

#	ARTICLE	IF	CITATIONS
127	Chest Compression—Only Cardiopulmonary Resuscitation for Out-of-Hospital Cardiac Arrest With Public-Access Defibrillation. <i>Circulation</i> , 2012, 126, 2844-2851.	1.6	96
128	Impact of Early Intravenous Epinephrine Administration on Outcomes Following Out-of-Hospital Cardiac Arrest. <i>Circulation Journal</i> , 2012, 76, 1639-1645.	0.7	96
129	Incidence and Outcome of Out-of-Hospital Cardiac Arrest With Public-Access Defibrillation - A Descriptive Epidemiological Study in a Large Urban Community -. <i>Circulation Journal</i> , 2011, 75, 2821-2826.	0.7	33
130	Effectiveness of the new “Mobile AED Map”™ to find and retrieve an AED: A randomised controlled trial. <i>Resuscitation</i> , 2011, 82, 69-73.	1.3	47
131	Time-dependent effectiveness of chest compression-only and conventional cardiopulmonary resuscitation for out-of-hospital cardiac arrest of cardiac origin. <i>Resuscitation</i> , 2011, 82, 3-9.	1.3	73
132	Are trained individuals more likely to perform bystander CPR? An observational study. <i>Resuscitation</i> , 2011, 82, 523-528.	1.3	97
133	Prognostic indicators and outcome prediction model for patients with return of spontaneous circulation from cardiopulmonary arrest: The Utstein Osaka Project. <i>Resuscitation</i> , 2011, 82, 874-880.	1.3	57
134	Association of out-of-hospital cardiac arrest with prior activity and ambient temperature. <i>Resuscitation</i> , 2011, 82, 1008-1012.	1.3	30
135	Age-Specific Differences in Outcomes After Out-of-Hospital Cardiac Arrests. <i>Pediatrics</i> , 2011, 128, e812-e820.	1.0	107
136	Impact of transport to critical care medical centers on outcomes after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2010, 81, 549-554.	1.3	96
137	Incidence and outcomes of out-of-hospital cardiac arrest with shock-resistant ventricular fibrillation: Data from a large population-based cohort. <i>Resuscitation</i> , 2010, 81, 956-961.	1.3	65
138	Quality of chest compressions during continuous CPR; comparison between chest compression-only CPR and conventional CPR. <i>Resuscitation</i> , 2010, 81, 1152-1155.	1.3	57
139	Nationwide Public-Access Defibrillation in Japan. <i>New England Journal of Medicine</i> , 2010, 362, 994-1004.	13.9	508
140	Reduction in incidence and fatality of out-of-hospital cardiac arrest in females of the reproductive age. <i>European Heart Journal</i> , 2010, 31, 1365-1372.	1.0	80
141	Bystander-Initiated Rescue Breathing for Out-of-Hospital Cardiac Arrests of Noncardiac Origin. <i>Circulation</i> , 2010, 122, 293-299.	1.6	84
142	Conventional and chest-compression-only cardiopulmonary resuscitation by bystanders for children who have out-of-hospital cardiac arrests: a prospective, nationwide, population-based cohort study. <i>Lancet</i> , The, 2010, 375, 1347-1354.	6.3	400
143	Continuous Improvements in “Chain of Survival”-Increased Survival After Out-of-Hospital Cardiac Arrests. <i>Circulation</i> , 2009, 119, 728-734.	1.6	305
144	Effects of BLS training on factors associated with attitude toward CPR in college students. <i>Resuscitation</i> , 2009, 80, 359-364.	1.3	74

#	ARTICLE	IF	CITATIONS
145	Effectiveness of simplified chest compression-only CPR training program with or without preparatory self-learning video: A randomized controlled trial. <i>Resuscitation</i> , 2009, 80, 1164-1168.	1.3	24
146	Survival rate and factors associated with 1-month survival of witnessed out-of-hospital cardiac arrest of cardiac origin with ventricular fibrillation and pulseless ventricular tachycardia: The Utstein Osaka project. <i>Resuscitation</i> , 2008, 78, 307-313.	1.3	20
147	Effectiveness of simplified chest compression-only CPR training for the general public: A randomized controlled trial. <i>Resuscitation</i> , 2008, 79, 90-96.	1.3	59
148	Subsequent ventricular fibrillation and survival in out-of-hospital cardiac arrests presenting with PEA or asystole. <i>Resuscitation</i> , 2008, 79, 34-40.	1.3	40
149	Effectiveness of Bystander-Initiated Cardiac-Only Resuscitation for Patients With Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2007, 116, 2900-2907.	1.6	330
150	Outcome and characteristics of out-of-hospital cardiac arrest according to location of arrest: A report from a large-scale, population-based study in Osaka, Japan. <i>Resuscitation</i> , 2006, 69, 221-228.	1.3	105
151	Three year longitudinal study for out-of-hospital cardiac arrest in Osaka Prefecture. <i>Resuscitation</i> , 2004, 63, 161-166.	1.3	26
152	Age and sex analyses of out-of-hospital cardiac arrest in Osaka, Japan. <i>Resuscitation</i> , 2003, 57, 145-152.	1.3	56
153	Incidence and survival rate of bystander-witnessed out-of-hospital cardiac arrest with cardiac etiology in Osaka, Japan: a population-based study according to the Utstein style. <i>Resuscitation</i> , 2003, 59, 329-335.	1.3	50
154	<i>Retortamonas intestinalis</i> in the pancreatic juice of a patient with small nodular lesions of the main pancreatic duct. <i>Gastrointestinal Endoscopy</i> , 2001, 53, 508-510.	0.5	9