

Octavio P Luzardo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4384396/octavio-p-luzardo-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135
papers

3,075
citations

31
h-index

48
g-index

143
ext. papers

3,668
ext. citations

6
avg, IF

5.26
L-index

#	Paper	IF	Citations
135	Medical Psychotropics in Forensic Autopsies in European Countries: Results from a Three-Year Retrospective Study in Spain.. <i>Toxics</i> , 2022 , 10,	4.7	1
134	Impact of chemical elements released by the volcanic eruption of La Palma (Canary Islands, Spain) on banana agriculture and European consumers.. <i>Chemosphere</i> , 2022 , 293, 133508	8.4	0
133	Comparative study of organic contaminants in agricultural soils at the archipelagos of the Macaronesia.. <i>Environmental Pollution</i> , 2022 , 301, 118979	9.3	3
132	Human biomonitoring of persistent and non-persistent pollutants in a representative sample of the general population from Cape Verde: Results from the PERVEMAC-II study.. <i>Environmental Pollution</i> , 2022 , 119331	9.3	0
131	Concentration of heavy metals and rare earth elements in patients with brain tumours: Analysis in tumour tissue, non-tumour tissue, and blood. <i>International Journal of Environmental Health Research</i> , 2021 , 31, 741-754	3.6	9
130	An Easy Procedure to Quantify Anticoagulant Rodenticides and Pharmaceutical Active Compounds in Soils. <i>Toxics</i> , 2021 , 9,	4.7	2
129	Validation of a Method Scope Extension for the Analysis of POPs in Soil and Verification in Organic and Conventional Farms of the Canary Islands. <i>Toxics</i> , 2021 , 9,	4.7	4
128	Intensive livestock farming as a major determinant of the exposure to anticoagulant rodenticides in raptors of the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2021 , 768, 144386	10.2	5
127	Nutritional Evaluation and Risk Assessment of the Exposure to Essential and Toxic Elements in Dogs and Cats through the Consumption of Pelleted Dry Food: How Important Is the Quality of the Feed?. <i>Toxics</i> , 2021 , 9,	4.7	1
126	Postmortem investigations on leatherback sea turtles (<i>Dermochelys coriacea</i>) stranded in the Canary Islands (Spain) (1998-2017): Evidence of anthropogenic impacts. <i>Marine Pollution Bulletin</i> , 2021 , 167, 112340	6.7	0
125	Big sales, no carrots: Assessment of pesticide policy in Spain. <i>Crop Protection</i> , 2021 , 141, 105428	2.7	6
124	Optimization and validation of a QuEChERS-based method for the simultaneous environmental monitoring of 218 pesticide residues in clay loam soil. <i>Science of the Total Environment</i> , 2021 , 753, 142015	10.2	29
123	Human biomonitoring of persistent organic pollutants in elderly people from the Canary Islands (Spain): A temporal trend analysis from the PREDIMED and PREDIMED-Plus cohorts. <i>Science of the Total Environment</i> , 2021 , 758, 143637	10.2	7
122	Incidence of 49 elements in the blood and scute tissues of nesting hawksbill turtles (<i>Eretmochelys imbricata</i>) in Holbox Island. <i>Regional Studies in Marine Science</i> , 2021 , 41, 101566	1.5	0
121	Biomarkers, matrices and analytical methods targeting human exposure to chemicals selected for a European human biomonitoring initiative. <i>Environment International</i> , 2021 , 146, 106082	12.9	31
120	Dataset on the concentrations of anticoagulant rodenticides in raptors from the Canary Islands with geographic information. <i>Data in Brief</i> , 2021 , 34, 106744	1.2	1
119	Reductions in blood concentrations of persistent organic pollutants in the general population of Barcelona from 2006 to 2016. <i>Science of the Total Environment</i> , 2021 , 777, 146013	10.2	1

118	A Method Scope Extension for the Simultaneous Analysis of POPs, Current-Use and Banned Pesticides, Rodenticides, and Pharmaceuticals in Liver. Application to Food Safety and Biomonitoring. <i>Toxics</i> , 2021 , 9,	4.7	2
117	Extension of an extraction method for the determination of 305 organic compounds in clay-loam soil to soils of different characteristics. <i>MethodsX</i> , 2021 , 8, 101476	1.9	2
116	Micro QuEChERS-based method for the simultaneous biomonitoring in whole blood of 360 toxicologically relevant pollutants for wildlife. <i>Science of the Total Environment</i> , 2020 , 736, 139444	10.2	17
115	Supporting dataset on the validation and verification of the analytical method for the biomonitoring of 360 toxicologically relevant pollutants in whole blood. <i>Data in Brief</i> , 2020 , 31, 105878	1.2	2
114	Blood concentrations of 50 elements in Eagle owl (<i>Bubo bubo</i>) at different contamination scenarios and related effects on plasma vitamin levels. <i>Environmental Pollution</i> , 2020 , 265, 115012	9.3	3
113	Toxic elements in blood of red-necked nightjars (<i>Caprimulgus ruficollis</i>) inhabiting differently polluted environments. <i>Environmental Pollution</i> , 2020 , 262, 114334	9.3	4
112	Role of Pet Dogs and Cats as Sentinels of Human Exposure to Polycyclic Aromatic Hydrocarbons 2020 , 65-81		
111	Risk assessment of the exposure to mycotoxins in dogs and cats through the consumption of commercial dry food. <i>Science of the Total Environment</i> , 2020 , 708, 134592	10.2	15
110	Isothiazolinones in cleaning products: Analysis with liquid chromatography tandem mass spectrometry of samples from sensitized patients and market. <i>Contact Dermatitis</i> , 2020 , 82, 94-100	2.7	11
109	Database of persistent organic pollutants in umbilical cord blood: Concentration of organochlorine pesticides, PCBs, BDEs and polycyclic aromatic hydrocarbons. <i>Data in Brief</i> , 2020 , 28, 104918	1.2	1
108	Biomonitoring of 45 inorganic elements measured in plasma from Spanish subjects: A cross-sectional study in Andalusian population. <i>Science of the Total Environment</i> , 2020 , 706, 135750	10.2	10
107	Association between Heavy Metals and Rare Earth Elements with Acute Ischemic Stroke: A Case-Control Study Conducted in the Canary Islands (Spain). <i>Toxics</i> , 2020 , 8,	4.7	4
106	Evaluation of nitrate contents in regulated and non-regulated leafy vegetables of high consumption in the Canary Islands, Spain: Risk assessment. <i>Food and Chemical Toxicology</i> , 2020 , 146, 111812	4.7	6
105	Utilidad clínica de la mamografía con contraste (CEM): una revisión de la literatura. <i>Revista De Senología Y Patología Mamaria</i> , 2020 ,	0.1	0
104	Supporting dataset on the optimization and validation of a QuEChERS-based method for the determination of 218 pesticide residues in clay loam soil. <i>Data in Brief</i> , 2020 , 33, 106393	1.2	5
103	Serum concentration of toxic metals and rare earth elements in children and adolescent. <i>International Journal of Environmental Health Research</i> , 2020 , 30, 696-712	3.6	3
102	Organic pollutants in marine plastic debris from Canary Islands beaches. <i>Science of the Total Environment</i> , 2019 , 662, 22-31	10.2	84
101	Trends of Lipophilic, Antioxidant and Hematological Parameters Associated with Conventional and Electronic Smoking Habits in Middle-Age Romanians. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6

100	Dietary Intake of Essential, Toxic, and Potentially Toxic Elements from Mussels () in the Spanish Population: A Nutritional Assessment. <i>Nutrients</i> , 2019 , 11,	6.7	10
99	Diagnostic performance of contrast-enhanced dual-energy spectral mammography (CESM): a retrospective study involving 644 breast lesions. <i>Radiologia Medica</i> , 2019 , 124, 1006-1017	6.5	10
98	Ethanol levels in legally autopsied subjects (2016-2017): Update of data and epidemiological implications in relation to violent deaths in Canary Islands (Spain). <i>Journal of Clinical Forensic and Legal Medicine</i> , 2019 , 68, 101868	1.7	1
97	Evaluation of the applicability of BI-RADS [®] MRI for the interpretation of contrast-enhanced digital mammography. <i>Radiologia</i> , 2019 , 61, 477-488	0.6	5
96	Evaluating European LIFE conservation projects: Improvements in survival of an endangered vulture. <i>Journal of Applied Ecology</i> , 2019 , 56, 1210-1219	5.8	18
95	Evaluation of the applicability of BI-RADS [®] MRI for the interpretation of contrast-enhanced digital mammography. <i>Radiologia</i> , 2019 , 61, 477-488	0.1	1
94	Assessment of 22 inorganic elements in human amniotic fluid: a cross-sectional study conducted in Canary Islands (Spain). <i>International Journal of Environmental Health Research</i> , 2019 , 29, 130-139	3.6	4
93	Suitability of anodic stripping voltammetry for routine analysis of venous blood from raptors. <i>Environmental Toxicology and Chemistry</i> , 2019 , 38, 737-747	3.8	3
92	Body burden of organohalogenated pollutants and polycyclic aromatic hydrocarbons in Romanian population: Influence of age, gender, body mass index, and habitat. <i>Science of the Total Environment</i> , 2019 , 656, 709-716	10.2	17
91	Association between prenatal exposure to multiple persistent organic pollutants (POPs) and growth indicators in newborns. <i>Environmental Research</i> , 2019 , 171, 285-292	7.9	18
90	Differential exposure to 33 toxic elements through cigarette smoking, based on the type of tobacco and rolling paper used. <i>Environmental Research</i> , 2019 , 169, 368-376	7.9	13
89	Occurrence of 44 elements in human cord blood and their association with growth indicators in newborns. <i>Environment International</i> , 2018 , 116, 43-51	12.9	35
88	Supplemental feeding and other anthropogenic threats to green turtles (<i>Chelonia mydas</i>) in the Canary Islands. <i>Science of the Total Environment</i> , 2018 , 621, 1000-1011	10.2	10
87	Pattern of blood concentrations of 47 elements in two populations from the same geographical area but with different geological origin and lifestyles: Canary Islands (Spain) vs. Morocco. <i>Science of the Total Environment</i> , 2018 , 636, 709-716	10.2	15
86	Multi-residue determination of anticoagulant rodenticides in vertebrate wildlife and domestic animals using Ultra (High) Performance Liquid Chromatography Tandem Mass Spectrometry. <i>MethodsX</i> , 2018 , 5, 149-158	1.9	3
85	Body burden of toxic metals and rare earth elements in non-smokers, cigarette smokers and electronic cigarette users. <i>Environmental Research</i> , 2018 , 166, 269-275	7.9	53
84	Factors affecting the precision of lesion sizing with contrast-enhanced spectral mammography. <i>Clinical Radiology</i> , 2018 , 73, 296-303	2.9	18
83	Reduction of persistent and semi-persistent organic pollutants in fillets of farmed European seabass (<i>Dicentrarchus labrax</i>) fed low fish oil diets. <i>Science of the Total Environment</i> , 2018 , 643, 1239-1247	10.2	7

82	Consumption of organic meat does not diminish the carcinogenic potential associated with the intake of persistent organic pollutants (POPs). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 4261-4273	5.1	19
81	Comparative analysis of selected semi-persistent and emerging pollutants in wild-caught fish and aquaculture associated fish using Bogue (Boops boops) as sentinel species. <i>Science of the Total Environment</i> , 2017 , 581-582, 199-208	10.2	25
80	Simvastatin down-regulates differential genetic profiles produced by organochlorine mixtures in primary breast cell (HMEC). <i>Chemico-Biological Interactions</i> , 2017 , 268, 85-92	5	2
79	Determinants of increasing serum POPs in a population at high risk for cardiovascular disease. Results from the PREDIMED-CANARIAS study. <i>Environmental Research</i> , 2017 , 156, 477-484	7.9	23
78	Simultaneous quantification of 49 elements associated to e-waste in human blood by ICP-MS for routine analysis. <i>MethodsX</i> , 2017 , 4, 328-334	1.9	15
77	Ethanol levels in legally autopsied subjects: Analytical approach and epidemiological relevance in a prospective study in the touristic region of the Canary Islands (Spain). <i>Journal of Clinical Forensic and Legal Medicine</i> , 2017 , 52, 40-45	1.7	2
76	Blood levels of toxic metals and rare earth elements commonly found in e-waste may exert subtle effects on hemoglobin concentration in sub-Saharan immigrants. <i>Environment International</i> , 2017 , 109, 20-28	12.9	42
75	Study of the influencing factors of the blood levels of toxic elements in Africans from 16 countries. <i>Environmental Pollution</i> , 2017 , 230, 817-828	9.3	17
74	Persistent organic pollutants and risk of diabetes and obesity on healthy adults: Results from a cross-sectional study in Spain. <i>Science of the Total Environment</i> , 2017 , 607-608, 1096-1102	10.2	22
73	The heartworm (<i>Dirofilaria immitis</i>) seems to be able to metabolize organochlorine pesticides and polychlorinated biphenyls: A case-control study in dogs. <i>Science of the Total Environment</i> , 2017 , 575, 1445-1452	10.2	6
72	Comparative study of the intake of toxic persistent and semi persistent pollutants through the consumption of fish and seafood from two modes of production (wild-caught and farmed). <i>Science of the Total Environment</i> , 2017 , 575, 919-931	10.2	27
71	Potential Role of Pet Cats As a Sentinel Species for Human Exposure to Flame Retardants. <i>Frontiers in Veterinary Science</i> , 2017 , 4, 79	3.1	18
70	Different pattern of contamination by legacy POPs in two populations from the same geographical area but with completely different lifestyles: Canary Islands (Spain) vs. Morocco. <i>Science of the Total Environment</i> , 2016 , 541, 51-57	10.2	22
69	Are pet dogs good sentinels of human exposure to environmental polycyclic aromatic hydrocarbons, organochlorine pesticides and polychlorinated biphenyls?. <i>Journal of Applied Animal Research</i> , 2016 , 44, 135-145	1.7	14
68	Rate of exposure of a sentinel species, invasive American mink (<i>Neovison vison</i>) in Scotland, to anticoagulant rodenticides. <i>Science of the Total Environment</i> , 2016 , 569-570, 1013-1021	10.2	25
67	Organochlorine Pesticides Exposure and Bladder Cancer: Evaluation from a Gene-Environment Perspective in a Hospital-Based Case-Control Study in the Canary Islands (Spain). <i>Journal of Agromedicine</i> , 2016 , 21, 34-42	1.9	9
66	Differential gene expression pattern in human mammary epithelial cells induced by realistic organochlorine mixtures described in healthy women and in women diagnosed with breast cancer. <i>Toxicology Letters</i> , 2016 , 246, 42-8	4.4	10
65	Relationship of polychlorinated biphenyls (PCBs) with parasitism, iron homeostasis, and other health outcomes: Results from a cross-sectional study on recently arrived African immigrants. <i>Environmental Research</i> , 2016 , 150, 549-556	7.9	6

64	A Case of a Concurrent and Co-Located Invasive Carcinoma and a Fibroadenoma to Illustrate the Potential of Dual-Energy, Contrast-Enhanced Digital Mammography on the Diagnosis of Complex Breast Lesions. <i>Iranian Journal of Radiology</i> , 2016 , 13, e32190	1.4	5
63	Is contrast-enhanced spectral mammography (CESM) helpful in differentiating diabetic mastopathy from breast carcinoma?. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016 , 60, 639-641	1.7	6
62	Assessment of human health hazards associated with the dietary exposure to organic and inorganic contaminants through the consumption of fishery products in Spain. <i>Science of the Total Environment</i> , 2016 , 557-558, 808-18	10.2	39
61	Estimated exposure to EU regulated mycotoxins and risk characterization of aflatoxin-induced hepatic toxicity through the consumption of the toasted cereal flour called "gofio", a traditional food of the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2016 , 93, 73-81	4.7	16
60	The impact of red and processed meat consumption on cancer and other health outcomes: Epidemiological evidences. <i>Food and Chemical Toxicology</i> , 2016 , 92, 236-44	4.7	101
59	Influence of parasitism in dogs on their serum levels of persistent organochlorine compounds and polycyclic aromatic hydrocarbons. <i>Science of the Total Environment</i> , 2016 , 562, 128-135	10.2	12
58	Mercury and selenium status of bottlenose dolphins (<i>Tursiops truncatus</i>): A study in stranded animals on the Canary Islands. <i>Science of the Total Environment</i> , 2015 , 536, 489-498	10.2	21
57	The assessment of daily dietary intake reveals the existence of a different pattern of bioaccumulation of chlorinated pollutants between domestic dogs and cats. <i>Science of the Total Environment</i> , 2015 , 530-531, 45-52	10.2	26
56	Plasma levels of pollutants are much higher in loggerhead turtle populations from the Adriatic Sea than in those from open waters (Eastern Atlantic Ocean). <i>Science of the Total Environment</i> , 2015 , 523, 161-9	10.2	34
55	Daily intake of anthropogenic pollutants through yogurt consumption in the Spanish population. <i>Journal of Applied Animal Research</i> , 2015 , 43, 373-383	1.7	12
54	In vitro evaluation of oestrogenic/androgenic activity of the serum organochlorine pesticide mixtures previously described in a breast cancer case-control study. <i>Science of the Total Environment</i> , 2015 , 537, 197-202	10.2	17
53	Continued implication of the banned pesticides carbofuran and aldicarb in the poisoning of domestic and wild animals of the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2015 , 505, 1093-9	10.2	65
52	Acid-Base and Plasma Biochemical Changes Using Crystalloid Fluids in Stranded Juvenile Loggerhead Sea Turtles (<i>Caretta caretta</i>). <i>PLoS ONE</i> , 2015 , 10, e0132217	3.7	15
51	Exposure to polycyclic aromatic hydrocarbons (PAHs) and bladder cancer: evaluation from a gene-environment perspective in a hospital-based case-control study in the Canary Islands (Spain). <i>International Journal of Occupational and Environmental Health</i> , 2015 , 21, 23-30		30
50	Validated analytical methodology for the simultaneous determination of a wide range of pesticides in human blood using GC-MS/MS and LC-ESI/MS/MS and its application in two poisoning cases. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2015 , 55, 307-15	2	29
49	An estimation of the carcinogenic risk associated with the intake of multiple relevant carcinogens found in meat and charcuterie products. <i>Science of the Total Environment</i> , 2015 , 514, 33-41	10.2	23
48	Monitoring serum PCB levels in the adult population of the Canary Islands (Spain). <i>AIMS Environmental Science</i> , 2015 , 2, 345-352	1.9	
47	Methodology for the identification of 117 pesticides commonly involved in the poisoning of wildlife using GC-MS-MS and LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 155-63	2.9	28

46	Assessment of anticoagulant rodenticide exposure in six raptor species from the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2014 , 485-486, 371-376	10.2	43
45	Assessment of current dietary intake of organochlorine contaminants and polycyclic aromatic hydrocarbons in killer whales (<i>Orcinus orca</i>) through direct determination in a group of whales in captivity. <i>Science of the Total Environment</i> , 2014 , 472, 1044-51	10.2	11
44	Dual-energy contrast-enhanced mammography. <i>Radiologia</i> , 2014 , 56, 390-9	0.6	9
43	Blood pressure in relation to contamination by polychlorobiphenyls and organochlorine pesticides: Results from a population-based study in the Canary Islands (Spain). <i>Environmental Research</i> , 2014 , 135, 48-54	7.9	37
42	Socioeconomic development as a determinant of the levels of organochlorine pesticides and PCBs in the inhabitants of Western and Central African countries. <i>Science of the Total Environment</i> , 2014 , 497-498, 97-105	10.2	27
41	Monitoring organic and inorganic pollutants in juvenile live sea turtles: results from a study of <i>Chelonia mydas</i> and <i>Eretmochelys imbricata</i> in Cape Verde. <i>Science of the Total Environment</i> , 2014 , 481, 303-10	10.2	67
40	Influence of the rehabilitation of injured loggerhead turtles (<i>Caretta caretta</i>) on their blood levels of environmental organic pollutants and elements. <i>Science of the Total Environment</i> , 2014 , 487, 436-42	10.2	22
39	Levels and profiles of POPs (organochlorine pesticides, PCBs, and PAHs) in free-ranging common bottlenose dolphins of the Canary Islands, Spain. <i>Science of the Total Environment</i> , 2014 , 493, 22-31	10.2	31
38	Consumption of foods of animal origin as determinant of contamination by organochlorine pesticides and polychlorobiphenyls: results from a population-based study in Spain. <i>Chemosphere</i> , 2014 , 114, 121-8	8.4	40
37	Dual-energy contrast-enhanced mammography. <i>Radiologia</i> , 2014 , 56, 390-399	0.1	8
36	Assessment of the exposure to organochlorine pesticides, PCBs and PAHs in six species of predatory birds of the Canary Islands, Spain. <i>Science of the Total Environment</i> , 2014 , 472, 146-53	10.2	57
35	Assessment of the levels of polycyclic aromatic hydrocarbons and organochlorine contaminants in bottlenose dolphins (<i>Tursiops truncatus</i>) from the Eastern Atlantic Ocean. <i>Marine Environmental Research</i> , 2014 , 100, 48-56	3.3	22
34	Potential adverse health effects of persistent organic pollutants on sea turtles: evidences from a cross-sectional study on Cape Verde loggerhead sea turtles. <i>Science of the Total Environment</i> , 2013 , 458-460, 283-9	10.2	66
33	Multi-residue method for the determination of 57 persistent organic pollutants in human milk and colostrum using a QuEChERS-based extraction procedure. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9523-36	4.4	70
32	Influence of the method of production of eggs on the daily intake of polycyclic aromatic hydrocarbons and organochlorine contaminants: an independent study in the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2013 , 60, 455-62	4.7	44
31	Pansteatitis associated with high levels of polychlorinated biphenyls in a wild loggerhead sea turtle <i>Caretta caretta</i> . <i>Diseases of Aquatic Organisms</i> , 2013 , 102, 237-42	1.7	12
30	Comparative study of organohalogen contamination between two populations of Eastern Atlantic loggerhead sea turtles (<i>Caretta caretta</i>). <i>Bulletin of Environmental Contamination and Toxicology</i> , 2013 , 91, 678-83	2.7	14
29	Potential adverse effects of inorganic pollutants on clinical parameters of loggerhead sea turtles (<i>Caretta caretta</i>): results from a nesting colony from Cape Verde, West Africa. <i>Marine Environmental Research</i> , 2013 , 92, 15-22	3.3	48

28	Crude oil as a stranding cause among loggerhead sea turtles (<i>Caretta caretta</i>) in the Canary Islands, Spain (1998-2011). <i>Journal of Wildlife Diseases</i> , 2013 , 49, 637-40	1.3	16
27	Metabolic and respiratory status of stranded juvenile loggerhead sea turtles (<i>Caretta caretta</i>): 66 cases (2008-2009). <i>Journal of the American Veterinary Medical Association</i> , 2013 , 242, 396-401	1	18
26	Polymorphisms of glutathione S-transferase α and β MDR1 and VEGF genes as risk factors of bladder cancer: a case-control study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 660-5	2.8	17
25	Levels of organochlorine contaminants in organic and conventional cheeses and their impact on the health of consumers: an independent study in the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2012 , 50, 4325-32	4.7	32
24	Comparative study of polycyclic aromatic hydrocarbons (PAHs) in plasma of Eastern Atlantic juvenile and adult nesting loggerhead sea turtles (<i>Caretta caretta</i>). <i>Marine Pollution Bulletin</i> , 2012 , 64, 1974-80	6.7	53
23	Complex organochlorine pesticide mixtures as determinant factor for breast cancer risk: a population-based case-control study in the Canary Islands (Spain). <i>Environmental Health</i> , 2012 , 11, 28	6	59
22	The relationship between dioxin-like polychlorobiphenyls and IGF-I serum levels in healthy adults: evidence from a cross-sectional study. <i>PLoS ONE</i> , 2012 , 7, e38213	3.7	7
21	Polychlorobiphenyls and organochlorine pesticides in conventional and organic brands of milk: occurrence and dietary intake in the population of the Canary Islands (Spain). <i>Chemosphere</i> , 2012 , 88, 307-15	8.4	48
20	Determinants of blood lead levels in children: a cross-sectional study in the Canary Islands (Spain). <i>International Journal of Hygiene and Environmental Health</i> , 2012 , 215, 383-8	6.9	12
19	Background levels of polychlorinated biphenyls in the population of the Canary Islands (Spain). <i>Environmental Research</i> , 2011 , 111, 10-6	7.9	40
18	Occurrence of contamination by controlled substances in Euro banknotes from the Spanish archipelago of the Canary Islands. <i>Journal of Forensic Sciences</i> , 2011 , 56, 1588-93	1.8	10
17	Ciguatera fish poisoning on the West Africa Coast: An emerging risk in the Canary Islands (Spain). <i>Toxicon</i> , 2010 , 56, 1516-9	2.8	75
16	Insulin-like growth factor-I (IGF-I) serum concentrations in healthy children and adolescents: relationship to level of contamination by DDT-derivative pesticides. <i>Growth Hormone and IGF Research</i> , 2010 , 20, 63-7	2	21
15	First health and pollution study on harbor seals (<i>Phoca vitulina</i>) living in the German Elbe estuary. <i>Marine Pollution Bulletin</i> , 2010 , 60, 2079-86	6.7	25
14	Differential effects exerted on human mammary epithelial cells by environmentally relevant organochlorine pesticides either individually or in combination. <i>Chemico-Biological Interactions</i> , 2009 , 180, 485-91	5	37
13	Determinants of organochlorine levels detectable in the amniotic fluid of women from Tenerife Island (Canary Islands, Spain). <i>Environmental Research</i> , 2009 , 109, 607-13	7.9	53
12	Multigenerational study of the hepatic effects exerted by the consumption of nonylphenol- and 4-octylphenol-contaminated drinking water in Sprague-Dawley rats. <i>Environmental Toxicology and Pharmacology</i> , 2007 , 23, 73-81	5.8	24
11	Serum levels of insulin-like growth factor-I in relation to organochlorine pesticides exposure. <i>Growth Hormone and IGF Research</i> , 2007 , 17, 506-11	2	31

10	Increasing serum levels of non-DDT-derivative organochlorine pesticides in the younger population of the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2006 , 367, 129-38	10.2	47
9	Inadvertent exposure to organochlorine pesticides DDT and derivatives in people from the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2005 , 339, 49-62	10.2	111
8	Ciguatera fish poisoning, Canary Islands. <i>Emerging Infectious Diseases</i> , 2005 , 11, 1981-2	10.2	91
7	Hepatocellular adenomas associated with anabolic androgenic steroid abuse in bodybuilders: a report of two cases and a review of the literature. <i>British Journal of Sports Medicine</i> , 2005 , 39, e27	10.3	145
6	Solubilization and photoaffinity labeling identification of glucocorticoid binding peptides in endoplasmic reticulum from rat liver. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 84, 245-53	5.1	3
5	Transition to androgen-independence in prostate cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2002 , 81, 191-201	5.1	78
4	Photoaffinity labeling identification of a specific binding protein for the anabolic steroids stanozolol and danazol: an oligomeric protein regulated by age, pituitary hormones, and ethinyl estradiol. <i>Endocrinology</i> , 2000 , 141, 3377-87	4.8	19
3	Evaluation of acute and chronic hepatotoxic effects exerted by anabolic-androgenic steroid stanozolol in adult male rats. <i>Archives of Toxicology</i> , 1999 , 73, 465-72	5.8	55
2	[3H]dexamethasone binding activity in liver microsomes is modulated differently by 17 alpha-alkylated androgens and testosterone in vivo. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1995 , 77, 264-9		4
1	Photoaffinity Labeling Identification of a Specific Binding Protein for the Anabolic Steroids Stanozolol and Danazol: An Oligomeric Protein Regulated by Age, Pituitary Hormones, and Ethinyl Estradiol		11