

Brad Boeve

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4384639/brad-boeve-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

472
papers

45,186
citations

97
h-index

205
g-index

508
ext. papers

54,248
ext. citations

7.9
avg, IF

7.11
L-index

#	Paper	IF	Citations
472	Diagnosis and management of dementia with Lewy bodies: third report of the DLB Consortium. <i>Neurology</i> , 2005 , 65, 1863-72	6.5	3921
471	Expanded GGGGCC hexanucleotide repeat in noncoding region of C9ORF72 causes chromosome 9p-linked FTD and ALS. <i>Neuron</i> , 2011 , 72, 245-56	13.9	3267
470	Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. <i>Brain</i> , 2011 , 134, 2456-77	11.2	2970
469	Diagnosis and management of dementia with Lewy bodies: Fourth consensus report of the DLB Consortium. <i>Neurology</i> , 2017 , 89, 88-100	6.5	1691
468	Mutations in progranulin cause tau-negative frontotemporal dementia linked to chromosome 17. <i>Nature</i> , 2006 , 442, 916-9	50.4	1549
467	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A β tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
466	Mild cognitive impairment: ten years later. <i>Archives of Neurology</i> , 2009 , 66, 1447-55		887
465	Serial PIB and MRI in normal, mild cognitive impairment and Alzheimer's disease: implications for sequence of pathological events in Alzheimer's disease. <i>Brain</i> , 2009 , 132, 1355-65	11.2	831
464	¹¹ C PiB and structural MRI provide complementary information in imaging of Alzheimer's disease and amnesic mild cognitive impairment. <i>Brain</i> , 2008 , 131, 665-80	11.2	716
463	Delayed emergence of a parkinsonian disorder or dementia in 81% of older men initially diagnosed with idiopathic rapid eye movement sleep behavior disorder: a 16-year update on a previously reported series. <i>Sleep Medicine</i> , 2013 , 14, 744-8	4.6	536
462	Clinicopathological and imaging correlates of progressive aphasia and apraxia of speech. <i>Brain</i> , 2006 , 129, 1385-98	11.2	529
461	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508
460	The Mayo Clinic Study of Aging: design and sampling, participation, baseline measures and sample characteristics. <i>Neuroepidemiology</i> , 2008 , 30, 58-69	5.4	497
459	Association of REM sleep behavior disorder and neurodegenerative disease may reflect an underlying synucleinopathy. <i>Movement Disorders</i> , 2001 , 16, 622-30	7	489
458	Mutations in progranulin are a major cause of ubiquitin-positive frontotemporal lobar degeneration. <i>Human Molecular Genetics</i> , 2006 , 15, 2988-3001	5.6	463
457	An operational approach to National Institute on Aging-Alzheimer's Association criteria for preclinical Alzheimer disease. <i>Annals of Neurology</i> , 2012 , 71, 765-75	9.4	435
456	Corticobasal degeneration and its relationship to progressive supranuclear palsy and frontotemporal dementia. <i>Annals of Neurology</i> , 2003 , 54 Suppl 5, S15-9	9.4	423

455	REM sleep behavior disorder: Updated review of the core features, the REM sleep behavior disorder-neurodegenerative disease association, evolving concepts, controversies, and future directions. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1184, 15-54	6.5	418
454	Steroid-responsive encephalopathy associated with autoimmune thyroiditis. <i>Archives of Neurology</i> , 2006 , 63, 197-202		375
453	Common variants at 7p21 are associated with frontotemporal lobar degeneration with TDP-43 inclusions. <i>Nature Genetics</i> , 2010 , 42, 234-9	36.3	361
452	Novel mutations in TARDBP (TDP-43) in patients with familial amyotrophic lateral sclerosis. <i>PLoS Genetics</i> , 2008 , 4, e1000193	6	339
451	Neuropathologic outcome of mild cognitive impairment following progression to clinical dementia. <i>Archives of Neurology</i> , 2006 , 63, 674-81		329
450	Parkinson disease neuropathology: later-developing dementia and loss of the levodopa response. <i>Archives of Neurology</i> , 2002 , 59, 102-12		321
449	Plasma progranulin levels predict progranulin mutation status in frontotemporal dementia patients and asymptomatic family members. <i>Brain</i> , 2009 , 132, 583-91	11.2	315
448	Neuroimaging signatures of frontotemporal dementia genetics: C9ORF72, tau, progranulin and sporadics. <i>Brain</i> , 2012 , 135, 794-806	11.2	306
447	An autoradiographic evaluation of AV-1451 Tau PET in dementia. <i>Acta Neuropathologica Communications</i> , 2016 , 4, 58	7.3	305
446	Risk and predictors of dementia and parkinsonism in idiopathic REM sleep behaviour disorder: a multicentre study. <i>Brain</i> , 2019 , 142, 744-759	11.2	303
445	Lewy body dementias. <i>Lancet, The</i> , 2015 , 386, 1683-97	4.0	303
444	Melatonin for treatment of REM sleep behavior disorder in neurologic disorders: results in 14 patients. <i>Sleep Medicine</i> , 2003 , 4, 281-4	4.6	303
443	Non-stationarity in the "resting brain's" modular architecture. <i>PLoS ONE</i> , 2012 , 7, e39731	3.7	293
442	Characterization of frontotemporal dementia and/or amyotrophic lateral sclerosis associated with the GGGGCC repeat expansion in C9ORF72. <i>Brain</i> , 2012 , 135, 765-83	11.2	277
441	Invited review: Frontotemporal dementia caused by microtubule-associated protein tau gene (MAPT) mutations: a chameleon for neuropathology and neuroimaging. <i>Neuropathology and Applied Neurobiology</i> , 2015 , 41, 24-46	5.2	275
440	Autoimmune encephalitis epidemiology and a comparison to infectious encephalitis. <i>Annals of Neurology</i> , 2018 , 83, 166-177	9.4	273
439	Development of methodology for conducting clinical trials in frontotemporal lobar degeneration. <i>Brain</i> , 2008 , 131, 2957-68	11.2	270
438	Cascading network failure across the Alzheimer's disease spectrum. <i>Brain</i> , 2016 , 139, 547-62	11.2	265

437	Consensus classification of posterior cortical atrophy. <i>Alzheimer's and Dementia</i> , 2017 , 13, 870-884	1.2	261
436	Neuroimaging correlates of pathologically defined subtypes of Alzheimer's disease: a case-control study. <i>Lancet Neurology</i> , 2012 , 11, 868-77	24.1	254
435	Common variation in the miR-659 binding-site of GRN is a major risk factor for TDP43-positive frontotemporal dementia. <i>Human Molecular Genetics</i> , 2008 , 17, 3631-42	5.6	242
434	TDP-43 is a key player in the clinical features associated with Alzheimer's disease. <i>Acta Neuropathologica</i> , 2014 , 127, 811-24	14.3	240
433	Diagnostic value of plasma phosphorylated tau181 in Alzheimer's disease and frontotemporal lobar degeneration. <i>Nature Medicine</i> , 2020 , 26, 387-397	50.5	236
432	Discovery of a biomarker and lead small molecules to target r(GGGGCC)-associated defects in c9FTD/ALS. <i>Neuron</i> , 2014 , 83, 1043-50	13.9	232
431	Distinct anatomical subtypes of the behavioural variant of frontotemporal dementia: a cluster analysis study. <i>Brain</i> , 2009 , 132, 2932-46	11.2	223
430	Frontotemporal dementia and its subtypes: a genome-wide association study. <i>Lancet Neurology</i> , 2014 , 13, 686-99	24.1	207
429	Association of traumatic brain injury with subsequent neurological and psychiatric disease: a meta-analysis. <i>Journal of Neurosurgery</i> , 2016 , 124, 511-26	3.2	205
428	Voxel-based morphometry in autopsy proven PSP and CBD. <i>Neurobiology of Aging</i> , 2008 , 29, 280-9	5.6	200
427	Validation of the Mayo Sleep Questionnaire to screen for REM sleep behavior disorder in an aging and dementia cohort. <i>Sleep Medicine</i> , 2011 , 12, 445-53	4.6	198
426	Incidence of dementia with Lewy bodies and Parkinson disease dementia. <i>JAMA Neurology</i> , 2013 , 70, 1396-402	17.2	185
425	REM sleep behavior disorder in Parkinson's disease and dementia with Lewy bodies. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2004 , 17, 146-57	3.8	185
424	Chronic traumatic encephalopathy pathology in a neurodegenerative disorders brain bank. <i>Acta Neuropathologica</i> , 2015 , 130, 877-89	14.3	176
423	Mild cognitive impairment due to Alzheimer disease in the community. <i>Annals of Neurology</i> , 2013 , 74, 199-208	9.4	175
422	Phenotypic variability associated with progranulin haploinsufficiency in patients with the common 1477C-->T (Arg493X) mutation: an international initiative. <i>Lancet Neurology</i> , 2007 , 6, 857-68	24.1	174
421	Mild cognitive impairment associated with limbic and neocortical Lewy body disease: a clinicopathological study. <i>Brain</i> , 2010 , 133, 540-56	11.2	172
420	Occurrence and clinical correlates of REM sleep behaviour disorder in patients with Parkinson's disease over time. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008 , 79, 387-91	5.5	171

419	Antemortem diagnosis of frontotemporal lobar degeneration. <i>Annals of Neurology</i> , 2005 , 57, 480-8	9.4	171
418	Depression, apolipoprotein E genotype, and the incidence of mild cognitive impairment: a prospective cohort study. <i>Archives of Neurology</i> , 2006 , 63, 435-40		170
417	Treatment outcomes in REM sleep behavior disorder. <i>Sleep Medicine</i> , 2013 , 14, 237-42	4.6	167
416	Comparison of 18F-FDG and PiB PET in cognitive impairment. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 878-86		155
415	Research criteria for the diagnosis of prodromal dementia with Lewy bodies. <i>Neurology</i> , 2020 , 94, 743-755		151
414	Prominent phenotypic variability associated with mutations in Progranulin. <i>Neurobiology of Aging</i> , 2009 , 30, 739-51	5.6	150
413	Neuropathologic features of frontotemporal lobar degeneration with ubiquitin-positive inclusions with progranulin gene (PGRN) mutations. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007 , 66, 142-51	3.1	150
412	Essentials of the proper diagnoses of mild cognitive impairment, dementia, and major subtypes of dementia. <i>Mayo Clinic Proceedings</i> , 2003 , 78, 1290-308	6.4	150
411	Multimodality imaging characteristics of dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2012 , 33, 2091-105	5.6	149
410	Clinical, neuroimaging and neuropathological features of a new chromosome 9p-linked FTD-ALS family. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 196-203	5.5	146
409	REM sleep behaviour disorder. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 19	51.1	146
408	Probable rapid eye movement sleep behavior disorder increases risk for mild cognitive impairment and Parkinson disease: a population-based study. <i>Annals of Neurology</i> , 2012 , 71, 49-56	9.4	142
407	Nonamnesic mild cognitive impairment progresses to dementia with Lewy bodies. <i>Neurology</i> , 2013 , 81, 2032-8	6.5	141
406	Refining frontotemporal dementia with parkinsonism linked to chromosome 17: introducing FTDP-17 (MAPT) and FTDP-17 (PGRN). <i>Archives of Neurology</i> , 2008 , 65, 460-4		140
405	Widespread brain tau and its association with ageing, Braak stage and Alzheimer's dementia. <i>Brain</i> , 2018 , 141, 271-287	11.2	139
404	Idiopathic REM sleep behaviour disorder in the development of Parkinson's disease. <i>Lancet Neurology</i> , 2013 , 12, 469-82	24.1	139
403	Antemortem MRI based STructural Abnormality iNDex (STAND)-scores correlate with postmortem Braak neurofibrillary tangle stage. <i>NeuroImage</i> , 2008 , 42, 559-67	7.9	137
402	Imaging correlates of posterior cortical atrophy. <i>Neurobiology of Aging</i> , 2007 , 28, 1051-61	5.6	137

401	Neuropsychological differentiation of dementia with Lewy bodies from normal aging and Alzheimer's disease. <i>Clinical Neuropsychologist</i> , 2006 , 20, 623-36	4.4	137
400	Autoimmune dementia: clinical course and predictors of immunotherapy response. <i>Mayo Clinic Proceedings</i> , 2010 , 85, 881-97	6.4	132
399	Comparison of the short test of mental status and the mini-mental state examination in mild cognitive impairment. <i>Archives of Neurology</i> , 2003 , 60, 1777-81		132
398	Effects of multiple genetic loci on age at onset in late-onset Alzheimer disease: a genome-wide association study. <i>JAMA Neurology</i> , 2014 , 71, 1394-404	17.2	129
397	CCNF mutations in amyotrophic lateral sclerosis and frontotemporal dementia. <i>Nature Communications</i> , 2016 , 7, 11253	17.4	126
396	Rates of cerebral atrophy differ in different degenerative pathologies. <i>Brain</i> , 2007 , 130, 1148-58	11.2	125
395	Indicators of amyloid burden in a population-based study of cognitively normal elderly. <i>Neurology</i> , 2012 , 79, 1570-7	6.5	123
394	Basal ganglia T1 hyperintensity in LGI1-autoantibody faciobrachial dystonic seizures. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015 , 2, e161	9.1	120
393	Genome-wide association study of corticobasal degeneration identifies risk variants shared with progressive supranuclear palsy. <i>Nature Communications</i> , 2015 , 6, 7247	17.4	118
392	Validation of the neuropathologic criteria of the third consortium for dementia with Lewy bodies for prospectively diagnosed cases. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008 , 67, 649-56	3.1	116
391	AV-1451 tau and amyloid positron emission tomography imaging in dementia with Lewy bodies. <i>Annals of Neurology</i> , 2017 , 81, 58-67	9.4	115
390	Dementia with Lewy bodies: basis of cingulate island sign. <i>Neurology</i> , 2014 , 83, 801-9	6.5	111
389	Atypical progressive supranuclear palsy with corticospinal tract degeneration. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006 , 65, 396-405	3.1	110
388	Incidental Lewy body disease: do some cases represent a preclinical stage of dementia with Lewy bodies?. <i>Neurobiology of Aging</i> , 2011 , 32, 857-63	5.6	109
387	EEG findings in steroid-responsive encephalopathy associated with autoimmune thyroiditis. <i>Clinical Neurophysiology</i> , 2003 , 114, 32-7	4.3	109
386	White-matter integrity on DTI and the pathologic staging of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 56, 172-179	5.6	107
385	Positron emission tomography-computed tomography in paraneoplastic neurologic disorders: systematic analysis and review. <i>Archives of Neurology</i> , 2010 , 67, 322-9		106
384	Tau, amyloid, and cascading network failure across the Alzheimer's disease spectrum. <i>Cortex</i> , 2017 , 97, 143-159	3.8	105

383	Melatonin therapy for REM sleep behavior disorder: a critical review of evidence. <i>Sleep Medicine</i> , 2015 , 16, 19-26	4.6	105
382	Dementia with Lewy bodies may present as dementia and REM sleep behavior disorder without parkinsonism or hallucinations. <i>Journal of the International Neuropsychological Society</i> , 2002 , 8, 907-14	3.1	104
381	Chromosome 9 ALS and FTD locus is probably derived from a single founder. <i>Neurobiology of Aging</i> , 2012 , 33, 209.e3-8	5.6	103
380	Association of diabetes with amnesic and nonamnesic mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2014 , 10, 18-26	1.2	102
379	Increased tau burden in the cortices of progressive supranuclear palsy presenting with corticobasal syndrome. <i>Movement Disorders</i> , 2005 , 20, 982-8	7	100
378	Practice effects and longitudinal cognitive change in normal aging vs. incident mild cognitive impairment and dementia in the Mayo Clinic Study of Aging. <i>Clinical Neuropsychologist</i> , 2013 , 27, 1247-64	4.4	99
377	Frontotemporal dementia and parkinsonism associated with the IVS1+1G->A mutation in progranulin: a clinicopathologic study. <i>Brain</i> , 2006 , 129, 3103-14	11.2	99
376	Validation of the Mayo Sleep Questionnaire to screen for REM sleep behavior disorder in a community-based sample. <i>Journal of Clinical Sleep Medicine</i> , 2013 , 9, 475-80	3.1	98
375	Association of Excessive Daytime Sleepiness With Longitudinal Amyloid Accumulation in Elderly Persons Without Dementia. <i>JAMA Neurology</i> , 2018 , 75, 672-680	17.2	95
374	Pattern of brain atrophy rates in autopsy-confirmed dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2015 , 36, 452-61	5.6	94
373	Spt4 selectively regulates the expression of C9orf72 sense and antisense mutant transcripts. <i>Science</i> , 2016 , 353, 708-12	33.3	92
372	Tau aggregation influences cognition and hippocampal atrophy in the absence of beta-amyloid: a clinico-imaging-pathological study of primary age-related tauopathy (PART). <i>Acta Neuropathologica</i> , 2017 , 133, 705-715	14.3	91
371	REM Sleep Behavior Disorder in Parkinson's Disease and Other Synucleinopathies. <i>Movement Disorders</i> , 2017 , 32, 645-658	7	91
370	Frequency and correlates of caregiver-reported sleep disturbances in a sample of persons with early dementia. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 480-6	5.6	91
369	Age at symptom onset and death and disease duration in genetic frontotemporal dementia: an international retrospective cohort study. <i>Lancet Neurology</i> , 2020 , 19, 145-156	24.1	90
368	Young-onset dementia: demographic and etiologic characteristics of 235 patients. <i>Archives of Neurology</i> , 2008 , 65, 1502-8		88
367	Neuropathological features of corticobasal degeneration presenting as corticobasal syndrome or Richardson syndrome. <i>Brain</i> , 2011 , 134, 3264-75	11.2	87
366	Shapes of the trajectories of 5 major biomarkers of Alzheimer disease. <i>Archives of Neurology</i> , 2012 , 69, 856-67		86

365	REM sleep behavior disorder initiated by acute brainstem multiple sclerosis. <i>Neurology</i> , 2006 , 66, 1277-96.5		86
364	¹⁸ F-fluorodeoxyglucose positron emission tomography, aging, and apolipoprotein E genotype in cognitively normal persons. <i>Neurobiology of Aging</i> , 2014 , 35, 2096-106	5.6	85
363	Alzheimer's disease and corticobasal degeneration presenting as corticobasal syndrome. <i>Movement Disorders</i> , 2009 , 24, 1375-9	7	85
362	Mutations in progranulin explain atypical phenotypes with variants in MAPT. <i>Brain</i> , 2006 , 129, 3124-6	11.2	85
361	A presenilin 1 mutation associated with familial frontotemporal dementia inhibits gamma-secretase cleavage of APP and notch. <i>Neurobiology of Disease</i> , 2002 , 9, 269-73	7.5	85
360	Early Alzheimer's disease neuropathology detected by proton MR spectroscopy. <i>Journal of Neuroscience</i> , 2014 , 34, 16247-55	6.6	84
359	REM sleep behavior disorder and REM sleep without atonia as an early manifestation of degenerative neurological disease. <i>Current Neurology and Neuroscience Reports</i> , 2012 , 12, 182-92	6.6	84
358	Novel clinical associations with specific C9ORF72 transcripts in patients with repeat expansions in C9ORF72. <i>Acta Neuropathologica</i> , 2015 , 130, 863-76	14.3	81
357	Autoimmune encephalopathies. <i>Neurologist</i> , 2007 , 13, 140-7	1.6	81
356	Rapid eye movement sleep behavior disorder and subtypes in autopsy-confirmed dementia with Lewy bodies. <i>Movement Disorders</i> , 2012 , 27, 72-8	7	80
355	Voxel-based morphometry in frontotemporal lobar degeneration with ubiquitin-positive inclusions with and without progranulin mutations. <i>Archives of Neurology</i> , 2007 , 64, 371-6		79
354	The bivariate distribution of amyloid- β and tau: relationship with established neurocognitive clinical syndromes. <i>Brain</i> , 2019 , 142, 3230-3242	11.2	77
353	β is associated with severity of Lewy body pathology independent of Alzheimer pathology. <i>Neurology</i> , 2018 , 91, e1182-e1195	6.5	77
352	REM Sleep Behavior Disorder: Diagnosis, Clinical Implications, and Future Directions. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 1723-1736	6.4	77
351	C9orf72 hexanucleotide repeat expansions in clinical Alzheimer disease. <i>JAMA Neurology</i> , 2013 , 70, 736-41.2	11.2	77
350	Temporoparietal atrophy: a marker of AD pathology independent of clinical diagnosis. <i>Neurobiology of Aging</i> , 2011 , 32, 1531-41	5.6	77
349	Diagnostic thresholds for quantitative REM sleep phasic burst duration, phasic and tonic muscle activity, and REM atonia index in REM sleep behavior disorder with and without comorbid obstructive sleep apnea. <i>Sleep</i> , 2014 , 37, 1649-62	1.1	76
348	C9ORF72 repeat expansions in cases with previously identified pathogenic mutations. <i>Neurology</i> , 2013 , 81, 1332-41	6.5	75

347	Antemortem differential diagnosis of dementia pathology using structural MRI: Differential-STAND. <i>NeuroImage</i> , 2011 , 55, 522-31	7.9	74
346	Cerebellar c9RAN proteins associate with clinical and neuropathological characteristics of C9ORF72 repeat expansion carriers. <i>Acta Neuropathologica</i> , 2015 , 130, 559-73	14.3	72
345	Antidepressants Increase REM Sleep Muscle Tone in Patients with and without REM Sleep Behavior Disorder. <i>Sleep</i> , 2015 , 38, 907-17	1.1	72
344	Length of normal alleles of C9ORF72 GGGGCC repeat do not influence disease phenotype. <i>Neurobiology of Aging</i> , 2012 , 33, 2950.e5-7	5.6	72
343	The multiple phenotypes of corticobasal syndrome and corticobasal degeneration: implications for further study. <i>Journal of Molecular Neuroscience</i> , 2011 , 45, 350-3	3.3	72
342	Antemortem amyloid imaging and amyloid pathology in a case with dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2012 , 33, 878-85	5.6	69
341	Focal atrophy on MRI and neuropathologic classification of dementia with Lewy bodies. <i>Neurology</i> , 2012 , 79, 553-60	6.5	69
340	Recommendations to distinguish behavioural variant frontotemporal dementia from psychiatric disorders. <i>Brain</i> , 2020 , 143, 1632-1650	11.2	68
339	Progressive nonfluent aphasia and subsequent aphasic dementia associated with atypical progressive supranuclear palsy pathology. <i>European Neurology</i> , 2003 , 49, 72-8	2.1	67
338	Probable RBD is increased in Parkinson's disease but not in essential tremor or restless legs syndrome. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 456-8	3.6	65
337	Sleep disturbance in dementia with Lewy bodies and Alzheimer's disease: a multicenter analysis. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011 , 31, 239-46	2.6	64
336	Genetic risk factors for the posterior cortical atrophy variant of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2016 , 12, 862-71	1.2	64
335	A population-based study of the association between bullous pemphigoid and neurologic disorders. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1191-7	4.5	63
334	Lewy body variant of Alzheimer's disease (AD) identified by postmortem ubiquitin staining in a previously reported case of AD associated with REM sleep behavior disorder. <i>Biological Psychiatry</i> , 1997 , 42, 527-8	7.9	63
333	Ataxin-2 as potential disease modifier in C9ORF72 expansion carriers. <i>Neurobiology of Aging</i> , 2014 , 35, 2421.e13-7	5.6	62
332	Clinically undetected motor neuron disease in pathologically proven frontotemporal lobar degeneration with motor neuron disease. <i>Archives of Neurology</i> , 2006 , 63, 506-12		62
331	Mild cognitive impairment in the oldest old. <i>Neurology</i> , 2003 , 60, 477-80	6.5	61
330	Potential genetic modifiers of disease risk and age at onset in patients with frontotemporal lobar degeneration and GRN mutations: a genome-wide association study. <i>Lancet Neurology</i> , 2018 , 17, 548-558	24.1	60

329	Association of hypometabolism and amyloid levels in aging, normal subjects. <i>Neurology</i> , 2014 , 82, 1959-675	6.5	60
328	Correlation between antemortem magnetic resonance imaging findings and pathologically confirmed corticobasal degeneration. <i>Archives of Neurology</i> , 2004 , 61, 1881-4		60
327	The Treatment of Parasomnias with Hypnosis: a 5-Year Follow-Up Study. <i>Journal of Clinical Sleep Medicine</i> , 2007 , 03, 369-373	3.1	60
326	Frontotemporal dementia with the V337M mutation: Tau-PET and pathology correlations. <i>Neurology</i> , 2017 , 88, 758-766	6.5	58
325	Polysomnographic findings in dementia with Lewy bodies. <i>Neurologist</i> , 2013 , 19, 1-6	1.6	58
324	Anatomical differences between CBS-corticobasal degeneration and CBS-Alzheimer's disease. <i>Movement Disorders</i> , 2010 , 25, 1246-52	7	58
323	Involvement of medullary regions controlling sympathetic output in Lewy body disease. <i>Brain</i> , 2005 , 128, 338-44	11.2	58
322	In-depth clinico-pathological examination of RNA foci in a large cohort of C9ORF72 expansion carriers. <i>Acta Neuropathologica</i> , 2017 , 134, 255-269	14.3	57
321	Sensitivity and Specificity of Diagnostic Criteria for Progressive Supranuclear Palsy. <i>Movement Disorders</i> , 2019 , 34, 1144-1153	7	56
320	Progranulin protein levels are differently regulated in plasma and CSF. <i>Neurology</i> , 2014 , 82, 1871-8	6.5	56
319	Factors associated with injury in REM sleep behavior disorder. <i>Sleep Medicine</i> , 2014 , 15, 1332-8	4.6	56
318	Imaging and acetylcholinesterase inhibitor response in dementia with Lewy bodies. <i>Brain</i> , 2012 , 135, 2470-7	11.2	53
317	High School Football and Late-Life Risk of Neurodegenerative Syndromes, 1956-1970. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 66-71	6.4	52
316	Spectrum of cognition short of dementia: Framingham Heart Study and Mayo Clinic Study of Aging. <i>Neurology</i> , 2015 , 85, 1712-21	6.5	52
315	Frontotemporal dementia treatment: current symptomatic therapies and implications of recent genetic, biochemical, and neuroimaging studies. <i>Alzheimer Disease and Associated Disorders</i> , 2007 , 21, S79-87	2.5	52
314	Tau-positron emission tomography correlates with neuropathology findings. <i>Alzheimer's and Dementia</i> , 2020 , 16, 561-571	1.2	52
313	Risk and protective factors for cognitive impairment in persons aged 85 years and older. <i>Neurology</i> , 2015 , 84, 1854-61	6.5	51
312	Amyloid- β deposition and regional grey matter atrophy rates in dementia with Lewy bodies. <i>Brain</i> , 2016 , 139, 2740-2750	11.2	51

311	Genetic modifiers in carriers of repeat expansions in the C9ORF72 gene. <i>Molecular Neurodegeneration</i> , 2014 , 9, 38	19	51
310	Alzheimer disease-like phenotype associated with the c.154delA mutation in progranulin. <i>Archives of Neurology</i> , 2010 , 67, 171-7		51
309	Dementia with Lewy bodies. <i>Neurologic Clinics</i> , 2007 , 25, 741-60, vii	4.5	51
308	Longitudinal characterization of two siblings with frontotemporal dementia and parkinsonism linked to chromosome 17 associated with the S305N tau mutation. <i>Brain</i> , 2005 , 128, 752-72	11.2	51
307	TYROBP genetic variants in early-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016 , 48, 222.e9-222.e15	5.15	51
306	A nonsynonymous mutation in PLCG2 reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. <i>Acta Neuropathologica</i> , 2019 , 138, 237-250	14.3	50
305	Genome-wide analyses as part of the international FTLT-TDP whole-genome sequencing consortium reveals novel disease risk factors and increases support for immune dysfunction in FTLT. <i>Acta Neuropathologica</i> , 2019 , 137, 879-899	14.3	50
304	Excessive daytime sleepiness and fatigue may indicate accelerated brain aging in cognitively normal late middle-aged and older adults. <i>Sleep Medicine</i> , 2017 , 32, 236-243	4.6	49
303	Imaging signatures of molecular pathology in behavioral variant frontotemporal dementia. <i>Journal of Molecular Neuroscience</i> , 2011 , 45, 372-8	3.3	49
302	Entorhinal cortex tau, amyloid- β cortical thickness and memory performance in non-demented subjects. <i>Brain</i> , 2019 , 142, 1148-1160	11.2	49
301	Imaging correlations of tau, amyloid, metabolism, and atrophy in typical and atypical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018 , 14, 1005-1014	1.2	47
300	Survival and Causes of Death Among People With Clinically Diagnosed Synucleinopathies With Parkinsonism: A Population-Based Study. <i>JAMA Neurology</i> , 2017 , 74, 839-846	17.2	46
299	[F]AV-1451 tau-PET and primary progressive aphasia. <i>Annals of Neurology</i> , 2018 , 83, 599-611	9.4	46
298	FDG-PET in tau-negative amnesic dementia resembles that of autopsy-proven hippocampal sclerosis. <i>Brain</i> , 2018 , 141, 1201-1217	11.2	46
297	MRI and pathology of REM sleep behavior disorder in dementia with Lewy bodies. <i>Neurology</i> , 2013 , 81, 1681-9	6.5	46
296	Symmetric corticobasal degeneration (S-CBD). <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 208-14	3.6	46
295	Mild cognitive impairment associated with underlying Alzheimer's disease versus Lewy body disease. <i>Parkinsonism and Related Disorders</i> , 2012 , 18 Suppl 1, S41-4	3.6	45
294	Clinical-pathologic study of biomarkers in FTDP-17 (PPND family with N279K tau mutation). <i>Parkinsonism and Related Disorders</i> , 2007 , 13, 230-9	3.6	45

293	Comparison of Gait Parameters for Predicting Cognitive Decline: The Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2017 , 55, 559-567	4.3	44
292	A preliminary fluorodeoxyglucose positron emission tomography study in healthy adults reporting dream-enactment behavior. <i>Sleep</i> , 2006 , 29, 927-33	1.1	44
291	MR Elastography Demonstrates Unique Regional Brain Stiffness Patterns in Dementias. <i>American Journal of Roentgenology</i> , 2017 , 209, 403-408	5.4	43
290	MRI correlates of protein deposition and disease severity in postmortem frontotemporal lobar degeneration. <i>Neurodegenerative Diseases</i> , 2009 , 6, 106-17	2.3	43
289	Arguing against the proposed definition changes of PD. <i>Movement Disorders</i> , 2016 , 31, 1619-1622	7	43
288	Plasma phosphorylated tau 217 and phosphorylated tau 181 as biomarkers in Alzheimer's disease and frontotemporal lobar degeneration: a retrospective diagnostic performance study. <i>Lancet Neurology</i> , 2021 , 20, 739-752	24.1	43
287	[F]AV-1451 clustering of entorhinal and cortical uptake in Alzheimer's disease. <i>Annals of Neurology</i> , 2018 , 83, 248-257	9.4	42
286	Subtle gait changes in patients with REM sleep behavior disorder. <i>Movement Disorders</i> , 2013 , 28, 1847-53		42
285	Neuropsychological assessment of patients with dementing illness. <i>Nature Reviews Neurology</i> , 2011 , 7, 677-87	15	42
284	Association of Apolipoprotein E ϵ 4 With Transactive Response DNA-Binding Protein 43. <i>JAMA Neurology</i> , 2018 , 75, 1347-1354	17.2	42
283	Polygenic risk scores in familial Alzheimer disease. <i>Neurology</i> , 2017 , 88, 1180-1186	6.5	41
282	Links between frontotemporal lobar degeneration, corticobasal degeneration, progressive supranuclear palsy, and amyotrophic lateral sclerosis. <i>Alzheimer Disease and Associated Disorders</i> , 2007 , 21, S31-8	2.5	41
281	Magnetic resonance elastography of frontotemporal dementia. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, 474-8	5.6	41
280	ABI3 and PLCG2 missense variants as risk factors for neurodegenerative diseases in Caucasians and African Americans. <i>Molecular Neurodegeneration</i> , 2018 , 13, 53	19	41
279	Diagnostic REM sleep muscle activity thresholds in patients with idiopathic REM sleep behavior disorder with and without obstructive sleep apnea. <i>Sleep Medicine</i> , 2017 , 33, 23-29	4.6	40
278	Longitudinal multimodal imaging and clinical endpoints for frontotemporal dementia clinical trials. <i>Brain</i> , 2019 , 142, 443-459	11.2	40
277	Predictors of neural-specific autoantibodies and immunotherapy response in patients with cognitive dysfunction. <i>Journal of Neuroimmunology</i> , 2018 , 323, 62-72	3.5	40
276	Mitochondrial targeting sequence variants of the CHCHD2 gene are a risk for Lewy body disorders. <i>Neurology</i> , 2015 , 85, 2016-25	6.5	40

275	The limbic and neocortical contribution of β -synuclein, tau, and amyloid β to disease duration in dementia with Lewy bodies. <i>Alzheimer's and Dementia</i> , 2018 , 14, 330-339	1.2	40
274	Antemortem MRI findings associated with microinfarcts at autopsy. <i>Neurology</i> , 2014 , 82, 1951-8	6.5	39
273	Frontotemporal dementia mimicking dementia with Lewy bodies. <i>Cognitive and Behavioral Neurology</i> , 2008 , 21, 157-63	1.6	39
272	Hippocampal volumes predict risk of dementia with Lewy bodies in mild cognitive impairment. <i>Neurology</i> , 2016 , 87, 2317-2323	6.5	38
271	Association between contact sports participation and chronic traumatic encephalopathy: a retrospective cohort study. <i>Brain Pathology</i> , 2020 , 30, 63-74	6	38
270	When Do β -Synucleinopathies Start? An Epidemiological Timeline: A Review. <i>JAMA Neurology</i> , 2018 , 75, 503-509	17.2	37
269	In vivo F-AV-1451 tau PET signal in mutation carriers varies by expected tau isoforms. <i>Neurology</i> , 2018 , 90, e947-e954	6.5	37
268	Abnormal daytime sleepiness in dementia with Lewy bodies compared to Alzheimer's disease using the Multiple Sleep Latency Test. <i>Alzheimer's Research and Therapy</i> , 2014 , 6, 76	9	37
267	Current management of sleep disturbances in dementia. <i>Current Neurology and Neuroscience Reports</i> , 2002 , 2, 169-77	6.6	37
266	Cross-sectional associations of tau-PET signal with cognition in cognitively unimpaired adults. <i>Neurology</i> , 2019 , 93, e29-e39	6.5	36
265	Progressive dysexecutive syndrome due to Alzheimer's disease: a description of 55 cases and comparison to other phenotypes. <i>Brain Communications</i> , 2020 , 2, fcaa068	4.5	36
264	Age-specific incidence rates for dementia and Alzheimer disease in NIA-LOAD/NCRAD and EFIGA families: National Institute on Aging Genetics Initiative for Late-Onset Alzheimer Disease/National Cell Repository for Alzheimer Disease (NIA-LOAD/NCRAD) and Estudio Familiar de Influencia Genética en Alzheimer (EFIGA). <i>JAMA Neurology</i> , 2014 , 71, 215-22	17.2	36
263	Hypothyroidism and risk of mild cognitive impairment in elderly persons: a population-based study. <i>JAMA Neurology</i> , 2014 , 71, 201-7	17.2	36
262	The Role of Cardiovascular Risk Factors and Stroke in Familial Alzheimer Disease. <i>JAMA Neurology</i> , 2016 , 73, 1231-1237	17.2	35
261	Sleep Disturbances in Frontotemporal Dementia. <i>Current Neurology and Neuroscience Reports</i> , 2016 , 16, 85	6.6	35
260	Truncated stathmin-2 is a marker of TDP-43 pathology in frontotemporal dementia. <i>Journal of Clinical Investigation</i> , 2020 , 130, 6080-6092	15.9	34
259	Duration and Pathologic Correlates of Lewy Body Disease. <i>JAMA Neurology</i> , 2017 , 74, 310-315	17.2	31
258	Rarity of the Alzheimer disease-protective APP A673T variant in the United States. <i>JAMA Neurology</i> , 2015 , 72, 209-16	17.2	31

257	Ⓔ Amyloid PET and neuropathology in dementia with Lewy bodies. <i>Neurology</i> , 2020 , 94, e282-e291	6.5	31
256	Genome sequencing analysis identifies new loci associated with Lewy body dementia and provides insights into its genetic architecture. <i>Nature Genetics</i> , 2021 , 53, 294-303	36.3	31
255	Neuroimaging correlates with neuropathologic schemes in neurodegenerative disease. <i>Alzheimer's and Dementia</i> , 2019 , 15, 927-939	1.2	30
254	Alpha-Synuclein Oligomers and Neurofilament Light Chain in Spinal Fluid Differentiate Multiple System Atrophy from Lewy Body Synucleinopathies. <i>Annals of Neurology</i> , 2020 , 88, 503-512	9.4	30
253	Lesional REM sleep behavior disorder localizes to the dorsomedial pons. <i>Neurology</i> , 2014 , 83, 1871-3	6.5	30
252	Neuroimaging-evident lesional pathology associated with REM sleep behavior disorder. <i>Sleep Medicine</i> , 2015 , 16, 1502-10	4.6	30
251	Comparison of risk factor profiles in incidental Lewy body disease and Parkinson disease. <i>Archives of Neurology</i> , 2009 , 66, 1114-9		30
250	Rates of cerebral atrophy in autopsy-confirmed progressive supranuclear palsy. <i>Annals of Neurology</i> , 2006 , 59, 200-3	9.4	30
249	White matter integrity in dementia with Lewy bodies: a voxel-based analysis of diffusion tensor imaging. <i>Neurobiology of Aging</i> , 2015 , 36, 2010-7	5.6	29
248	Plasma sphingolipid changes with autopsy-confirmed Lewy Body or Alzheimer's pathology. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 3, 43-50	5.2	28
247	A Comprehensive Resource for Induced Pluripotent Stem Cells from Patients with Primary Tauopathies. <i>Stem Cell Reports</i> , 2019 , 13, 939-955	8	28
246	Long-term locomotor training for gait and balance in a patient with mixed progressive supranuclear palsy and corticobasal degeneration. <i>Physical Therapy</i> , 2007 , 87, 1078-87	3.3	28
245	Depressive and anxiety symptoms and cortical amyloid deposition among cognitively normal elderly persons: the Mayo Clinic Study of Aging. <i>International Psychogeriatrics</i> , 2018 , 30, 245-251	3.4	28
244	Efficacy, Safety, and Tolerability of Armodafinil Therapy for Hypersomnia Associated with Dementia with Lewy Bodies: A Pilot Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2017 , 43, 269-280 ^{2.6}		27
243	Utility of the global CDR plus NACC FTLD rating and development of scoring rules: Data from the ARTFL/LEFFTDS Consortium. <i>Alzheimer's and Dementia</i> , 2020 , 16, 106-117	1.2	27
242	Predicting Survival in Dementia With Lewy Bodies With Hippocampal Volumetry. <i>Movement Disorders</i> , 2016 , 31, 989-94	7	27
241	Corticobasal degeneration with TDP-43 pathology presenting with progressive supranuclear palsy syndrome: a distinct clinicopathologic subtype. <i>Acta Neuropathologica</i> , 2018 , 136, 389-404	14.3	27
240	Progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2012 , 18 Suppl 1, S192-4	3.6	27

239	Restless legs syndrome and daytime sleepiness are prominent in myotonic dystrophy type 2. <i>Neurology</i> , 2013 , 81, 157-64	6.5	27
238	Absence of rapid eye movement sleep behavior disorder in 11 members of the pallidopontonigral degeneration kindred. <i>Archives of Neurology</i> , 2006 , 63, 268-72		27
237	Improving clinical cognitive testing: report of the AAN Behavioral Neurology Section Workgroup. <i>Neurology</i> , 2015 , 85, 910-8	6.5	25
236	Treatment of dementia with lewy bodies. <i>Current Treatment Options in Neurology</i> , 2013 , 15, 738-64	4.4	25
235	Predicting future rates of tau accumulation on PET. <i>Brain</i> , 2020 , 143, 3136-3150	11.2	25
234	A C6orf10/LOC101929163 locus is associated with age of onset in C9orf72 carriers. <i>Brain</i> , 2018 , 141, 2895-2907	11.2	25
233	Fine-Mapping of SNCA in Rapid Eye Movement Sleep Behavior Disorder and Overt Synucleinopathies. <i>Annals of Neurology</i> , 2020 , 87, 584-598	9.4	24
232	An investigation of cerebrovascular lesions in dementia with Lewy bodies compared to Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2017 , 13, 257-266	1.2	24
231	Regional proton magnetic resonance spectroscopy patterns in dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2014 , 35, 1483-90	5.6	24
230	Very early semantic dementia with progressive temporal lobe atrophy: an 8-year longitudinal study. <i>Archives of Neurology</i> , 2008 , 65, 1659-63		24
229	Parkinson-related dementias. <i>Neurologic Clinics</i> , 2007 , 25, 761-81, vii	4.5	24
228	New directions in clinical trials for frontotemporal lobar degeneration: Methods and outcome measures. <i>Alzheimer's and Dementia</i> , 2020 , 16, 131-143	1.2	24
227	Association of MAPT Subhaplotypes With Risk of Progressive Supranuclear Palsy and Severity of Tau Pathology. <i>JAMA Neurology</i> , 2019 , 76, 710-717	17.2	23
226	Role for the microtubule-associated protein tau variant p.A152T in risk of Synucleinopathies. <i>Neurology</i> , 2015 , 85, 1680-6	6.5	23
225	Longitudinal neuroimaging biomarkers differ across Alzheimer's disease phenotypes. <i>Brain</i> , 2020 , 143, 2281-2294	11.2	23
224	What is the quality of life in the oldest old?. <i>International Psychogeriatrics</i> , 2011 , 23, 1003-10	3.4	23
223	Use of the CDR π plus NACC FTLD in mild FTLD: Data from the ARTFL/LEFFTDS consortium. <i>Alzheimer's and Dementia</i> , 2020 , 16, 79-90	1.2	23
222	Antemortem volume loss mirrors TDP-43 staging in older adults with non-frontotemporal lobar degeneration. <i>Brain</i> , 2019 , 142, 3621-3635	11.2	22

221	Diabetes is Associated with Worse Executive Function in Both Eastern and Western Populations: Shanghai Aging Study and Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 167-76	4.3	22
220	Clinical characterization of a kindred with a novel 12-octapeptide repeat insertion in the prion protein gene. <i>Archives of Neurology</i> , 2011 , 68, 1165-70		22
219	A robust biomarker of large-scale network failure in Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 6, 152-161	5.2	21
218	Tracking disease progression in familial and sporadic frontotemporal lobar degeneration: Recent findings from ARTFL and LEFFTDS. <i>Alzheimer's and Dementia</i> , 2020 , 16, 71-78	1.2	21
217	Joint associations of β amyloidosis and cortical thickness with cognition. <i>Neurobiology of Aging</i> , 2018 , 65, 121-131	5.6	21
216	LRRK2 variation and dementia with Lewy bodies. <i>Parkinsonism and Related Disorders</i> , 2016 , 31, 98-103	3.6	21
215	MAPT haplotype H1G is associated with increased risk of dementia with Lewy bodies. <i>Alzheimer's and Dementia</i> , 2016 , 12, 1297-1304	1.2	21
214	REM sleep muscle activity in idiopathic REM sleep behavior disorder predicts phenoconversion. <i>Neurology</i> , 2019 , 93, e1171-e1179	6.5	21
213	Network-driven plasma proteomics expose molecular changes in the Alzheimer's brain. <i>Molecular Neurodegeneration</i> , 2016 , 11, 31	19	21
212	Age and neurodegeneration imaging biomarkers in persons with Alzheimer disease dementia. <i>Neurology</i> , 2016 , 87, 691-8	6.5	20
211	Comparison of the Short Test of Mental Status and the Montreal Cognitive Assessment Across the Cognitive Spectrum. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 1516-1523	6.4	20
210	Long-term exercise training for an individual with mixed corticobasal degeneration and progressive supranuclear palsy features: 10-year case report follow-up. <i>Physical Therapy</i> , 2014 , 94, 289-96	3.3	20
209	Clinical features and survival of 3R and 4R tauopathies presenting as behavioral variant frontotemporal dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2007 , 21, S39-43	2.5	20
208	Frontotemporal Dementia and Parkinsonism Linked to Chromosome 17110-134		20
207	Role of β amyloidosis and Neurodegeneration in Subsequent Imaging Changes in Mild Cognitive Impairment. <i>JAMA Neurology</i> , 2015 , 72, 1475-83	17.2	19
206	Tau-negative amnesic dementia masquerading as Alzheimer disease dementia. <i>Neurology</i> , 2018 , 90, e940-e946	6.5	19
205	Evaluating pathogenic dementia variants in posterior cortical atrophy. <i>Neurobiology of Aging</i> , 2016 , 37, 38-44	5.6	19
204	Greatest rapid eye movement sleep atonia loss in men and older age. <i>Annals of Clinical and Translational Neurology</i> , 2014 , 1, 733-8	5.3	19

203	Update on the Diagnosis and Management of Sleep Disturbances in Dementia. <i>Sleep Medicine Clinics</i> , 2008 , 3, 347-360	3.6	19
202	The longitudinal evaluation of familial frontotemporal dementia subjects protocol: Framework and methodology. <i>Alzheimer's and Dementia</i> , 2020 , 16, 22-36	1.2	19
201	Full sequencing and haplotype analysis of MAPT in Parkinson's disease and rapid eye movement sleep behavior disorder. <i>Movement Disorders</i> , 2018 , 33, 1016-1020	7	19
200	Biomarkers of conversion to Synucleinopathy in isolated rapid-eye-movement sleep behaviour disorder. <i>Lancet Neurology</i> , 2021 , 20, 671-684	24.1	19
199	Frequency and topography of cerebral microbleeds in dementia with Lewy bodies compared to Alzheimer's disease. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 1101-4	3.6	18
198	Subtypes of dementia with Lewy bodies are associated with Synuclein and tau distribution. <i>Neurology</i> , 2020 , 95, e155-e165	6.5	18
197	variants in REM sleep behavior disorder: A multicenter study. <i>Neurology</i> , 2020 , 95, e1008-e1016	6.5	18
196	Extensive transcriptomic study emphasizes importance of vesicular transport in C9orf72 expansion carriers. <i>Acta Neuropathologica Communications</i> , 2019 , 7, 150	7.3	18
195	βAmyloid and tau biomarkers and clinical phenotype in dementia with Lewy bodies. <i>Neurology</i> , 2020 , 95, e3257-e3268	6.5	18
194	MAPT haplotype diversity in multiple system atrophy. <i>Parkinsonism and Related Disorders</i> , 2016 , 30, 40-53.6	5.6	18
193	RAB39B gene mutations are not a common cause of Parkinson's disease or dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2016 , 45, 107-108	5.6	18
192	F-AV-1451 uptake differs between dementia with lewy bodies and posterior cortical atrophy. <i>Movement Disorders</i> , 2019 , 34, 344-352	7	18
191	Predicting the future in idiopathic rapid-eye movement sleep behaviour disorder. <i>Lancet Neurology</i> , 2010 , 9, 1040-2	24.1	17
190	Age and apoE associations with complex pathologic features in Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2008 , 273, 34-9	3.2	17
189	MRI correlates of alien leg-like phenomenon in corticobasal degeneration. <i>Movement Disorders</i> , 2005 , 20, 870-3	7	17
188	Active lifestyles moderate clinical outcomes in autosomal dominant frontotemporal degeneration. <i>Alzheimer's and Dementia</i> , 2020 , 16, 91-105	1.2	17
187	Characterization of a family with c9FTD/ALS associated with the GGGGCC repeat expansion in C9ORF72. <i>Archives of Neurology</i> , 2012 , 69, 1164-9		16
186	Cognitive and behavioral features of c9FTD/ALS. <i>Alzheimer's Research and Therapy</i> , 2012 , 4, 29	9	16

185	Thalamo-cortical network hyperconnectivity in preclinical progranulin mutation carriers. <i>NeuroImage: Clinical</i> , 2019 , 22, 101751	5.3	15
184	Current and future management of the corticobasal syndrome and corticobasal degeneration. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2008 , 89, 533-48	3	15
183	Implicit learning of sequential regularities and spatial contexts in corticobasal syndrome. <i>Neurocase</i> , 2007 , 13, 133-43	0.8	15
182	Globular Glial Tauopathy Presenting as Semantic Variant Primary Progressive Aphasia. <i>JAMA Neurology</i> , 2016 , 73, 123-5	17.2	15
181	TREM2 p.R47H substitution is not associated with dementia with Lewy bodies. <i>Neurology: Genetics</i> , 2016 , 2, e85	3.8	15
180	Dopaminergic imaging and clinical predictors for phenoconversion of REM sleep behaviour disorder. <i>Brain</i> , 2021 , 144, 278-287	11.2	15
179	Regional cortical perfusion on arterial spin labeling MRI in dementia with Lewy bodies: Associations with clinical severity, glucose metabolism and tau PET. <i>NeuroImage: Clinical</i> , 2018 , 19, 939-947	5.3	15
178	Clinicopathologic discrepancies in a population-based incidence study of parkinsonism in olmsted county: 1991-2010. <i>Movement Disorders</i> , 2017 , 32, 1439-1446	7	14
177	A kinematic study of progressive apraxia with and without dementia. <i>Movement Disorders</i> , 1999 , 14, 276-87		14
176	Revised Self-Monitoring Scale: A potential endpoint for frontotemporal dementia clinical trials. <i>Neurology</i> , 2020 , 94, e2384-e2395	6.5	14
175	Autoimmune dementia and encephalopathy. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2016 , 133, 247-67	3	14
174	TDP-43 represses cryptic exon inclusion in the FTD-ALS gene UNC13A.. <i>Nature</i> , 2022 ,	50.4	14
173	Protein contributions to brain atrophy acceleration in Alzheimer's disease and primary age-related tauopathy. <i>Brain</i> , 2020 , 143, 3463-3476	11.2	13
172	Witnessed apneas are associated with elevated tau-PET levels in cognitively unimpaired elderly. <i>Neurology</i> , 2020 , 94, e1793-e1802	6.5	13
171	Evolution of neurodegeneration-imaging biomarkers from clinically normal to dementia in the Alzheimer disease spectrum. <i>Neurobiology of Aging</i> , 2016 , 46, 32-42	5.6	13
170	Rates of lobar atrophy in asymptomatic mutation carriers. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019 , 5, 338-346	6	13
169	The GGGGCC repeat expansion in C9ORF72 in a case with discordant clinical and FDG-PET findings: PET trumps syndrome. <i>Neurocase</i> , 2014 , 20, 110-20	0.8	13
168	Distinctive MRI findings in pallidopontonigral degeneration (PPND). <i>Neurology</i> , 2007 , 68, 620-1	6.5	13

167	Clinical, diagnostic, genetic and management issues in dementia with Lewy bodies. <i>Clinical Science</i> , 2005 , 109, 343-54	6.5	13
166	REM sleep atonia loss distinguishes synucleinopathy in older adults with cognitive impairment. <i>Neurology</i> , 2020 , 94, e15-e29	6.5	13
165	Associations of quantitative susceptibility mapping with Alzheimer's disease clinical and imaging markers. <i>NeuroImage</i> , 2021 , 224, 117433	7.9	13
164	Association of Initial β Amyloid Levels With Subsequent Flortaucipir Positron Emission Tomography Changes in Persons Without Cognitive Impairment. <i>JAMA Neurology</i> , 2021 , 78, 217-228	17.2	13
163	MRS in mild cognitive impairment: early differentiation of dementia with Lewy bodies and Alzheimer's disease. <i>Journal of Neuroimaging</i> , 2015 , 25, 269-274	2.8	12
162	Longitudinal structural and metabolic changes in frontotemporal dementia. <i>Neurology</i> , 2020 , 95, e140-e154	6.5	12
161	H-MRS metabolites and rate of β Amyloid accumulation on serial PET in clinically normal adults. <i>Neurology</i> , 2017 , 89, 1391-1399	6.5	12
160	Clinical phenomenology and mortality in Charles Bonnet syndrome. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013 , 26, 3-9	3.8	12
159	Plasma Neurofilament Light for Prediction of Disease Progression in Familial Frontotemporal Lobar Degeneration. <i>Neurology</i> , 2021 , 96, e2296-e2312	6.5	12
158	Normative and isolated rapid eye movement sleep without atonia in adults without REM sleep behavior disorder. <i>Sleep</i> , 2019 , 42,	1.1	11
157	Utility of FDG-PET in diagnosis of Alzheimer-related TDP-43 proteinopathy. <i>Neurology</i> , 2020 , 95, e23-e34	6.5	11
156	Elevated medial temporal lobe and pervasive brain tau-PET signal in normal participants. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 210-216	5.2	11
155	FTDP-17 with Pick body-like inclusions associated with a novel tau mutation, p.E372G. <i>Brain Pathology</i> , 2017 , 27, 612-626	6	11
154	Corticobasal Degeneration 2005 , 309-334		11
153	Rescue of a lysosomal storage disorder caused by Grn loss of function with a brain penetrant progranulin biologic. <i>Cell</i> , 2021 , 184, 4651-4668.e25	56.2	11
152	Anatomy of disturbed sleep in pallido-ponto-nigral degeneration. <i>Annals of Neurology</i> , 2011 , 69, 1014-1025	9.4	10
151	Frontal lobe H MR spectroscopy in asymptomatic and symptomatic mutation carriers. <i>Neurology</i> , 2019 , 93, e758-e765	6.5	10
150	Challenges and opportunities for improving the landscape for Lewy body dementia clinical trials. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 137	9	10

149	Association of Longitudinal β Amyloid Accumulation Determined by Positron Emission Tomography With Clinical and Cognitive Decline in Adults With Probable Lewy Body Dementia. <i>JAMA Network Open</i> , 2019 , 2, e1916439	10.4	10
148	Transient Epileptic Amnesia: A Treatable Cause of Spells Associated With Persistent Cognitive Symptoms. <i>Frontiers in Neurology</i> , 2019 , 10, 939	4.1	9
147	Tracking white matter degeneration in asymptomatic and symptomatic MAPT mutation carriers. <i>Neurobiology of Aging</i> , 2019 , 83, 54-62	5.6	9
146	Trajectory of lobar atrophy in asymptomatic and symptomatic GRN mutation carriers: a longitudinal MRI study. <i>Neurobiology of Aging</i> , 2020 , 88, 42-50	5.6	9
145	Abnormal expression of homeobox genes and transthyretin in expansion carriers. <i>Neurology: Genetics</i> , 2017 , 3, e161	3.8	9
144	Genetic variants associated with susceptibility to psychosis in late-onset Alzheimer's disease families. <i>Neurobiology of Aging</i> , 2015 , 36, 3116.e9-3116.e16	5.6	9
143	Association Between Microinfarcts and Blood Pressure Trajectories. <i>JAMA Neurology</i> , 2018 , 75, 212-218	17.2	9
142	Physician and patient determinants of prognostic counseling in idiopathic REM sleep-behavior disorder. <i>Sleep Medicine</i> , 2019 , 62, 80-85	4.6	8
141	Clinicopathological and I-FP-CIT SPECT correlations in patients with dementia. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 376-381	5.3	8
140	Steroid-responsive encephalopathy subsequently associated with Alzheimer's disease pathology: a case series. <i>Neurocase</i> , 2012 , 18, 1-12	0.8	8
139	Pick's disease: clinicopathologic characterization of 21 cases. <i>Journal of Neurology</i> , 2020 , 267, 2697-2704	45.5	8
138	The influence of β Amyloid on [F]AV-1451 in semantic variant of primary progressive aphasia. <i>Neurology</i> , 2019 , 92, e710-e722	6.5	8
137	CSF1R mutation presenting as dementia with Lewy bodies. <i>Neurocase</i> , 2019 , 25, 17-20	0.8	7
136	Confirmation of I-FP-CIT SPECT Quantification Methods in Dementia with Lewy Bodies and Other Neurodegenerative Disorders. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1628-1635	8.9	7
135	Progranulin: Functions and neurologic correlations. <i>Neurology</i> , 2018 , 90, 118-125	6.5	7
134	Submental Rapid Eye Movement Sleep Muscle Activity: A Potential Biomarker for Synucleinopathy. <i>Annals of Neurology</i> , 2019 , 86, 969-974	9.4	7
133	Clinical and electrophysiologic variability in amyotrophic lateral sclerosis within a kindred harboring the C9ORF72 repeat expansion. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2013 , 14, 132-7	3.6	7
132	REM Sleep Behavior Disorder in Parkinson's Disease, Dementia with Lewy Bodies, and Multiple System Atrophy	383-398	7

131	A review of the non-Alzheimer dementias. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1985-2001; discussion 1983-4	4.6	7
130	Comprehensive Analysis of Familial Parkinsonism Genes in Rapid-Eye-Movement Sleep Behavior Disorder. <i>Movement Disorders</i> , 2021 , 36, 235-240	7	7
129	Brain MR Spectroscopy Changes Precede Frontotemporal Lobar Degeneration Phenocconversion in Mapt Mutation Carriers. <i>Journal of Neuroimaging</i> , 2019 , 29, 624-629	2.8	6
128	Excessive Daytime Sleepiness in Major Dementia Syndromes. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2019 , 34, 261-264	2.5	6
127	MRI and flortaucipir relationships in Alzheimer's phenotypes are heterogeneous. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 707-721	5.3	6
126	A familial form of parkinsonism, dementia, and motor neuron disease: a longitudinal study. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 1129-34	3.6	6
125	Neuropsychological characterization of evolving cognitive decline in idiopathic REM sleep behavior disorder is important, but not easy. <i>Sleep</i> , 2011 , 34, 561-2	1.1	6
124	Ramelteon for Idiopathic REM Sleep Behavior Disorder: Implications for Pathophysiology and Future Treatment Trials. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 643-645	3.1	6
123	Incidence of frontotemporal disorders in Olmsted County: A population-based study. <i>Alzheimer's and Dementia</i> , 2020 , 16, 482-490	1.2	6
122	Specialist approaches to prognostic counseling in isolated REM sleep behavior disorder. <i>Sleep Medicine</i> , 2021 , 79, 107-112	4.6	6
121	Dementia with Lewy bodies: association of Alzheimer pathology with functional connectivity networks. <i>Brain</i> , 2021 , 144, 3212-3225	11.2	6
120	FDG PET metabolic signatures distinguishing prodromal DLB and prodromal AD. <i>NeuroImage: Clinical</i> , 2021 , 31, 102754	5.3	6
119	APOE e4 Allele Testing and Risk of Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 484-485	27.4	6
118	-Jacksonville (V236E) variant reduces self-aggregation and risk of dementia. <i>Science Translational Medicine</i> , 2021 , 13, eabc9375	17.5	6
117	Advances and controversies in frontotemporal dementia: diagnosis, biomarkers, and therapeutic considerations.. <i>Lancet Neurology, The</i> , 2022 , 21, 258-272	24.1	6
116	Rates of Brain Atrophy Across Disease Stages in Familial Frontotemporal Dementia Associated With MAPT, GRN, and C9orf72 Pathogenic Variants. <i>JAMA Network Open</i> , 2020 , 3, e2022847	10.4	5
115	Autonomic dysfunction and phenocconversion in idiopathic REM sleep behavior disorder. <i>Clinical Autonomic Research</i> , 2020 , 30, 207-213	4.3	5
114	Effect Modifiers of TDP-43-Associated Hippocampal Atrophy Rates in Patients with Alzheimer's Disease Neuropathological Changes. <i>Journal of Alzheimer's Disease</i> , 2020 , 73, 1511-1523	4.3	5

113	Chiari 1 Malformation Presenting as Central Sleep Apnea during Pregnancy: A Case Report, Treatment Considerations, and Review of the Literature. <i>Frontiers in Neurology</i> , 2014 , 5, 195	4.1	5
112	Linear vs volume measures of ventricle size: Relation to present and future gait and cognition. <i>Neurology</i> , 2020 , 94, e549-e556	6.5	5
111	Pittsburgh compound B (PiB) PET imaging of meningioma and other intracranial tumors. <i>Journal of Neuro-Oncology</i> , 2018 , 136, 373-378	4.8	5
110	Phenoconversion from probable rapid eye movement sleep behavior disorder to mild cognitive impairment to dementia in a population-based sample. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 8, 127-130	5.2	4
109	Uptake of AV-1451 in meningiomas. <i>Annals of Nuclear Medicine</i> , 2017 , 31, 736-743	2.5	4
108	Neuroprotection in idiopathic REM sleep behavior disorder: a role for exercise?. <i>Sleep</i> , 2019 , 42,	1.1	4
107	MAPT subhaplotypes in corticobasal degeneration: assessing associations with disease risk, severity of tau pathology, and clinical features. <i>Acta Neuropathologica Communications</i> , 2020 , 8, 218	7.3	4
106	Neuromelanin-sensitive imaging in patients with idiopathic rapid eye movement sleep behaviour disorder. <i>Brain</i> , 2016 , 139, 1005-7	11.2	4
105	Sleep disorders in neurodegenerative diseases other than Parkinson's disease. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2011 , 99, 1011-50	3	4
104	2-30-01 Clinicopathologic heterogeneity in clinically- and/or pathologically-diagnosed cortical-basal ganglionic degeneration. <i>Journal of the Neurological Sciences</i> , 1997 , 150, S109-S110	3.2	4
103	Longitudinal anatomic, functional, and molecular characterization of Pick disease phenotypes. <i>Neurology</i> , 2020 , 95, e3190-e3202	6.5	4
102	Preventing amyotrophic lateral sclerosis: insights from pre-symptomatic neurodegenerative diseases. <i>Brain</i> , 2021 ,	11.2	4
101	Alzheimer's Disease and Other Dementias 2005 , 853-862		4
100	The Cortical Basal ganglia Functional Scale (CBFS): Development and preliminary validation. <i>Parkinsonism and Related Disorders</i> , 2020 , 79, 121-126	3.6	4
99	MRI quantitative susceptibility mapping of the substantia nigra as an early biomarker for Lewy body disease. <i>Journal of Neuroimaging</i> , 2021 , 31, 1020-1027	2.8	4
98	Multimodal imaging in familial FTL D: phenoconversion and planning for the future. <i>Brain</i> , 2019 , 142, 8-11	11.2	4
97	Association between transactive response DNA-binding protein of 43 kDa type and cognitive resilience to Alzheimer's disease: a case-control study. <i>Neurobiology of Aging</i> , 2020 , 92, 92-97	5.6	4
96	Brain volumetric deficits in MAPT mutation carriers: a multisite study. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 95-110	5.3	4

95	Selecting software pipelines for change in flortaucipir SUVR: Balancing repeatability and group separation. <i>NeuroImage</i> , 2021 , 238, 118259	7.9	4
94	Case Report: Early-Onset Behavioral Variant Frontotemporal Dementia in Patient With Retrotransposed Full-Length Transcript of Variant 5. <i>Frontiers in Neurology</i> , 2020 , 11, 600468	4.1	3
93	F-fluorodeoxyglucose positron emission tomography in dementia with Lewy bodies. <i>Brain Communications</i> , 2020 , 2, fcaa040	4.5	3
92	Rapid Eye Movement Sleep Parasomnias 2017 , 993-1001.e6		3
91	An 81-year-old man with imbalance and memory impairment. <i>Neurology</i> , 2007 , 68, 1147-52	6.5	3
90	Quality of life and caregiver burden in familial frontotemporal lobar degeneration: Analyses of symptomatic and asymptomatic individuals within the LEFFTDS cohort. <i>Alzheimer's and Dementia</i> , 2020 , 16, 1115-1124	1.2	3
89	Association of ABI3 and PLCG2 missense variants with disease risk and neuropathology in Lewy body disease and progressive supranuclear palsy. <i>Acta Neuropathologica Communications</i> , 2020 , 8, 172	7.3	3
88	Recognition memory and divergent cognitive profiles in prodromal genetic frontotemporal dementia. <i>Cortex</i> , 2021 , 139, 99-115	3.8	3
87	Timeline of Rapid Eye Movement Sleep Behavior Disorder in Overt Alpha-Synucleinopathies. <i>Annals of Neurology</i> , 2021 , 89, 293-303	9.4	3
86	βAmyloid PET and I-FP-CIT SPECT in Mild Cognitive Impairment at Risk for Lewy Body Dementia. <i>Neurology</i> , 2021 ,	6.5	3
85	Posterior cortical atrophy phenotypic heterogeneity revealed by decoding F-FDG-PET. <i>Brain Communications</i> , 2021 , 3, fcab182	4.5	3
84	Novel Associations of and With REM Sleep Behavior Disorder. <i>Neurology</i> , 2021 , 96, e1402-e1412	6.5	3
83	A computational model of neurodegeneration in Alzheimer's disease.. <i>Nature Communications</i> , 2022 , 13, 1643	17.4	3
82	Lewy Body Dementia Association's Research Centers of Excellence Program: Inaugural Meeting Proceedings. <i>Alzheimer's Research and Therapy</i> , 2019 , 11, 23	9	2
81	Levodopa-induced dyskinesia in dementia with Lewy bodies and Parkinson disease with dementia. <i>Neurology: Clinical Practice</i> , 2020 , 10, 156-161	1.7	2
80	Longitudinal clinical, neuropsychological, and neuroimaging characterization of a kindred with a 12-octapeptide repeat insertion in : the next generation. <i>Neurocase</i> , 2020 , 26, 211-219	0.8	2
79	Novel GRN mutation presenting as an aphasic dementia and evolving into corticobasal syndrome. <i>Neurology: Genetics</i> , 2017 , 3, e201	3.8	2
78	ApoE and quality of life in nonagenarians. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 704-7	5.9	2

77	Early clinical features of the parkinsonian-related dementias197-212		2
76	Dementia treatment213-253		2
75	Dementia with Lewy bodies7-26		2
74	Neuropsychiatric features of dementia85-100		2
73	The Degenerative Dementias 2007 , 699-733		2
72	DEMENTIA WITH LEWY BODIES. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2004 , 10, 81-112	3	2
71	Rare PSAP Variants and Possible Interaction with GBA in REM Sleep Behavior Disorder. <i>Journal of Parkinson's Disease</i> , 2021 ,	5.3	2
70	Alzheimer Disease and Other Dementias 2017 , 935-943.e6		2
69	Alzheimer's Disease and Other Dementias 2011 , 1038-1047		2
68	Evidence for cholinesterase-inhibitor therapy for dementia associated with Parkinson's disease. <i>Lancet Neurology</i> , 2005 , 4, 137-8	24.1	2
67	TAR DNA-Binding Protein 43 Is Associated with Rate of Memory, Functional and Global Cognitive Decline in the Decade Prior to Death. <i>Journal of Alzheimer's Disease</i> , 2021 , 80, 683-693	4.3	2
66	Long-read targeted sequencing uncovers clinicopathological associations for C9orf72-linked diseases. <i>Brain</i> , 2021 , 144, 1082-1088	11.2	2
65	Cerebral Amyloid Angiopathy Burden and Cerebral Microbleeds: Pathological Evidence for Distinct Phenotypes. <i>Journal of Alzheimer's Disease</i> , 2021 , 81, 113-122	4.3	2
64	Uniform data set language measures for bvFTD and PPA diagnosis and monitoring. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12148	5.2	2
63	Amyloid- and tau-PET imaging in a familial prion kindred. <i>Neurology: Genetics</i> , 2018 , 4, e290	3.8	2
62	Effect of the Histone Deacetylase Inhibitor FRM-0334 on Progranulin Levels in Patients With Progranulin Gene Haploinsufficiency: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2125584	10.4	2
61	Cerebrovascular disease, neurodegeneration, and clinical phenotype in dementia with Lewy bodies. <i>Neurobiology of Aging</i> , 2021 , 105, 252-261	5.6	2
60	Letter on "Natural history of pure autonomic failure: A United States prospective cohort". <i>Annals of Neurology</i> , 2017 , 81, 910	9.4	2

59	Deep learning-based brain age prediction in normal aging and dementia. <i>Nature Aging</i> , 2022 , 2, 412-424		2
58	Lewy Body Dementias. <i>Focus (American Psychiatric Publishing)</i> , 2017 , 15, 85-100	1.1	1
57	TDP-43 is associated with a reduced likelihood of rendering a clinical diagnosis of dementia with Lewy bodies in autopsy-confirmed cases of transitional/diffuse Lewy body disease. <i>Journal of Neurology</i> , 2020 , 267, 1444-1453	5.5	1
56	Magnetic resonance elastography of frontotemporal dementia. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, spcone-spcone	5.6	1
55	Orthostatic Hypotension as a Prodromal Marker of β Synucleinopathies-Reply. <i>JAMA Neurology</i> , 2018 , 75, 1155	17.2	1
54	Sleep issues in dementia446-469		1
53	Limb immobilization and corticobasal syndrome. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 1097-9	3.6	1
52	Sleep in Parkinson Disease and Dementia with Lewy Bodies. <i>Advances in Biological Psychiatry</i> , 2012 , 61-70		1
51	Mild cognitive impairment172-187		1
50	SLEEP AND NEURODEGENERATIVE DISORDERS. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2007 , 13, 201-224	3	1
49	Fluid and Tissue Biomarkers of Lewy Body Dementia: Report of an LBDA Symposium.. <i>Frontiers in Neurology</i> , 2021 , 12, 805135	4.1	1
48	Longitudinal atrophy in prodromal dementia with Lewy bodies points to cholinergic degeneration.. <i>Brain Communications</i> , 2022 , 4, fcac013	4.5	1
47	SMPD1 variants do not have a major role in rapid eye movement sleep behavior disorder. <i>Neurobiology of Aging</i> , 2020 , 93, 142.e5-142.e7	5.6	1
46	Sleep, Cognitive Dysfunction, and Dementia 2015 , 285-300		1
45	Protocol for an observational cohort study identifying factors predicting accurately end of life in dementia with Lewy bodies and promoting quality end-of-life experiences: the PACE-DLB study. <i>BMJ Open</i> , 2021 , 11, e047554	3	1
44	Lewy Body Dementia Association's Industry Advisory Council: proceedings of the second annual meeting. <i>Alzheimer's Research and Therapy</i> , 2021 , 13, 124	9	1
43	REM Sleep Behavior Disorder Associated with Dementia with Lewy Bodies 2019 , 67-76		1
42	The value of multimodal imaging with I-FP-CIT SPECT in differential diagnosis of dementia with Lewy bodies and Alzheimer's disease dementia. <i>Neurobiology of Aging</i> , 2021 , 99, 11-18	5.6	1

41	Proposed research criteria for prodromal behavioural variant frontotemporal dementia.. <i>Brain</i> , 2022 ,	11.2	1
40	Dementia with Lewy bodies research consortia: A global perspective from the ISTAART Lewy Body Dementias Professional Interest Area working group. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12235	5.2	1
39	Electroencephalogram findings in patients with posterior cortical atrophy. <i>Neurologia i Neurochirurgia Polska</i> , 2018 , 52, 690-694	1	1
38	Tau Mutations as a Novel Risk Factor for Cancer-Letter. <i>Cancer Research</i> , 2018 , 78, 6523-6524	10.1	1
37	Cerebral Amyloid Angiopathy Pathology and Its Association With Amyloid- β PET Signal. <i>Neurology</i> , 2021 , 97, e1799-e1808	6.5	1
36	Genome-wide association study of REM sleep behavior disorder identifies novel loci with distinct polygenic and brain expression effects		1
35	Abnormal REM Sleep Atonia Control in Chronic Post-Traumatic Stress Disorder.. <i>Sleep</i> , 2021 ,	1.1	1
34	TDP-43-associated atrophy in brains with and without frontotemporal lobar degeneration.. <i>NeuroImage: Clinical</i> , 2022 , 34, 102954	5.3	0
33	Clinical and Neuroimaging Aspects of Familial Frontotemporal Lobar Degeneration Associated with MAPT and GRN Mutations. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1281, 77-92	3.6	0
32	Phenotypic subtypes of progressive dysexecutive syndrome due to Alzheimer's disease: a series of clinical cases.. <i>Journal of Neurology</i> , 2022 , 1	5.5	0
31	Poly (ADP-Ribose) and β -Synuclein extracellular vesicles in patients with Parkinson disease: A possible biomarker of disease severity.. <i>PLoS ONE</i> , 2022 , 17, e0264446	3.7	0
30	Comprehensive cross-sectional and longitudinal analyses of plasma neurofilament light across FTD spectrum disorders.. <i>Cell Reports Medicine</i> , 2022 , 3, 100607	18	0
29	Clinical outcome measures in dementia with Lewy bodies trials: critique and recommendations.. <i>Translational Neurodegeneration</i> , 2022 , 11, 24	10.3	0
28	Frequency and distribution of TAR DNA-binding protein 43 (TDP-43) pathology increase linearly with age in a large cohort of older adults with and without dementia.. <i>Acta Neuropathologica</i> , 2022 , 1	14.3	0
27	[P2B17]: PHENOCONVERSION FROM ASYMPTOMATIC TO MINIMALLY SYMPTOMATIC FTLD: PRELIMINARY DATA IN THE LEFFTDS COHORT 2017 , 13, P739-P739		
26	Rapid Eye Movement Sleep Behavior Disorder 2017 , 1069-1086		
25	Early clinical features of the parkinsonian-related dementias245-277		
24	A 76 Year-Old Woman with Sleep and Waking Stridor, Sleep Talking, Orthostatic Hypotension, and Imbalance. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 143-5	3.1	

- 23 Studying the natural history of frontotemporal lobar degeneration (FTLD): The ARTFL LEFFTDS longitudinal FTLD (ALLFTD) protocol. *Alzheimer's and Dementia*, **2020**, 16, e045482 1.2
- 22 0787 Autonomic Dysfunction and Phenoconversion in Idiopathic/Isolated REM Sleep Behavior Disorder. *Sleep*, **2020**, 43, A300-A300 1.1
- 21 A Young Man With Progressive Language Difficulty and Early-Onset Dementia. *JAMA Neurology*, **2016**, 73, 595-9 17.2
- 20 IC-P-062: DATSCAN FINDINGS IN PATIENTS WITH REM SLEEP BEHAVIOR DISORDER AND/OR COGNITIVE IMPAIRMENT **2014**, 10, P35-P35
- 19 PL-04-02: COMPLEXITIES OF LEWY BODY DISEASE **2014**, 10, P248-P248
- 18 The Lewy body dementias 278-300
- 17 [P1B34]: CHARACTERIZATION OF THE CLINICAL AND NEUROIMAGING FEATURES OF PATIENTS WITH DEMENTIA WITH LEWY BODIES ASSOCIATED WITH VARIANTS IN GLUCOCEREBROSIDASE (GBA) **2017**, 13, P384-P384
- 16 Neuropsychiatry of dementia 9-18
- 15 Genetic approaches to neurodegenerative disease 57-76
- 14 The non-fluent/agrammatic variant of primary progressive aphasia 164-177
- 13 Cognitive disorders of the very old 425-434
- 12 O5-03-01: Longitudinal evaluation of familial frontotemporal dementia subjects (LEFFTDS): Subject characteristics, aims, and methodology **2015**, 11, P318-P319
- 11 Persistent cauda equina syndrome following bilateral aortoiliac dissection as a complication of cardiac angiography. *Catheterization and Cardiovascular Diagnosis*, **1997**, 40, 377-9
- 10 DEMENTIA WITH LEWY BODIES **2004**, 911-926
- 9 REM Sleep Behavior Disorder and REM-Related Parasomnias **2005**, 435-441
- 8 APOE Allele Testing and Alzheimer Disease-Reply. *JAMA - Journal of the American Medical Association*, **2021**, 325, 2211 27.4
- 7 P3-255: PET TAU Imaging with AV-1451 in Microtubule-Associated Protein TAU (MAPT) Mutation Carriers Relative to Alzheimer's Disease Dementia and Controls **2016**, 12, P927-P928
- 6 IC-P-180: PET TAU Imaging With AV-1451 in Microtubule Associated Protein TAU (MAPT) Mutation Carriers Relative to Alzheimer's Disease Dementia and Controls **2016**, 12, P131-P131

- 5 O5-03-04: THE LEWY BODY DEMENTIA ASSOCIATION RESEARCH CENTERS OF EXCELLENCE PROGRAM: TOWARD OPTIMIZING CLINICAL CARE AND CLINICAL TRIAL INFRASTRUCTURE **2018**, 14, P1646-P1647
- 4 0268 Characterization of Neurodegenerative Disorder Subtypes Based on Non-REM Hypertonia and Sleep Spindle Duration. *Sleep*, **2022**, 45, A121-A121 1.1
- 3 0266 Sleep Spindle-Duration: A Potential Biomarker for Neurodegenerative Disorder Phenotyping. *Sleep*, **2022**, 45, A120-A120 1.1
- 2 0269 Non-REM sleep Hypertonia in Parkinsonian-Spectrum Disorders. *Sleep*, **2022**, 45, A121-A122 1.1
- 1 0267 The Influence of Antidepressants on Non-REM Hypertonia. *Sleep*, **2022**, 45, A120-A121 1.1