

Chang-Youh Tsai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4384914/chang-youh-tsai-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

2,358
citations

27
h-index

40
g-index

185
ext. papers

2,799
ext. citations

4
avg, IF

4.76
L-index

#	Paper	IF	Citations
170	High-Throughput Sequencing of Complementarity Determining Region 3 in the Heavy Chain of B-Cell Receptor in Renal Transplant Recipients: A Preliminary Report. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2980	5.1	0
169	The Potential Role of Genetics, Environmental Factors, and Gut Dysbiosis in the Aberrant Non-Coding RNA Expression to Mediate Inflammation and Osteoclastogenic/Osteogenic Differentiation in Ankylosing Spondylitis.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 748063	5.7	1
168	Epidemiology and risk of invasive fungal infections in systemic lupus erythematosus: a nationwide population-based cohort study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211038502	3.8	0
167	Tocilizumab and rituximab for anti-MDA-5 positive amyopathic dermatomyositis complicated with macrophage activation syndrome and progressive fibrosing interstitial lung disease. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 1-3	1.9	2
166	Cross-Talk among Polymorphonuclear Neutrophils, Immune, and Non-Immune Cells via Released Cytokines, Granule Proteins, Microvesicles, and Neutrophil Extracellular Trap Formation: A Novel Concept of Biology and Pathobiology for Neutrophils. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
165	Extensive Cerebral Venous Sinus Thrombosis in Systemic Lupus Erythematosus. <i>American Journal of the Medical Sciences</i> , 2021 ,	2.2	
164	The Expression of Non-Coding RNAs and Their Target Molecules in Rheumatoid Arthritis: A Molecular Basis for Rheumatoid Pathogenesis and Its Potential Clinical Applications. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
163	Abatacept is second to rituximab at risk of HBsAg reverse seroconversion in patients with rheumatic disease. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1393-1399	2.4	3
162	The prevalence and risk factors of sarcopenia in rheumatoid arthritis patients: A systematic review and meta-regression analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 236-245	5.3	7
161	WT1 gene mutations in systemic lupus erythematosus with atypical haemolytic uremic syndrome. <i>Rheumatology</i> , 2021 , 60, e81-e82	3.9	
160	Trogocytosis between Non-Immune Cells for Cell Clearance, and among Immune-Related Cells for Modulating Immune Responses and Autoimmunity. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
159	Significance of high serum IgG4 in complete or non-full-fledged IgG4-related disease-a retrospective investigation of 845 patients and its clinical relevance. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	
158	Different Effects of Biologics on Systemic Bone Loss Protection in Rheumatoid Arthritis: An Interim Analysis of a Three-Year Longitudinal Cohort Study.. <i>Frontiers in Immunology</i> , 2021 , 12, 783030	8.4	1
157	Aberrant Non-Coding RNA Expression in Patients with Systemic Lupus Erythematosus: Consequences for Immune Dysfunctions and Tissue Damage. <i>Biomolecules</i> , 2020 , 10,	5.9	9
156	SIRT1-dependent mechanisms and effects of resveratrol for amelioration of muscle wasting in NASH mice. <i>BMJ Open Gastroenterology</i> , 2020 , 7,	3.9	1
155	BrutonB tyrosine kinase in systemic lupus erythematosus. <i>Joint Bone Spine</i> , 2020 , 87, 670-672	2.9	0
154	Low but Long-lasting Risk of Reversal of Seroconversion in Patients With Rheumatoid Arthritis Receiving Immunosuppressive Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 2573-2581.e1	6.9	7

153	Pathogenic Roles of Autoantibodies and Aberrant Epigenetic Regulation of Immune and Connective Tissue Cells in the Tissue Fibrosis of Patients with Systemic Sclerosis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
152	Risk of obstructive sleep apnea in patients with Sjögren syndrome and Behçet disease: a nationwide, population-based cohort study. <i>Sleep and Breathing</i> , 2020 , 24, 1199-1205	3.1	1
151	Bronchoalveolar lavage fluid analysis and mortality risk in systemic lupus erythematosus patients with pneumonia and respiratory failure. <i>Journal of Microbiology, Immunology and Infection</i> , 2020 , 54, 1048-1048	8.5	1
150	The Cellular and Molecular Bases of Allergy, Inflammation and Tissue Fibrosis in Patients with IgG4-related Disease. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
149	Polyarteritis nodosa with intra-hepatic arterial haemorrhage. <i>Liver International</i> , 2020 , 40, 2858-2859	7.9	1
148	Increased monocyte chemoattractant protein-1 and nitrotyrosine are associated with increased body weight in patients with rheumatoid arthritis after etanercept therapy. <i>Neuropeptides</i> , 2020 , 84, 102100	3.3	4
147	Propranolol Is Associated with Lower Risk of Incidence of Hepatocellular Carcinoma in Patients with Alcoholic Cirrhosis: A Tertiary-Center Study and Indirect Comparison with Meta-Analysis. <i>Gastroenterology Research and Practice</i> , 2020 , 2020, 1892584	2	1
146	Efficacy and safety of rituximab in autoimmune and microangiopathic hemolytic anemia: a systematic review and meta-analysis. <i>Experimental Hematology and Oncology</i> , 2020 , 9, 6	7.8	2
145	Cytotoxic T lymphocyte-associated antigen-4-Ig (CTLA-4-Ig) suppresses Staphylococcus aureus-induced CD80, CD86, and pro-inflammatory cytokine expression in human B cells. <i>Arthritis Research and Therapy</i> , 2020 , 22, 64	5.7	3
144	Severe Raynaud phenomenon and Sjögren syndrome with ferocious gangrene change and auto-amputation. <i>Clinical Medicine</i> , 2019 , 19, 85	1.9	
143	Risk of severe herpes simplex virus infection in systemic lupus erythematosus: analysis of epidemiology and risk factors analysis in Taiwan. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 941-946	2.4	11
142	Real-world effectiveness and safety of rituximab in the treatment of rheumatoid arthritis: A single-center experience in Taiwan. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 860-868	2.3	2
141	Molecular and Cellular Bases of Immunosenescence, Inflammation, and Cardiovascular Complications Mimicking "Inflammaging" in Patients with Systemic Lupus Erythematosus. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	18
140	Cross-Talk between Mitochondrial Dysfunction-Provoked Oxidative Stress and Aberrant Noncoding RNA Expression in the Pathogenesis and Pathophysiology of SLE. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	14
139	Hemophagocytic Lymphohistiocytosis in Dermatomyositis. <i>Balkan Medical Journal</i> , 2019 , 36, 62-63	1.5	1
138	Anti-RNA polymerase III antibody in lupus patients with proteinuria. <i>Journal of the Chinese Medical Association</i> , 2019 , 82, 260-264	2.8	
137	The clinical features and mortality risk factors of cytomegalovirus infection in patients with systemic lupus erythematosus. <i>Journal of Microbiology, Immunology and Infection</i> , 2019 , 52, 114-121	8.5	5
136	Elafibanor interrupts adipose dysfunction-mediated gut and liver injury in mice with alcoholic steatohepatitis. <i>Clinical Science</i> , 2019 , 133, 531-544	6.5	9

135	Deltex1 suppresses T cell function and is a biomarker for diagnosis and disease activity of systemic lupus erythematosus. <i>Rheumatology</i> , 2019 , 58, 719-728	3.9	2
134	SAPHO syndrome with enthesopathy. <i>BMJ Case Reports</i> , 2019 , 12,	0.9	2
133	Cytomegaloviral or Pneumonia Increases Mortality in Systemic Lupus Erythematosus Patients with Pulmonary Hemorrhage: Evidence from Bronchoalveolar Lavage Fluid. <i>Journal of Rheumatology</i> , 2019 , 46, 251-258	4.1	3
132	Semaphorin 3A in Ankylosing Spondylitis. <i>Journal of Microbiology, Immunology and Infection</i> , 2019 , 52, 151-157	8.5	6
131	Janus kinase-1 and 3 in ankylosing spondylitis. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 134-141	3.2	1
130	Alterations of oxygen consumption and extracellular acidification rates by glutamine in PBMCs of SLE patients. <i>Mitochondrion</i> , 2019 , 44, 65-74	4.9	14
129	What's wrong with neutrophils in lupus?. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 684-693	2.2	11
128	Telbivudine associated mitochondrial myopathy. <i>Liver International</i> , 2018 , 38, 1139	7.9	6
127	Health-related quality of life outcomes in patients with rheumatoid arthritis and ankylosing spondylitis after tapering biologic treatment. <i>Clinical Rheumatology</i> , 2018 , 37, 429-438	3.9	12
126	Bone morphogenetic proteins and Dickkopf-1 in ankylosing spondylitis. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 56-61	1.9	20
125	Serum adrenomedullin and urinary thromboxane B help early categorizing of acute kidney injury in decompensated cirrhotic patients: A prospective cohort study. <i>Hepatology Research</i> , 2018 , 48, E9-E21	5.1	2
124	The current status and unmet needs in the management of psoriatic arthritis: Viewpoint from physicians in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2018 , 117, 404-412	3.2	5
123	Efficacy of isoniazid salvage therapy for latent tuberculosis infection in patients with immune-mediated inflammatory disorders - A retrospective cohort study in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2018 , 51, 784-793	8.5	4
122	Tamm-Horsfall Protein is a Potent Immunomodulatory Molecule and a Disease Biomarker in the Urinary System. <i>Molecules</i> , 2018 , 23,	4.8	18
121	Primary bone marrow lymphoma: A hematological emergency in adults with fever of unknown origin. <i>Cancer Medicine</i> , 2018 , 7, 3713-3721	4.8	7
120	Cyclosporine for the treatment of lupus nephritis in patients with systemic lupus erythematosus. <i>Clinical Nephrology</i> , 2018 , 89, 277-285	2.1	8
119	A large pseudoaneurysm of the superficial femoral artery in a patient with SLE with group D infection. <i>BMJ Case Reports</i> , 2018 , 2018,	0.9	
118	Effects and mechanisms of caffeine to improve immunological and metabolic abnormalities in diet-induced obese rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 314, E433-E447	6.4	14

117	IgG4-related disease coexisting with autoimmune haemolytic anaemia. <i>BMJ Case Reports</i> , 2018 , 2018,	0.9	4
116	Renal transplantation delays major adverse cardiac events (MACEs) in patients with end-stage renal disease: A nationwide population-based study. <i>Journal of the Chinese Medical Association</i> , 2018 , 81, 766-771	2.8	3
115	Triggering receptor expressed on myeloid cells-1 (TREM-1) deficiency augments BAFF production to promote lupus progression. <i>Journal of Autoimmunity</i> , 2017 , 78, 92-100	15.5	5
114	Decoy receptor 3 analogous supplement protects steatotic rat liver from ischemia-reperfusion injury. <i>Journal of the Chinese Medical Association</i> , 2017 , 80, 391-400	2.8	5
113	Can urinary exosomal micro-RNA detection become a diagnostic and prognostic gold standard for patients with lupus nephritis and diabetic nephropathy?. <i>Journal of Laboratory and Precision Medicine</i> , 2017 , 2, 91-91	1.1	1
112	Idiopathic macular holes and direction of vitreomacular traction: structural changes and surgical outcomes. <i>Eye</i> , 2017 , 31, 1689-1696	4.4	9
111	Methotrexate-associated lymphoproliferative disease with multiple pulmonary nodules in a patient with rheumatoid arthritis. <i>BMJ Case Reports</i> , 2017 , 2017,	0.9	4
110	The Simultaneous Inhibitory Effect of Niclosamide on RANKL-Induced Osteoclast Formation and Osteoblast Differentiation. <i>International Journal of Medical Sciences</i> , 2017 , 14, 840-852	3.7	10
109	Oxidative DNA and mitochondrial DNA change in patients with SLE. <i>Frontiers in Bioscience - Landmark</i> , 2017 , 22, 493-503	2.8	10
108	Hepatitis B Virus Reactivation in Rheumatoid Arthritis Patients Undergoing Biologics Treatment. <i>Journal of Infectious Diseases</i> , 2017 , 215, 566-573	7	35
107	Suppressor of cytokine signaling (SOCS) 1 is down-regulated in renal transplant recipients with rejection. <i>Transplant Immunology</i> , 2016 , 38, 54-9	1.7	4
106	Management and Risk Reduction of Rheumatoid Arthritis in Individuals with Obstructive Sleep Apnea: A Nationwide Population-Based Study in Taiwan. <i>Sleep</i> , 2016 , 39, 1883-1890	1.1	6
105	CD146+ mesenchymal stem cells display greater therapeutic potential than CD146- cells for treating collagen-induced arthritis in mice. <i>Stem Cell Research and Therapy</i> , 2016 , 7, 23	8.3	57
104	Thalidomide Improves the Intestinal Mucosal Injury and Suppresses Mesenteric Angiogenesis and Vasodilatation by Down-Regulating Inflammasomes-Related Cascades in Cirrhotic Rats. <i>PLoS ONE</i> , 2016 , 11, e0147212	3.7	10
103	Potential serum and urine biomarkers in patients with lupus nephritis and the unsolved problems. <i>Open Access Rheumatology: Research and Reviews</i> , 2016 , 8, 81-91	2.4	20
102	Down-regulation of common NFB-iNOS pathway by chronic Thalidomide treatment improves Hepatopulmonary Syndrome and Muscle Wasting in rats with Biliary Cirrhosis. <i>Scientific Reports</i> , 2016 , 6, 39405	4.9	17
101	The pathogenesis of systemic lupus erythematosus - From the viewpoint of oxidative stress and mitochondrial dysfunction. <i>Mitochondrion</i> , 2016 , 30, 1-7	4.9	35
100	Suppressors of cytokine signalling in ankylosing spondylitis and their associations with disease severity, acute-phase reactants and serum cytokines. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 100-5	2.2	6

99	Rituximab therapy in primary Sjögren's syndrome with interstitial lung disease: a retrospective cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1077-1084	2.2	16
98	Incidence and antiviral response of hepatitis C virus reactivation in lupus patients undergoing immunosuppressive therapy. <i>Lupus</i> , 2015 , 24, 1029-36	2.6	12
97	Regulatory T cells in ankylosing spondylitis and the response after adalimumab treatment. <i>Joint Bone Spine</i> , 2015 , 82, 423-7	2.9	22
96	The role of hOGG1 C1245G polymorphism in the susceptibility to lupus nephritis and modulation of the plasma 8-OHdG in patients with systemic lupus erythematosus. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3757-68	6.3	8
95	The clinical usefulness of ESR, CRP, and disease duration in ankylosing spondylitis: the product of these acute-phase reactants and disease duration is associated with patient's poor physical mobility. <i>Rheumatology International</i> , 2015 , 35, 1263-7	3.6	11
94	Upregulation of BMP-2 expression in peripheral blood mononuclear cells by proinflammatory cytokines and radiographic progression in ankylosing spondylitis. <i>Modern Rheumatology</i> , 2015 , 25, 913-8 ³⁻³	3.3	13
93	Use of HLA-B*58:01 genotyping to prevent allopurinol induced severe cutaneous adverse reactions in Taiwan: national prospective cohort study. <i>BMJ, The</i> , 2015 , 351, h4848	5.9	115
92	Calcium Pyrophosphate Deposition Pseudoabscess. <i>Journal of Clinical Rheumatology</i> , 2015 , 21, 270	1.1	0
91	Sjögren's Syndrome Antigen B Acts as an Endogenous Danger Molecule to Induce Interleukin-8 Gene Expression in Polymorphonuclear Neutrophils. <i>PLoS ONE</i> , 2015 , 10, e0125501	3.7	6
90	Maffucci Syndrome. <i>Journal of Rheumatology</i> , 2015 , 42, 2434-5	4.1	3
89	Increased serum fibroblast growth factor-23 and decreased bone turnover in patients with systemic lupus erythematosus under treatment with cyclosporine and steroid but not steroid only. <i>Osteoporosis International</i> , 2015 , 26, 601-10	5.3	10
88	From endocrine to rheumatism: do gut hormones play roles in rheumatoid arthritis?. <i>Rheumatology</i> , 2014 , 53, 205-12	3.9	21
87	Increased 8-hydroxy-2-deoxyguanosine in plasma and decreased mRNA expression of human 8-oxoguanine DNA glycosylase 1, anti-oxidant enzymes, mitochondrial biogenesis-related proteins and glycolytic enzymes in leucocytes in patients with systemic lupus erythematosus. <i>Clinical and Experimental Immunology</i> , 2014 , 176, 66-77	6.2	43
86	EGF receptor-dependent mechanism may be involved in the Tamm-Horsfall glycoprotein-enhanced PMN phagocytosis via activating Rho family and MAPK signaling pathway. <i>Molecules</i> , 2014 , 19, 1328-43	4.8	7
85	Survival analysis in systemic lupus erythematosus patients on maintenance dialysis: a nationwide population-based study in Taiwan. <i>Rheumatology</i> , 2013 , 52, 166-72	3.9	28
84	Association of cigarette smoking with Chinese ankylosing spondylitis patients in Taiwan: a poor disease outcome in systemic inflammation, functional ability, and physical mobility. <i>Clinical Rheumatology</i> , 2013 , 32, 659-63	3.9	19
83	A tumor necrosis factor- α inhibitor reduces the embryotoxic effects of endometriotic peritoneal fluid. <i>Fertility and Sterility</i> , 2013 , 100, 1476-85	4.8	11
82	Increased risk of subarachnoid hemorrhage in patients with systemic lupus erythematosus: a nationwide population-based study. <i>Arthritis Care and Research</i> , 2013 , 65, 601-6	4.7	15

81	Long-term etanercept therapy favors weight gain and ameliorates cachexia in rheumatoid arthritis patients: roles of gut hormones and leptin. <i>Current Pharmaceutical Design</i> , 2013 , 19, 1956-64	3.3	38
80	Etanercept-associated right abducens nerve palsy in rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, e117-9	2.3	1
79	Intracerebroventricular O-n-octanoylated ghrelin and its splice variant-induced feeding is blocked by insulin, independent of obestatin or CRF receptor, in satiated rats. <i>Nutrition</i> , 2012 , 28, 812-20	4.8	13
78	Clinical significance of chronic hepatitis B virus infection in patients with primary Sjögrenß syndrome. <i>Clinical Rheumatology</i> , 2012 , 31, 309-15	3.9	9
77	Natural killer (NK)/T-cell lymphoma mimicking granulomatosis with polyangiitis (Wegenerß). <i>Scandinavian Journal of Rheumatology</i> , 2012 , 41, 407-8	1.9	2
76	Treatment of psoriasis with rituximab. <i>Journal of the American Academy of Dermatology</i> , 2012 , 66, e184-5	4.5	6
75	The binding affinity and molecular basis of the structure-binding relationship between urinary Tamm-Horsfall glycoprotein and tumor necrosis factor- α . <i>Molecules</i> , 2012 , 17, 11978-89	4.8	7
74	Association of serum interleukin-17 and interleukin-23 levels with disease activity in Chinese patients with ankylosing spondylitis. <i>Journal of the Chinese Medical Association</i> , 2012 , 75, 303-8	2.8	62
73	Characteristics of comorbidities and costs among patients who died from systemic lupus erythematosus in Taiwan. <i>Archives of Medical Science</i> , 2012 , 8, 690-6	2.9	11
72	Urinary neutrophil gelatinase-associated lipocalin is a potential biomarker for renal damage in patients with systemic lupus erythematosus. <i>Journal of Biomedicine and Biotechnology</i> , 2012 , 2012, 759313		26
71	Leukocyte mitochondrial DNA alteration in systemic lupus erythematosus and its relevance to the susceptibility to lupus nephritis. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 8853-68	6.3	29
70	Deranged bioenergetics and defective redox capacity in T lymphocytes and neutrophils are related to cellular dysfunction and increased oxidative stress in patients with active systemic lupus erythematosus. <i>Clinical and Developmental Immunology</i> , 2012 , 2012, 548516		26
69	Ghrelin and motilin in the gastrointestinal system. <i>Current Pharmaceutical Design</i> , 2012 , 18, 4755-65	3.3	42
68	Association of single-nucleotide polymorphisms in FOXP3 gene with systemic lupus erythematosus susceptibility: a case-control study. <i>Lupus</i> , 2011 , 20, 137-43	2.6	51
67	Tamm-Horsfall glycoprotein enhances PMN phagocytosis by binding to cell surface-expressed lactoferrin and cathepsin G that activates MAP kinase pathway. <i>Molecules</i> , 2011 , 16, 2119-34	4.8	17
66	Inverse correlation of programmed death 1 (PD-1) expression in T cells to the spinal radiologic changes in Taiwanese patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2011 , 30, 1181-7	3.9	16
65	Spontaneous resolution of acute gouty arthritis is associated with rapid induction of the anti-inflammatory factors TGF β , IL-10 and soluble TNF receptors and the intracellular cytokine negative regulators CIS and SOCS3. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1655-63	2.4	56
64	Human leukocyte antigen-G in ankylosing spondylitis and the response after tumour necrosis factor-alpha blocker therapy. <i>Rheumatology</i> , 2010 , 49, 264-70	3.9	10

63	Better short-term clinical response to etanercept in Chinese than Caucasian patients with active ankylosing spondylitis. <i>Modern Rheumatology</i> , 2010 , 20, 580-587	3.3	6
62	Serum BLC/CXCL13 concentrations and renal expression of CXCL13/CXCR5 in patients with systemic lupus erythematosus and lupus nephritis. <i>Journal of Rheumatology</i> , 2010 , 37, 45-52	4.1	67
61	Severe atlantoaxial subluxation in early ankylosing spondylitis. <i>Journal of Clinical Rheumatology</i> , 2010 , 16, 353	1.1	7
60	Anti-agalactosyl IgG antibody in ankylosing spondylitis and psoriatic arthritis. <i>Clinical Rheumatology</i> , 2010 , 29, 875-81	3.9	7
59	Soluble receptor activator of nuclear factor-kappaB ligand (RANKL) and osteoprotegerin in ankylosing spondylitis: OPG is associated with poor physical mobility and reflects systemic inflammation. <i>Clinical Rheumatology</i> , 2010 , 29, 1155-61	3.9	33
58	Ectopic and high CXCL13 chemokine expression in myasthenia gravis with thymic lymphoid hyperplasia. <i>Journal of Neuroimmunology</i> , 2010 , 221, 101-6	3.5	30
57	Reversing interleukin-2 inhibition mediated by anti-double-stranded DNA autoantibody ameliorates glomerulonephritis in MRL-lpr/lpr mice. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2401-11		6
56	Better short-term clinical response to etanercept in Chinese than Caucasian patients with active ankylosing spondylitis. <i>Modern Rheumatology</i> , 2010 , 20, 580-7	3.3	3
55	Increased spontaneous but decreased mitogen-stimulated expression and excretion of interleukin 18 by mononuclear cells in patients with active systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2009 , 36, 1910-6	4.1	3
54	Autoantibody and biopsy grading are associated with expression of ICAM-1, MMP-3, and TRAIL in salivary gland mononuclear cells of Chinese patients with Sjogren's syndrome. <i>Journal of Rheumatology</i> , 2009 , 36, 989-96	4.1	11
53	Ankylosing spondylitis and allied diseases in adults and children. <i>Journal of the Chinese Medical Association</i> , 2009 , 72, 615-6	2.8	
52	Hydrocephalus in an elderly man with systemic lupus erythematosus. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 513-7	3.2	2
51	Improvement of active rheumatoid arthritis after etanercept injection: a single-center experience. <i>Journal of the Chinese Medical Association</i> , 2009 , 72, 581-7	2.8	3
50	The Characteristic of Histopathology in Spondyloarthropathy. <i>Current Rheumatology Reviews</i> , 2009 , 5, 182-185	1.6	
49	Intact protein core structure is essential for protein-binding, mononuclear cell proliferating, and neutrophil phagocytosis-enhancing activities of normal human urinary Tamm-Horsfall glycoprotein. <i>International Immunopharmacology</i> , 2008 , 8, 90-9	5.8	10
48	Recurrent calcium pyrophosphate dihydrate crystal deposition disease in a patient with rheumatoid arthritis-associated osteoporosis. <i>European Journal of Internal Medicine</i> , 2008 , 19, 555-6	3.9	3
47	Severe vaso-occlusive retinopathy as the primary manifestation in a patient with systemic lupus erythematosus. <i>Journal of the Chinese Medical Association</i> , 2008 , 71, 377-80	2.8	17
46	Altered glycosylation of Tamm-Horsfall glycoprotein derived from renal allograft recipients leads to changes in its biological function. <i>Transplant Immunology</i> , 2008 , 18, 237-45	1.7	11

45	Association of polymorphisms in complement component C3 gene with susceptibility to systemic lupus erythematosus. <i>Rheumatology</i> , 2008 , 47, 158-64	3.9	50
44	Abnormal in vitro CXCR2 modulation and defective cationic ion transporter expression on polymorphonuclear neutrophils responsible for hyporesponsiveness to IL-8 stimulation in patients with active systemic lupus erythematosus. <i>Rheumatology</i> , 2008 , 47, 150-7	3.9	13
43	The genetic polymorphisms of POU5F1 gene are associated with psoriasis vulgaris in Chinese. <i>Journal of Dermatological Science</i> , 2007 , 46, 153-6	4.3	10
42	Cytokine production from peripheral blood mononuclear cells in patients with ankylosing spondylitis and their first-degree relatives. <i>Archives of Medical Research</i> , 2007 , 38, 190-5	6.6	16
41	Human leukocyte antigens in undifferentiated spondyloarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2007 , 37, 198-201	5.3	8
40	An unusual case of <i>Candida tropicalis</i> and <i>Candida krusei</i> arthritis in a patient with acute myelogenous leukemia before chemotherapy. <i>Clinical Rheumatology</i> , 2007 , 26, 1195-7	3.9	10
39	Anti-myeloperoxidase antibodies enhance phagocytosis, IL-8 production, and glucose uptake of polymorphonuclear neutrophils rather than anti-proteinase 3 antibodies leading to activation-induced cell death of the neutrophils. <i>Clinical Rheumatology</i> , 2007 , 26, 216-24	3.9	18
38	Anti-CD45 antibody enhances lipoxygenase pathway of human naïve mononuclear cells and cyclooxygenase pathway of neutrophils. <i>Inflammation Research</i> , 2006 , 55, 92-8	7.2	
37	Monoclonal anti-double-stranded DNA antibodies cross-react with phosphoglycerate kinase 1 and inhibit the expression and production of IL-2 in activated Jurkat T cell line. <i>Clinical Immunology</i> , 2006 , 120, 326-34	9	15
36	Undifferentiated spondyloarthropathy in Chinese patients. <i>Archives of Medical Research</i> , 2006 , 37, 384-76.6		8
35	Serum matrix metalloproteinases and tissue inhibitors of metalloproteinases in ankylosing spondylitis: MMP-3 is a reproducibly sensitive and specific biomarker of disease activity. <i>Rheumatology</i> , 2006 , 45, 414-20	3.9	80
34	Release of surface-expressed lactoferrin from polymorphonuclear neutrophils after contact with CD4+ T cells and its modulation on Th1/Th2 cytokine production. <i>Journal of Leukocyte Biology</i> , 2006 , 80, 350-8	6.5	28
33	Erythema multiforme, pancreatitis and hyperthyroidism in a woman with primary Sjögren's syndrome. <i>European Journal of Internal Medicine</i> , 2006 , 17, 303	3.9	
32	Hepatitis, cholangitis, pulmonary hypertension, digital gangrene, and conjunctivitis sicca in a woman with anticentromere antibodies. <i>European Journal of Internal Medicine</i> , 2006 , 17, 360-2	3.9	1
31	Expression, purification, refolding, and characterization of recombinant human soluble-Fas ligand from <i>Escherichia coli</i> . <i>Enzyme and Microbial Technology</i> , 2005 , 36, 527-534	3.8	4
30	Diffuse subcutaneous calcinosis as the initial presentation of dermatomyositis in a patient with large-cell lung carcinoma. <i>Seminars in Arthritis and Rheumatism</i> , 2005 , 35, 202-3	5.3	5
29	A woman with anti-histidyl-aminoacyl-tRNA synthetase (Jo-1 antibodies), myositis, hyperglycemia, interstitial lung disease, and morbilliform rashes. <i>Rheumatology International</i> , 2005 , 25, 156-7	3.6	
28	Proinflammatory cytokines enhance COX-1 gene expression in cultured rat glomerular mesangial cells. <i>International Immunopharmacology</i> , 2004 , 4, 47-56	5.8	5

27	Failure to identify Salmonella bacteria DNA by polymerase chain reaction in peripheral blood and synovial fluid cells in chinese patients with rheumatoid arthritis and ankylosing spondylitis. <i>Journal of Clinical Rheumatology</i> , 2004 , 10, 285-6	1.1	2
26	Anti-SSB/La is one of the antineutrophil autoantibodies responsible for neutropenia and functional impairment of polymorphonuclear neutrophils in patients with systemic lupus erythematosus. <i>Clinical and Experimental Immunology</i> , 2003 , 131, 506-16	6.2	36
25	Anti-CD45 isoform antibodies enhance phagocytosis and gene expression of IL-8 and TNF-alpha in human neutrophils by differential suppression on protein tyrosine phosphorylation and p56lck tyrosine kinase. <i>Clinical and Experimental Immunology</i> , 2002 , 129, 78-85	6.2	10
24	Decreased IL-12 production by polymorphonuclear leukocytes in patients with active systemic lupus erythematosus. <i>Immunological Investigations</i> , 2002 , 31, 177-89	2.9	14
23	Anti-dsDNA antibody up-regulates interleukin 6, but not cyclo-oxygenase, gene expression in glomerular mesangial cells: a marker of immune-mediated renal damage?. <i>Inflammation Research</i> , 2001 , 50, 12-8	7.2	28
22	Increased excretions of beta2-microglobulin, IL-6, and IL-8 and decreased excretion of Tamm-Horsfall glycoprotein in urine of patients with active lupus nephritis. <i>Nephron</i> , 2000 , 85, 207-14	3.3	123
21	The in vitro immunomodulatory effects of sulfasalazine on human polymorphonuclear leukocytes, mononuclear cells, and cultured glomerular mesangial cells. <i>Life Sciences</i> , 2000 , 67, 1149-61	6.8	5
20	Interleukin-13 increases prostaglandin E2 (PGE2) production by normal human polymorphonuclear neutrophils by enhancing cyclooxygenase 2 (COX-2) gene expression. <i>Inflammation Research</i> , 1998 , 47, 167-73	7.2	27
19	Pure red cell aplasia in a man with RA. <i>Scandinavian Journal of Rheumatology</i> , 1997 , 26, 329-31	1.9	4
18	The expression of genes modulating programmed cell death in normal human polymorphonuclear neutrophils. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 233, 700-6	3.4	56
17	Hepatitis B infection and changes in interferon-alpha and -gamma production in patients with systemic lupus erythematosus in Taiwan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1997 , 12, 272-6	4	40
16	Tamm-Horsfall glycoprotein (THG) is a binder for surface membrane proteins on blood cells and glomerular mesangial cells. <i>Immunopharmacology</i> , 1997 , 35, 237-45		5
15	Acute massive pulmonary haemorrhage, pulmonary embolism and deep vein thrombosis in a patient with systemic lupus erythematosus and varicella. <i>Respiratory Medicine</i> , 1996 , 90, 239-41	4.6	7
14	Renovascular hypertension after laparoscopic adrenalectomy in a patient with adrenal adenoma. <i>Nephron</i> , 1996 , 74, 464-5		2
13	Bilateral carpal tunnel syndrome secondary to tophaceous compression of the median nerves. <i>Scandinavian Journal of Rheumatology</i> , 1996 , 25, 107-8	1.9	9
12	Increased excretion of tumor necrosis factor alpha and interleukin 1 beta in urine from patients with IgA nephropathy and Schönlein-Henoch purpura. <i>Nephron</i> , 1996 , 74, 79-88		43
11	Gouty arthritis and chronic renal insufficiency in a patient with glycogen storage disease of the muscle-energy group. <i>Australian and New Zealand Journal of Medicine</i> , 1996 , 26, 418-9		4
10	Abnormal splenic and thymic IL-4 and TNF-alpha expression in MRL-lpr/lpr mice. <i>Scandinavian Journal of Immunology</i> , 1995 , 41, 157-63	3.4	37

9	Defective spontaneous and bacterial lipopolysaccharide-stimulated production of interleukin-1 receptor antagonist by polymorphonuclear neutrophils of patients with active systemic lupus erythematosus. <i>Rheumatology</i> , 1995 , 34, 107-12	3.9	8
8	Interleukin 8 modulates interleukin-1 beta, interleukin-6 and tumor necrosis factor-alpha release from normal human mononuclear cells. <i>Immunopharmacology</i> , 1994 , 27, 207-14		13
7	Polyclonal IgG anti-dsDNA antibodies exert cytotoxic effect on cultured rat mesangial cells by binding to cell membrane and augmenting apoptosis. <i>Scandinavian Journal of Rheumatology</i> , 1993 , 22, 162-71	1.9	35
6	Tamm-Horsfall urinary glycoprotein enhances monokine release and augments lymphocyte proliferation. <i>Immunopharmacology</i> , 1993 , 26, 249-58		26
5	Increased spontaneous release of cytidine deaminase by polymorphonuclear neutrophils of patients with active systemic lupus erythematosus. <i>Rheumatology</i> , 1992 , 31, 675-8	3.9	5
4	Tamm-Horsfall glycoprotein (THG) purified from normal human pregnancy urine increases phagocytosis, complement receptor expressions and arachidonic acid metabolism of polymorphonuclear neutrophils. <i>Immunopharmacology</i> , 1992 , 24, 181-90		31
3	Immunoregulatory effects of phospholipase A2 (PLA2) on the proliferation of human lymphocytes. <i>Scandinavian Journal of Rheumatology</i> , 1991 , 20, 8-15	1.9	3
2	Aberrant non-coding RNA expression profiles as biomarker/bio-signature in autoimmune and inflammatory rheumatic diseases. <i>Journal of Laboratory and Precision Medicine</i> , 3 , 51-51	1.1	3
1	Immunogenicity of the mRNA-1273 and ChAdOx1 nCoV-19 vaccines in Asian patients with autoimmune rheumatic diseases under biologic and/or conventional immunosuppressant treatments. <i>Scandinavian Journal of Rheumatology</i> , 1-6	1.9	