Jong Ju Jeong

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4385511/jong-ju-jeong-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

3,335
citations

30
h-index

55
g-index

141
axis,884
ext. papers

3,884
axis, papers

3,884
axis, papers

L-index

#	Paper	IF	Citations
130	Robotic Adrenalectomy Using the da Vinci SP Robotic System: Technical Feasibility Comparison with Single-Port Access Using the da Vinci Multi-arm Robotic System <i>Annals of Surgical Oncology</i> , 2022 , 29, 3085	3.1	O
129	Safety and Feasibility of Robotic Transaxillary Thyroidectomy for Graves' Disease: A Retrospective Cohort Study <i>World Journal of Surgery</i> , 2022 , 1	3.3	1
128	Comparisons Between Normocalcemic Primary Hyperparathyroidism and Typical Primary Hyperparathyroidism <i>Journal of Korean Medical Science</i> , 2022 , 37, e99	4.7	O
127	Single-Port Transaxillary Robotic Bilateral Total Thyroidectomy (START) for Graves Disease: First Initial 10 Cases Using da Vinci SP Robotic System. <i>Journal of Endocrine Surgery</i> , 2022 , 22, 24	0.3	0
126	Posterior Retroperitoneoscopic Adrenalectomy in a Renal Agenesis Patient. <i>Journal of Endocrine Surgery</i> , 2022 , 22, 50	0.3	
125	Clinical Implications of Age in Differentiated Thyroid Cancer: Comparison of Clinical Outcomes between Children and Young Adults <i>International Journal of Endocrinology</i> , 2022 , 2022, 7804612	2.7	
124	Parathyroid venous sampling for the preoperative localisation of parathyroid adenoma in patients with primary hyperparathyroidism <i>Scientific Reports</i> , 2022 , 12, 7058	4.9	O
123	Predictive Factors Indicative of Hemithyroidectomy and Close Follow-Up versus Bilateral Total Thyroidectomy for Aggressive Variants of Papillary Thyroid Cancer. <i>Cancers</i> , 2022 , 14, 2757	6.6	0
122	Single-port transaxillary robotic thyroidectomy (START): 200-cases with two-step retraction method. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	1
121	Circulating MicroRNA-23a-5p Is a Potential Biomarker for Recovery of Bone Mass After Parathyroidectomy in Primary Hyperparathyroidism. <i>Journal of the Endocrine Society</i> , 2021 , 5, A258-A25	58 ^{.4}	78
120	Machine Learning-Derived Simple Score Predicts the Risk of Tertiary Hyperparathyroidism Requiring Surgical Treatment Among Kidney Transplant Recipients: The DPC score. <i>Journal of the Endocrine Society</i> , 2021 , 5, A265-A265	0.4	78
119	Robotic transaxillary lateral neck dissection for thyroid cancer: learning experience from 500 cases. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	3
118	Circulating Lipocalin-2 Predicts Changes in Lumbar Spine Bone Mineral Density After Parathyroidectomy in Primary Hyperparathyroidism. <i>Journal of the Endocrine Society</i> , 2021 , 5, A273-A27	73 ^{0.4}	1
117	Comparison of Surgical Outcomes between Robotic Transaxillary and Conventional Open Thyroidectomy in Pediatric Thyroid Cancer. <i>Cancers</i> , 2021 , 13,	6.6	4
116	Unexpected remission of hyperparathyroidism caused by hemorrhage due to the use of fine-needle aspiration biopsy: two cases report. <i>Gland Surgery</i> , 2021 , 10, 2047-2053	2.2	2
115	Outcomes of Subtotal Parathyroidectomy Versus Total Parathyroidectomy With Autotransplantation for Tertiary Hyperparathyroidism: Multi-institutional Study. <i>Annals of Surgery</i> , 2021 , 274, 674-679	7.8	1
114	Laparoscopic adrenalectomy: comparison of outcomes between posterior retroperitoneoscopic and transperitoneal adrenalectomy with 10 years' experience. <i>Gland Surgery</i> , 2021 , 10, 2104-2112	2.2	2

113	Lactate Dehydrogenase A as a Potential New Biomarker for Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2021 , 36, 96-105	3.5	5	
112	Clinical Utility of Preoperative Vitamin D3 Injection for Preventing Transient Hypocalcemia after Total Thyroidectomy. <i>International Journal of Endocrinology</i> , 2021 , 2021, 6683089	2.7		
111	Feasibility and safety of the posterior retroperitoneoscopic approach in the resection of aortocaval and infrarenal paraganglioma: a single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 7246-7252	5.2	2	
110	Circulating miR-122-5p and miR-375 as Potential Biomarkers for Bone Mass Recovery after Parathyroidectomy in Patients with Primary Hyperparathyroidism: A Proof-of-Concept Study. <i>Diagnostics</i> , 2021 , 11,	3.8	1	
109	Comparison of long-term prognosis for differentiated thyroid cancer according to the 7th and 8th editions of the AJCC/UICC TNM staging system. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020 , 11, 2042018820921019	4.5	6	
108	The contributing factors for lateral neck lymph node metastasis in papillary thyroid microcarcinoma (PTMC). <i>Endocrine</i> , 2020 , 69, 149-156	4	7	
107	Robotic Transaxillary Hemithyroidectomy Using the da Vinci SP Robotic System: Initial Experience With 10 Consecutive Cases. <i>Surgical Innovation</i> , 2020 , 27, 256-264	2	4	
106	Hemodynamic stability during adrenalectomy for pheochromocytoma: A case control study of posterior retroperitoneal vs lateral transperitoneal approaches. <i>Medicine (United States)</i> , 2020 , 99, e197	1048	8	
105	Benefit of diverse surgical approach on short-term outcomes of MEN1-related hyperparathyroidism. <i>Scientific Reports</i> , 2020 , 10, 10634	4.9	7	
104	Evaluation of an optimal cutoff of parathyroid venous sampling gradient for localizing primary hyperparathyroidism. <i>Journal of Bone and Mineral Metabolism</i> , 2020 , 38, 570-580	2.9	3	
103	Cystic Lateral Lymph Node Metastases From Papillary Thyroid Cancer Patients. <i>Laryngoscope</i> , 2020 , 130, E976-E981	3.6	3	
102	Is the Internal Jugular Node Dissection without Level V Sufficient in Patients with Papillary Thyroid Carcinoma with Lateral Neck Node Metastasis?. <i>Journal of Endocrine Surgery</i> , 2020 , 20, 31	0.3		
101	Long-term outcomes of abdominal paraganglioma. <i>Annals of Surgical Treatment and Research</i> , 2020 , 99, 315-319	2		
100	Clinical Assessment of Pediatric Patients with Differentiated Thyroid Carcinoma: A 30-Year Experience at a Single Institution. <i>World Journal of Surgery</i> , 2020 , 44, 3383-3392	3.3	3	
99	Surgical outcomes of minimally invasive thyroidectomy in thyroid cancer: comparison with conventional open thyroidectomy. <i>Gland Surgery</i> , 2020 , 9, 1172-1181	2.2	1	
98	Clinical Value of Lymph Node Ratio Integration with the 8 Edition of the UICC TNM Classification and 2015 ATA Risk Stratification Systems for Recurrence Prediction in Papillary Thyroid Cancer. <i>Scientific Reports</i> , 2019 , 9, 13361	4.9	9	
97	Clinical outcomes of parathyroidectomy versus cinacalcet in the clinical management of secondary hyperparathyroidism. <i>Endocrine Journal</i> , 2019 , 66, 881-889	2.9	7	
96	Surgical outcomes of laparoscopic adrenalectomy for primary hyperaldosteronism: 20 years of experience in a single institution. <i>Annals of Surgical Treatment and Research</i> , 2019 , 96, 223-229	2	3	

95	The Prognosis of Papillary Thyroid Cancer with Initial Distant Metastasis is Strongly Associated with Extensive Extrathyroidal Extension: A Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2200-2209	3.1	13
94	Development of novel biocompatible thermosensitive anti-adhesive agents using human-derived acellular dermal matrix. <i>PLoS ONE</i> , 2019 , 14, e0212583	3.7	7
93	The relationship of comorbidities to mortality and cause of death in patients with differentiated thyroid carcinoma. <i>Scientific Reports</i> , 2019 , 9, 11435	4.9	14
92	Impact of body mass index on robotic transaxillary thyroidectomy. Scientific Reports, 2019, 9, 8955	4.9	7
91	Association between BRAFV600E Mutations and Clinicopathological Features of Papillary Thyroid Microcarcinoma (PTMC). <i>Journal of Endocrine Surgery</i> , 2019 , 19, 76	0.3	2
90	MON-548 The Relationship of Comorbidities to Mortality and Cause of Death in Patients with Differentiated Thyroid Carcinoma. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
89	Current trends in the features of male thyroid cancer: Retrospective evaluation of their prognostic value. <i>Medicine (United States)</i> , 2019 , 98, e15559	1.8	7
88	Pattern of urine iodine excretion with low iodine diet during preparation for radioactive iodine ablation in patients with thyroid cancer. <i>Head and Neck</i> , 2019 , 41, 381-387	4.2	1
87	Oncologic outcomes in patients with 1-cm to 4-cm differentiated thyroid carcinoma according to extent of thyroidectomy. <i>Head and Neck</i> , 2019 , 41, 56-63	4.2	15
86	Dynamic risk stratification in medullary thyroid carcinoma: Single institution experiences. <i>Medicine</i> (United States), 2018 , 97, e9686	1.8	5
85	Preventive effect of polynucleotide on post-thyroidectomy scars: A randomized, double-blinded, controlled trial. <i>Lasers in Surgery and Medicine</i> , 2018 , 50, 755	3.6	5
84	Posterior Retroperitoneoscopic Resection of Extra-adrenal Paraganglioma Located in the Aorto-caval Space. <i>Annals of Surgical Oncology</i> , 2018 , 25, 963	3.1	1
83	Yonsei Experience of 5000 Gasless Transaxillary Robotic Thyroidectomies. <i>World Journal of Surgery</i> , 2018 , 42, 393-401	3.3	32
82	Differential expression of miRNA199b-5p as a novel biomarker for sporadic and hereditary parathyroid tumors. <i>Scientific Reports</i> , 2018 , 8, 12016	4.9	5
81	Usefulness of dynamic risk stratification in pediatric patients with differentiated thyroid carcinoma. <i>Annals of Surgical Treatment and Research</i> , 2018 , 95, 222-229	2	3
80	Long-term oncologic outcomes of papillary thyroid microcarcinoma according to the presence of clinically apparent lymph node metastasis: a large retrospective analysis of 5,348 patients. <i>Cancer Management and Research</i> , 2018 , 10, 2883-2891	3.6	20
79	Genotypic characteristics and their association with phenotypic characteristics of hereditary medullary thyroid carcinoma in Korea. <i>Surgery</i> , 2018 , 164, 312-318	3.6	4
78	Single-Incision, Gasless, Endoscopic Trans-Axillary Total Thyroidectomy: A Feasible and Oncologic Safe Surgery in Patients with Papillary Thyroid Carcinoma. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 1158-1164	2.1	20

(2015-2017)

77	Is familial papillary thyroid microcarcinoma more aggressive than sporadic form?. <i>Annals of Surgical Treatment and Research</i> , 2017 , 92, 129-135	2	8
76	Practical Performance of the 2015 American Thyroid Association Guidelines for Predicting Tumor Recurrence in Patients with Papillary Thyroid Cancer in South Korea. <i>Thyroid</i> , 2017 , 27, 174-181	6.2	19
75	Transaxillary robotic modified radical neck dissection: a 5-year assessment of operative and oncologic outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1599-1606	5.2	23
74	Comparison of characteristics in patients with both thyroid and breast cancer: Based on order of incidence. <i>Korean Journal of Clinical Oncology</i> , 2017 , 13, 1-9	0.1	5
73	Long-term oncologic outcome of robotic versus open total thyroidectomy in PTC: a case-matched retrospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 3474-9	5.2	38
72	Relationship of Focally Amplified Long Noncoding on Chromosome 1 (FAL1) lncRNA with E2F Transcription Factors in Thyroid Cancer. <i>Medicine (United States)</i> , 2016 , 95, e2592	1.8	41
71	Risk Factors of Postoperative Hypocalcemia after Total Thyroidectomy of Papillary Thyroid Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70		2
70	Risk Factors of Postoperative Hypocalcemia after Total Thyroidectomy of Papillary Thyroid Carcinoma Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2016 , 16, 70		
69	Medullary thyroid carcinoma: a 30-year experience at one institution in Korea. <i>Annals of Surgical Treatment and Research</i> , 2016 , 91, 278-287	2	13
68	Is focused parathyroidectomy appropriate for patients with primary hyperparathyroidism?. <i>Annals of Surgical Treatment and Research</i> , 2016 , 91, 97-103	2	4
67	Postoperative biochemical remission of serum calcitonin is the best predictive factor for recurrence-free survival of medullary thyroid cancer: a large-scale retrospective analysis over 30 years. Clinical Endocrinology, 2016 , 84, 587-97	3.4	29
66	Optimal Cut-Off Values of Lymph Node Ratio Predicting Recurrence in Papillary Thyroid Cancer. <i>Medicine (United States)</i> , 2016 , 95, e2692	1.8	20
65	KSR1 is coordinately regulated with Notch signaling and oxidative phosphorylation in thyroid cancer. <i>Journal of Molecular Endocrinology</i> , 2015 , 54, 115-24	4.5	7
64	Aberrant expression of COT is related to recurrence of papillary thyroid cancer. <i>Medicine (United States)</i> , 2015 , 94, e548	1.8	4
63	Is Preoperative Vitamin D Deficiency a Risk Factor for Postoperative Symptomatic Hypocalcemia in Thyroid Cancer Patients Undergoing Total Thyroidectomy Plus Central Compartment Neck Dissection?. <i>Thyroid</i> , 2015 , 25, 911-8	6.2	28
62	Association Between Obesity and BRAFV600E Mutation Status in Patients with Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S683-90	3.1	19
61	Robotic thyroidectomy learning curve for beginning surgeons with little or no experience of endoscopic surgery. <i>Head and Neck</i> , 2015 , 37, 1705-11	4.2	30
60	GLI1 Transcription Factor Affects Tumor Aggressiveness in Patients With Papillary Thyroid Cancers. <i>Medicine (United States)</i> , 2015 , 94, e998	1.8	12

59	A metabolic phenotype based on mitochondrial ribosomal protein expression as a predictor of lymph node metastasis in papillary thyroid carcinoma. <i>Medicine (United States)</i> , 2015 , 94, e380	1.8	17
58	Effect of recombinant human epidermal growth factor on cutaneous scar quality in thyroidectomy patients. <i>Journal of Dermatological Treatment</i> , 2015 , 26, 159-64	2.8	13
57	Surgical completeness of robotic thyroidectomy: a prospective comparison with conventional open thyroidectomy in papillary thyroid carcinoma patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1068-75	5.2	40
56	Surgical complications after robotic thyroidectomy for thyroid carcinoma: a single center experience with 3,000 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2555-	-63 ²	71
55	Factors contributing to surgical outcomes of transaxillary robotic thyroidectomy for papillary thyroid carcinoma. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 3134-42	5.2	10
54	Sirt1 induction confers resistance to etoposide-induced genotoxic apoptosis in thyroid cancers. <i>International Journal of Oncology</i> , 2014 , 45, 2065-75	4.4	13
53	Genetic and epigenetic analysis in korean patients with multiple endocrine neoplasia type 1. Endocrinology and Metabolism, 2014 , 29, 270-9	3.5	3
52	Gasless transaxillary endoscopic thyroidectomy: a decade on. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2014 , 24, e211-5	1.3	15
51	A prospective comparison of patient body image after robotic thyroidectomy and conventional open thyroidectomy in patients with papillary thyroid carcinoma. <i>Surgery</i> , 2014 , 156, 117-25	3.6	45
50	Lobectomy and prophylactic central neck dissection for papillary thyroid microcarcinoma: do involved lymph nodes mandate completion thyroidectomy?. <i>World Journal of Surgery</i> , 2014 , 38, 872-7	3.3	16
49	Surgical Outcomes of Adrenocortical Carcinoma; 20 Years of Experience in a Single Institution. <i>The Korean Journal of Endocrine Surgery</i> , 2014 , 14, 219		
48	The impact of body habitus on the surgical outcomes of transaxillary single-incision robotic thyroidectomy in papillary thyroid carcinoma patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2407-14	5.2	19
47	Robot-assisted posterior retroperitoneoscopic adrenalectomy using single-port access: technical feasibility and preliminary results. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2741-5	3.1	30
46	Study of peripheral BRAF(V600E) mutation as a possible novel marker for papillary thyroid carcinomas. <i>Head and Neck</i> , 2013 , 35, 1630-3	4.2	16
45	A comparison of postoperative pain after conventional open thyroidectomy and transaxillary single-incision robotic thyroidectomy: a prospective study. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2279-	84 ^{.1}	53
44	Initial experience with robotic gasless transaxillary thyroidectomy for the management of graves disease: comparison of conventional open versus robotic thyroidectomy. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2013 , 23, e173-7	1.3	11
43	Differentiated thyroid carcinoma of children and adolescents: 27-year experience in the yonsei university health system. <i>Journal of Korean Medical Science</i> , 2013 , 28, 693-9	4.7	44
42	Surgical Outcomes of Robotic MRND versus Conventional Open MRND for Papillary Thyroid Carcinoma with Lateral Neck Node Metastasis: Comparative Analysis using Propensity Score Matching. <i>The Korean Journal of Endocrine Surgery</i> , 2013 , 13, 227		

(2010-2012)

41	Early surgical outcomes comparison between robotic and conventional open thyroid surgery for papillary thyroid microcarcinoma. <i>Surgery</i> , 2012 , 151, 724-30	3.6	60
40	Role of prophylactic ipsilateral central compartment lymph node dissection in papillary thyroid microcarcinoma. <i>Endocrine Journal</i> , 2012 , 59, 305-11	2.9	30
39	A comparative study of the transperitoneal and posterior retroperitoneal approaches for laparoscopic adrenalectomy for adrenal tumors. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2629-34	3.1	78
38	Analgesic efficacy of bilateral superficial cervical plexus block in robot-assisted endoscopic thyroidectomy using a transaxillary approach. <i>World Journal of Surgery</i> , 2012 , 36, 2831-7	3.3	17
37	A comparative study of the surgical outcomes of robotic and conventional open modified radical neck dissection for papillary thyroid carcinoma with lateral neck node metastasis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 3251-7	5.2	64
36	Robotic versus Endoscopic Thyroidectomy for Thyroid Cancers: A Multi-Institutional Analysis of Early Postoperative Outcomes and Surgical Learning Curves. <i>Journal of Oncology</i> , 2012 , 2012, 734541	4.5	48
35	Coexistence of chronic lymphocytic thyroiditis with papillary thyroid carcinoma: clinical manifestation and prognostic outcome. <i>Journal of Korean Medical Science</i> , 2012 , 27, 883-9	4.7	60
34	Innovative in vitro chemo-hormonal drug therapy for refractory thyroid carcinomas. <i>Journal of Korean Medical Science</i> , 2012 , 27, 729-35	4.7	1
33	Surgical completeness of total thyroidectomy using harmonic scalpel: comparison with conventional total thyroidectomy in papillary thyroid carcinoma patients. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2012 , 83, 267-73		4
32	A scoring system for prediction of lateral neck node metastasis from papillary thyroid cancer. Journal of Korean Medical Science, 2011 , 26, 996-1000	4.7	19
31	Excellence in robotic thyroid surgery: a comparative study of robot-assisted versus conventional endoscopic thyroidectomy in papillary thyroid microcarcinoma patients. <i>Annals of Surgery</i> , 2011 , 253, 1060-6	7.8	88
30	Prospects of robotic thyroidectomy using a gasless, transaxillary approach for the management of thyroid carcinoma. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011 , 21, 223-9	1.3	65
29	Early postoperative treatment of thyroidectomy scars using a fractional carbon dioxide laser. <i>Dermatologic Surgery</i> , 2011 , 37, 217-23	1.7	59
28	Positive predictive value and interobserver variability of preoperative staging sonography for thyroid carcinoma. <i>American Journal of Roentgenology</i> , 2011 , 197, W324-30	5.4	14
27	A Neurogenic Tumor as a Rare Differential Diagnosis of a Perithyroidal Masses. <i>The Korean Journal of Endocrine Surgery</i> , 2011 , 11, 31		
26	Initial Experience with Posterior Retroperitoneoscopic Adrenalectomy for the Adrenal Tumors. <i>The Korean Journal of Endocrine Surgery</i> , 2011 , 11, 287		
25	Parathyroid carcinoma: a 16-year experience in a single institution. <i>Endocrine Journal</i> , 2010 , 57, 493-7	2.9	22
24	Papillary carcinoma located in the thyroid isthmus. World Journal of Surgery, 2010 , 34, 36-9	3.3	39

23	Adrenal injury following blunt abdominal trauma. World Journal of Surgery, 2010, 34, 1971-4	3.3	21
22	Perioperative administration of pregabalin for pain after robot-assisted endoscopic thyroidectomy: a randomized clinical trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 2776-81	5.2	61
21	Initial experience with robot-assisted modified radical neck dissection for the management of thyroid carcinoma with lateral neck node metastasis. <i>Surgery</i> , 2010 , 148, 1214-21	3.6	141
20	Feasibility and safety of a new robotic thyroidectomy through a gasless, transaxillary single-incision approach. <i>Journal of the American College of Surgeons</i> , 2010 , 211, e13-9	4.4	110
19	The Efficacy and Safety of Guardix-SG① in Patients Who Are Undergoing Thyroid Surgery: A Randomized, Prospective, Double-blinded Study. <i>The Korean Journal of Endocrine Surgery</i> , 2009 , 9, 127		10
18	Primary intrathoracic goiter. <i>Thyroid</i> , 2009 , 19, 315-6	6.2	1
17	Robotic thyroid surgery using a gasless, transaxillary approach and the da Vinci S system: the operative outcomes of 338 consecutive patients. <i>Surgery</i> , 2009 , 146, 1048-55	3.6	357
16	Robot-assisted endoscopic thyroidectomy for thyroid malignancies using a gasless transaxillary approach. <i>Journal of the American College of Surgeons</i> , 2009 , 209, e1-7	4.4	151
15	Comparative study of endoscopic thyroidectomy versus conventional open thyroidectomy in papillary thyroid microcarcinoma (PTMC) patients. <i>Journal of Surgical Oncology</i> , 2009 , 100, 477-80	2.8	106
14	Robot-assisted endoscopic surgery for thyroid cancer: experience with the first 100 patients. Surgical Endoscopy and Other Interventional Techniques, 2009 , 23, 2399-406	5.2	296
13	Gasless endoscopic thyroidectomy using trans-axillary approach; surgical outcome of 581 patients. <i>Endocrine Journal</i> , 2009 , 56, 361-9	2.9	172
12	Medullary Thyroid Carcinoma: 25-year Experience and the Results of the RET Proto-oncogene Screening Test. <i>The Korean Journal of Endocrine Surgery</i> , 2009 , 9, 1		
11	Thyroid hemiagenesis associated with thyroid adenomatous hyperplasia and papillary thyroid carcinoma. <i>Thyroid</i> , 2008 , 18, 381-2	6.2	15
10	Soft tissue implantation of thyroid adenomatous hyperplasia after endoscopic thyroid surgery. <i>Thyroid</i> , 2008 , 18, 483-4	6.2	22
9	A case of black thyroid associated with hyalinizing trabecular tumor. <i>Endocrine Journal</i> , 2008 , 55, 1109-7	1 2 .9	5
8	Application of Robotic-assisted Mediastinal Lymph Node Dissection for Papillary Thyroid Cancer. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 128		
7	Gasless Endoscopic Thyroidectomy using the Trans-axillary Approach for Benign Thyroid Tumor. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 200		
6	Gasless Endoscopic Thyroidectomy using the Trans-axillary Approach: Surgical Outcomes of 634 Patients. <i>The Korean Journal of Endocrine Surgery</i> , 2008 , 8, 15		

LIST OF PUBLICATIONS

- Anaplastic Transformation of Metastatic Papillary Thyroid Carcinomas in the Cervical Lymph Nodes: Report of 3 Cases. *The Korean Journal of Endocrine Surgery*, **2008**, 8, 210
- 2
- The Zuckerkandl's Tubercle is a Useful Anatomical Landmark for the Detection of Both the Recurrent Laryngeal Nerve and the Superior Parathyroid during Thyroid Surgery. *The Korean Journal of Endocrine Surgery*, **2007**, 7, 237
- Thyroid Abscess in an Adult: A Case Report and Review of the Literature. *The Korean Journal of Endocrine Surgery*, **2007**, 7, 161
- Clnicopathologic Features of Warthin-like Papillary Carcinoma of the Thyroid. *The Korean Journal of Endocrine Surgery*, **2007**, 7, 257
- Is the Supraspinal Accessory Lymph Node Dissection Always Necessary in Thyroid Carcinoma
 Patients with Lateral Neck Node Metastasis?. *The Korean Journal of Endocrine Surgery*, **2007**, 7, 88