

Cai-Jun Zheng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4386376/cai-jun-zheng-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

3,937
citations

32
h-index

60
g-index

125
ext. papers

4,647
ext. citations

8.5
avg, IF

5.56
L-index

#	Paper	IF	Citations
118	Thermally activated delayed fluorescence exciplexes in organic light-emitting diodes 2022 , 353-426		1
117	Blocking Energy-Loss Pathways for Efficient All-Fluorescent Solution-processed Organic Light-emitting Diodes by Introducing Polymer Additive. <i>Journal of Physics: Conference Series</i> , 2022 , 2174, 012030	0.3	
116	Efficient and stable single-emitting-layer white organic light-emitting diodes by employing all thermally activated delayed fluorescence emitters. <i>Organic Electronics</i> , 2022 , 101, 106415	3.5	1
115	Ternary organic solar cells with enhanced charge transfer and stability combining the advantages of polymer acceptors and fullerene acceptors. <i>Organic Electronics</i> , 2022 , 104, 106471	3.5	3
114	High-performance organic upconversion device with 12% photon to photon conversion efficiency at 980 nm and bio-imaging application in near-infrared region. <i>Optics Express</i> , 2022 , 30, 16644	3.3	2
113	Hydrogen-Bond-Induced High Performance Semitransparent Ternary Organic Solar Cells with 14% Efficiency and Enhanced Stability. <i>Advanced Optical Materials</i> , 2021 , 9, 2100064	8.1	8
112	Nonconjugated Triptycene-Spaced Donor-Acceptor-Type Emitters Showing Thermally Activated Delayed Fluorescence via Both Intra- and Intermolecular Charge-Transfer Transitions. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 25193-25201	9.5	6
111	Single-Crystalline Silicon Frameworks: A New Platform for Transparent Flexible Optoelectronics. <i>Advanced Materials</i> , 2021 , 33, e2008171	24	4
110	Photomemory and Pulse Monitoring Featured Solution-Processed Near-Infrared Graphene/Organic Phototransistor with Detectivity of 2.4×10^{13} Jones. <i>Advanced Functional Materials</i> , 2021 , 31, 2103988	15.6	9
109	Layer-by-Layer Solution Processing Method for Organic Solar Cells. <i>Solar Rrl</i> , 2021 , 5, 2000592	7.1	19
108	Improving the efficiency of exciplex based OLEDs by controlling the different configurations of the donor. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 600-608	7.1	5
107	Novel triazine derivatives with deep LUMO energy levels as the electron-accepting components of exciplexes. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 939-946	7.1	3
106	Thermally activated delayed fluorescence exciplex emitters for high-performance organic light-emitting diodes. <i>Materials Horizons</i> , 2021 , 8, 401-425	14.4	33
105	Hydrogen-Bond-Assisted Exciplex Emitters Realizing Improved Efficiencies and Stabilities in Organic Light Emitting Diodes. <i>Advanced Functional Materials</i> , 2021 , 31, 2010100	15.6	8
104	Characterizing the Conformational Distribution in an Amorphous Film of an Organic Emitter and Its Application in a "Self-Doping" Organic Light-Emitting Diode. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25878-25883	16.4	11
103	Novel D-D?-A structure thermally activated delayed fluorescence emitters realizing over 20% external quantum efficiencies in both evaporation- and solution-processed organic light-emitting diodes. <i>Organic Electronics</i> , 2021 , 99, 106312	3.5	0
102	Hydrogen bond induced high-performance quaternary organic solar cells with efficiency up to 17.48% and superior thermal stability. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 3850-3858	7.8	10

101	Chiral thermally activated delayed fluorescence emitters with dual conformations based on a pair of enantiomeric donors containing asymmetric carbons. <i>Dyes and Pigments</i> , 2020 , 178, 108336	4.6	7
100	Introducing Trifluoromethyl to Strengthen Hydrogen Bond for High Efficiency Organic Solar Cells. <i>Frontiers in Chemistry</i> , 2020 , 8, 190	5	5
99	Forcing dimethylacridine crooking to improve the efficiency of orange-red thermally activated delayed fluorescent emitters. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 10416-10421	7.1	2
98	Delayed Fluorescence Emitter Enables Near 17% Efficiency Ternary Organic Solar Cells with Enhanced Storage Stability and Reduced Recombination Energy Loss. <i>Advanced Functional Materials</i> , 2020 , 30, 1909837	15.6	75
97	FullereneB ring: A new strategy to improve the performance of fullerene organic solar cells. <i>Organic Electronics</i> , 2020 , 83, 105747	3.5	7
96	Achieving efficient and stable organic solar cells by using polyethylene glycol to modulate the crystallization and distribution of the active layer. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 065502	3	0
95	Reducing efficiency roll-off of phosphorescent organic light emitting diodes by using phosphor assisted energy funneling. <i>Organic Electronics</i> , 2020 , 87, 105985	3.5	2
94	Efficient Exciplex-based Green and Near-Infrared Organic Light-Emitting Diodes Employing a Novel Donor-Acceptor Type Donor. <i>Chemistry - an Asian Journal</i> , 2020 , 15, 4093-4097	4.5	5
93	6,12-Dihydro-6,12-diboradibenzo[def,mno]chrysene: A Doubly Boron-Doped Polycyclic Aromatic Hydrocarbon for Organic Light Emitting Diodes by a One-Pot Synthesis. <i>Organic Letters</i> , 2020 , 22, 7942-7946	6.2	6
92	Delayed fluorescence material-assisted high performance ternary organic solar cells realized by prolonged exciton lifetime and diffusion length. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 17429-17439	7.1	6
91	An universal morphology regulator for efficient and stable nonfullerene organic solar cells by π interaction. <i>Organic Electronics</i> , 2020 , 86, 105827	3.5	6
90	Hydrogen bond-modulated molecular packing and its applications in high-performance non-doped organic electroluminescence. <i>Materials Horizons</i> , 2020 , 7, 2734-2740	14.4	21
89	Highly efficient ternary polymer-based solution-processable exciplex with over 20% external quantum efficiency in organic light-emitting diode. <i>Organic Electronics</i> , 2020 , 76, 105449	3.5	14
88	Using fluorene to lock electronically active moieties in thermally activated delayed fluorescence emitters for high-performance non-doped organic light-emitting diodes with suppressed roll-off. <i>Chemical Science</i> , 2020 , 12, 1495-1502	9.4	20
87	Blue and white solution-processed TADF-OLEDs with over 20% EQE, low driving voltages and moderate efficiency decrease based on interfacial exciplex hosts. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11806-11812	7.1	31
86	Development of Red Exciplex for Efficient OLEDs by Employing a Phosphor as a Component. <i>Frontiers in Chemistry</i> , 2019 , 7, 16	5	15
85	Hydrogen Bond Induced Green Solvent Processed High Performance Ternary Organic Solar Cells with Good Tolerance on Film Thickness and Blend Ratios. <i>Advanced Functional Materials</i> , 2019 , 29, 1902078	15.6	40
84	Thermally activated delayed fluorescence emitters with low concentration sensitivity for highly efficient organic light emitting devices. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8923-8928	7.1	8

83	Green solution-processed thermally activated delayed fluorescence OLEDs with improved performance by using interfacial exciplex host. <i>Organic Electronics</i> , 2019 , 73, 36-42	3.5	8
82	Tricomponent Exciplex Emitter Realizing over 20% External Quantum Efficiency in Organic Light-Emitting Diode with Multiple Reverse Intersystem Crossing Channels. <i>Advanced Science</i> , 2019 , 6, 1801938	13.6	27
81	Novel small-molecule electron donor for solution-processed ternary exciplex with 24% external quantum efficiency in organic light-emitting diode. <i>Materials Horizons</i> , 2019 , 6, 1425-1432	14.4	42
80	Thermally Activated Delayed Fluorescence Carbonyl Derivatives for Organic Light-Emitting Diodes with Extremely Narrow Full Width at Half-Maximum. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 13472-13480	9.5	90
79	Dibenzofuran/dibenzothiophene as the secondary electron-donors for highly efficient blue thermally activated delayed fluorescence emitters. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 4475-4483	7.1	11
78	Ternary System with Intermolecular Hydrogen Bond: Efficient Strategy to High-Performance Nonfullerene Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 15598-15606	9.5	14
77	High performance opaque and semi-transparent organic solar cells with good tolerance to film thickness realized by a unique solid additive. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 7437-7450	13	20
76	Modulating the molecular packing and distribution enables fullerene-free ternary organic solar cells with high efficiency and long shelf-life. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 20139-20150	13	30
75	Improving performance of thermally activated delayed fluorescence emitter by extending its LUMO distribution. <i>Science China Materials</i> , 2019 , 62, 719-728	7.1	2
74	Efficient solution-processed red organic light-emitting diode based on an electron-donating building block of pyrrolo[3,2-b]pyrrole. <i>Organic Electronics</i> , 2019 , 65, 110-115	3.5	17
73	Highly Efficient Thermally Activated Delayed Fluorescence Emitter Developed by Replacing Carbazole With 1,3,6,8-Tetramethyl-Carbazole. <i>Frontiers in Chemistry</i> , 2019 , 7, 17	5	7
72	Improving the performance of solution-processed small molecule OLEDs via micro-aggregation formed by an alcohol additive incorporation. <i>Organic Electronics</i> , 2019 , 64, 252-258	3.5	4
71	EQE Climbing Over 6% at High Brightness of 14350 cd/m in Deep-Blue OLEDs Based on Hybridized Local and Charge-Transfer Fluorescence. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 9629-9637	9.5	44
70	Stacking induced high current density and improved efficiency in ternary organic solar cells. <i>Nanoscale</i> , 2018 , 10, 9971-9980	7.7	11
69	Efficient solution-processed blue and white OLEDs based on a high-triplet bipolar host and a blue TADF emitter. <i>Organic Electronics</i> , 2018 , 58, 276-282	3.5	41
68	Highly efficient thermally activated delayed fluorescence emitters based on novel Indolo[2,3-b]acridine electron-donor. <i>Organic Electronics</i> , 2018 , 57, 327-334	3.5	12
67	Hydrogen-Bonding Strategy to Optimize Charge Distribution of PC71BM and Enable a High Efficiency of 12.45% for Organic Solar Cells. <i>Solar Rrl</i> , 2018 , 2, 1800038	7.1	20
66	Efficient solution-processed orange-red organic light-emitting diodes based on a novel thermally activated delayed fluorescence emitter. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9152-9157	7.1	21

65	Red Organic Light-Emitting Diode with External Quantum Efficiency beyond 20% Based on a Novel Thermally Activated Delayed Fluorescence Emitter. <i>Advanced Science</i> , 2018 , 5, 1800436	13.6	126
64	Ternary organic solar cells with a phase-modulated surface distribution via the addition of a small molecular luminescent dye to obtain a high efficiency over 10.5. <i>Nanoscale</i> , 2018 , 10, 16455-16467	7.7	12
63	Hydrogen bond induced high performance ternary fullerene-free organic solar cells with increased current density and enhanced stability. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9691-9702	7.1	24
62	Non-ionic surfactant-novel agents to realize high efficiency non-fullerene opaque and semitransparent organic solar cells with Enhanced Stability. <i>Organic Electronics</i> , 2018 , 62, 195-202	3.5	5
61	Novel star-shaped yellow thermally activated delayed fluorescence emitter realizing over 10% external quantum efficiency at high luminance of 30000 cd m ⁻² in OLED. <i>Organic Electronics</i> , 2018 , 62, 220-226	3.5	4
60	Control of Dual Conformations: Developing Thermally Activated Delayed Fluorescence Emitters for Highly Efficient Single-Emitter White Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31515-31525	9.5	60
59	Intermolecular Charge-Transfer Transition Emitter Showing Thermally Activated Delayed Fluorescence for Efficient Non-Doped OLEDs. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 9480-9484	16.4	98
58	Intermolecular Charge-Transfer Transition Emitter Showing Thermally Activated Delayed Fluorescence for Efficient Non-Doped OLEDs. <i>Angewandte Chemie</i> , 2018 , 130, 9624-9628	3.6	16
57	Excimer emission induced intra-system self-absorption enhancement [a novel strategy to realize high efficiency and excellent stability ternary organic solar cells processed in green solvents. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 23840-23855	13	25
56	Pyrene-Imidazole Based Aggregation Modifier Leads to Enhancement in Efficiency and Environmental Stability for Ternary Organic Solar Cells. <i>Frontiers in Chemistry</i> , 2018 , 6, 578	5	2
55	White OLEDs with an EQE of 21% at 5000 cd m ⁻² and Ultra High Color Stability Based on Exciplex Host. <i>Advanced Optical Materials</i> , 2018 , 6, 1800825	8.1	24
54	Optimization on Molecular Restriction for Highly Efficient Thermally Activated Delayed Fluorescence Emitters. <i>Advanced Optical Materials</i> , 2018 , 6, 1800935	8.1	19
53	Highly efficient green and red OLEDs based on a new exciplex system with simple structures. <i>Organic Electronics</i> , 2017 , 43, 136-141	3.5	20
52	Coumarin-Based Thermally Activated Delayed Fluorescence Emitters with High External Quantum Efficiency and Low Efficiency Roll-off in the Devices. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 8848-8854	9.5	53
51	A comparative study of carbazole-based thermally activated delayed fluorescence emitters with different steric hindrance. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 4797-4803	7.1	31
50	Fine-tuning the emissions of highly efficient thermally activated delayed fluorescence emitters with different linking positions of electron-deficient substituent groups. <i>Dyes and Pigments</i> , 2017 , 143, 62-70	4.6	6
49	Efficient non-doped deep-blue electroluminescence devices based on unsymmetrical and highly twisted pyrene derivatives. <i>New Journal of Chemistry</i> , 2017 , 41, 14152-14160	3.6	8
48	Efficient, color-stable and high color-rendering-index white organic light-emitting diodes employing full thermally activated delayed fluorescence system. <i>Organic Electronics</i> , 2017 , 50, 466-472	3.5	25

47	Novel brominated compounds using in binary additives based organic solar cells to achieve high efficiency over 10.3%. <i>Organic Electronics</i> , 2017 , 50, 507-514	3.5	8
46	Multifunctional Phenanthroimidazole Derivatives to Realize High-Performance Deep-Blue and White Organic Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2017 , 5, 1700498	8.1	31
45	Ternary Organic Solar Cells with Coumarin7 as the Donor Exhibiting Greater Than 10% Power Conversion Efficiency and a High Fill Factor of 75. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 29907-29916	9.5	29
44	Centimeter-Long Single-Crystalline Si Nanowires. <i>Nano Letters</i> , 2017 , 17, 7323-7329	11.5	23
43	Avoiding Energy Loss on TADF Emitters: Controlling the Dual Conformations of D-A Structure Molecules Based on the Pseudoplanar Segments. <i>Advanced Materials</i> , 2017 , 29, 1701476	24	142
42	High Performance All Fluorescence White Organic Light Emitting Devices with a Highly Simplified Structure Based on Thermally Activated Delayed Fluorescence Dopants and Host. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 32984-32991	9.5	48
41	Excellent deep-blue emitting materials based on anthracene derivatives for non-doped organic light-emitting diodes. <i>Optical Materials</i> , 2016 , 58, 260-267	3.3	16
40	Isomeric Thermally Activated Delayed Fluorescence Emitters for Color Purity-Improved Emission in Organic Light-Emitting Devices. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 16791-8	9.5	51
39	OLEDs: Novel Strategy to Develop Exciplex Emitters for High-Performance OLEDs by Employing Thermally Activated Delayed Fluorescence Materials (Adv. Funct. Mater. 12/2016). <i>Advanced Functional Materials</i> , 2016 , 26, 2036-2036	15.6	2
38	Synthesis, Structure, and Photophysical Properties of Two Four-Coordinate Cu(I)-NHC Complexes with Efficient Delayed Fluorescence. <i>Inorganic Chemistry</i> , 2016 , 55, 2157-64	5.1	54
37	Novel Strategy to Develop Exciplex Emitters for High-Performance OLEDs by Employing Thermally Activated Delayed Fluorescence Materials. <i>Advanced Functional Materials</i> , 2016 , 26, 2002-2008	15.6	149
36	High-performance fluorescent/phosphorescent (F/P) hybrid white OLEDs consisting of a yellowish-green phosphorescent emitter. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 5907-5913	7.1	33
35	Theoretical investigation of the singlet-triplet splittings for carbazole-based thermally activated delayed fluorescence emitters. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 26623-26629	3.6	36
34	Highly efficient solution-processed small-molecule white organic light-emitting diodes. <i>Organic Electronics</i> , 2016 , 38, 344-349	3.5	10
33	Bromine-substituted triphenylamine derivatives with improved hole-mobility for highly efficient green phosphorescent OLEDs with a low operating voltage. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 10301-10308	7.1	17
32	High-performance red organic light-emitting devices based on an exciplex system with thermally activated delayed fluorescence characteristic. <i>Organic Electronics</i> , 2016 , 39, 10-15	3.5	20
31	High efficiency non-doped deep-blue and fluorescent/phosphorescent white organic light-emitting diodes based on an anthracene derivative. <i>Synthetic Metals</i> , 2015 , 203, 49-53	3.6	31
30	Prediction and design of efficient exciplex emitters for high-efficiency, thermally activated delayed-fluorescence organic light-emitting diodes. <i>Advanced Materials</i> , 2015 , 27, 2378-83	24	250

29	A novel nicotinonitrile derivative as an excellent multifunctional blue fluorophore for highly efficient hybrid white organic light-emitting devices. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 8817-8823	7.1	18
28	High Performance Exciplex-Based Fluorescence/Phosphorescence White Organic Light-Emitting Device with Highly Simplified Structure. <i>Chemistry of Materials</i> , 2015 , 27, 5206-5211	9.6	76
27	Efficient violet non-doped organic light-emitting device based on a pyrene derivative with novel molecular structure. <i>Organic Electronics</i> , 2015 , 23, 179-185	3.5	25
26	Exciplex Emitters: Prediction and Design of Efficient Exciplex Emitters for High-Efficiency, Thermally Activated Delayed-Fluorescence Organic Light-Emitting Diodes (Adv. Mater. 14/2015). <i>Advanced Materials</i> , 2015 , 27, 2377-2377	24	
25	Energy Transfer: Nearly 100% Triplet Harvesting in Conventional Fluorescent Dopant-Based Organic Light-Emitting Devices Through Energy Transfer from Exciplex (Adv. Mater. 12/2015). <i>Advanced Materials</i> , 2015 , 27, 2024-2024	24	2
24	Novel Carbazol-Pyridine-Carbonitrile Derivative as Excellent Blue Thermally Activated Delayed Fluorescence Emitter for Highly Efficient Organic Light-Emitting Devices. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 18930-6	9.5	97
23	Multifunctional terpyridine/diphenylamine derivatives as highly efficient blue fluorescent emitters and red phosphorescent hosts. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 1068-1076	7.1	33
22	Quantum chemical calculation study on terphenyl arylamines hole transport materials. <i>Journal of the Society for Information Display</i> , 2015 , 23, 182-185	2.1	2
21	A high-efficiency hybrid white organic light-emitting diode enabled by a new blue fluorophor. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 4283-4289	7.1	30
20	Nearly 100% triplet harvesting in conventional fluorescent dopant-based organic light-emitting devices through energy transfer from exciplex. <i>Advanced Materials</i> , 2015 , 27, 2025-30	24	189
19	Aggregation-induced near-infrared absorption of squaraine dye in an albumin nanocomplex for photoacoustic tomography in vivo. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 17985-92	9.5	44
18	A reticuloendothelial system-stealthy dye/albumin nanocomplex as a highly biocompatible and highly luminescent nanoprobe for targeted in vivo tumor imaging. <i>RSC Advances</i> , 2014 , 4, 6120	3.7	14
17	Tailoring electronic structure of organic host for high-performance phosphorescent organic light-emitting diodes. <i>Organic Electronics</i> , 2014 , 15, 2763-2768	3.5	6
16	A New Multifunctional Triazine/Carbazole Compound with High Triplet Energy for High-Performance Blue Fluorescence, Green and Red Phosphorescent Host, and Hybrid White Organic Light-Emitting Diodes. <i>Israel Journal of Chemistry</i> , 2014 , 54, 952-957	3.4	3
15	Novel Blue Fluorophor with High Triplet Energy Level for High Performance Single-Emitting-Layer Fluorescence and Phosphorescence Hybrid White Organic Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2013 , 25, 4454-4459	9.6	58
14	Optical absorption and photoelectrochemical performance enhancement in Si tube array for solar energy harvesting application. <i>Applied Physics Letters</i> , 2013 , 102, 163906	3.4	8
13	Non-blinking, highly luminescent, pH- and heavy-metal-ion-stable organic nanodots for bio-imaging. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 3144-3151	7.3	24
12	Novel efficient blue fluorophors with small singlet-triplet splitting: hosts for highly efficient fluorescence and phosphorescence hybrid WOLEDs with simplified structure. <i>Advanced Materials</i> , 2013 , 25, 2205-11	24	197

11	Carbazole/Sulfone Hybrid D- π A-Structured Bipolar Fluorophores for High-Efficiency Blue-Violet Electroluminescence. <i>Chemistry of Materials</i> , 2013 , 25, 2630-2637	9.6	167
10	Multifunctional electron-transporting indolizine derivatives for highly efficient blue fluorescence, orange phosphorescence host and two-color based white OLEDs. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4502		147
9	Novel bipolar host materials based on 1,3,5-triazine derivatives for highly efficient phosphorescent OLEDs with extremely low efficiency roll-off. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 14255-61	3.6	48
8	New Ambipolar Hosts Based on Carbazole and 4,5-Diazafluorene Units for Highly Efficient Blue Phosphorescent OLEDs with Low Efficiency Roll-Off. <i>Chemistry of Materials</i> , 2012 , 24, 643-650	9.6	85
7	Management of singlet and triplet excitons in a single emission layer: a simple approach for a high-efficiency fluorescence/phosphorescence hybrid white organic light-emitting device. <i>Advanced Materials</i> , 2012 , 24, 3410-4	24	215
6	White OLEDs: Management of Singlet and Triplet Excitons in a Single Emission Layer: A Simple Approach for a High-Efficiency Fluorescence/Phosphorescence Hybrid White Organic Light-Emitting Device (Adv. Mater. 25/2012). <i>Advanced Materials</i> , 2012 , 24, 3290-3290	24	1
5	Efficient and stable non-doped deep-blue organic light emitting diode based on an anthracene derivative. <i>Science China Chemistry</i> , 2011 , 54, 666-670	7.9	7
4	Highly efficient non-doped deep-blue organic light-emitting diodes based on anthracene derivatives. <i>Journal of Materials Chemistry</i> , 2010 , 20, 1560		108
3	Non-fullerene acceptor alloy strategy enabling stable ternary polymer solar cells with efficiency of 17.74%. <i>Journal of Materials Chemistry C</i> ,	7.1	3
2	Novel donor-spacer-acceptor compound as the multifunctional component of exciplexes for efficient organic light-emitting diodes. <i>Science China Materials</i> ,1	7.1	0
1	High-Efficiency Sequential-Cast Organic Solar Cells Enabled by Dual Solvent-Controlled Polymer Aggregation. <i>Solar Rrl</i> ,2200076	7.1	2