

Jess Balsinde

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4386510/jesus-balsinde-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

7,364
citations

51
h-index

83
g-index

133
ext. papers

7,997
ext. citations

5.6
avg, IF

5.8
L-index

#	Paper	IF	Citations
125	Lipin-1-derived diacylglycerol activates intracellular TRPC3 which is critical for inflammatory signaling. <i>Cellular and Molecular Life Sciences</i> , 2021 , 78, 8243-8260	10.3	
124	The Hypoxic Microenvironment Induces Stearoyl-CoA Desaturase-1 Overexpression and Lipidomic Profile Changes in Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	4
123	A Lipidomic Perspective of the Action of Group IIA Secreted Phospholipase A on Human Monocytes: Lipid Droplet Biogenesis and Activation of Cytosolic Phospholipase A <i>Biomolecules</i> , 2020 , 10,	5.9	6
122	C3G contributes to platelet activation and aggregation by regulating major signaling pathways. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 29	21	4
121	ECM deposition is driven by caveolin-1-dependent regulation of exosomal biogenesis and cargo sorting. <i>Journal of Cell Biology</i> , 2020 , 219,	7.3	18
120	Release of Anti-Inflammatory Palmitoleic Acid and Its Positional Isomers by Mouse Peritoneal Macrophages. <i>Biomedicines</i> , 2020 , 8,	4.8	4
119	Phospholipid Arachidonic Acid Remodeling During Phagocytosis in Mouse Peritoneal Macrophages. <i>Biomedicines</i> , 2020 , 8,	4.8	2
118	The Contribution of Cytosolic Group IVA and Calcium-Independent Group VIA Phospholipase As to Adrenic Acid Mobilization in Murine Macrophages. <i>Biomolecules</i> , 2020 , 10,	5.9	8
117	Neutral Lipids Are Not a Source of Arachidonic Acid for Lipid Mediator Signaling in Human Foamy Monocytes. <i>Cells</i> , 2019 , 8,	7.9	5
116	The role of lipins in innate immunity and inflammation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 1328-1337	5	10
115	Sequestration of 9-Hydroxystearic Acid in FAHFA (Fatty Acid Esters of Hydroxy Fatty Acids) as a Protective Mechanism for Colon Carcinoma Cells to Avoid Apoptotic Cell Death. <i>Cancers</i> , 2019 , 11,	6.6	25
114	Selectivity of phospholipid hydrolysis by phospholipase A enzymes in activated cells leading to polyunsaturated fatty acid mobilization. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019 , 1864, 772-783	5	49
113	Cellular Plasmalogen Content Does Not Influence Arachidonic Acid Levels or Distribution in Macrophages: A Role for Cytosolic Phospholipase A <i>n</i> Phospholipid Remodeling. <i>Cells</i> , 2019 , 8,	7.9	22
112	Regulation of Phagocytosis in Macrophages by Membrane Ethanolamine Plasmalogens. <i>Frontiers in Immunology</i> , 2018 , 9, 1723	8.4	31
111	The phosphatidic acid phosphatase lipin-1 facilitates inflammation-driven colon carcinogenesis. <i>JCI Insight</i> , 2018 , 3,	9.9	20
110	Occurrence and biological activity of palmitoleic acid isomers in phagocytic cells. <i>Journal of Lipid Research</i> , 2018 , 59, 237-249	6.3	31
109	Increased FGF21 in brown adipose tissue of tyrosine hydroxylase heterozygous mice: implications for cold adaptation. <i>Journal of Lipid Research</i> , 2018 , 59, 2308-2320	6.3	5

108	Lipin-2 regulates NLRP3 inflammasome by affecting P2X7 receptor activation. <i>Journal of Experimental Medicine</i> , 2017 , 214, 511-528	16.6	67
107	Essential Role for Ethanolamine Plasmalogen Hydrolysis in Bacterial Lipopolysaccharide Priming of Macrophages for Enhanced Arachidonic Acid Release. <i>Frontiers in Immunology</i> , 2017 , 8, 1251	8.4	15
106	Interplay between hepatic mitochondria-associated membranes, lipid metabolism and caveolin-1 in mice. <i>Scientific Reports</i> , 2016 , 6, 27351	4.9	102
105	Foamy Monocytes Are Enriched in cis-7-Hexadecenoic Fatty Acid (16:1n-9), a Possible Biomarker for Early Detection of Cardiovascular Disease. <i>Cell Chemical Biology</i> , 2016 , 23, 689-99	8.2	46
104	Critical role for cytosolic group IVA phospholipase A2 in early adipocyte differentiation and obesity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 1083-1095	5	14
103	Activation of Lysophosphatidic Acid Receptor Type 1 Contributes to Pathophysiology of Spinal Cord Injury. <i>Journal of Neuroscience</i> , 2015 , 35, 10224-35	6.6	69
102	Opposite cross-talk by oleate and palmitate on insulin signaling in hepatocytes through macrophage activation. <i>Journal of Biological Chemistry</i> , 2015 , 290, 11663-77	5.4	39
101	Group V secreted phospholipase A2 is upregulated by IL-4 in human macrophages and mediates phagocytosis via hydrolysis of ethanolamine phospholipids. <i>Journal of Immunology</i> , 2015 , 194, 3327-39	5.3	43
100	Cardiotrophin-1 eliminates hepatic steatosis in obese mice by mechanisms involving AMPK activation. <i>Journal of Hepatology</i> , 2014 , 60, 1017-25	13.4	47
99	Phospholipase A2 regulation of lipid droplet formation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1841, 1661-71	5	50
98	Lipin-1 integrates lipid synthesis with proinflammatory responses during TLR activation in macrophages. <i>Journal of Immunology</i> , 2014 , 193, 4614-22	5.3	36
97	ASMase regulates autophagy and lysosomal membrane permeabilization and its inhibition prevents early stage non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2014 , 61, 1126-34	13.4	70
96	Cytosolic group IVA and calcium-independent group VIA phospholipase A2s act on distinct phospholipid pools in zymosan-stimulated mouse peritoneal macrophages. <i>Journal of Immunology</i> , 2014 , 192, 752-62	5.3	35
95	Critical role of TLR2 and MyD88 for functional response of macrophages to a group IIA-secreted phospholipase A2 from snake venom. <i>PLoS ONE</i> , 2014 , 9, e93741	3.7	20
94	ASMase is required for chronic alcohol induced hepatic endoplasmic reticulum stress and mitochondrial cholesterol loading. <i>Journal of Hepatology</i> , 2013 , 59, 805-13	13.4	72
93	A phosphatidylinositol species acutely generated by activated macrophages regulates innate immune responses. <i>Journal of Immunology</i> , 2013 , 190, 5169-77	5.3	22
92	Simultaneous activation of p38 and JNK by arachidonic acid stimulates the cytosolic phospholipase A2-dependent synthesis of lipid droplets in human monocytes. <i>Journal of Lipid Research</i> , 2012 , 53, 2343-54	6.2	57
91	Dynamics of arachidonic acid mobilization by inflammatory cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012 , 1821, 249-56	5	82

90	Phospholipid sources for adrenic acid mobilization in RAW 264.7 macrophages. Comparison with arachidonic acid. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2012 , 1821, 1386-93 ⁵	19
89	Chitosan enhances transcellular permeability in human and rat intestine epithelium. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012 , 80, 418-25	5.7 21
88	Lipin-2 reduces proinflammatory signaling induced by saturated fatty acids in macrophages. <i>Journal of Biological Chemistry</i> , 2012 , 287, 10894-904	5.4 66
87	Influence of cellular arachidonic acid levels on phospholipid remodeling and CoA-independent transacylase activity in human monocytes and U937 cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011 , 1811, 97-103	5 36
86	Caveolin-1 deficiency causes cholesterol-dependent mitochondrial dysfunction and apoptotic susceptibility. <i>Current Biology</i> , 2011 , 21, 681-6	6.3 143
85	The PPAR α activator GW501516 prevents the down-regulation of AMPK caused by a high-fat diet in liver and amplifies the PGC-1 β /Lipin 1-PPAR α pathway leading to increased fatty acid oxidation. <i>Endocrinology</i> , 2011 , 152, 1848-59	4.8 117
84	Altered arachidonate distribution in macrophages from caveolin-1 null mice leading to reduced eicosanoid synthesis. <i>Journal of Biological Chemistry</i> , 2011 , 286, 35299-307	5.4 27
83	Subcellular localization and role of lipin-1 in human macrophages. <i>Journal of Immunology</i> , 2011 , 186, 6004-13	5.3 58
82	Role of Phospholipase A2 Forms in Arachidonic Acid Mobilization and Eicosanoid Generation 2010 , 1213-1217	
81	Signaling role for lysophosphatidylcholine acyltransferase 3 in receptor-regulated arachidonic acid reacylation reactions in human monocytes. <i>Journal of Immunology</i> , 2010 , 184, 1071-8	5.3 44
80	Markers of monocyte activation revealed by lipidomic profiling of arachidonic acid-containing phospholipids. <i>Journal of Immunology</i> , 2010 , 184, 3857-65	5.3 39
79	The cationic cluster of group IVA phospholipase A2 (Lys488/Lys541/Lys543/Lys544) is involved in translocation of the enzyme to phagosomes in human macrophages. <i>Journal of Lipid Research</i> , 2010 , 51, 388-99	6.3 14
78	Lipidomic approaches to the study of phospholipase A2-regulated phospholipid fatty acid incorporation and remodeling. <i>Biochimie</i> , 2010 , 92, 645-50	4.6 17
77	Control of free arachidonic acid levels within immunoinflammatory cells by phospholipases A2 and acyltransferases. <i>Chemistry and Physics of Lipids</i> , 2010 , 163, S6	3.7
76	Requirement of JNK-mediated phosphorylation for translocation of group IVA phospholipase A2 to phagosomes in human macrophages. <i>Journal of Immunology</i> , 2009 , 183, 2767-74	5.3 41
75	JNK and ceramide kinase govern the biogenesis of lipid droplets through activation of group IVA phospholipase A2. <i>Journal of Biological Chemistry</i> , 2009 , 284, 32359-69	5.4 42
74	Lipid droplet biogenesis induced by stress involves triacylglycerol synthesis that depends on group VIA phospholipase A2. <i>Journal of Biological Chemistry</i> , 2009 , 284, 5697-708	5.4 65
73	Coordinate regulation of TLR-mediated arachidonic acid mobilization in macrophages by group IVA and group V phospholipase A2s. <i>Journal of Immunology</i> , 2009 , 182, 3877-83	5.3 57

72	Control of free arachidonic acid levels by phospholipases A2 and lysophospholipid acyltransferases. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009 , 1791, 1103-13	5	123
71	Arachidonic acid mobilization by stimuli of the innate immune response. <i>Inmunologia (Barcelona, Spain: 1987)</i> , 2009 , 28, 182-192		5
70	Annexin A6-induced inhibition of cytoplasmic phospholipase A2 is linked to caveolin-1 export from the Golgi. <i>Journal of Biological Chemistry</i> , 2008 , 283, 10174-83	5-4	39
69	Levels of SCS7/FA2H-mediated fatty acid 2-hydroxylation determine the sensitivity of cells to antitumor PM02734. <i>Cancer Research</i> , 2008 , 68, 9779-87	10.1	45
68	Group IVA phospholipase A2 is necessary for the biogenesis of lipid droplets. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27369-27382	5-4	70
67	Calcium-independent phospholipase A2 mediates proliferation of human promonocytic U937 cells. <i>FEBS Journal</i> , 2008 , 275, 1915-24	5-7	31
66	Calcium-independent phospholipase A2-mediated formation of 1,2-diarachidonoyl-glycerophosphoinositol in monocytes. <i>FEBS Journal</i> , 2008 , 275, 6180-91	5-7	25
65	Group V phospholipase A2-derived lysophosphatidylcholine mediates cyclooxygenase-2 induction in lipopolysaccharide-stimulated macrophages. <i>Journal of Immunology</i> , 2007 , 179, 631-8	5-3	39
64	TLR3-dependent induction of nitric oxide synthase in RAW 264.7 macrophage-like cells via a cytosolic phospholipase A2/cyclooxygenase-2 pathway. <i>Journal of Immunology</i> , 2007 , 179, 4821-8	5-3	51
63	Involvement of group VIA calcium-independent phospholipase A2 in macrophage engulfment of hydrogen peroxide-treated U937 cells. <i>Journal of Immunology</i> , 2006 , 176, 2555-61	5-3	38
62	Phosphatidylinositol 4,5-bisphosphate anchors cytosolic group IVA phospholipase A2 to perinuclear membranes and decreases its calcium requirement for translocation in live cells. <i>Molecular Biology of the Cell</i> , 2006 , 17, 155-62	3-5	57
61	Blockade of arachidonic acid incorporation into phospholipids induces apoptosis in U937 promonocytic cells. <i>Journal of Lipid Research</i> , 2006 , 47, 484-91	6-3	65
60	Overexpression of cytosolic group IVA phospholipase A2 protects cells from Ca ²⁺ -dependent death. <i>Journal of Biological Chemistry</i> , 2006 , 281, 6106-16	5-4	23
59	Oxidative stress and arachidonic acid mobilization. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 385-91	5	128
58	Calcium-independent phospholipase A2 and apoptosis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 1344-50	5	70
57	Localization and functional interrelationships among cytosolic Group IV, secreted Group V, and Ca ²⁺ -independent Group VI phospholipase A2s in P388D1 macrophages using GFP/RFP constructs. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005 , 1735, 119-29	5	43
56	Cellular regulation and proposed biological functions of group VIA calcium-independent phospholipase A2 in activated cells. <i>Cellular Signalling</i> , 2005 , 17, 1052-62	4-9	179
55	Role of group VIA calcium-independent phospholipase A2 in arachidonic acid release, phospholipid fatty acid incorporation, and apoptosis in U937 cells responding to hydrogen peroxide. <i>Journal of Biological Chemistry</i> , 2004 , 279, 40385-91	5-4	71

54	Control of arachidonic acid levels in resting and activated U937 phagocytic cells by Ca ²⁺ -independent phospholipase A2 2004 , 61-72		1
53	Bromo-enol lactone promotes cell death by a mechanism involving phosphatidate phosphohydrolase-1 rather than calcium-independent phospholipase A2. <i>Journal of Biological Chemistry</i> , 2003 , 278, 44683-90	5.4	82
52	Calcium-independent phospholipase A2 is required for lysozyme secretion in U937 promonocytes. <i>Journal of Immunology</i> , 2003 , 170, 5276-80	5.3	59
51	Amplification mechanisms of inflammation: paracrine stimulation of arachidonic acid mobilization by secreted phospholipase A2 is regulated by cytosolic phospholipase A2-derived hydroperoxyeicosatetraenoic acid. <i>Journal of Immunology</i> , 2003 , 171, 989-94	5.3	52
50	Localization of group V phospholipase A2 in caveolin-enriched granules in activated P388D1 macrophage-like cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 48059-65	5.4	59
49	Phospholipase A2 Signaling and Arachidonic Acid Release 2003 , 261-263		
48	Involvement of calcium-independent phospholipase A2 in hydrogen peroxide-induced accumulation of free fatty acids in human U937 cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 40384-9	5.4	77
47	Roles of various phospholipases A2 in providing lysophospholipid acceptors for fatty acid phospholipid incorporation and remodelling. <i>Biochemical Journal</i> , 2002 , 364, 695-702	3.8	74
46	Phospholipase A(2) regulation of arachidonic acid mobilization. <i>FEBS Letters</i> , 2002 , 531, 2-6	3.8	358
45	Inflammatory activation of prostaglandin production by microglial cells antagonized by amyloid peptide. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 280, 558-60	3.4	5
44	Group IV cytosolic phospholipase A2 activation by diacylglycerol pyrophosphate in murine P388D1 macrophages. <i>Annals of the New York Academy of Sciences</i> , 2000 , 905, 11-5	6.5	8
43	Cellular regulation of cytosolic group IV phospholipase A2 by phosphatidylinositol biphosphate levels. <i>Journal of Immunology</i> , 2000 , 164, 5398-402	5.3	67
42	Group V phospholipase A(2)-mediated oleic acid mobilization in lipopolysaccharide-stimulated P388D(1) macrophages. <i>Journal of Biological Chemistry</i> , 2000 , 275, 4783-6	5.4	58
41	Identification of a third pathway for arachidonic acid mobilization and prostaglandin production in activated P388D1 macrophage-like cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 22544-9	5.4	59
40	Phosphorylation of cytosolic group IV phospholipase A(2) is necessary but not sufficient for Arachidonic acid release in P388D(1) macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 267, 145-8	3.4	24
39	Calcium-independent phospholipase A(2): structure and function. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000 , 1488, 28-39	5	200
38	Chitosan-induced phospholipase A2 activation and arachidonic acid mobilization in P388D1 macrophages. <i>FEBS Letters</i> , 2000 , 466, 292-4	3.8	28
37	Regulation of delayed prostaglandin production in activated P388D1 macrophages by group IV cytosolic and group V secretory phospholipase A2s. <i>Journal of Biological Chemistry</i> , 1999 , 274, 12263-8	5.4	136

36	Regulation of arachidonic acid mobilization in lipopolysaccharide-activated P388D(1) macrophages by adenosine triphosphate. <i>Journal of Biological Chemistry</i> , 1999 , 274, 36764-8	5.4	30
35	Regulation of cyclooxygenase-2 expression by phosphatidate phosphohydrolase in human amnionic WISH cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 27689-93	5.4	27
34	Group V phospholipase A(2)-dependent induction of cyclooxygenase-2 in macrophages. <i>Journal of Biological Chemistry</i> , 1999 , 274, 25967-70	5.4	63
33	Proinflammatory macrophage-activating properties of the novel phospholipid diacylglycerol pyrophosphate. <i>Journal of Biological Chemistry</i> , 1999 , 274, 522-6	5.4	46
32	Regulation and inhibition of phospholipase A2. <i>Annual Review of Pharmacology and Toxicology</i> , 1999 , 39, 175-89	17.9	518
31	Trifluoromethyl ketones and methyl fluorophosphonates as inhibitors of group IV and VI phospholipases A(2): structure-function studies with vesicle, micelle, and membrane assays. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999 , 1420, 45-56	3.8	63
30	Involvement of phosphatidate phosphohydrolase in arachidonic acid mobilization in human amnionic WISH cells. <i>Journal of Biological Chemistry</i> , 1998 , 273, 7684-90	5.4	55
29	Functional coupling between secretory phospholipase A2 and cyclooxygenase-2 and its regulation by cytosolic group IV phospholipase A2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 7951-6	11.5	171
28	Function and inhibition of intracellular calcium-independent phospholipase A2. <i>Journal of Biological Chemistry</i> , 1997 , 272, 16069-72	5.4	258
27	Inflammatory activation of arachidonic acid signaling in murine P388D1 macrophages via sphingomyelin synthesis. <i>Journal of Biological Chemistry</i> , 1997 , 272, 20373-7	5.4	57
26	Identity between the Ca ²⁺ -independent phospholipase A2 enzymes from P388D1 macrophages and Chinese hamster ovary cells. <i>Journal of Biological Chemistry</i> , 1997 , 272, 8576-80	5.4	131
25	Antisense inhibition of group VI Ca ²⁺ -independent phospholipase A2 blocks phospholipid fatty acid remodeling in murine P388D1 macrophages. <i>Journal of Biological Chemistry</i> , 1997 , 272, 29317-21	5.4	185
24	Differential regulation of phospholipase D and phospholipase A2 by protein kinase C in P388D1 macrophages. <i>Biochemical Journal</i> , 1997 , 321 (Pt 3), 805-9	3.8	57
23	Function of calcium-independent phospholipase A2 in arachidonic acid metabolism in P388D1 macrophages. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 407, 99-103	3.6	13
22	Irreversible inhibition of Ca(2+)-independent phospholipase A2 by methyl arachidonyl fluorophosphonate. <i>Lipids and Lipid Metabolism</i> , 1996 , 1302, 55-60		183
21	The incorporation of arachidonic acid into triacylglycerol in P388D1 macrophage-like cells. <i>FEBS Journal</i> , 1996 , 235, 480-5		29
20	Distinct roles in signal transduction for each of the phospholipase A2 enzymes present in P388D1 macrophages. <i>Journal of Biological Chemistry</i> , 1996 , 271, 6758-65	5.4	284
19	Bromo-enol lactone inhibits magnesium-dependent phosphatidate phosphohydrolase and blocks triacylglycerol biosynthesis in mouse P388D1 macrophages. <i>Journal of Biological Chemistry</i> , 1996 , 271, 31937-41	5.4	176

18	Novel group V phospholipase A2 involved in arachidonic acid mobilization in murine P388D1 macrophages. <i>Journal of Biological Chemistry</i> , 1996 , 271, 32381-4	5-4	211
17	A phospholipase D-mediated pathway for generating diacylglycerol in nuclei from Madin-Darby canine kidney cells. <i>Journal of Biological Chemistry</i> , 1995 , 270, 11738-40	5-4	57
16	Increased incorporation of arachidonic acid into phospholipids in zymosan-stimulated mouse peritoneal macrophages. <i>FEBS Journal</i> , 1994 , 221, 1013-8		25
15	Ethanol inhibits zymosan-stimulated eicosanoid production in mouse peritoneal macrophages. <i>Lipids and Lipid Metabolism</i> , 1994 , 1210, 195-201		12
14	Mechanism of arachidonic acid liberation in ethanol-treated mouse peritoneal macrophages. <i>Lipids and Lipid Metabolism</i> , 1993 , 1169, 54-8		12
13	Calcium- and G-protein-dependent activation of arachidonic acid release by concanavalin-A-stimulated mouse macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1993 , 1176, 169-74	4-9	8
12	Pathways for arachidonic acid mobilization in zymosan-stimulated mouse peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1992 , 1136, 75-82	4-9	54
11	Receptor-mediated activation of arachidonic acid release in mouse peritoneal macrophages is linked to extracellular calcium influx. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 180, 1036-40	3-4	20
10	Induction of the oxidative response and of concanavalin A-binding capacity in maturing human U937 cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1990 , 1052, 90-5	4-9	10
9	Phosphatidylinositol hydrolysis by human plasma phospholipase D. <i>FEBS Letters</i> , 1990 , 259, 237-40	3-8	15
8	Involvement of external calcium in the release of arachidonic acid by mouse peritoneal macrophages. <i>FEBS Letters</i> , 1990 , 268, 107-9	3-8	12
7	Subcellular distribution of fatty acids, phospholipids and phospholipase A2 in human neutrophils. <i>Lipids and Lipid Metabolism</i> , 1990 , 1047, 83-9		6
6	Biochemical characterization of phospholipase D activity from human neutrophils. <i>FEBS Journal</i> , 1989 , 186, 717-24		47
5	Phosphatidylinositol-specific phospholipase D: a pathway for generation of a second messenger. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 154, 502-8	3-4	53
4	The interaction of ethanol and exogenous arachidonic acid in the generation of extracellular messengers by mouse peritoneal macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988 , 970, 83-9	4-9	12
3	Specific activation by concanavalin A of the superoxide anion generation capacity during U937 differentiation. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 151, 802-8	3-4	19
2	Ethanol induces release of arachidonic acid but not synthesis of eicosanoids in mouse peritoneal macrophages. <i>Lipids and Lipid Metabolism</i> , 1987 , 921, 82-9		51
1	ECM deposition is driven by caveolin1-dependent regulation of exosomal biogenesis and cargo sorting		2

