

Linda Kaerlev

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4386644/publications.pdf>

Version: 2024-02-01

85
papers

2,037
citations

186209

28
h-index

289141

40
g-index

85
all docs

85
docs citations

85
times ranked

2614
citing authors

#	ARTICLE	IF	CITATIONS
1	Job Strain and the Risk of Depression: Is Reporting Biased?. American Journal of Epidemiology, 2011, 173, 94-102.	1.6	105
2	Depression, the Val66Met polymorphism, age, and gender influence the serum BDNF level. Journal of Psychiatric Research, 2012, 46, 1118-1125.	1.5	77
3	Occupation and occupational exposure to endocrine disrupting chemicals in male breast cancer: a case-control study in Europe. Occupational and Environmental Medicine, 2010, 67, 837-844.	1.3	70
4	Parental occupational exposure to endocrine disrupting chemicals and male genital malformations: A study in the danish national birth cohort study. Environmental Health, 2011, 10, 3.	1.7	67
5	Health correlates of workplace bullying: a 3-wave prospective follow-up study. Scandinavian Journal of Work, Environment and Health, 2016, 42, 17-25.	1.7	62
6	Long-term sick leave and its risk factors during pregnancy among Danish hospital employees. Scandinavian Journal of Public Health, 2004, 32, 111-117.	1.2	54
7	Is there an association between alcohol intake or smoking and small bowel adenocarcinoma? Results from a European multi-center case-control study. Cancer Causes and Control, 2000, 11, 791-797.	0.8	53
8	Occupational Risk Factors for Mycosis Fungoides: A European Multicenter Case-Control Study. Journal of Occupational and Environmental Medicine, 2004, 46, 205-211.	0.9	52
9	Work-unit measures of organisational justice and risk of depressionâ€”a 2-year cohort study. Occupational and Environmental Medicine, 2013, 70, 380-385.	1.3	50
10	Are alcohol intake and smoking associated with mycosis fungoides? A European multicentre caseâ€”control study.. European Journal of Cancer, 2001, 37, 392-397.	1.3	46
11	Risk factors for extrahepatic biliary tract carcinoma in men: medical conditions and lifestyle. European Journal of Gastroenterology and Hepatology, 2007, 19, 623-630.	0.8	43
12	Salivary cortisol and sleep problems among civil servants. Psychoneuroendocrinology, 2012, 37, 1086-1095.	1.3	43
13	The Danish Urogynaecological Database: establishment, completeness and validity. International Urogynecology Journal, 2013, 24, 983-990.	0.7	43
14	The importance of smoking and medical history for development of small bowel carcinoid tumor: a European population-based case-control study. Cancer Causes and Control, 2002, 13, 27-34.	0.8	42
15	Viral infection, atopy and mycosis fungoides. European Journal of Cancer, 2003, 39, 511-516.	1.3	42
16	Hospital contacts for injuries and musculoskeletal diseases among seamen and fishermen: A population-based cohort study. BMC Musculoskeletal Disorders, 2008, 9, 8.	0.8	39
17	Increased serum levels of sortilin are associated with depression and correlated with BDNF and VEGF. Translational Psychiatry, 2015, 5, e677-e677.	2.4	39
18	The role of poor sleep in the relation between workplace bullying/unwanted sexual attention and long-term sickness absence. International Archives of Occupational and Environmental Health, 2016, 89, 967-979.	1.1	39

#	ARTICLE	IF	CITATIONS
19	A two-year follow-up study of salivary cortisol concentration and the risk of depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 2042-2050.	1.3	38
20	European multi-centre case-control study on risk factors for rare cancers of unknown aetiology. <i>European Journal of Cancer</i> , 2005, 41, 601-612.	1.3	36
21	Cancer incidence among Danish seafarers: a population based cohort study. <i>Occupational and Environmental Medicine</i> , 2005, 62, 761-765.	1.3	35
22	Occupational Sun Exposure and Mycosis Fungoides: A European Multicenter Case-control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 390-393.	0.9	35
23	Are risk estimates biased in follow-up studies of psychosocial factors with low base-line participation?. <i>BMC Public Health</i> , 2011, 11, 539.	1.2	35
24	Locomotor diseases among male long-haul truck drivers and other professional drivers. <i>International Archives of Occupational and Environmental Health</i> , 2008, 81, 821-827.	1.1	34
25	Workplace bullying, sleep problems and leisure-time physical activity: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 26-33.	1.7	32
26	Hospital contacts for noise-related hearing loss among Danish seafarers and fishermen: A population-based cohort study. <i>Noise and Health</i> , 2008, 10, 41.	0.4	31
27	Medical Risk Factors for Small-Bowel Adenocarcinoma with Focus on Crohn Disease: A European Population-based Case-Control Study. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 641-646.	0.6	30
28	Occupational Exposures and Mycosis Fungoides. A European Multicentre Case-control Study (Europe). <i>Cancer Causes and Control</i> , 2005, 16, 1253-1259.	0.8	30
29	The norepinephrine transporter gene is a candidate gene for panic disorder. <i>Journal of Neural Transmission</i> , 2011, 118, 969-976.	1.4	27
30	Depression and BMI influences the serum vascular endothelial growth factor level. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1409-1417.	1.0	27
31	Occupational factors and risk of adult bone sarcomas: A multicentric case-control study in Europe. <i>International Journal of Cancer</i> , 2006, 118, 721-727.	2.3	26
32	Occupation and small bowel adenocarcinoma: a European case-control study. <i>Occupational and Environmental Medicine</i> , 2000, 57, 760-766.	1.3	25
33	Hospital contacts for chronic diseases among Danish seafarers and fishermen: A population-based cohort study. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 481-489.	1.2	25
34	Negative Acts at Work as Potential Bullying Behavior and Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e72-e79.	0.9	25
35	The Role of Psychological Stress Reactions in the Longitudinal Relation Between Workplace Bullying and Turnover. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 665-672.	0.9	25
36	Occupational Risk Factors for Small Bowel Carcinoid Tumor: A European Population-Based Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2002, 44, 516-522.	0.9	24

#	ARTICLE	IF	CITATIONS
37	Hormonal exposures and the risk of uveal melanoma. <i>Cancer Causes and Control</i> , 2010, 21, 1625-1634.	0.8	23
38	Does Perceived Stress Mediate the Association Between Workplace Bullying and Long-Term Sickness Absence?. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e226-e230.	0.9	23
39	Does Workplace Bullying Affect Long-Term Sickness Absence Among Coworkers?. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 132-137.	0.9	23
40	Risk of infection and adverse outcomes among pregnant working women in selected occupational groups: A study in the Danish National Birth Cohort. <i>Environmental Health</i> , 2010, 9, 70.	1.7	22
41	Self-reported injuries among seafarers. <i>Accident Analysis and Prevention</i> , 2004, 36, 405-413.	3.0	21
42	Does outdoor work during the winter season protect against depression and mood difficulties?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 446-449.	1.7	21
43	A two-year follow-up study of risk of depression according to work-unit measures of psychological demands and decision latitude. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 527-536.	1.7	21
44	CT-Screening for lung cancer does not increase the use of anxiolytic or antidepressant medication. <i>BMC Cancer</i> , 2012, 12, 188.	1.1	20
45	Prolonged perceived stress and saliva cortisol in a large cohort of Danish public service employees: cross-sectional and longitudinal associations. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 835-848.	1.1	20
46	Colon cancer controls versus population controls in case-control studies of occupational risk factors. <i>BMC Cancer</i> , 2004, 4, 15.	1.1	19
47	Emotional Demands at Work and the Risk of Clinical Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 994-1001.	0.9	19
48	The associations between workplace bullying, salivary cortisol, and long-term sickness absence: a longitudinal study. <i>BMC Public Health</i> , 2017, 17, 710.	1.2	19
49	Relationship Between Changes in Workplace Bullying Status and the Reporting of Personality Characteristics. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 902-910.	0.9	18
50	Occupational exposure to organic solvents and risk of male breast cancer: a European multicenter case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 310-322.	1.7	18
51	Effects of Psychosocial Work Factors on Lifestyle Changes. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 1364-1371.	0.9	16
52	Colon cancer patients with a serious psychiatric disorder present with a more advanced cancer stage and receive less adjuvant chemotherapy - A Nationwide Danish Cohort Study. <i>BMC Cancer</i> , 2018, 18, 1050.	1.1	16
53	Latent toxoplasmosis and psychiatric symptoms – A role of tryptophan metabolism?. <i>Journal of Psychiatric Research</i> , 2019, 110, 45-50.	1.5	15
54	Classification of working processes to facilitate occupational hazard coding on industrial trawlers. <i>American Journal of Industrial Medicine</i> , 2003, 44, 424-430.	1.0	14

#	ARTICLE	IF	CITATIONS
55	Tobacco smoking and alcohol consumption as risk factors for thymoma – A European case-control study. <i>Cancer Epidemiology</i> , 2019, 61, 133-138.	0.8	14
56	Salivary cortisol and depression in public sector employees: Cross-sectional and short term follow-up findings. <i>Psychoneuroendocrinology</i> , 2014, 41, 63-74.	1.3	13
57	Cancer incidence among merchant seafarers: an extended follow-up of a Danish cohort. <i>Occupational and Environmental Medicine</i> , 2018, 75, 582-585.	1.3	13
58	The longitudinal association between shift work and headache: results from the Danish PRISME cohort. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 601-610.	1.1	13
59	Antibiotic use from conception to diagnosis of child leukaemia as compared to the background population: A nested case-control study. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1155-1161.	0.8	12
60	Are changes in workplace bullying status related to changes in salivary cortisol? A longitudinal study among Danish employees. <i>Journal of Psychosomatic Research</i> , 2015, 79, 435-442.	1.2	12
61	Association analyses of depression and genes in the hypothalamus-pituitary-adrenal axis. <i>Acta Neuropsychiatrica</i> , 2017, 29, 59-64.	1.0	11
62	Hospital Work and Pregnancy Outcomes: A Study in the Danish National Birth Cohort. <i>International Journal of Occupational and Environmental Health</i> , 2009, 15, 402-409.	1.2	10
63	Patient reported outcome measures in women undergoing surgery for urinary incontinence and pelvic organ prolapse in Denmark, 2006-2011. <i>International Urogynecology Journal</i> , 2013, 24, 1127-1134.	0.7	10
64	Glutathione S-transferase Genotype and p53 Mutations in Adenocarcinoma of the Small Intestine. <i>Scandinavian Journal of Gastroenterology</i> , 2003, 38, 845-849.	0.6	9
65	Potential exposure to endocrine disrupting chemicals and selected adverse pregnancy outcomes: a follow-up study of pregnant women referred for occupational counselling. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 6.	0.9	9
66	Reliability of data from next-of-kin: Results from a case-control study of occupational and lifestyle risk factors for cancer. <i>American Journal of Industrial Medicine</i> , 2003, 44, 298-303.	1.0	8
67	Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 924-931.	0.9	7
68	Emotional demands and exhaustion: cross-sectional and longitudinal associations in a cohort of Danish public sector employees. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 639-650.	1.1	7
69	Unemployment and pregnancy outcomes: A study within the Danish National Birth Cohort. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 449-456.	1.2	6
70	Surveillance of Hospital Contacts among Danish Seafarers and Fishermen with Focus on Skin and Infectious Diseases – A Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11931-11949.	1.2	6
71	Occupational exposure to pesticides and bile tract carcinoma in men: results from a European multicenter case-control study. <i>Cancer Causes and Control</i> , 2010, 21, 1493-1502.	0.8	5
72	An association study between the norepinephrine transporter gene and depression. <i>Psychiatric Genetics</i> , 2013, 23, 217-221.	0.6	4

#	ARTICLE	IF	CITATIONS
73	Use of antibiotics for urinary tract infection in women undergoing surgery for urinary incontinence: a cohort study. <i>BMJ Open</i> , 2014, 4, e004051.	0.8	3
74	Influence of Prior Psychiatric Disorders on the Treatment Course of Gynaecological Cancer – A Nationwide Cohort Study. <i>Clinical Oncology</i> , 2019, 31, 115-123.	0.6	3
75	The Effect of Psychosocial Work Factors on Headache. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e636-e643.	0.9	3
76	Rare cancers of unknown etiology: lessons learned from a European multi-center case-control study. <i>European Journal of Epidemiology</i> , 2020, 35, 937-948.	2.5	2
77	Use of symptom-relieving drugs before and after surgery for urinary incontinence in women: a cohort study. <i>BMJ Open</i> , 2013, 3, e003297.	0.8	1
78	Turning the tide: reducing mortality among Danish merchant seafarers. <i>Occupational and Environmental Medicine</i> , 2020, 77, 761-768.	1.3	1
79	Women referred for occupational risk assessment in pregnancy have no increased risk of adverse obstetric outcomes. <i>Danish Medical Journal</i> , 2015, 62, A5119.	0.5	1
80	O20-6...Exhaustion and diurnal levels of saliva cortisol: cross-sectional and longitudinal associations in a large two-panel cohort study. , 2016, , .		0
81	P320...Workplace bullying, perceived stress, and sickness absence. , 2016, , .		0
82	P172...Attention deficit hyperactivity disorder and risk of injuries. , 2016, , .		0
83	O24-2...Grouping strategies for psychosocial work exposures. , 2016, , .		0
84	O331...Prolonged perceived stress and saliva cortisol in a large cohort of danish public service employees: cross-sectional and longitudinal associations. , 2017, , .		0
85	Labour market affiliation among non-bullied colleagues at work units with reported bullying. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 547-556.	1.1	0