

# Linda Kaerlev

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4386644/publications.pdf>

Version: 2024-02-01

85  
papers

2,037  
citations

186209

28  
h-index

289141

40  
g-index

85  
all docs

85  
docs citations

85  
times ranked

2614  
citing authors

#	ARTICLE	IF	CITATIONS
1	Labour market affiliation among non-bullied colleagues at work units with reported bullying. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 547-556.	1.1	0
2	The longitudinal association between shift work and headache: results from the Danish PRISME cohort. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 601-610.	1.1	13
3	Rare cancers of unknown etiology: lessons learned from a European multi-center case-control study. <i>European Journal of Epidemiology</i> , 2020, 35, 937-948.	2.5	2
4	Turning the tide: reducing mortality among Danish merchant seafarers. <i>Occupational and Environmental Medicine</i> , 2020, 77, 761-768.	1.3	1
5	The Effect of Psychosocial Work Factors on Headache. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e636-e643.	0.9	3
6	Tobacco smoking and alcohol consumption as risk factors for thymoma - A European case-control study. <i>Cancer Epidemiology</i> , 2019, 61, 133-138.	0.8	14
7	Emotional demands and exhaustion: cross-sectional and longitudinal associations in a cohort of Danish public sector employees. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 639-650.	1.1	7
8	Latent toxoplasmosis and psychiatric symptoms - A role of tryptophan metabolism?. <i>Journal of Psychiatric Research</i> , 2019, 110, 45-50.	1.5	15
9	Influence of Prior Psychiatric Disorders on the Treatment Course of Gynaecological Cancer - A Nationwide Cohort Study. <i>Clinical Oncology</i> , 2019, 31, 115-123.	0.6	3
10	Does Workplace Bullying Affect Long-Term Sickness Absence Among Coworkers?. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 132-137.	0.9	23
11	Colon cancer patients with a serious psychiatric disorder present with a more advanced cancer stage and receive less adjuvant chemotherapy - A Nationwide Danish Cohort Study. <i>BMC Cancer</i> , 2018, 18, 1050.	1.1	16
12	Cancer incidence among merchant seafarers: an extended follow-up of a Danish cohort. <i>Occupational and Environmental Medicine</i> , 2018, 75, 582-585.	1.3	13
13	Occupational exposure to organic solvents and risk of male breast cancer: a European multicenter case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 310-322.	1.7	18
14	Association analyses of depression and genes in the hypothalamus-pituitary-adrenal axis. <i>Acta Neuropsychiatrica</i> , 2017, 29, 59-64.	1.0	11
15	The Role of Psychological Stress Reactions in the Longitudinal Relation Between Workplace Bullying and Turnover. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 665-672.	0.9	25
16	Prolonged perceived stress and saliva cortisol in a large cohort of Danish public service employees: cross-sectional and longitudinal associations. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 835-848.	1.1	20
17	Potential exposure to endocrine disrupting chemicals and selected adverse pregnancy outcomes: a follow-up study of pregnant women referred for occupational counselling. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 6.	0.9	9
18	0331...Prolonged perceived stress and saliva cortisol in a large cohort of danish public service employees: cross-sectional and longitudinal associations. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
19	The associations between workplace bullying, salivary cortisol, and long-term sickness absence: a longitudinal study. <i>BMC Public Health</i> , 2017, 17, 710.	1.2	19
20	O20-6â€¦Exhaustion and diurnal levels of saliva cortisol: cross-sectional and longitudinal associations in a large two-panel cohort study. , 2016, , .		0
21	Negative Acts at Work as Potential Bullying Behavior and Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e72-e79.	0.9	25
22	Does Perceived Stress Mediate the Association Between Workplace Bullying and Long-Term Sickness Absence?. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e226-e230.	0.9	23
23	P320â€¦Workplace bullying, perceived stress, and sickness absence. , 2016, , .		0
24	The role of poor sleep in the relation between workplace bullying/unwanted sexual attention and long-term sickness absence. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 967-979.	1.1	39
25	P172â€¦Attention deficit hyperactivity disorder and risk of injuries. , 2016, , .		0
26	O24-2â€¦Grouping strategies for psychosocial work exposures. , 2016, , .		0
27	Relationship Between Changes in Workplace Bullying Status and the Reporting of Personality Characteristics. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 902-910.	0.9	18
28	Emotional Demands at Work and the Risk of Clinical Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 994-1001.	0.9	19
29	Workplace bullying, sleep problems and leisure-time physical activity: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 26-33.	1.7	32
30	Health correlates of workplace bullying: a 3-wave prospective follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 17-25.	1.7	62
31	Antibiotic use from conception to diagnosis of child leukaemia as compared to the background population: A nested caseâ€“control study. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1155-1161.	0.8	12
32	Are changes in workplace bullying status related to changes in salivary cortisol? A longitudinal study among Danish employees. <i>Journal of Psychosomatic Research</i> , 2015, 79, 435-442.	1.2	12
33	Increased serum levels of sortilin are associated with depression and correlated with BDNF and VEGF. <i>Translational Psychiatry</i> , 2015, 5, e677-e677.	2.4	39
34	Women referred for occupational risk assessment in pregnancy have no increased risk of adverse obstetric outcomes. <i>Danish Medical Journal</i> , 2015, 62, A5119.	0.5	1
35	Surveillance of Hospital Contacts among Danish Seafarers and Fishermen with Focus on Skin and Infectious Diseasesâ€”A Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11931-11949.	1.2	6
36	Use of antibiotics for urinary tract infection in women undergoing surgery for urinary incontinence: a cohort study. <i>BMJ Open</i> , 2014, 4, e004051.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Depression and BMI influences the serum vascular endothelial growth factor level. International Journal of Neuropsychopharmacology, 2014, 17, 1409-1417.	1.0	27
38	Salivary cortisol and depression in public sector employees: Cross-sectional and short term follow-up findings. Psychoneuroendocrinology, 2014, 41, 63-74.	1.3	13
39	The Danish Urogynaecological Database: establishment, completeness and validity. International Urogynecology Journal, 2013, 24, 983-990.	0.7	43
40	A two-year follow-up study of salivary cortisol concentration and the risk of depression. Psychoneuroendocrinology, 2013, 38, 2042-2050.	1.3	38
41	Patient reported outcome measures in women undergoing surgery for urinary incontinence and pelvic organ prolapse in Denmark, 2006-2011. International Urogynecology Journal, 2013, 24, 1127-1134.	0.7	10
42	Use of symptom-relieving drugs before and after surgery for urinary incontinence in women: a cohort study. BMJ Open, 2013, 3, e003297.	0.8	1
43	Work-unit measures of organisational justice and risk of depression- a 2-year cohort study. Occupational and Environmental Medicine, 2013, 70, 380-385.	1.3	50
44	An association study between the norepinephrine transporter gene and depression. Psychiatric Genetics, 2013, 23, 217-221.	0.6	4
45	Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. Journal of Occupational and Environmental Medicine, 2013, 55, 924-931.	0.9	7
46	Depression, the Val66Met polymorphism, age, and gender influence the serum BDNF level. Journal of Psychiatric Research, 2012, 46, 1118-1125.	1.5	77
47	CT-Screening for lung cancer does not increase the use of anxiolytic or antidepressant medication. BMC Cancer, 2012, 12, 188.	1.1	20
48	Salivary cortisol and sleep problems among civil servants. Psychoneuroendocrinology, 2012, 37, 1086-1095.	1.3	43
49	A two-year follow-up study of risk of depression according to work-unit measures of psychological demands and decision latitude. Scandinavian Journal of Work, Environment and Health, 2012, 38, 527-536.	1.7	21
50	Effects of Psychosocial Work Factors on Lifestyle Changes. Journal of Occupational and Environmental Medicine, 2011, 53, 1364-1371.	0.9	16
51	Are risk estimates biased in follow-up studies of psychosocial factors with low base-line participation?. BMC Public Health, 2011, 11, 539.	1.2	35
52	The norepinephrine transporter gene is a candidate gene for panic disorder. Journal of Neural Transmission, 2011, 118, 969-976.	1.4	27
53	Parental occupational exposure to endocrine disrupting chemicals and male genital malformations: A study in the danish national birth cohort study. Environmental Health, 2011, 10, 3.	1.7	67
54	Unemployment and pregnancy outcomes: A study within the Danish National Birth Cohort. Scandinavian Journal of Public Health, 2011, 39, 449-456.	1.2	6

#	ARTICLE	IF	CITATIONS
55	Job Strain and the Risk of Depression: Is Reporting Biased?. American Journal of Epidemiology, 2011, 173, 94-102.	1.6	105
56	Does outdoor work during the winter season protect against depression and mood difficulties?. Scandinavian Journal of Work, Environment and Health, 2011, 37, 446-449.	1.7	21
57	Occupational exposure to pesticides and bile tract carcinoma in men: results from a European multicenter caseâ€“control study. Cancer Causes and Control, 2010, 21, 1493-1502.	0.8	5
58	Hormonal exposures and the risk of uveal melanoma. Cancer Causes and Control, 2010, 21, 1625-1634.	0.8	23
59	Occupation and occupational exposure to endocrine disrupting chemicals in male breast cancer: a case-control study in Europe. Occupational and Environmental Medicine, 2010, 67, 837-844.	1.3	70
60	Risk of infection and adverse outcomes among pregnant working women in selected occupational groups: A study in the Danish National Birth Cohort. Environmental Health, 2010, 9, 70.	1.7	22
61	Hospital Work and Pregnancy Outcomes: A Study in the Danish National Birth Cohort. International Journal of Occupational and Environmental Health, 2009, 15, 402-409.	1.2	10
62	Locomotor diseases among male long-haul truck drivers and other professional drivers. International Archives of Occupational and Environmental Health, 2008, 81, 821-827.	1.1	34
63	Hospital contacts for injuries and musculoskeletal diseases among seamen and fishermen: A population-based cohort study. BMC Musculoskeletal Disorders, 2008, 9, 8.	0.8	39
64	Hospital contacts for noise-related hearing loss among Danish seafarers and fishermen: A population-based cohort study. Noise and Health, 2008, 10, 41.	0.4	31
65	Hospital contacts for chronic diseases among Danish seafarers and fishermen: A population-based cohort study. Scandinavian Journal of Public Health, 2007, 35, 481-489.	1.2	25
66	Risk factors for extrahepatic biliary tract carcinoma in men: medical conditions and lifestyle. European Journal of Gastroenterology and Hepatology, 2007, 19, 623-630.	0.8	43
67	Occupational Sun Exposure and Mycosis Fungoides: A European Multicenter Case???Control Study. Journal of Occupational and Environmental Medicine, 2006, 48, 390-393.	0.9	35
68	Occupational factors and risk of adult bone sarcomas: A multicentric case-control study in Europe. International Journal of Cancer, 2006, 118, 721-727.	2.3	26
69	Occupational Exposures and Mycosis Fungoides. A European Multicentre Caseâ€“control Study (Europe). Cancer Causes and Control, 2005, 16, 1253-1259.	0.8	30
70	Cancer incidence among Danish seafarers: a population based cohort study. Occupational and Environmental Medicine, 2005, 62, 761-765.	1.3	35
71	European multi-centre caseâ€“control study on risk factors for rare cancers of unknown aetiology. European Journal of Cancer, 2005, 41, 601-612.	1.3	36
72	Long-term sick leave and its risk factors during pregnancy among Danish hospital employees. Scandinavian Journal of Public Health, 2004, 32, 111-117.	1.2	54

#	ARTICLE	IF	CITATIONS
73	Colon cancer controls versus population controls in case-control studies of occupational risk factors. <i>BMC Cancer</i> , 2004, 4, 15.	1.1	19
74	Self-reported injuries among seafarers. <i>Accident Analysis and Prevention</i> , 2004, 36, 405-413.	3.0	21
75	Occupational Risk Factors for Mycosis Fungoides: A European Multicenter Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 205-211.	0.9	52
76	Reliability of data from next-of-kin: Results from a case-control study of occupational and lifestyle risk factors for cancer. <i>American Journal of Industrial Medicine</i> , 2003, 44, 298-303.	1.0	8
77	Classification of working processes to facilitate occupational hazard coding on industrial trawlers. <i>American Journal of Industrial Medicine</i> , 2003, 44, 424-430.	1.0	14
78	Viral infection, atopy and mycosis fungoides. <i>European Journal of Cancer</i> , 2003, 39, 511-516.	1.3	42
79	Glutathione S-transferase Genotype and p53 Mutations in Adenocarcinoma of the Small Intestine. <i>Scandinavian Journal of Gastroenterology</i> , 2003, 38, 845-849.	0.6	9
80	Occupational Risk Factors for Small Bowel Carcinoid Tumor: A European Population-Based Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2002, 44, 516-522.	0.9	24
81	The importance of smoking and medical history for development of small bowel carcinoid tumor: a European population-based case-control study. <i>Cancer Causes and Control</i> , 2002, 13, 27-34.	0.8	42
82	Are alcohol intake and smoking associated with mycosis fungoides? A European multicentre case-control study. <i>European Journal of Cancer</i> , 2001, 37, 392-397.	1.3	46
83	Medical Risk Factors for Small-Bowel Adenocarcinoma with Focus on Crohn Disease: A European Population-based Case-Control Study. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 641-646.	0.6	30
84	Is there an association between alcohol intake or smoking and small bowel adenocarcinoma? Results from a European multi-center case-control study. <i>Cancer Causes and Control</i> , 2000, 11, 791-797.	0.8	53
85	Occupation and small bowel adenocarcinoma: a European case-control study. <i>Occupational and Environmental Medicine</i> , 2000, 57, 760-766.	1.3	25