

# Gino M M J Kerkhoffs

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438692/publications.pdf>

Version: 2024-02-01

146  
papers

4,393  
citations

126708

33  
h-index

143772

57  
g-index

151  
all docs

151  
docs citations

151  
times ranked

3456  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Influence of Obesity on the Complication Rate and Outcome of Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 1839-1844.   | 1.4 | 405       |
| 2  | Diagnosis, treatment and prevention of ankle sprains: update of an evidence-based clinical guideline. <i>British Journal of Sports Medicine</i> , 2018, 52, 956-956.   | 3.1 | 269       |
| 3  | Lesion Size Is a Predictor of Clinical Outcomes After Bone Marrow Stimulation for Osteochondral Lesions of the Talus: A Systematic Review. <i>American Journal of Sports Medicine</i> , 2017, 45, 1698-1705.   | 1.9 | 194       |
| 4  | Return to Sports and Physical Activity After Total and Unicompartmental Knee Arthroplasty: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2016, 46, 269-292.  | 3.1 | 192       |
| 5  | No superior treatment for primary osteochondral defects of the talus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2142-2157.   | 2.3 | 133       |
| 6  | Diagnosis and prognosis of acute hamstring injuries in athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 500-509.  | 2.3 | 88        |
| 7  | Expectations of younger patients concerning activities after knee arthroplasty: are we asking the right questions?. <i>Quality of Life Research</i> , 2017, 26, 403-417.   | 1.5 | 88        |
| 8  | Functional treatments for acute ruptures of the lateral ankle ligament. <i>Acta Orthopaedica</i> , 2003, 74, 69-77.  | 1.4 | 85        |
| 9  | Arthroscopic primary repair of proximal anterior cruciate ligament tears seems safe but higher level of evidence is needed: a systematic review and meta-analysis of recent literature. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1946-1957. | 2.3 | 69        |
| 10 | High Rates of Return to Sports Activities and Work After Osteotomies Around the Knee: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2017, 47, 2219-2244.   | 3.1 | 65        |
| 11 | Hip Range of Motion Is Lower in Professional Soccer Players With Hip and Groin Symptoms or Previous Injuries, Independent of Cam Deformities. <i>American Journal of Sports Medicine</i> , 2016, 44, 682-688.  | 1.9 | 62        |
| 12 | Symptoms of Common Mental Disorders and Adverse Health Behaviours in Male Professional Soccer Players. <i>Journal of Human Kinetics</i> , 2015, 49, 277-286.   | 0.7 | 61        |
| 13 | Prevalence and determinants of symptoms of common mental disorders in retired professional Rugby Union players. <i>European Journal of Sport Science</i> , 2016, 16, 595-602.  | 1.4 | 61        |
| 14 | The prevalence and risk indicators of symptoms of common mental disorders among current and former Dutch elite athletes. <i>Journal of Sports Sciences</i> , 2017, 35, 2148-2156.  | 1.0 | 61        |
| 15 | A 12-month prospective cohort study of symptoms of common mental disorders among professional rugby players. <i>European Journal of Sport Science</i> , 2018, 18, 1004-1012.   | 1.4 | 59        |
| 16 | Limited evidence for adipose-derived stem cell therapy on the treatment of osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3499-3507.  | 2.3 | 56        |
| 17 | Donor-site morbidity after osteochondral autologous transplantation for osteochondritis dissecans of the capitellum: a systematic review and meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2237-2246.                             | 2.3 | 54        |
| 18 | Prevalence, incidence and risk factors for overuse injuries of the wrist in young athletes: a systematic review. <i>British Journal of Sports Medicine</i> , 2015, 49, 1189-1196.  | 3.1 | 53        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Epidemiology of symptoms of common mental disorders among elite Gaelic athletes: a prospective cohort study. <i>Physician and Sportsmedicine</i> , 2016, 44, 283-289.   | 1.0 | 53        |
| 20 | Return to sports and clinical outcomes in patients treated for peroneal tendon dislocation: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1155-1164.                       | 2.3 | 53        |
| 21 | Are severe musculoskeletal injuries associated with symptoms of common mental disorders among male European professional footballers?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3934-3942. | 2.3 | 52        |
| 22 | The Effect of Total Hip Arthroplasty on Sports and Work Participation: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2018, 48, 1695-1726.   | 3.1 | 52        |
| 23 | Identifying candidates for arthroscopic primary repair of the anterior cruciate ligament: A case-control study. <i>Knee</i> , 2019, 26, 619-627.  | 0.8 | 48        |
| 24 | No superior surgical treatment for secondary osteochondral defects of the talus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2158-2170.   | 2.3 | 47        |
| 25 | A history of concussions is associated with symptoms of common mental disorders in former male professional athletes across a range of sports. <i>Physician and Sportsmedicine</i> , 2017, 45, 443-449.             | 1.0 | 44        |
| 26 | Symptoms of Common Mental Disorders in Professional Football (Soccer) Across Five European Countries. <i>Journal of Sports Science and Medicine</i> , 2015, 14, 811-8.  | 0.7 | 44        |
| 27 | Immobilisation and functional treatment for acute lateral ankle ligament injuries in adults. <i>The Cochrane Library</i> , 2013, , CD003762.  | 1.5 | 42        |
| 28 | Osteochondral Lesions of the Talus. <i>Foot and Ankle Clinics</i> , 2021, 26, 121-136.  | 0.5 | 42        |
| 29 | The mental wellbeing of current and retired professional cricketers: an observational prospective cohort study. <i>Physician and Sportsmedicine</i> , 2017, 45, 463-469.  | 1.0 | 41        |
| 30 | Midterm Outcomes of Bone Marrow Stimulation for Primary Osteochondral Lesions of the Talus: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987912.                          | 0.8 | 41        |
| 31 | Symptoms of common mental disorders and related stressors in Danish professional football and handball. <i>European Journal of Sport Science</i> , 2017, 17, 1328-1334.   | 1.4 | 38        |
| 32 | The weekend effect for hip fracture surgery. <i>Injury</i> , 2017, 48, 1536-1541.   | 0.7 | 38        |
| 33 | The subchondral bone healing after fixation of an osteochondral talar defect is superior in comparison with microfracture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2177-2182.             | 2.3 | 37        |
| 34 | Fixation Techniques: Proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle. <i>Foot and Ankle International</i> , 2018, 39, 23S-27S.  | 1.1 | 37        |
| 35 | Effects of Pulsed Electromagnetic Fields on Return to Sports After Arthroscopic Debridement and Microfracture of Osteochondral Talar Defects. <i>American Journal of Sports Medicine</i> , 2016, 44, 1292-1300.     | 1.9 | 36        |
| 36 | Osteoarthritis is associated with symptoms of common mental disorders among former elite athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3179-3185.                                     | 2.3 | 36        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Combined Intra-Articular and Varus Opening Wedge Osteotomy for Lateral Depression and Valgus Malunion of the Proximal Part of the Tibia. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008, 90, 1252-1257.                                | 1.4 | 35        |
| 38 | Rehabilitation after surgical treatment of peroneal tendon tears and ruptures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1165-1174.  | 2.3 | 35        |
| 39 | Return to Sports After Surgical Treatment of Osteochondral Defects of the Talus: A Systematic Review of 2347 Cases. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987623.  | 0.8 | 35        |
| 40 | Anxiety and Depressive Symptoms During the COVID-19 Emergency Period: A Comparative Cross-Sectional Study in Professional Football. <i>Clinical Journal of Sport Medicine</i> , 2022, 32, 21-27.   | 0.9 | 35        |
| 41 | Different functional treatment strategies for acute lateral ankle ligament injuries in adults. <i>The Cochrane Library</i> , 2013, , CD002938.   | 1.5 | 33        |
| 42 | Diagnostic Accuracy of 2-Dimensional Computed Tomography for Articular Involvement and Fracture Pattern of Posterior Malleolar Fractures. <i>Foot and Ankle International</i> , 2016, 37, 75-82.   | 1.1 | 32        |
| 43 | Peroneal tendons well vascularized: results from a cadaveric study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1140-1147.   | 2.3 | 31        |
| 44 | Forced Retirement from Professional Rugby Union is Associated with Symptoms of Distress. <i>International Journal of Sports Medicine</i> , 2017, 38, 582-587.  | 0.8 | 30        |
| 45 | Acute Lateral Ankle Ligament Ruptures in the Athlete. <i>Foot and Ankle Clinics</i> , 2013, 18, 215-218.   | 0.5 | 29        |
| 46 | Eight respectively nine out of ten patients return to sport and work after distal femoral osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2345-2353.  | 2.3 | 29        |
| 47 | Not Physical Activity, but Patient Beliefs and Expectations are Associated With Return to Work After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1094-1100.  | 1.5 | 28        |
| 48 | Arthroscopic lift, drill, fill and fix (LDFF) is an effective treatment option for primary talar osteochondral defects. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 141-147.   | 2.3 | 28        |
| 49 | In-Office Needle Arthroscopy for the Treatment of Anterior Ankle Impingement Yields High Patient Satisfaction With High Rates of Return to Work and Sport. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1302-1311. | 1.3 | 28        |
| 50 | Validity and reliability of a Dutch version of the Foot and Ankle Ability Measure. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1348-1354.  | 2.3 | 27        |
| 51 | A Machine Learning Algorithm to Predict the Probability of (Occult) Posterior Malleolar Fractures Associated With Tibial Shaft Fractures to Guide "Malleolus First" Fixation. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, 131-138.            | 0.7 | 27        |
| 52 | Injuries, Matches Missed and the Influence of Minimum Medical Standards in the A-League Professional Football: A 5-Year Prospective Study. <i>Asian Journal of Sports Medicine</i> , 2016, 7, e31385.  | 0.1 | 27        |
| 53 | Combined Intra-Articular and Varus Opening Wedge Osteotomy for Lateral Depression and Valgus Malunion of the Proximal Part of the Tibia. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009, 91, 101-115.                                  | 1.4 | 26        |
| 54 | Symptoms of common mental disorders among professional football referees: a one-season prospective study across Europe. <i>Physician and Sportsmedicine</i> , 2017, 45, 11-16.   | 1.0 | 26        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Diagnostic value of ultrasonography in acute lateral and syndesmotic ligamentous ankle injuries. <i>European Radiology</i> , 2021, 31, 2610-2620.  | 2.3 | 26        |
| 56 | Prognostic Factors for Return to Sport After High Tibial Osteotomy: A Directed Acyclic Graph Approach. <i>American Journal of Sports Medicine</i> , 2019, 47, 1854-1862.   | 1.9 | 25        |
| 57 | Typical Shape Differences in the Subtalar Joint Bones Between Subjects with Chronic Ankle Instability and Controls. <i>Journal of Orthopaedic Research</i> , 2019, 37, 1892-1902.  | 1.2 | 25        |
| 58 | A novel approach to enhance ACL injury prevention programs. <i>Journal of Experimental Orthopaedics</i> , 2018, 5, 22.   | 0.8 | 24        |
| 59 | Achilles tendon elongation after acute rupture: is it a problem? A systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 4011-4030.   | 2.3 | 24        |
| 60 | Feasibility of Machine Learning and Logistic Regression Algorithms to Predict Outcome in Orthopaedic Trauma Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 544-551.   | 1.4 | 24        |
| 61 | Incidence, Predictors, and Fracture Mapping of (Occult) Posterior Malleolar Fractures Associated With Tibial Shaft Fractures. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, e452-e458.  | 0.7 | 23        |
| 62 | Trauma and femoral tunnel position are the most common failure modes of anterior cruciate ligament reconstruction: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3666-3675.                     | 2.3 | 23        |
| 63 | Midterm results of posterior arthroscopic ankle fusion. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1326-1331.   | 2.3 | 22        |
| 64 | Clinical applications of allografts in foot and ankle surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1847-1872.  | 2.3 | 22        |
| 65 | Goal Attainment Scaling Rehabilitation Improves Satisfaction with Work Activities for Younger Working Patients After Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1445-1453.                      | 1.4 | 22        |
| 66 | Accuracy of Currently Available Methods in Quantifying Anterior Glenoid Bone Loss: Controversy Regarding Gold Standardâ€”A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2295-2313.e1. | 1.3 | 22        |
| 67 | Safety and efficiency of posterior arthroscopic ankle arthrodesis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 2420-2426.  | 2.3 | 21        |
| 68 | Knee osteoarthritis in professional football is related to severe knee injury and knee surgery. <i>Injury Epidemiology</i> , 2018, 5, 26.  | 0.8 | 20        |
| 69 | Long-term Follow-up Results of Buechel-Pappas Ankle Arthroplasty. <i>Foot and Ankle International</i> , 2019, 40, 553-561.   | 1.1 | 20        |
| 70 | Weight, BMI and stability are risk factors associated with lateral ankle sprains and chronic ankle instability: a meta-analysis. <i>Journal of ISAKOS</i> , 2019, 4, 313-327.  | 1.1 | 20        |
| 71 | A prospective cohort study on symptoms of common mental disorders among current and retired professional ice hockey players. <i>Physician and Sportsmedicine</i> , 2017, 45, 252-258.  | 1.0 | 19        |
| 72 | Lower extremity osteoarthritis is associated with lower health-related quality of life among retired professional footballers. <i>Physician and Sportsmedicine</i> , 2018, 46, 471-476.  | 1.0 | 19        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Influence of Preoperative Tibiotalar Alignment in the Coronal Plane on the Survival of Total Ankle Replacement: A Systematic Review. <i>Foot and Ankle International</i> , 2020, 41, 160-169.  | 1.1 | 19        |
| 74 | Are Level of Education and Employment Related to Symptoms of Common Mental Disorders in Current and Retired Professional Footballers?. <i>Asian Journal of Sports Medicine</i> , 2016, 7, e28447.  | 0.1 | 18        |
| 75 | A prospective cohort study on symptoms of common mental disorders among Dutch elite athletes. <i>Physician and Sportsmedicine</i> , 2017, 45, 426-432.   | 1.0 | 18        |
| 76 | Does Activity-Based Rehabilitation With Goal Attainment Scaling Increase Physical Activity Among Younger Knee Arthroplasty Patients? Results From the Randomized Controlled ACTION Trial. <i>Journal of Arthroplasty</i> , 2020, 35, 706-711.  | 1.5 | 18        |
| 77 | Decreased Defect Size and Partial Restoration of Subchondral Bone on Computed Tomography After Arthroscopic Debridement and Microfracture for Osteochondritis Dissecans of the Capitellum. <i>American Journal of Sports Medicine</i> , 2018, 46, 2954-2959.   | 1.9 | 17        |
| 78 | Non-surgical treatment before hip and knee arthroplasty remains underutilized with low satisfaction regarding performance of work, sports, and leisure activities. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 717-723.  | 1.2 | 17        |
| 79 | Complications and subsequent surgery after intra-medullary nailing for tibial shaft fractures: Review of 8110 patients. <i>Injury</i> , 2020, 51, 1647-1654.   | 0.7 | 17        |
| 80 | Arthroscopic coronal plane syndesmotic instability has been over-diagnosed. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 310-323.   | 2.3 | 17        |
| 81 | The effect of concentrated bone marrow aspirate in operative treatment of fifth metatarsal stress fractures; a double-blind randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 211.   | 0.8 | 16        |
| 82 | Minimally invasive reconstruction technique for chronic Achilles tendon tears allows rapid return to walking and leads to good functional recovery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 305-311.   | 2.3 | 16        |
| 83 | Satisfactory long-term clinical outcomes after bone marrow stimulation of osteochondral lesions of the talus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3525-3533.   | 2.3 | 16        |
| 84 | How do jet time, pressure and bone volume fraction influence the drilling depth when waterjet drilling in porcine bone?. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 62, 495-503.  | 1.5 | 15        |
| 85 | Satisfaction with return to sports after unicompartmental knee arthroplasty and what type of sports are patients doing. <i>Knee</i> , 2020, 27, 509-517.   | 0.8 | 14        |
| 86 | Evidence-based Treatment of Failed Primary Osteochondral Lesions of the Talus: A Systematic Review on Clinical Outcomes of Bone Marrow Stimulation. <i>Cartilage</i> , 2021, 13, 1411S-1421S.  | 1.4 | 14        |
| 87 | Prevalence of mental health symptoms among male and female Australian professional footballers. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001043.  | 1.4 | 14        |
| 88 | Systematic development of an injury prevention programme for judo athletes: the IPPON intervention. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000791.  | 1.4 | 13        |
| 89 | Development of a Personalized m/eHealth Algorithm for the Resumption of Activities of Daily Life Including Work and Sport after Total and Unicompartmental Knee Arthroplasty: A Multidisciplinary Delphi Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4952. | 1.2 | 13        |
| 90 | Bone marrow stimulation for talar osteochondral lesions at long-term follow-up shows a high sports participation though a decrease in clinical outcomes over time. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1562-1569.  | 2.3 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Risk factors for musculoskeletal injuries in elite junior tennis players: a systematic review. <i>Journal of Sports Sciences</i> , 2019, 37, 131-137.  | 1.0 | 12        |
| 92  | Difference in Pain, Complication Rates, and Clinical Outcomes After Suprapatellar Versus Infrapatellar Nailing for Tibia Fractures? A Systematic Review of 1447 Patients. <i>Journal of Orthopaedic Trauma</i> , 2021, 35, 391-400.  | 0.7 | 12        |
| 93  | Health-Related Quality of Life in Ankle Osteoarthritis: A Case-Control Study. <i>Cartilage</i> , 2021, 13, 1438S-1444S.  | 1.4 | 12        |
| 94  | The impact of ankle osteoarthritis. The difference of opinion between patient and orthopedic surgeon. <i>Foot and Ankle Surgery</i> , 2014, 20, 241-247.   | 0.8 | 11        |
| 95  | Volar Plating: Imaging Modalities for the Detection of Screw Penetration. <i>Journal of Wrist Surgery</i> , 2019, 08, 520-530.   | 0.3 | 11        |
| 96  | Capsular closure versus unrepaired interportal capsulotomy after hip arthroscopy in patients with femoroacetabular impingement: results of a patient-blinded randomised controlled trial. <i>HIP International</i> , 2023, 33, 94-101.   | 0.9 | 11        |
| 97  | The ankle cartilage cascade: incremental cartilage damage in the ankle joint. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3503-3507.   | 2.3 | 11        |
| 98  | Three-dimensional bone kinematics in an anterior laxity test of the ankle joint. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007, 15, 817-824.  | 2.3 | 10        |
| 99  | Does Goal Attainment Scaling improve satisfaction regarding performance of activities of younger knee arthroplasty patients? Study protocol of the randomized controlled ACTION trial. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 113.                                       | 0.8 | 10        |
| 100 | Distal remnant length can be measured reliably and predicts primary repair of proximal anterior cruciate ligament tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2967-2975.  | 2.3 | 10        |
| 101 | Return to Sport and Work after Randomization for Knee Distraction versus High Tibial Osteotomy: Is There a Difference?. <i>Journal of Knee Surgery</i> , 2022, 35, 949-958.  | 0.9 | 10        |
| 102 | Development of a postoperative delirium risk scoring tool using data from the Australian and New Zealand Hip Fracture Registry: an analysis of 6672 patients 2017-2018. <i>Archives of Gerontology and Geriatrics</i> , 2021, 94, 104368.  | 1.4 | 9         |
| 103 | Early and Delayed Surgery for Isolated ACL and Multiligamentous Knee Injuries Have Equivalent Results: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2023, 51, 1106-1116.  | 1.9 | 9         |
| 104 | Systematic development of a tennis injury prevention programme. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000350.  | 1.4 | 8         |
| 105 | Quantification of Postoperative Posterior Malleolar Fragment Reduction Using 3-Dimensional Computed Tomography (Q3DCT) Determines Outcome in a Prospective Pilot Study of Patients With Rotational Type Ankle Fractures. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, 404-410. | 0.7 | 8         |
| 106 | Adequate return to sports and sports activities after treatment of Lisfranc injury: a meta-analysis. <i>Journal of ISAKOS</i> , 2021, 6, 212-219.  | 1.1 | 8         |
| 107 | Terminology for osteochondral lesions of the ankle: proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle. <i>Journal of ISAKOS</i> , 2022, 7, 62-66.  | 1.1 | 8         |
| 108 | 8 out of 10 patients do well after surgery for tarsal coalitions: A systematic review on 1284 coalitions. <i>Foot and Ankle Surgery</i> , 2022, 28, 1110-1119.   | 0.8 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Is delirium associated with negative outcomes in older patients with hip fracture: analysis of the 4904 patients 2017-2018 from the Australian and New Zealand hip fracture registry. ANZ Journal of Surgery, 2022, 92, 200-205.                             | 0.3 | 8         |
| 110 | The perceptions of elite professional footballers on the International Match Calendar: a cross-sectional study. Science and Medicine in Football, 2019, 3, 339-342.  | 1.0 | 7         |
| 111 | Repair versus reconstruction for proximal anterior cruciate ligament tears: a study protocol for a prospective multicenter randomized controlled trial. BMC Musculoskeletal Disorders, 2021, 22, 399.  | 0.8 | 7         |
| 112 | Outcomes of Bone Marrow Stimulation for Secondary Osteochondral Lesions of the Talus Equal Outcomes for Primary Lesions. Cartilage, 2021, 13, 1429S-1437S.   | 1.4 | 7         |
| 113 | Acute clinical evaluation for syndesmosis injury has high diagnostic value. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3871-3880.   | 2.3 | 7         |
| 114 | Health conditions among retired professional footballers: a scoping review. BMJ Open Sport and Exercise Medicine, 2022, 8, e001196.  | 1.4 | 7         |
| 115 | Exposure to physical and psychosocial stressors in relation to symptoms of common mental disorders among European professional football referees: a prospective cohort study. BMJ Open Sport and Exercise Medicine, 2018, 4, e000306.                        | 1.4 | 6         |
| 116 | Talus bipartitus: a systematic review and report of two cases with arthroscopic treatment. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2131-2141.  | 2.3 | 6         |
| 117 | Proximal hamstring tendon avulsion treatment choice depends on a combination of clinical and imaging-related factors: a worldwide survey on current clinical practice and decision-making. Journal of ISAKOS, 2019, 4, 175-180.                              | 1.1 | 6         |
| 118 | Concussion in European professional football: a view of team physicians. BMJ Open Sport and Exercise Medicine, 2021, 7, e001086.   | 1.4 | 6         |
| 119 | Does the SORG Orthopaedic Research Group Hip Fracture Delirium Algorithm Perform Well on an Independent Intercontinental Cohort of Patients With Hip Fractures Who Are 60 Years or Older?. Clinical Orthopaedics and Related Research, 2022, 480, 2205-2213. | 0.7 | 6         |
| 120 | Reply to the letter to the editor: comment on "No superior treatment for primary osteochondral defects of the talus". Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3984-3986.   | 2.3 | 5         |
| 121 | Arthroscopic reduction of a locked patellar dislocation: a new less invasive technique. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3706-3710.   | 2.3 | 5         |
| 122 | A risk assessment model for chronic ankle instability: indications for early surgical treatment? An observational prospective cohort " study protocol. BMC Musculoskeletal Disorders, 2018, 19, 225.   | 0.8 | 5         |
| 123 | Help-seeking behaviours related to mental health symptoms in professional football. BMJ Open Sport and Exercise Medicine, 2021, 7, e001070.  | 1.4 | 5         |
| 124 | Incidence of (Osteo)Chondral Lesions of the Ankle in Isolated Syndesmotic Injuries: A Systematic Review and Meta-Analysis. Cartilage, 2022, 13, 194760352211025.   | 1.4 | 5         |
| 125 | Overuse wrist injuries in young athletes: What do sports physicians consider important signals and functional limitations?. Journal of Sports Sciences, 2018, 36, 86-96.   | 1.0 | 4         |
| 126 | The influence of pain catastrophizing and central sensitization on the reported pain after hip arthroscopy. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 2837-2842.   | 2.3 | 4         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Limited intrarater and interrater reliability of acute ligamentous ankle injuries on 3 T MRI. <i>Journal of ISAKOS</i> , 2021, 6, 153-160.  | 1.1 | 4         |
| 128 | Rehabilitation and Return to Sport of Female Athletes. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e247-e253.  | 0.8 | 4         |
| 129 | Novel values in the radiographic diagnosis of ligamentous Lisfranc injuries. <i>Injury</i> , 2022, 53, 2326-2332.   | 0.7 | 4         |
| 130 | Topical NSAIDs significantly reduces pain in adults with acute musculoskeletal injuries. <i>Evidence-Based Medicine</i> , 2016, 21, 187-188.  | 0.6 | 3         |
| 131 | A rare cause of lateral ankle pain: A symptomatic talus secundarius. <i>Foot and Ankle Surgery</i> , 2017, 23, e20-e24.   | 0.8 | 3         |
| 132 | Higher Function Scores and Satisfaction in Patients with Anteromedial Osteoarthritis Compared with Other Wear Patterns of the Knee: 2 Years after Both Total and Unicondylar Knee Arthroplasties. <i>Journal of Knee Surgery</i> , 2020, 33, 629-635. | 0.9 | 3         |
| 133 | Six out of ten patients with sinus tarsi syndrome returned to pre-injury type of sport after subtalar arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2485-2494.   | 2.3 | 3         |
| 134 | High union rates following surgical treatment of proximal fifth metatarsal stress fractures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2495-2503.   | 2.3 | 3         |
| 135 | Age, activity level and meniscus injury, but not tear location, tibial slope or anterolateral ligament injury predict coping with anterior cruciate ligament injury. <i>Knee</i> , 2021, 29, 222-232.   | 0.8 | 3         |
| 136 | Does implementation of a tailored intervention increase adherence to a National Safety and Quality Standard? A study to improve delirium care. <i>International Journal for Quality in Health Care</i> , 2021, 33, .                                  | 0.9 | 2         |
| 137 | No time to waste: necessary health support for retired professional rugby players. <i>SA Sports Medicine</i> , 2021, 33, 1-3.   | 0.1 | 2         |
| 138 | Does the Foot and Ankle Alignment Impact the Patellofemoral Pain Syndrome? A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2245.   | 1.0 | 2         |
| 139 | Feasibility Study to Determine if Microfracture Surgery Using Water Jet Drilling Is Potentially Safe for Talar Chondral Defects in a Caprine Model. <i>Cartilage</i> , 2019, , 194760351988033.   | 1.4 | 1         |
| 140 | Letter to the editor on "Return to sport following Lisfranc injuries: A systematic review and meta-analysis". <i>Foot and Ankle Surgery</i> , 2019, 25, 852-853.  | 0.8 | 1         |
| 141 | Letter to the Editor on "Treatment of lateral ankle sprain with platelet-rich plasma: A randomized clinical study". <i>Foot and Ankle Surgery</i> , 2019, 25, 857-858.  | 0.8 | 1         |
| 142 | Risk of chronic ankle instability: A reliability study on radiographic assessment of the ankle joint geometry. <i>Foot</i> , 2019, 38, 12-18.   | 0.4 | 1         |
| 143 | Factors associated with subsequent surgical procedures after intramedullary nailing for tibial shaft fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 43-50.  | 0.6 | 1         |
| 144 | Clinical Hip Osteoarthritis in Current and Former Professional Footballers and Its Effect on Hip Function and Quality of Life. <i>Journal of Sports Science and Medicine</i> , 2021, 20, 284-290.   | 0.7 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Effectiveness and cost-effectiveness of surgery versus casting for elderly patients with displaced intra-articular type C distal radius fractures: protocol of a randomised controlled trial with economic evaluation (the DART study). <i>BMJ Open</i> , 2022, 12, e051658. | 0.8 | 1         |
| 146 | Emerging Biological Treatment Methods for Ankle Joint and Soft Tissue Conditions. <i>Foot and Ankle Clinics</i> , 2021, 26, 225-235.   | 0.5 | 0         |