

Gino M M J Kerkhoffs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/438692/publications.pdf>

Version: 2024-02-01

146
papers

4,393
citations

126708

33
h-index

143772

57
g-index

151
all docs

151
docs citations

151
times ranked

3456
citing authors

#	ARTICLE	IF	CITATIONS
1	Capsular closure versus unrepaired interportal capsulotomy after hip arthroscopy in patients with femoroacetabular impingement: results of a patient-blinded randomised controlled trial. <i>HIP International</i> , 2023, 33, 94-101.	0.9	11
2	Early and Delayed Surgery for Isolated ACL and Multiligamentous Knee Injuries Have Equivalent Results: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2023, 51, 1106-1116.	1.9	9
3	In-Office Needle Arthroscopy for the Treatment of Anterior Ankle Impingement Yields High Patient Satisfaction With High Rates of Return to Work and Sport. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1302-1311.	1.3	28
4	Return to Sport and Work after Randomization for Knee Distraction versus High Tibial Osteotomy: Is There a Difference?. <i>Journal of Knee Surgery</i> , 2022, 35, 949-958.	0.9	10
5	Anxiety and Depressive Symptoms During the COVID-19 Emergency Period: A Comparative Cross-Sectional Study in Professional Football. <i>Clinical Journal of Sport Medicine</i> , 2022, 32, 21-27.	0.9	35
6	Terminology for osteochondral lesions of the ankle: proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle. <i>Journal of ISAKOS</i> , 2022, 7, 62-66.	1.1	8
7	Rehabilitation and Return to Sport of Female Athletes. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2022, 4, e247-e253.	0.8	4
8	Novel values in the radiographic diagnosis of ligamentous Lisfranc injuries. <i>Injury</i> , 2022, 53, 2326-2332.	0.7	4
9	8 out of 10 patients do well after surgery for tarsal coalitions: A systematic review on 1284 coalitions. <i>Foot and Ankle Surgery</i> , 2022, 28, 1110-1119.	0.8	8
10	Effectiveness and cost-effectiveness of surgery versus casting for elderly patients with displaced intra-articular type C distal radius fractures: protocol of a randomised controlled trial with economic evaluation (the DART study). <i>BMJ Open</i> , 2022, 12, e051658.	0.8	1
11	Feasibility of Machine Learning and Logistic Regression Algorithms to Predict Outcome in Orthopaedic Trauma Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 544-551.	1.4	24
12	Is delirium associated with negative outcomes in older patients with hip fracture: analysis of the 4904 patients 2017-2018 from the Australian and New Zealand hip fracture registry. <i>ANZ Journal of Surgery</i> , 2022, 92, 200-205.	0.3	8
13	Does the Foot and Ankle Alignment Impact the Patellofemoral Pain Syndrome? A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2245.	1.0	2
14	Acute clinical evaluation for syndesmosis injury has high diagnostic value. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3871-3880.	2.3	7
15	Does the SORC Orthopaedic Research Group Hip Fracture Delirium Algorithm Perform Well on an Independent Intercontinental Cohort of Patients With Hip Fractures Who Are 60 Years or Older?. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 2205-2213.	0.7	6
16	Health conditions among retired professional footballers: a scoping review. <i>BMJ Open Sport and Exercise Medicine</i> , 2022, 8, e001196.	1.4	7
17	Incidence of (Osteo)Chondral Lesions of the Ankle in Isolated Syndesmotic Injuries: A Systematic Review and Meta-Analysis. <i>Cartilage</i> , 2022, 13, 194760352211025.	1.4	5
18	Distal remnant length can be measured reliably and predicts primary repair of proximal anterior cruciate ligament tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2967-2975.	2.3	10

#	ARTICLE	IF	CITATIONS
19	Factors associated with subsequent surgical procedures after intramedullary nailing for tibial shaft fractures. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 43-50.	0.6	1
20	Diagnostic value of ultrasonography in acute lateral and syndesmotic ligamentous ankle injuries. <i>European Radiology</i> , 2021, 31, 2610-2620.	2.3	26
21	Adequate return to sports and sports activities after treatment of Lisfranc injury: a meta-analysis. <i>Journal of ISAKOS</i> , 2021, 6, 212-219.	1.1	8
22	Six out of ten patients with sinus tarsi syndrome returned to pre-injury type of sport after subtalar arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2485-2494.	2.3	3
23	Bone marrow stimulation for talar osteochondral lesions at long-term follow-up shows a high sports participation though a decrease in clinical outcomes over time. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1562-1569.	2.3	13
24	Does implementation of a tailored intervention increase adherence to a National Safety and Quality Standard? A study to improve delirium care. <i>International Journal for Quality in Health Care</i> , 2021, 33, .	0.9	2
25	Difference in Pain, Complication Rates, and Clinical Outcomes After Suprapatellar Versus Infrapatellar Nailing for Tibia Fractures? A Systematic Review of 1447 Patients. <i>Journal of Orthopaedic Trauma</i> , 2021, 35, 391-400.	0.7	12
26	High union rates following surgical treatment of proximal fifth metatarsal stress fractures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2495-2503.	2.3	3
27	Evidence-based Treatment of Failed Primary Osteochondral Lesions of the Talus: A Systematic Review on Clinical Outcomes of Bone Marrow Stimulation. <i>Cartilage</i> , 2021, 13, 1411S-1421S.	1.4	14
28	Emerging Biological Treatment Methods for Ankle Joint and Soft Tissue Conditions. <i>Foot and Ankle Clinics</i> , 2021, 26, 225-235.	0.5	0
29	Age, activity level and meniscus injury, but not tear location, tibial slope or anterolateral ligament injury predict coping with anterior cruciate ligament injury. <i>Knee</i> , 2021, 29, 222-232.	0.8	3
30	Clinical Hip Osteoarthritis in Current and Former Professional Footballers and Its Effect on Hip Function and Quality of Life. <i>Journal of Sports Science and Medicine</i> , 2021, 20, 284-290.	0.7	1
31	Osteochondral Lesions of the Talus. <i>Foot and Ankle Clinics</i> , 2021, 26, 121-136.	0.5	42
32	Repair versus reconstruction for proximal anterior cruciate ligament tears: a study protocol for a prospective multicenter randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 399.	0.8	7
33	Development of a postoperative delirium risk scoring tool using data from the Australian and New Zealand Hip Fracture Registry: an analysis of 6672 patients 2017-2018. <i>Archives of Gerontology and Geriatrics</i> , 2021, 94, 104368.	1.4	9
34	Help-seeking behaviours related to mental health symptoms in professional football. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001070.	1.4	5
35	No time to waste: necessary health support for retired professional rugby players. <i>SA Sports Medicine</i> , 2021, 33, 1-3.	0.1	2
36	Satisfactory long-term clinical outcomes after bone marrow stimulation of osteochondral lesions of the talus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3525-3533.	2.3	16

#	ARTICLE	IF	CITATIONS
37	Health-Related Quality of Life in Ankle Osteoarthritis: A Case-Control Study. <i>Cartilage</i> , 2021, 13, 1438S-1444S.	1.4	12
38	Outcomes of Bone Marrow Stimulation for Secondary Osteochondral Lesions of the Talus Equal Outcomes for Primary Lesions. <i>Cartilage</i> , 2021, 13, 1429S-1437S.	1.4	7
39	Concussion in European professional football: a view of team physicians. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001086.	1.4	6
40	The influence of pain catastrophizing and central sensitization on the reported pain after hip arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2837-2842.	2.3	4
41	Prevalence of mental health symptoms among male and female Australian professional footballers. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001043.	1.4	14
42	Arthroscopic coronal plane syndesmotic instability has been over-diagnosed. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 310-323.	2.3	17
43	The ankle cartilage cascade: incremental cartilage damage in the ankle joint. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3503-3507.	2.3	11
44	Limited intrarater and interrater reliability of acute ligamentous ankle injuries on 3 T MRI. <i>Journal of ISAKOS</i> , 2021, 6, 153-160.	1.1	4
45	Higher Function Scores and Satisfaction in Patients with Anteromedial Osteoarthritis Compared with Other Wear Patterns of the Knee: 2 Years after Both Total and Unicompartmental Knee Arthroplasties. <i>Journal of Knee Surgery</i> , 2020, 33, 629-635.	0.9	3
46	Arthroscopic lift, drill, fill and fix (LDFF) is an effective treatment option for primary talar osteochondral defects. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 141-147.	2.3	28
47	Minimally invasive reconstruction technique for chronic Achilles tendon tears allows rapid return to walking and leads to good functional recovery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 305-311.	2.3	16
48	Arthroscopic primary repair of proximal anterior cruciate ligament tears seems safe but higher level of evidence is needed: a systematic review and meta-analysis of recent literature. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1946-1957.	2.3	69
49	Influence of Preoperative Tibiotalar Alignment in the Coronal Plane on the Survival of Total Ankle Replacement: A Systematic Review. <i>Foot and Ankle International</i> , 2020, 41, 160-169.	1.1	19
50	Does Activity-Based Rehabilitation With Goal Attainment Scaling Increase Physical Activity Among Younger Knee Arthroplasty Patients? Results From the Randomized Controlled ACTION Trial. <i>Journal of Arthroplasty</i> , 2020, 35, 706-711.	1.5	18
51	A Machine Learning Algorithm to Predict the Probability of (Occult) Posterior Malleolar Fractures Associated With Tibial Shaft Fractures to Guide Malleolus First Fixation. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, 131-138.	0.7	27
52	Systematic development of an injury prevention programme for judo athletes: the IPPON intervention. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000791.	1.4	13
53	Trauma and femoral tunnel position are the most common failure modes of anterior cruciate ligament reconstruction: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3666-3675.	2.3	23
54	Development of a Personalized m/eHealth Algorithm for the Resumption of Activities of Daily Life Including Work and Sport after Total and Unicompartmental Knee Arthroplasty: A Multidisciplinary Delphi Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4952.	1.2	13

#	ARTICLE	IF	CITATIONS
55	Goal Attainment Scaling Rehabilitation Improves Satisfaction with Work Activities for Younger Working Patients After Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1445-1453.	1.4	22
56	Non-surgical treatment before hip and knee arthroplasty remains underutilized with low satisfaction regarding performance of work, sports, and leisure activities. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 717-723.	1.2	17
57	Achilles tendon elongation after acute rupture: is it a problem? A systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 4011-4030.	2.3	24
58	Complications and subsequent surgery after intra-medullary nailing for tibial shaft fractures: Review of 8110 patients. <i>Injury</i> , 2020, 51, 1647-1654.	0.7	17
59	Satisfaction with return to sports after unicompartmental knee arthroplasty and what type of sports are patients doing. <i>Knee</i> , 2020, 27, 509-517.	0.8	14
60	Accuracy of Currently Available Methods in Quantifying Anterior Glenoid Bone Loss: Controversy Regarding Gold Standard—A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 2295-2313.e1.	1.3	22
61	Risk factors for musculoskeletal injuries in elite junior tennis players: a systematic review. <i>Journal of Sports Sciences</i> , 2019, 37, 131-137.	1.0	12
62	Proximal hamstring tendon avulsion treatment choice depends on a combination of clinical and imaging-related factors: a worldwide survey on current clinical practice and decision-making. <i>Journal of ISAKOS</i> , 2019, 4, 175-180.	1.1	6
63	Return to Sports After Surgical Treatment of Osteochondral Defects of the Talus: A Systematic Review of 2347 Cases. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987623.	0.8	35
64	Feasibility Study to Determine if Microfracture Surgery Using Water Jet Drilling Is Potentially Safe for Talar Chondral Defects in a Caprine Model. <i>Cartilage</i> , 2019, , 194760351988033.	1.4	1
65	Volar Plating: Imaging Modalities for the Detection of Screw Penetration. <i>Journal of Wrist Surgery</i> , 2019, 08, 520-530.	0.3	11
66	Long-term Follow-up Results of Buechel-Pappas Ankle Arthroplasty. <i>Foot and Ankle International</i> , 2019, 40, 553-561.	1.1	20
67	Prognostic Factors for Return to Sport After High Tibial Osteotomy: A Directed Acyclic Graph Approach. <i>American Journal of Sports Medicine</i> , 2019, 47, 1854-1862.	1.9	25
68	The perceptions of elite professional footballers on the International Match Calendar: a cross-sectional study. <i>Science and Medicine in Football</i> , 2019, 3, 339-342.	1.0	7
69	Typical Shape Differences in the Subtalar Joint Bones Between Subjects with Chronic Ankle Instability and Controls. <i>Journal of Orthopaedic Research</i> , 2019, 37, 1892-1902.	1.2	25
70	Identifying candidates for arthroscopic primary repair of the anterior cruciate ligament: A case-control study. <i>Knee</i> , 2019, 26, 619-627.	0.8	48
71	Letter to the editor on "Return to sport following Lisfranc injuries: A systematic review and meta-analysis". <i>Foot and Ankle Surgery</i> , 2019, 25, 852-853.	0.8	1
72	Clinical applications of allografts in foot and ankle surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1847-1872.	2.3	22

#	ARTICLE	IF	CITATIONS
73	Weight, BMI and stability are risk factors associated with lateral ankle sprains and chronic ankle instability: a meta-analysis. <i>Journal of ISAKOS</i> , 2019, 4, 313-327.	1.1	20
74	Letter to the Editor on "Treatment of lateral ankle sprain with platelet-rich plasma: A randomized clinical study". <i>Foot and Ankle Surgery</i> , 2019, 25, 857-858.	0.8	1
75	Midterm Outcomes of Bone Marrow Stimulation for Primary Osteochondral Lesions of the Talus: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987912.	0.8	41
76	Quantification of Postoperative Posterior Malleolar Fragment Reduction Using 3-Dimensional Computed Tomography (Q3DCT) Determines Outcome in a Prospective Pilot Study of Patients With Rotational Type Ankle Fractures. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, 404-410.	0.7	8
77	Incidence, Predictors, and Fracture Mapping of (Occult) Posterior Malleolar Fractures Associated With Tibial Shaft Fractures. <i>Journal of Orthopaedic Trauma</i> , 2019, 33, e452-e458.	0.7	23
78	Eight respectively nine out of ten patients return to sport and work after distal femoral osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2345-2353.	2.3	29
79	Risk of chronic ankle instability: A reliability study on radiographic assessment of the ankle joint geometry. <i>Foot</i> , 2019, 38, 12-18.	0.4	1
80	Diagnosis, treatment and prevention of ankle sprains: update of an evidence-based clinical guideline. <i>British Journal of Sports Medicine</i> , 2018, 52, 956-956.	3.1	269
81	The Effect of Total Hip Arthroplasty on Sports and Work Participation: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2018, 48, 1695-1726.	3.1	52
82	Exposure to physical and psychosocial stressors in relation to symptoms of common mental disorders among European professional football referees: a prospective cohort study. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000306.	1.4	6
83	Not Physical Activity, but Patient Beliefs and Expectations are Associated With Return to Work After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 1094-1100.	1.5	28
84	Systematic development of a tennis injury prevention programme. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000350.	1.4	8
85	Limited evidence for adipose-derived stem cell therapy on the treatment of osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3499-3507.	2.3	56
86	A 12-month prospective cohort study of symptoms of common mental disorders among professional rugby players. <i>European Journal of Sport Science</i> , 2018, 18, 1004-1012.	1.4	59
87	Lower extremity osteoarthritis is associated with lower health-related quality of life among retired professional footballers. <i>Physician and Sportsmedicine</i> , 2018, 46, 471-476.	1.0	19
88	Overuse wrist injuries in young athletes: What do sports physicians consider important signals and functional limitations?. <i>Journal of Sports Sciences</i> , 2018, 36, 86-96.	1.0	4
89	No superior surgical treatment for secondary osteochondral defects of the talus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2158-2170.	2.3	47
90	No superior treatment for primary osteochondral defects of the talus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2142-2157.	2.3	133

#	ARTICLE	IF	CITATIONS
91	Talus bipartitus: a systematic review and report of two cases with arthroscopic treatment. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2131-2141.	2.3	6
92	The subchondral bone healing after fixation of an osteochondral talar defect is superior in comparison with microfracture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2177-2182.	2.3	37
93	Knee osteoarthritis in professional football is related to severe knee injury and knee surgery. <i>Injury Epidemiology</i> , 2018, 5, 26.	0.8	20
94	Arthroscopic reduction of a locked patellar dislocation: a new less invasive technique. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3706-3710.	2.3	5
95	A risk assessment model for chronic ankle instability: indications for early surgical treatment? An observational prospective cohort " study protocol. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 225.	0.8	5
96	Fixation Techniques: Proceedings of the International Consensus Meeting on Cartilage Repair of the Ankle. <i>Foot and Ankle International</i> , 2018, 39, 23S-27S.	1.1	37
97	Decreased Defect Size and Partial Restoration of Subchondral Bone on Computed Tomography After Arthroscopic Debridement and Microfracture for Osteochondritis Dissecans of the Capitellum. <i>American Journal of Sports Medicine</i> , 2018, 46, 2954-2959.	1.9	17
98	A novel approach to enhance ACL injury prevention programs. <i>Journal of Experimental Orthopaedics</i> , 2018, 5, 22.	0.8	24
99	Donor-site morbidity after osteochondral autologous transplantation for osteochondritis dissecans of the capitellum: a systematic review and meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2237-2246.	2.3	54
100	High Rates of Return to Sports Activities and Work After Osteotomies Around the Knee: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2017, 47, 2219-2244.	3.1	65
101	The prevalence and risk indicators of symptoms of common mental disorders among current and former Dutch elite athletes. <i>Journal of Sports Sciences</i> , 2017, 35, 2148-2156.	1.0	61
102	Forced Retirement from Professional Rugby Union is Associated with Symptoms of Distress. <i>International Journal of Sports Medicine</i> , 2017, 38, 582-587.	0.8	30
103	A prospective cohort study on symptoms of common mental disorders among current and retired professional ice hockey players. <i>Physician and Sportsmedicine</i> , 2017, 45, 252-258.	1.0	19
104	A rare cause of lateral ankle pain: A symptomatic talus secundarius. <i>Foot and Ankle Surgery</i> , 2017, 23, e20-e24.	0.8	3
105	Symptoms of common mental disorders and related stressors in Danish professional football and handball. <i>European Journal of Sport Science</i> , 2017, 17, 1328-1334.	1.4	38
106	A prospective cohort study on symptoms of common mental disorders among Dutch elite athletes. <i>Physician and Sportsmedicine</i> , 2017, 45, 426-432.	1.0	18
107	A history of concussions is associated with symptoms of common mental disorders in former male professional athletes across a range of sports. <i>Physician and Sportsmedicine</i> , 2017, 45, 443-449.	1.0	44
108	Lesion Size Is a Predictor of Clinical Outcomes After Bone Marrow Stimulation for Osteochondral Lesions of the Talus: A Systematic Review. <i>American Journal of Sports Medicine</i> , 2017, 45, 1698-1705.	1.9	194

#	ARTICLE	IF	CITATIONS
109	Symptoms of common mental disorders among professional football referees: a one-season prospective study across Europe. <i>Physician and Sportsmedicine</i> , 2017, 45, 11-16.	1.0	26
110	Osteoarthritis is associated with symptoms of common mental disorders among former elite athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3179-3185.	2.3	36
111	Expectations of younger patients concerning activities after knee arthroplasty: are we asking the right questions?. <i>Quality of Life Research</i> , 2017, 26, 403-417.	1.5	88
112	Reply to the letter to the editor: comment on "No superior treatment for primary osteochondral defects of the talus". <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3984-3986.	2.3	5
113	The mental wellbeing of current and retired professional cricketers: an observational prospective cohort study. <i>Physician and Sportsmedicine</i> , 2017, 45, 463-469.	1.0	41
114	The weekend effect for hip fracture surgery. <i>Injury</i> , 2017, 48, 1536-1541.	0.7	38
115	Are Level of Education and Employment Related to Symptoms of Common Mental Disorders in Current and Retired Professional Footballers?. <i>Asian Journal of Sports Medicine</i> , 2016, 7, e28447.	0.1	18
116	Topical NSAIDs significantly reduces pain in adults with acute musculoskeletal injuries. <i>Evidence-Based Medicine</i> , 2016, 21, 187-188.	0.6	3
117	Epidemiology of symptoms of common mental disorders among elite Gaelic athletes: a prospective cohort study. <i>Physician and Sportsmedicine</i> , 2016, 44, 283-289.	1.0	53
118	Rehabilitation after surgical treatment of peroneal tendon tears and ruptures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1165-1174.	2.3	35
119	How do jet time, pressure and bone volume fraction influence the drilling depth when waterjet drilling in porcine bone?. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 62, 495-503.	1.5	15
120	Peroneal tendons well vascularized: results from a cadaveric study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1140-1147.	2.3	31
121	Validity and reliability of a Dutch version of the Foot and Ankle Ability Measure. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1348-1354.	2.3	27
122	Return to Sports and Physical Activity After Total and Unicondylar Knee Arthroplasty: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2016, 46, 269-292.	3.1	192
123	Are severe musculoskeletal injuries associated with symptoms of common mental disorders among male European professional footballers?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 3934-3942.	2.3	52
124	Return to sports and clinical outcomes in patients treated for peroneal tendon dislocation: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1155-1164.	2.3	53
125	Hip Range of Motion Is Lower in Professional Soccer Players With Hip and Groin Symptoms or Previous Injuries, Independent of Cam Deformities. <i>American Journal of Sports Medicine</i> , 2016, 44, 682-688.	1.9	62
126	Midterm results of posterior arthroscopic ankle fusion. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 1326-1331.	2.3	22

#	ARTICLE	IF	CITATIONS
127	Effects of Pulsed Electromagnetic Fields on Return to Sports After Arthroscopic Debridement and Microfracture of Osteochondral Talar Defects. American Journal of Sports Medicine, 2016, 44, 1292-1300.	1.9	36
128	Does Goal Attainment Scaling improve satisfaction regarding performance of activities of younger knee arthroplasty patients? Study protocol of the randomized controlled ACTION trial. BMC Musculoskeletal Disorders, 2016, 17, 113.	0.8	10
129	Diagnostic Accuracy of 2-Dimensional Computed Tomography for Articular Involvement and Fracture Pattern of Posterior Malleolar Fractures. Foot and Ankle International, 2016, 37, 75-82.	1.1	32
130	Prevalence and determinants of symptoms of common mental disorders in retired professional Rugby Union players. European Journal of Sport Science, 2016, 16, 595-602.	1.4	61
131	Injuries, Matches Missed and the Influence of Minimum Medical Standards in the A-League Professional Football: A 5-Year Prospective Study. Asian Journal of Sports Medicine, 2016, 7, e31385.	0.1	27
132	Symptoms of Common Mental Disorders and Adverse Health Behaviours in Male Professional Soccer Players. Journal of Human Kinetics, 2015, 49, 277-286.	0.7	61
133	The effect of concentrated bone marrow aspirate in operative treatment of fifth metatarsal stress fractures; a double-blind randomized controlled trial. BMC Musculoskeletal Disorders, 2015, 16, 211.	0.8	16
134	Prevalence, incidence and risk factors for overuse injuries of the wrist in young athletes: a systematic review. British Journal of Sports Medicine, 2015, 49, 1189-1196.	3.1	53
135	Safety and efficiency of posterior arthroscopic ankle arthrodesis. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 2420-2426.	2.3	21
136	Symptoms of Common Mental Disorders in Professional Football (Soccer) Across Five European Countries. Journal of Sports Science and Medicine, 2015, 14, 811-8.	0.7	44
137	The impact of ankle osteoarthritis. The difference of opinion between patient and orthopedic surgeon. Foot and Ankle Surgery, 2014, 20, 241-247.	0.8	11
138	Immobilisation and functional treatment for acute lateral ankle ligament injuries in adults. The Cochrane Library, 2013, , CD003762.	1.5	42
139	Diagnosis and prognosis of acute hamstring injuries in athletes. Knee Surgery, Sports Traumatology, Arthroscopy, 2013, 21, 500-509.	2.3	88
140	Acute Lateral Ankle Ligament Ruptures in the Athlete. Foot and Ankle Clinics, 2013, 18, 215-218.	0.5	29
141	Different functional treatment strategies for acute lateral ankle ligament injuries in adults. The Cochrane Library, 2013, , CD002938.	1.5	33
142	The Influence of Obesity on the Complication Rate and Outcome of Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2012, 94, 1839-1844.	1.4	405
143	Combined Intra-Articular and Varus Opening Wedge Osteotomy for Lateral Depression and Valgus Malunion of the Proximal Part of the Tibia. Journal of Bone and Joint Surgery - Series A, 2009, 91, 101-115.	1.4	26
144	Combined Intra-Articular and Varus Opening Wedge Osteotomy for Lateral Depression and Valgus Malunion of the Proximal Part of the Tibia. Journal of Bone and Joint Surgery - Series A, 2008, 90, 1252-1257.	1.4	35

#	ARTICLE	IF	CITATIONS
145	Three-dimensional bone kinematics in an anterior laxity test of the ankle joint. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007, 15, 817-824.	2.3	10
146	Functional treatments for acute ruptures of the lateral ankle ligament. <i>Acta Orthopaedica</i> , 2003, 74, 69-77.	1.4	85