

# Jennifer Ym Tang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4387707/publications.pdf>

Version: 2024-02-01

61  
papers

1,264  
citations

331259

21  
h-index

395343

33  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1769  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived Life Expectancy Predicts Time Investment in Productive Aging Activities: An Ecological Momentary Assessment Study. <i>Research on Aging</i> , 2022, 44, 73-82.	0.9	2
2	Changes in older adults' perceptions of age-friendliness in Hong Kong: A three-year mixed-methods study. <i>Cities</i> , 2022, 127, 103748.	2.7	6
3	The Contribution of Sense of Community to the Association Between Age-Friendly Built Environment and Health in a High-Density City: A Cross-Sectional Study of Middle-Aged and Older Adults in Hong Kong. <i>Journal of Applied Gerontology</i> , 2021, 40, 1687-1696.	1.0	17
4	The effects of neighbourhood migrant concentration on ageing-in-place preference among older people in China. <i>Asia Pacific Journal of Social Work and Development</i> , 2021, 31, 308-322.	0.5	0
5	Effectiveness of a Two-Tier Family-Oriented Intervention in Enhancing the Family Functioning and Care Capacity of the Family Caregivers of Stroke Survivors: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e16703.	0.5	1
6	The relationship between insomnia symptoms and frailty in community-dwelling older persons: a path analysis. <i>Sleep Medicine</i> , 2021, 84, 237-243.	0.8	11
7	Health and social care service utilisation and associated expenditure among community-dwelling older adults with depressive symptoms. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e10.	1.8	8
8	Does lifestyle matter? Individual lifestyle factors and their additive effects associated with cognitive function in older men and women. <i>Aging and Mental Health</i> , 2020, 24, 405-412.	1.5	22
9	Applying Item Response Theory Analysis to the Montreal Cognitive Assessment in a Low-Education Older Population. <i>Assessment</i> , 2020, 27, 1416-1428.	1.9	14
10	Fostering Civic Awareness and Participation Among Older Adults in Hong Kong: An Empowerment-Based Participatory Photo-Voice Training Model. <i>Journal of Applied Gerontology</i> , 2020, 39, 1008-1015.	1.0	15
11	Cognitive changes associated with mentally active lifestyle and structured cognitive programs: a 2-year longitudinal study. <i>Aging and Mental Health</i> , 2020, 24, 1781-1788.	1.5	1
12	Adapting the UCLA 3-item loneliness scale for community-based depressive symptoms screening interview among older Chinese: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e041921.	0.8	50
13	Risk of self-harm after the diagnosis of psychiatric disorders in Hong Kong, 2000-2010: a nested case-control study. <i>Lancet Psychiatry</i> , 2020, 7, 135-147.	3.7	40
14	Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 610-619.	2.3	38
15	ATUS Well-Being Module. , 2019, , 1-2.		0
16	Bone mineral density from early to middle adulthood in persons with Down syndrome. <i>Journal of Intellectual Disability Research</i> , 2019, 63, 936-946.	1.2	11
17	THE ROLE OF SENSE OF COMMUNITY IN CHANGING THE HEALTH-PROMOTING EFFECT OF BUILT ENVIRONMENT: A COMMUNITY SURVEY. <i>Innovation in Aging</i> , 2019, 3, S278-S279.	0.0	0
18	SURVIVAL OF PEOPLE WITH CLINICAL DIAGNOSIS OF DEMENTIA IN HONG KONG: A POPULATION-BASED STUDY. <i>Innovation in Aging</i> , 2019, 3, S586-S587.	0.0	1

#	ARTICLE	IF	CITATIONS
19	DIRECTIONALITY BETWEEN COGNITION AND DEPRESSIVE SYMPTOMS: A LONGITUDINAL CROSS-LAGGED PANEL ANALYSIS. <i>Innovation in Aging</i> , 2019, 3, S166-S166.	0.0	0
20	OUP accepted manuscript. <i>Gerontologist</i> , The, 2019, 59, 549-558.	2.3	18
21	Everyday cognitive functioning and global cognitive performance are differentially associated with physical frailty and chronological age in older Chinese men and women. <i>Aging and Mental Health</i> , 2018, 22, 942-947.	1.5	17
22	Spontaneously Reported Symptoms by Informants Are Associated with Clinical Severity in Dementia Help-seekers. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1946-1952.	1.3	4
23	Implementation of respiratory protection measures: Visitors of residential care homes for the elderly. <i>American Journal of Infection Control</i> , 2017, 45, 197-199.	1.1	6
24	Evaluation on the implementation of respiratory protection measures in old age homes. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1429-1438.	1.3	3
25	Neuropsychological Profile and Dementia Symptom Recognition in Help-seekers in a Community Early-Detection Program in Hong Kong. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 584-589.	1.3	11
26	Validating a Cantonese short version of the Zarit Burden Interview (CZBI-Short) for dementia caregivers. <i>Aging and Mental Health</i> , 2016, 20, 996-1001.	1.5	28
27	Social support as a predictor of diet and exercise self-efficacy in patients with coronary artery disease. <i>Contemporary Nurse</i> , 2015, 51, 188-199.	0.4	21
28	The Effect of Depressive Symptoms and Antidepressant Use on Subsequent Physical Decline and Number of Hospitalizations in Nursing Home Residents: A 9-Year Longitudinal Study. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1048-1054.	1.2	16
29	Predicting Adverse Health Outcomes in Nursing Homes: A 9-Year Longitudinal Study and Development of the FRAIL-Minimum Data Set (MDS) Quick Screening Tool. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1042-1047.	1.2	60
30	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong Chinese: the JCEP study. <i>Microbial Biotechnology</i> , 2015, 9, 118-125.	0.9	31
31	Early intervention versus standard care for psychosis in Hong Kong: a 10-year study. <i>Hong Kong Medical Journal</i> , 2015, 21 Suppl 2, 19-22.	0.1	0
32	Three-year community case management for early psychosis: a randomised controlled study. <i>Hong Kong Medical Journal</i> , 2015, 21 Suppl 2, 23-6.	0.1	4
33	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014, 8, 261-268.	0.9	38
34	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014, 220, 834-839.	1.7	25
35	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. <i>Psychiatry Research</i> , 2014, 216, 177-184.	1.7	12
36	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. <i>Schizophrenia Research</i> , 2014, 153, 1-8.	1.1	53

#	ARTICLE	IF	CITATIONS
37	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1819-1828.	1.6	13
38	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1687-1695.	1.6	4
39	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 150, 297-302.	1.1	24
40	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. <i>Psychiatry Research</i> , 2013, 209, 353-360.	1.7	54
41	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. <i>Psychological Medicine</i> , 2013, 43, 1883-1893.	2.7	56
42	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 100-108.	1.3	84
43	Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. <i>Psychiatry Research</i> , 2012, 198, 360-365.	1.7	50
44	Poster #192 RELATIONSHIP OF PREMORBID FUNCTIONING WITH NEGATIVE SYMPTOMS AND COGNITION IN FIRST-EPISEODE SCHIZOPHRENIA: A THREE-YEAR PROSPECTIVE FOLLOW-UP STUDY. <i>Schizophrenia Research</i> , 2012, 136, S160.	1.1	0
45	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2012, 5, 68-72.	0.9	12
46	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: A validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. <i>Schizophrenia Research</i> , 2012, 135, 158-163.	1.1	27
47	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: A 3-year follow-up study. <i>Schizophrenia Research</i> , 2012, 137, 118-123.	1.1	7
48	Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 199-205.	1.3	42
49	Random Number Generation Deficit in Early Schizophrenia. <i>Perceptual and Motor Skills</i> , 2011, 112, 91-103.	0.6	10
50	Executive function in first-episode schizophrenia: A three-year longitudinal study of an ecologically valid test. <i>Schizophrenia Research</i> , 2011, 126, 87-92.	1.1	30
51	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2011, 133, 22-28.	1.1	109
52	Perceptions of relapse risks following first-episode psychosis and attitudes towards maintenance medication: a comparison between nursing and social work professionals. <i>Microbial Biotechnology</i> , 2011, 5, 324-334.	0.9	2
53	Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. <i>Microbial Biotechnology</i> , 2011, 5, 315-323.	0.9	64
54	Early intervention for psychosis in Hong Kong – the EASY programme. <i>Microbial Biotechnology</i> , 2010, 4, 214-219.	0.9	62

#	ARTICLE	IF	CITATIONS
55	Naming psychosis: the Hong Kong experience. <i>Microbial Biotechnology</i> , 2010, 4, 270-274.	0.9	21
56	RELATIONSHIP OF NEUROCOGNITIVE FUNCTION AND IMPAIRMENT OF INSIGHT IN FIRST EPISODE SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 209.	1.1	0
57	GAME THEORETICAL APPROACH TO THEORY OF MIND DEFICITS IN SCHIZOPHRENIC PATIENTS WITH DELUSION(S) OF REFERENCE. <i>Schizophrenia Research</i> , 2010, 117, 286.	1.1	2
58	IMPACT OF INITIAL HOSPITALIZATION ON 3-YEAR OUTCOME IN PATIENTS WITH FIRST EPISODE PSYCHOSIS IN HONG KONG. <i>Schizophrenia Research</i> , 2010, 117, 408.	1.1	0
59	DELUSIONS OF REFERENCE, EXCESSIVE TOP-DOWN PROCESSING, AND DEFAULT MODE NETWORK IN FIRST-EPISODE SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 491.	1.1	1
60	CLINICAL AND COGNITIVE CORRELATES OF PERCEIVED EXTENT OF RECOVERY IN CHINESE PATIENTS WITH PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 516.	1.1	0
61	Phenotyping psychosis: Room for neurocomputational and content-dependent cognitive endophenotypes?. <i>Cognitive Neuropsychiatry</i> , 2009, 14, 451-472.	0.7	6