

Keisuke Goto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4390038/publications.pdf>

Version: 2024-02-01

37
papers

504
citations

840776

11
h-index

677142

22
g-index

37
all docs

37
docs citations

37
times ranked

653
citing authors

#	ARTICLE	IF	CITATIONS
1	Sweat-gland carcinoma with neuroendocrine differentiation (SCAND): a clinicopathologic study of 13 cases with genetic analysis. <i>Modern Pathology</i> , 2022, 35, 33-43.	5.5	10
2	RASGRF1-rearranged Cutaneous Melanocytic Neoplasms With Spitzoid Cytomorphology. <i>American Journal of Surgical Pathology</i> , 2022, 46, 655-663.	3.7	8
3	Coexistence of BRAF V600E-mutated malignant melanoma and BRAF V600E-mutated Langerhans cell histiocytosis: A case report. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 393-398.	1.3	1
4	Trichilemmal cysts with proteinaceous material: A potential diagnostic pitfall. <i>Journal of Cutaneous Pathology</i> , 2022, , .	1.3	0
5	A Case of Apocrine Carcinoma Arising in a Sebaceous Naevus: Detection of HRAS G13R Mutation. <i>Acta Dermato-Venereologica</i> , 2022, 102, adv00697.	1.3	0
6	Categorization of cutaneous epithelioid angiomatous nodule as epithelioid hemangioma or angiolymphoid hyperplasia with eosinophilia: Clinicopathologic, immunohistochemical, and molecular analyses of seven lesions. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 765-771.	1.3	4
7	Large Cell Neuroendocrine Carcinoma of the Skin/Conjunctiva: A Series of 6 Cases including 1 Combined Case With Squamous Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 2022, Publish Ahead of Print, .	0.6	0
8	Nuclear β -catenin immunoexpression in scars. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 18-23.	1.3	4
9	Limited immunoexpression of fibroblast growth factor receptor 2 (FGFR2) in digital papillary adenocarcinoma: Comparison of FGFR2 immunohistochemistry between digital papillary adenocarcinoma, other sweat gland tumors and normal skin tissue. <i>Journal of Dermatology</i> , 2021, 48, e86-e87.	1.2	1
10	A case of Muir-Torre syndrome with a keratoacanthoma and sebaceous neoplasms: Clinicopathological features and a speculation on the pathogenesis of cutaneous tumor type. <i>Journal of Dermatology</i> , 2021, 48, 690-694.	1.2	2
11	Combined Merkel cell carcinoma and sebaceous carcinoma in the eyelid with cervical lymph node metastasis of both components. <i>Journal of Dermatology</i> , 2021, 48, e175-e177.	1.2	2
12	Comparison of Immunohistochemical Expression of Cytokeratin 19, c-KIT, BerEP4, GATA3, and NUTM1 Between Porocarcinoma and Squamous Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 2021, 43, 781-787.	0.6	5
13	GOPC-ROS1 mosaicism in agminated Spitz naevi: report of two cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 559-564.	2.8	7
14	Spitz nevus with a novel TFGNTRK2 fusion: The first case report of rearranged Spitz/Reed nevus. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1193-1196.	1.3	13
15	Cytoplasmic expression of PMS2 (clone EP51), PRAME, and STAT6 (clone YE361) as a potential immunohistochemical finding for detection of sebocyte differentiation. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 1324-1327.	1.3	3
16	Large Plaque-type Blue Nevus with GNAQ Q209P Mutation, Involving Mammary Gland Tissue: Under-Recognized Mammary Condition as an Origin of Primary Mammary Melanocytic Tumors. <i>American Journal of Dermatopathology</i> , 2021, 43, e248-e253.	0.6	4
17	Signet-ring cell/histiocytoid carcinoma of the axilla: a clinicopathological and genetic analysis of 11 cases, review of the literature, and comparison with potentially related tumours. <i>Histopathology</i> , 2021, 79, 926-939.	2.9	4
18	MYB Translocations in Both Myoepithelial and Ductoglandular Epithelial Cells in Adenoid Cystic Carcinoma: A Histopathologic and Genetic Reappraisal in Six Primary Cutaneous Cases. <i>American Journal of Dermatopathology</i> , 2021, 43, 278-283.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Novel three-way complex rearrangement of <i>TRPM1</i> and <i>PUM1</i> and <i>LCK</i> in a case of agminated Spitz nevi arising in a giant congenital hyperpigmented macule. <i>Pigment Cell and Melanoma Research</i> , 2020, 33, 767-772.	3.3	15
20	Re-evaluation of "Polymorphous Sweat Gland Carcinoma". <i>American Journal of Dermatopathology</i> , 2019, 41, 695-697.	0.6	0
21	Case of low-grade neuroendocrine carcinoma of the skin presenting metastases to lymph nodes and peritoneum. <i>Journal of Dermatology</i> , 2019, 46, 720-723.	1.2	7
22	Secretory Carcinoma of the Skin. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1092-1098.	3.7	30
23	Reappraisal of the Confusing Concept "Trichogerminoma" and the Ill-Defined Finding "Cell Balls": Clinicopathologic Analysis of 6 Cases of Trichogerminoma and Comparison With 2 Cases of Basal Cell Carcinoma With "Cell Ball"-Like Features. <i>American Journal of Dermatopathology</i> , 2018, 40, 543-546.	0.6	2
24	Low-Grade Neuroendocrine Carcinoma of the Skin (Primary Cutaneous Carcinoid Tumor) as a Distinctive Entity of Cutaneous Neuroendocrine Tumors: A Clinicopathologic Study of 3 Cases With Literature Review. <i>American Journal of Dermatopathology</i> , 2017, 39, 250-258.	0.6	20
25	Carcinoid-Like/Labyrinthine Pattern in Sebaceous Neoplasms Represents a Sebaceous Mantle Phenotype: Immunohistochemical Analysis of Aberrant Vimentin Expression and Cytokeratin 20-Positive Merkel Cell Distribution. <i>American Journal of Dermatopathology</i> , 2017, 39, 803-810.	0.6	7
26	Similarity between non-neural granular cell tumors and granular cell fibrous papules. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 726-726.	1.3	2
27	Under-recognized immunoexpression of "neuroendocrine markers" and "myoepithelial markers" in basal cell carcinomas: Does it indicate true neuroendocrine and myoepithelial differentiation?. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 991-993.	1.3	8
28	<i>PIK3CA</i> and <i>AKT1</i> mutations in hidradenoma papilliferum. <i>Journal of Clinical Pathology</i> , 2017, 70, 424-427.	2.0	20
29	CIC-rearranged Sarcomas. <i>American Journal of Surgical Pathology</i> , 2016, 40, 313-323.	3.7	146
30	Hydrophilic polymer microembolism with cutaneous involvement observed incidentally in a patient undergoing endovascular procedures: a case report. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 632-634.	1.3	11
31	A case report of CIC-rearranged undifferentiated small round cell sarcoma in the cerebrum. <i>Diagnostic Cytopathology</i> , 2016, 44, 828-832.	1.0	17
32	Sebaceous mantleoma (mantle adenoma): reappraisal of the myth of the problematic benign neoplasm with sebaceous mantle differentiation. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1050-1055.	1.3	5
33	The role of <i>DOG1</i> immunohistochemistry in dermatopathology. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 974-983.	1.3	7
34	<i>CD117</i> (<i>KIT</i>) is a useful immunohistochemical marker for differentiating porocarcinoma from squamous cell carcinoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 219-226.	1.3	32
35	<i>CD138</i> Expression Is Observed in the Urothelial Epithelium and in Various Urothelial Carcinomas, and Cannot Be Evidence for Plasmacytoid Urothelial Carcinoma. <i>International Journal of Surgical Pathology</i> , 2016, 24, 614-619.	0.8	17
36	Lanthanum Deposition Is Frequently Observed in the Gastric Mucosa of Dialysis Patients With Lanthanum Carbonate Therapy. <i>International Journal of Surgical Pathology</i> , 2016, 24, 89-92.	0.8	60

#	ARTICLE	IF	CITATIONS
37	Immunohistochemistry for CD117 (KIT) is effective in distinguishing cutaneous adnexal tumors with apocrine/eccrine or sebaceous differentiation from other epithelial tumors of the skin. Journal of Cutaneous Pathology, 2015, 42, 480-488.	1.3	24