

Himan Shahabi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/43908/himan-shahabi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

9,365
citations

61
h-index

93
g-index

164
ext. papers

12,089
ext. citations

4.1
avg, IF

6.92
L-index

#	Paper	IF	Citations
154	Landslide susceptibility modeling based on remote sensing data and data mining techniques. <i>Environmental Earth Sciences</i> , 2022 , 81, 1	2.9	1
153	A comparison study on the quantitative statistical methods for spatial prediction of shallow landslides (case study: Yozidar-Degaga Route in Kurdistan Province, Iran). <i>Environmental Earth Sciences</i> , 2022 , 81, 1	2.9	2
152	A hybrid ensemble-based deep-learning framework for landslide susceptibility mapping. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2022 , 108, 102713	7.3	5
151	Swarm intelligence optimization of the group method of data handling using the cuckoo search and whale optimization algorithms to model and predict landslides. <i>Applied Soft Computing Journal</i> , 2022 , 116, 108254	7.5	4
150	A Robust Deep-Learning Model for Landslide Susceptibility Mapping: A Case Study of Kurdistan Province, Iran.. <i>Sensors</i> , 2022 , 22,	3.8	4
149	GIS-Based Three-Dimensional SPH Simulation for the 11 April 2018 Yabakei Landslide at Oita Nakatsu, Japan. <i>Water (Switzerland)</i> , 2021 , 13, 3012	3	4
148	A Comparative Study of Deep Learning and Conventional Neural Network for Evaluating Landslide Susceptibility Using Landslide Initiation Zones. <i>ICL Contribution To Landslide Disaster Risk Reduction</i> , 2021 , 215-223		4
147	Performance Evaluation of Sentinel-2 and Landsat 8 OLI Data for Land Cover/Use Classification Using a Comparison between Machine Learning Algorithms. <i>Remote Sensing</i> , 2021 , 13, 1349	5	14
146	Flash flood susceptibility mapping using a novel deep learning model based on deep belief network, back propagation and genetic algorithm. <i>Geoscience Frontiers</i> , 2021 , 12, 101100	6	27
145	Deep learning neural networks for spatially explicit prediction of flash flood probability. <i>Geoscience Frontiers</i> , 2021 , 12, 101076	6	22
144	Assessment of DSM Based on Radiometric Transformation of UAV Data. <i>Sensors</i> , 2021 , 21,	3.8	6
143	The performance quality of LR, SVM, and RF for earthquake-induced landslides susceptibility mapping incorporating remote sensing imagery. <i>Arabian Journal of Geosciences</i> , 2021 , 14, 1	1.8	11
142	Sentinel-1 remote sensing data and Hydrologic Engineering Centres River Analysis System two-dimensional integration for flash flood detection and modelling in New Cairo City, Egypt. <i>Journal of Flood Risk Management</i> , 2021 , 14, e12692	3.1	7
141	Multi-agent coverage control for enhanced geohazard monitoring: a brief review. <i>Control Theory and Technology</i> , 2021 , 19, 418-420	1	0
140	A Multi-Sensor Comparative Analysis on the Suitability of Generated DEM from Sentinel-1 SAR Interferometry Using Statistical and Hydrological Models. <i>Sensors</i> , 2020 , 20,	3.8	7
139	Performance Evaluation and Comparison of Bivariate Statistical-Based Artificial Intelligence Algorithms for Spatial Prediction of Landslides. <i>ISPRS International Journal of Geo-Information</i> , 2020 , 9, 696	2.9	4
138	Detection of Cover Collapse Doline and Other Epikarst Features by Multiple Geophysical Techniques, Case Study of Tarimba Cave, Brazil. <i>Water (Switzerland)</i> , 2020 , 12, 2835	3	2

137	Google Earth Engine for the Detection of Soiling on Photovoltaic Solar Panels in Arid Environments. <i>Remote Sensing</i> , 2020 , 12, 1466	5	8
136	Machine learning methods for landslide susceptibility studies: A comparative overview of algorithm performance. <i>Earth-Science Reviews</i> , 2020 , 207, 103225	10.2	162
135	Monitoring and Assessment of Water Level Fluctuations of the Lake Urmia and Its Environmental Consequences Using Multitemporal Landsat 7 ETM Images. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	17
134	Prediction of slope failure in open-pit mines using a novel hybrid artificial intelligence model based on decision tree and evolution algorithm. <i>Scientific Reports</i> , 2020 , 10, 9939	4.9	47
133	GIS-Based Gully Erosion Susceptibility Mapping: A Comparison of Computational Ensemble Data Mining Models. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 2039	2.6	44
132	Hybrid Computational Intelligence Methods for Landslide Susceptibility Mapping. <i>Symmetry</i> , 2020 , 12, 325	2.7	39
131	Mapping the susceptibility to landslides based on the deep belief network: a case study in Sichuan Province, China. <i>Natural Hazards</i> , 2020 , 103, 3239-3261	3	19
130	Hybridized neural fuzzy ensembles for dust source modeling and prediction. <i>Atmospheric Environment</i> , 2020 , 224, 117320	5.3	28
129	Different sampling strategies for predicting landslide susceptibilities are deemed less consequential with deep learning. <i>Science of the Total Environment</i> , 2020 , 720, 137320	10.2	75
128	Spatial Proximity-Based Geographically Weighted Regression Model for Landslide Susceptibility Assessment: A Case Study of Qingchuan Area, China. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1107	2.6	28
127	A Hybrid Intelligence Approach to Enhance the Prediction Accuracy of Local Scour Depth at Complex Bridge Piers. <i>Sustainability</i> , 2020 , 12, 1063	3.6	13
126	Evaluating the usage of tree-based ensemble methods in groundwater spring potential mapping. <i>Journal of Hydrology</i> , 2020 , 583, 124602	6	68
125	Flood Detection and Susceptibility Mapping Using Sentinel-1 Remote Sensing Data and a Machine Learning Approach: Hybrid Intelligence of Bagging Ensemble Based on K-Nearest Neighbor Classifier. <i>Remote Sensing</i> , 2020 , 12, 266	5	96
124	Mapping of Groundwater Spring Potential in Karst Aquifer System Using Novel Ensemble Bivariate and Multivariate Models. <i>Water (Switzerland)</i> , 2020 , 12, 985	3	30
123	Shallow Landslide Susceptibility Mapping by Random Forest Base Classifier and Its Ensembles in a Semi-Arid Region of Iran. <i>Forests</i> , 2020 , 11, 421	2.8	53
122	Modeling flood susceptibility using data-driven approaches of naïve Bayes tree, alternating decision tree, and random forest methods. <i>Science of the Total Environment</i> , 2020 , 701, 134979	10.2	146
121	Groundwater Spring Potential Mapping Using Artificial Intelligence Approach Based on Kernel Logistic Regression, Random Forest, and Alternating Decision Tree Models. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 425	2.6	50
120	Assessing sustainable development prospects through remote sensing: A review. <i>Remote Sensing Applications: Society and Environment</i> , 2020 , 20, 100402	2.8	12

119	Flood Detection and Susceptibility Mapping Using Sentinel-1 Time Series, Alternating Decision Trees, and Bag-ADTree Models. <i>Complexity</i> , 2020 , 2020, 1-21	1.6	11
118	Landslide Detection and Susceptibility Modeling on Cameron Highlands (Malaysia): A Comparison between Random Forest, Logistic Regression and Logistic Model Tree Algorithms. <i>Forests</i> , 2020 , 11, 830 ^{2.8}	2.8	29
117	Soil erosion potential hotspot zone identification using machine learning and statistical approaches in eastern India. <i>Natural Hazards</i> , 2020 , 104, 1259-1294	3	43
116	Towards an Ensemble Machine Learning Model of Random Subspace Based Functional Tree Classifier for Snow Avalanche Susceptibility Mapping. <i>IEEE Access</i> , 2020 , 8, 145968-145983	3.5	21
115	Landslide Susceptibility Mapping Using Machine Learning Algorithms and Remote Sensing Data in a Tropical Environment. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	46
114	Coupling RBF neural network with ensemble learning techniques for landslide susceptibility mapping. <i>Catena</i> , 2020 , 195, 104805	5.8	42
113	Assessing subsidence susceptibility to coal mining using frequency ratio, statistical index and Mamdani fuzzy models: evidence from Raniganj coalfield, India. <i>Environmental Earth Sciences</i> , 2020 , 79, 1	2.9	5
112	Modeling the progressive entrainment of bed sediment by viscous debris flows using the three-dimensional SC-HBP-SPH method. <i>Water Research</i> , 2020 , 182, 116031	12.5	14
111	Daily Water Level Prediction of Zrebar Lake (Iran): A Comparison between MSP, Random Forest, Random Tree and Reduced Error Pruning Trees Algorithms. <i>ISPRS International Journal of Geo-Information</i> , 2020 , 9, 479	2.9	10
110	A novel ensemble learning based on Bayesian Belief Network coupled with an extreme learning machine for flash flood susceptibility mapping. <i>Engineering Applications of Artificial Intelligence</i> , 2020 , 96, 103971	7.2	11
109	The Potential Use of Geophysical Methods to Identify Cavities, Sinkholes and Pathways for Water Infiltration. <i>Water (Switzerland)</i> , 2020 , 12, 2289	3	9
108	Comparison of Support Vector Machine, Bayesian Logistic Regression, and Alternating Decision Tree Algorithms for Shallow Landslide Susceptibility Mapping along a Mountainous Road in the West of Iran. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5047	2.6	25
107	GIS-Based Machine Learning Algorithms for Gully Erosion Susceptibility Mapping in a Semi-Arid Region of Iran. <i>Remote Sensing</i> , 2020 , 12, 2478	5	41
106	An entropic model for the rock water absorption process. <i>Stochastic Environmental Research and Risk Assessment</i> , 2020 , 34, 1871-1886	3.5	2
105	A New Hybrid Firefly-PSO Optimized Random Subspace Tree Intelligence for Torrential Rainfall-Induced Flash Flood Susceptible Mapping. <i>Remote Sensing</i> , 2020 , 12, 2688	5	20
104	A novel hybrid approach of landslide susceptibility modelling using rotation forest ensemble and different base classifiers. <i>Geocarto International</i> , 2020 , 35, 1267-1292	2.7	79
103	Improved landslide assessment using support vector machine with bagging, boosting, and stacking ensemble machine learning framework in a mountainous watershed, Japan. <i>Landslides</i> , 2020 , 17, 641-658 ^{6.6}	6.6	125
102	Shallow Landslide Susceptibility Mapping: A Comparison between Logistic Model Tree, Logistic Regression, Naïve Bayes Tree, Artificial Neural Network, and Support Vector Machine Algorithms. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	73

101	New Ensemble Models for Shallow Landslide Susceptibility Modeling in a Semi-Arid Watershed. <i>Forests</i> , 2019 , 10, 743	2.8	60
100	SEVUCAS: A Novel GIS-Based Machine Learning Software for Seismic Vulnerability Assessment. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3495	2.6	31
99	Landslide Susceptibility Assessment by Novel Hybrid Machine Learning Algorithms. <i>Sustainability</i> , 2019 , 11, 4386	3.6	87
98	Spatial Prediction of Landslide Susceptibility Using GIS-Based Data Mining Techniques of ANFIS with Whale Optimization Algorithm (WOA) and Grey Wolf Optimizer (GWO). <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3755	2.6	89
97	Evaluating Water Level Changes at Different Tidal Phases Using UAV Photogrammetry and GNSS Vertical Data. <i>Sensors</i> , 2019 , 19,	3.8	13
96	Exploring Renewable Energy Resources Using Remote Sensing and GIS. <i>Resources</i> , 2019 , 8, 149	3.7	31
95	Landslide spatial modelling using novel bivariate statistical based Naïve Bayes, RBF Classifier, and RBF Network machine learning algorithms. <i>Science of the Total Environment</i> , 2019 , 663, 1-15	10.2	112
94	Assessment of advanced random forest and decision tree algorithms for modeling rainfall-induced landslide susceptibility in the Izu-Oshima Volcanic Island, Japan. <i>Science of the Total Environment</i> , 2019 , 662, 332-346	10.2	226
93	Improved Bathymetric Mapping of Coastal and Lake Environments Using Sentinel-2 and Landsat-8 Images. <i>Sensors</i> , 2019 , 19,	3.8	34
92	Coastal Wetland Mapping with Sentinel-2 MSI Imagery Based on Gravitational Optimized Multilayer Perceptron and Morphological Attribute Profiles. <i>Remote Sensing</i> , 2019 , 11, 952	5	10
91	SWPT: An automated GIS-based tool for prioritization of sub-watersheds based on morphometric and topo-hydrological factors. <i>Geoscience Frontiers</i> , 2019 , 10, 2167-2175	6	38
90	An Expression for Velocity Lag in Sediment-Laden Open-Channel Flows Based on Tsallis Entropy Together with the Principle of Maximum Entropy. <i>Entropy</i> , 2019 , 21,	2.8	4
89	A Novel Ensemble Artificial Intelligence Approach for Gully Erosion Mapping in a Semi-Arid Watershed (Iran). <i>Sensors</i> , 2019 , 19,	3.8	60
88	Flood susceptibility modelling using novel hybrid approach of reduced-error pruning trees with bagging and random subspace ensembles. <i>Journal of Hydrology</i> , 2019 , 575, 864-873	6	120
87	GIS Multi-Criteria Analysis by Ordered Weighted Averaging (OWA): Toward an Integrated Citrus Management Strategy. <i>Sustainability</i> , 2019 , 11, 1009	3.6	39
86	Shallow Landslide Prediction Using a Novel Hybrid Functional Machine Learning Algorithm. <i>Remote Sensing</i> , 2019 , 11, 931	5	58
85	Evaluating GIS-Based Multiple Statistical Models and Data Mining for Earthquake and Rainfall-Induced Landslide Susceptibility Using the LiDAR DEM. <i>Remote Sensing</i> , 2019 , 11, 638	5	79
84	Uncertainties of prediction accuracy in shallow landslide modeling: Sample size and raster resolution. <i>Catena</i> , 2019 , 178, 172-188	5.8	62

83	Spatial prediction of landslide susceptibility by combining evidential belief function, logistic regression and logistic model tree. <i>Geocarto International</i> , 2019 , 34, 1177-1201	2.7	63
82	A comparative assessment of flood susceptibility modeling using Multi-Criteria Decision-Making Analysis and Machine Learning Methods. <i>Journal of Hydrology</i> , 2019 , 573, 311-323	6	228
81	Novel Hybrid Integration Approach of Bagging-Based Fisher's Linear Discriminant Function for Groundwater Potential Analysis. <i>Natural Resources Research</i> , 2019 , 28, 1239-1258	4.9	77
80	Hybrid Machine Learning Approaches for Landslide Susceptibility Modeling. <i>Forests</i> , 2019 , 10, 157	2.8	91
79	Big data in Geohazard; pattern mining and large scale analysis of landslides in Iran. <i>Earth Science Informatics</i> , 2019 , 12, 1-17	2.5	33
78	A novel hybrid approach of Bayesian Logistic Regression and its ensembles for landslide susceptibility assessment. <i>Geocarto International</i> , 2019 , 34, 1427-1457	2.7	79
77	Flood susceptibility assessment using integration of adaptive network-based fuzzy inference system (ANFIS) and biogeography-based optimization (BBO) and BAT algorithms (BA). <i>Geocarto International</i> , 2019 , 34, 1252-1272	2.7	124
76	Evaluating scale effects of topographic variables in landslide susceptibility models using GIS-based machine learning techniques. <i>Scientific Reports</i> , 2019 , 9, 12296	4.9	80
75	Development of a Novel Hybrid Intelligence Approach for Landslide Spatial Prediction. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2824	2.6	45
74	Evaluation of the Role of Environmental Education in Manesht and Ghelarang Geotourism Destination, Iran. <i>Journal of Quality Assurance in Hospitality and Tourism</i> , 2019 , 20, 681-708	2	6
73	Flood Spatial Modeling in Northern Iran Using Remote Sensing and GIS: A Comparison between Evidential Belief Functions and Its Ensemble with a Multivariate Logistic Regression Model. <i>Remote Sensing</i> , 2019 , 11, 1589	5	82
72	Torrential rainfall-triggered shallow landslide characteristics and susceptibility assessment using ensemble data-driven models in the Dongjiang Reservoir Watershed, China. <i>Natural Hazards</i> , 2019 , 97, 579-609	3	35
71	Predicting uncertainty of machine learning models for modelling nitrate pollution of groundwater using quantile regression and UNEEC methods. <i>Science of the Total Environment</i> , 2019 , 688, 855-866	10.2	89
70	A Comparative Study of PSO-ANN, GA-ANN, ICA-ANN, and ABC-ANN in Estimating the Heating Load of Buildings Energy Efficiency for Smart City Planning. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2630	2.6	119
69	Flood susceptibility mapping in Dingnan County (China) using adaptive neuro-fuzzy inference system with biogeography based optimization and imperialistic competitive algorithm. <i>Journal of Environmental Management</i> , 2019 , 247, 712-729	7.9	110
68	Estimating the Heating Load of Buildings for Smart City Planning Using a Novel Artificial Intelligence Technique PSO-XGBoost. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2714	2.6	49
67	A Hybrid Computational Intelligence Approach to Groundwater Spring Potential Mapping. <i>Water (Switzerland)</i> , 2019 , 11, 2013	3	45
66	Flood susceptibility mapping at Ningdu catchment, China using bivariate and data mining techniques 2019 , 419-434		10

65	LAND COVER MAPPING USING A NOVEL COMBINATION MODEL OF SATELLITE IMAGERIES: CASE STUDY OF A PART OF THE CAMERON HIGHLANDS, PAHANG, MALAYSIA. <i>Applied Ecology and Environmental Research</i> , 2019 , 17, 1835-1848	1.9	8
64	LAND COVER CHANGE MAPPING USING A COMBINATION OF SENTINEL-1 DATA AND MULTISPECTRAL SATELLITE IMAGERY: A CASE STUDY OF SANANDAJ COUNTY, KURDISTAN, IRAN. <i>Applied Ecology and Environmental Research</i> , 2019 , 17,	1.9	4
63	Development of an Artificial Intelligence Approach for Prediction of Consolidation Coefficient of Soft Soil: A Sensitivity Analysis. <i>Open Construction and Building Technology Journal</i> , 2019 , 13, 178-188	1.1	28
62	Effects of drought on vegetative cover changes: Investigating spatiotemporal patterns 2019 , 213-222		2
61	Applying population-based evolutionary algorithms and a neuro-fuzzy system for modeling landslide susceptibility. <i>Catena</i> , 2019 , 172, 212-231	5.8	162
60	Mapping Groundwater Potential Using a Novel Hybrid Intelligence Approach. <i>Water Resources Management</i> , 2019 , 33, 281-302	3.7	97
59	Landslide susceptibility modeling using Reduced Error Pruning Trees and different ensemble techniques: Hybrid machine learning approaches. <i>Catena</i> , 2019 , 175, 203-218	5.8	157
58	Novel hybrid artificial intelligence approach of bivariate statistical-methods-based kernel logistic regression classifier for landslide susceptibility modeling. <i>Bulletin of Engineering Geology and the Environment</i> , 2019 , 78, 4397-4419	4	87
57	Modelling gully-erosion susceptibility in a semi-arid region, Iran: Investigation of applicability of certainty factor and maximum entropy models. <i>Science of the Total Environment</i> , 2019 , 655, 684-696	10.2	103
56	Landslide susceptibility assessment at the Wuning area, China: a comparison between multi-criteria decision making, bivariate statistical and machine learning methods. <i>Natural Hazards</i> , 2019 , 96, 173-212 ³		63
55	Sinkhole susceptibility mapping: A comparison between Bayes-based machine learning algorithms. <i>Land Degradation and Development</i> , 2019 , 30, 730-745	4.4	44
54	Meta optimization of an adaptive neuro-fuzzy inference system with grey wolf optimizer and biogeography-based optimization algorithms for spatial prediction of landslide susceptibility. <i>Catena</i> , 2019 , 175, 430-445	5.8	143
53	Hybrid artificial intelligence models based on a neuro-fuzzy system and metaheuristic optimization algorithms for spatial prediction of wildfire probability. <i>Agricultural and Forest Meteorology</i> , 2019 , 266-267, 198-207	5.8	123
52	GIS-based landslide susceptibility evaluation using a novel hybrid integration approach of bivariate statistical based random forest method. <i>Catena</i> , 2018 , 164, 135-149	5.8	152
51	Landslide susceptibility modelling using GIS-based machine learning techniques for Chongren County, Jiangxi Province, China. <i>Science of the Total Environment</i> , 2018 , 626, 1121-1135	10.2	191
50	Novel forecasting approaches using combination of machine learning and statistical models for flood susceptibility mapping. <i>Journal of Environmental Management</i> , 2018 , 217, 1-11	7.9	147
49	A comparative assessment of decision trees algorithms for flash flood susceptibility modeling at Haraz watershed, northern Iran. <i>Science of the Total Environment</i> , 2018 , 627, 744-755	10.2	326
48	Current status of reclaimed water in China: an overview. <i>Journal of Water Reuse and Desalination</i> , 2018 , 8, 293-307	2.6	42

47	Planning for ecotourism in the protected area of Manesht and Ghelarang, Ilam Province, Iran. <i>Journal of Quality Assurance in Hospitality and Tourism</i> , 2018 , 19, 243-268	2	6
46	A novel ensemble approach of bivariate statistical-based logistic model tree classifier for landslide susceptibility assessment. <i>Geocarto International</i> , 2018 , 33, 1398-1420	2.7	80
45	Evaluation of karst features using principal component analysis (PCA): a case from Zarneh and Kergan, Western Iran. <i>Carbonates and Evaporites</i> , 2018 , 33, 625-635	1.3	5
44	Land Subsidence Susceptibility Mapping in South Korea Using Machine Learning Algorithms. <i>Sensors</i> , 2018 , 18,	3.8	89
43	Performance evaluation of the GIS-based data mining techniques of best-first decision tree, random forest, and naïve Bayes tree for landslide susceptibility modeling. <i>Science of the Total Environment</i> , 2018 , 644, 1006-1018	10.2	206
42	Groundwater spring potential modelling: Comprising the capability and robustness of three different modeling approaches. <i>Journal of Hydrology</i> , 2018 , 565, 248-261	6	96
41	INTEGRATION OF INSAR TECHNIQUE, GOOGLE EARTH IMAGES AND EXTENSIVE FIELD SURVEY FOR LANDSLIDE INVENTORY IN A PART OF CAMERON HIGHLANDS, PAHANG, MALAYSIA. <i>Applied Ecology and Environmental Research</i> , 2018 , 16, 8075-8091	1.9	17
40	Changes in the two-dimensional and perimeter-based fractal dimensions of kaolinite flocs during flocculation: a simple experimental study. <i>Water Science and Technology</i> , 2018 , 77, 861-870	2.2	8
39	Novel GIS Based Machine Learning Algorithms for Shallow Landslide Susceptibility Mapping. <i>Sensors</i> , 2018 , 18,	3.8	100
38	Landslide Susceptibility Modeling Based on GIS and Novel Bagging-Based Kernel Logistic Regression. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 2540	2.6	108
37	Hybrid Integration Approach of Entropy with Logistic Regression and Support Vector Machine for Landslide Susceptibility Modeling. <i>Entropy</i> , 2018 , 20,	2.8	51
36	Multi-Criteria Decision Making (MCDM) Model for Seismic Vulnerability Assessment (SVA) of Urban Residential Buildings. <i>ISPRS International Journal of Geo-Information</i> , 2018 , 7, 444	2.9	29
35	Landslide Detection and Susceptibility Mapping by AIRSAR Data Using Support Vector Machine and Index of Entropy Models in Cameron Highlands, Malaysia. <i>Remote Sensing</i> , 2018 , 10, 1527	5	88
34	Social Vulnerability Assessment Using Artificial Neural Network (ANN) Model for Earthquake Hazard in Tabriz City, Iran. <i>Sustainability</i> , 2018 , 10, 3376	3.6	55
33	A Novel Integrated Approach of Relevance Vector Machine Optimized by Imperialist Competitive Algorithm for Spatial Modeling of Shallow Landslides. <i>Remote Sensing</i> , 2018 , 10, 1538	5	67
32	Novel Hybrid Evolutionary Algorithms for Spatial Prediction of Floods. <i>Scientific Reports</i> , 2018 , 8, 15364	4.9	92
31	New Hybrids of ANFIS with Several Optimization Algorithms for Flood Susceptibility Modeling. <i>Water (Switzerland)</i> , 2018 , 10, 1210	3	120
30	Shallow landslide susceptibility assessment using a novel hybrid intelligence approach. <i>Environmental Earth Sciences</i> , 2017 , 76, 1	2.9	165

29	Rock fall susceptibility assessment along a mountainous road: an evaluation of bivariate statistic, analytical hierarchy process and frequency ratio. <i>Environmental Earth Sciences</i> , 2017 , 76, 1	2.9	48
28	A comparative study between popular statistical and machine learning methods for simulating volume of landslides. <i>Catena</i> , 2017 , 157, 213-226	5.8	77
27	Drought sensitivity mapping using two one-class support vector machine algorithms. <i>Atmospheric Research</i> , 2017 , 193, 73-82	5.4	58
26	A novel hybrid integration model using support vector machines and random subspace for weather-triggered landslide susceptibility assessment in the Wuning area (China). <i>Environmental Earth Sciences</i> , 2017 , 76, 1	2.9	79
25	Handling high predictor dimensionality in slope-unit-based landslide susceptibility models through LASSO-penalized Generalized Linear Model. <i>Environmental Modelling and Software</i> , 2017 , 97, 145-156	5.2	84
24	A novel hybrid artificial intelligence approach based on the rotation forest ensemble and naïve Bayes tree classifiers for a landslide susceptibility assessment in Langao County, China. <i>Geomatics, Natural Hazards and Risk</i> , 2017 , 8, 1955-1977	3.6	127
23	A novel hybrid artificial intelligence approach for flood susceptibility assessment. <i>Environmental Modelling and Software</i> , 2017 , 95, 229-245	5.2	272
22	Applying a Simple Analytical Solution to Modelling Wind-Driven Coastal Upwelling of Two-Layered Fluid at the Head of Tokyo Bay, Japan. <i>Water (Switzerland)</i> , 2017 , 9, 744	3	2
21	Assessment of WLC and Fuzzy Logic Methods for Site Selection of Water Reservoirs in Malaysia. <i>Polish Journal of Environmental Studies</i> , 2016 , 25, 1223-1231	2.3	3
20	Soil Erosion Hazard Mapping in Central Zab Basin Using Epm Model in GIS Environment. <i>International Journal of Geography and Geology</i> , 2016 , 5, 224-235	0.5	8
19	Application of Geographic Information System Technology in Controlling Pipeline Vandalism of Oil and Gas Industry. <i>Research Journal of Information Technology</i> , 2016 , 8, 39-46		0
18	On the Kaolinite Floc Size at the Steady State of Flocculation in a Turbulent Flow. <i>PLoS ONE</i> , 2016 , 11, e0148895	3.7	7
17	Fuzzy Shannon Entropy: A Hybrid GIS-Based Landslide Susceptibility Mapping Method. <i>Entropy</i> , 2016 , 18, 343	2.8	56
16	Shallow and Deep-Seated Landslide Differentiation Using Support Vector Machines: A Case Study of the Chuetsu Area, Japan. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2015 , 26, 227	1.8	48
15	An integrated artificial neural network model for the landslide susceptibility assessment of Osado Island, Japan. <i>Natural Hazards</i> , 2015 , 78, 1749-1776	3	135
14	Automatic detection of sinkhole collapses at finer resolutions using a multi-component remote sensing approach. <i>Natural Hazards</i> , 2015 , 78, 1021-1044	3	11
13	Fractal Dimension of Cohesive Sediment Flocs at Steady State under Seven Shear Flow Conditions. <i>Water (Switzerland)</i> , 2015 , 7, 4385-4408	3	16
12	Optimization of Causative Factors for Landslide Susceptibility Evaluation Using Remote Sensing and GIS Data in Parts of Niigata, Japan. <i>PLoS ONE</i> , 2015 , 10, e0133262	3.7	121

11	Automatic Case-Based Reasoning Approach for Landslide Detection: Integration of Object-Oriented Image Analysis and a Genetic Algorithm. <i>Remote Sensing</i> , 2015 , 7, 4318-4342	5	92
10	Landslide susceptibility mapping using GIS-based statistical models and Remote sensing data in tropical environment. <i>Scientific Reports</i> , 2015 , 5, 9899	4.9	208
9	Remote sensing and GIS-based landslide susceptibility mapping using frequency ratio, logistic regression, and fuzzy logic methods at the central Zab basin, Iran. <i>Environmental Earth Sciences</i> , 2015 , 73, 8647-8668	2.9	102
8	Evaluating Boolean, AHP and WLC methods for the selection of waste landfill sites using GIS and satellite images. <i>Environmental Earth Sciences</i> , 2014 , 71, 4221-4233	2.9	61
7	Landslide susceptibility mapping at central Zab basin, Iran: A comparison between analytical hierarchy process, frequency ratio and logistic regression models. <i>Catena</i> , 2014 , 115, 55-70	5.8	206
6	Application of moderate resolution imaging spectroradiometer snow cover maps in modeling snowmelt runoff process in the central Zab basin, Iran. <i>Journal of Applied Remote Sensing</i> , 2014 , 8, 084699 ¹ ₄	1.4	5
5	Evaluation and comparison of bivariate and multivariate statistical methods for landslide susceptibility mapping (case study: Zab basin). <i>Arabian Journal of Geosciences</i> , 2013 , 6, 3885-3907	1.8	52
4	A Multi-Criteria Evaluation Using the Analytic Hierarchy Process Technique to Analyze Coastal Tourism Sites. <i>APCBEE Procedia</i> , 2013 , 5, 479-485		19
3	Application of Fuzzy Set Theory and SPOT Satellite Images in Site Selection of Public Libraries (Case Study: Saqqez City, Iran). <i>Research Journal of Applied Sciences, Engineering and Technology</i> , 2013 , 6, 1122-1128 ^{0,2}		2
2	Geodiversity evaluation and geoconservation using grid analysis: case study, north of Ilam Province. <i>Applied Geomatics</i> , ¹	2.2	1
1	Towards Robust Smart Data-Driven Soil Erodibility Index Prediction under Different Scenarios. <i>Geocarto International</i> , ¹⁻²⁹	2.7	