

Vaibhav B Patel, Mpharm

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/439129/vaibhav-b-patel-mp Pharm-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

2,971
citations

29
h-index

54
g-index

66
ext. papers

3,531
ext. citations

5.3
avg, IF

5.3
L-index

#	Paper	IF	Citations
58	Proteomic Analysis Suggests Altered Mitochondrial Metabolic Profile Associated With Diabetic Cardiomyopathy.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 791700	5.4	2
57	Exosomes in Cardiovascular Diseases: Pathological Potential of Nano-Messenger. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 767488	5.4	4
56	Commentary: Cell therapy goes subcellular. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.5	
55	Potential role of epicardial adipose tissue in coronary artery endothelial cell dysfunction in type 2 diabetes. <i>FASEB Journal</i> , 2021 , 35, e21878	0.9	2
54	Inside(sight) of tiny communicator: exosome biogenesis, secretion, and uptake. <i>Molecular and Cellular Biochemistry</i> , 2020 , 467, 77-94	4.2	65
53	Low altitude simulation without hypoxia improves left ventricular function after myocardial infarction by reducing ventricular afterload. <i>PLoS ONE</i> , 2019 , 14, e0215814	3.7	5
52	PI3KPathway Inhibition With Doxorubicin Treatment Results in Distinct Biventricular Atrophy and Remodeling With Right Ventricular Dysfunction. <i>Journal of the American Heart Association</i> , 2019 , 8, e010961	6	8
51	Weight loss enhances cardiac energy metabolism and function in heart failure associated with obesity. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1944-1955	6.7	18
50	Perivascular adipose tissue dysfunction aggravates adventitial remodeling in obese mini pigs via NLRP3 inflammasome/IL-1 signaling pathway. <i>Acta Pharmacologica Sinica</i> , 2019 , 40, 46-54	8	20
49	Micro-environment and intracellular metabolism modulation of adipose tissue macrophage polarization in relation to chronic inflammatory diseases. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2993	7.5	9
48	TIMP3 deficiency exacerbates iron overload-mediated cardiomyopathy and liver disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H978-H990	5.2	13
47	Advanced iron-overload cardiomyopathy in a genetic murine model is rescued by resveratrol therapy. <i>Bioscience Reports</i> , 2018 , 38,	4.1	8
46	PI3KRegulated gelsolin activity is a critical determinant of cardiac cytoskeletal remodeling and heart disease. <i>Nature Communications</i> , 2018 , 9, 5390	17.4	34
45	Recombinant Human ACE2 and the Angiotensin 1-7 Axis as Potential New Therapies for Heart Failure. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 943-946	3.8	33
44	Females Are Protected From Iron-Overload Cardiomyopathy Independent of Iron Metabolism: Key Role of Oxidative Stress. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	16
43	Murine recombinant angiotensin-converting enzyme 2 attenuates kidney injury in experimentalAlport syndrome. <i>Kidney International</i> , 2017 , 91, 1347-1361	9.9	33
42	Tissue Inhibitor of Matrix Metalloproteinase-1 Promotes Myocardial Fibrosis by Mediating CD63-Integrin Interaction. <i>Hypertension</i> , 2017 , 69, 1092-1103	8.5	71

41	Epicardial adipose tissue as a metabolic transducer: role in heart failure and coronary artery disease. <i>Heart Failure Reviews</i> , 2017 , 22, 889-902	5	107
40	ACE2 Deficiency Worsens Epicardial Adipose Tissue Inflammation and Cardiac Dysfunction in Response to Diet-Induced Obesity. <i>Diabetes</i> , 2016 , 65, 85-95	0.9	138
39	A Disintegrin and Metalloprotease-17 Regulates Pressure Overload-Induced Myocardial Hypertrophy and Dysfunction Through Proteolytic Processing of Integrin β . <i>Hypertension</i> , 2016 , 68, 937-48	8.5	26
38	ACE2/Ang 1-7 axis: A critical regulator of epicardial adipose tissue inflammation and cardiac dysfunction in obesity. <i>Adipocyte</i> , 2016 , 5, 306-11	3.2	72
37	Response to Comment on Patel et al. ACE2 Deficiency Worsens Epicardial Adipose Tissue Inflammation and Cardiac Dysfunction in Response to Diet-Induced Obesity. <i>Diabetes</i> 2016;65:85-95. <i>Diabetes</i> , 2016 , 65, e3-4	0.9	8
36	Role of the ACE2/Angiotensin 1-7 Axis of the Renin-Angiotensin System in Heart Failure. <i>Circulation Research</i> , 2016 , 118, 1313-26	15.7	478
35	PI3K β s essential for the recovery from Cre/tamoxifen cardiotoxicity and in myocardial insulin signalling but is not required for normal myocardial contractility in the adult heart. <i>Cardiovascular Research</i> , 2015 , 105, 292-303	9.9	13
34	Hydrogen sulfide: an old gas with new cardioprotective effects. <i>Clinical Science</i> , 2015 , 128, 321-3	6.5	8
33	Antagonism of angiotensin 1-7 prevents the therapeutic effects of recombinant human ACE2. <i>Journal of Molecular Medicine</i> , 2015 , 93, 1003-13	5.5	34
32	Iron-overload injury and cardiomyopathy in acquired and genetic models is attenuated by resveratrol therapy. <i>Scientific Reports</i> , 2015 , 5, 18132	4.9	63
31	The Role of Neurohumoral Activation in Cardiac Fibrosis and Heart Failure 2015 , 347-381		
30	Angiotensin II induced proteolytic cleavage of myocardial ACE2 is mediated by TACE/ADAM-17: a positive feedback mechanism in the RAS. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 66, 167-76	5.8	211
29	Angiotensin 1-7 ameliorates diabetic cardiomyopathy and diastolic dysfunction in db/db mice by reducing lipotoxicity and inflammation. <i>Circulation: Heart Failure</i> , 2014 , 7, 327-39	7.6	134
28	Angiotensin 1-7 mediates renoprotection against diabetic nephropathy by reducing oxidative stress, inflammation, and lipotoxicity. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, F812-21	4.3	87
27	Angiotensin-converting enzyme 2 is a critical determinant of angiotensin II-induced loss of vascular smooth muscle cells and adverse vascular remodeling. <i>Hypertension</i> , 2014 , 64, 157-64	8.5	70
26	Heterozygote loss of ACE2 is sufficient to increase the susceptibility to heart disease. <i>Journal of Molecular Medicine</i> , 2014 , 92, 847-58	5.5	28
25	Differential role of TIMP2 and TIMP3 in cardiac hypertrophy, fibrosis, and diastolic dysfunction. <i>Cardiovascular Research</i> , 2014 , 103, 268-80	9.9	77
24	Targeting angiotensin-converting enzyme 2 as a new therapeutic target for cardiovascular diseases. <i>Canadian Journal of Physiology and Pharmacology</i> , 2014 , 92, 558-65	2.4	24

23	Nanosuspension of efavirenz for improved oral bioavailability: formulation optimization, in vitro, in situ and in vivo evaluation. <i>Drug Development and Industrial Pharmacy</i> , 2014 , 40, 80-91	3.6	53
22	Dual loss of PI3K α and PI3K β signaling leads to an age-dependent cardiomyopathy. <i>Journal of Molecular and Cellular Cardiology</i> , 2014 , 77, 155-9	5.8	5
21	Role of angiotensin-converting enzyme 2 (ACE2) in diabetic cardiovascular complications. <i>Clinical Science</i> , 2014 , 126, 471-82	6.5	59
20	Loss of NOX2 (gp91phox) prevents oxidative stress and progression to advanced heart failure. <i>Clinical Science</i> , 2014 , 127, 331-40	6.5	32
19	Doxorubicin mediated cardiotoxicity in rats: protective role of felodipine on cardiac indices. <i>Environmental Toxicology and Pharmacology</i> , 2013 , 36, 787-95	5.8	10
18	Angiotensin-converting enzyme 2 antagonizes angiotensin II-induced pressor response and NADPH oxidase activation in Wistar-Kyoto rats and spontaneously hypertensive rats. <i>Experimental Physiology</i> , 2013 , 98, 109-22	2.4	52
17	The ACE2/Ang (1-7) Pathway in Cardiac Remodeling Due to Pressure Overload 2013 , 127-139		
16	Loss of p47phox subunit enhances susceptibility to biomechanical stress and heart failure because of dysregulation of cortactin and actin filaments. <i>Circulation Research</i> , 2013 , 112, 1542-56	15.7	47
15	Loss of Apelin exacerbates myocardial infarction adverse remodeling and ischemia-reperfusion injury: therapeutic potential of synthetic Apelin analogues. <i>Journal of the American Heart Association</i> , 2013 , 2, e000249	6	142
14	Cardioprotective and antihypertensive effects of <i>Enicostemma littorale</i> Blume extract in fructose-fed rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2012 , 90, 1065-73	2.4	8
13	Tomato lycopene attenuates myocardial infarction induced by isoproterenol: electrocardiographic, biochemical and anti-apoptotic study. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2012 , 2, 345-51	1.4	37
12	Manipulating angiotensin metabolism with angiotensin converting enzyme 2 (ACE2) in heart failure. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2012 , 9, e141-e148		3
11	Cardioprotective effects mediated by angiotensin II type 1 receptor blockade and enhancing angiotensin 1-7 in experimental heart failure in angiotensin-converting enzyme 2-null mice. <i>Hypertension</i> , 2012 , 59, 1195-203	8.5	81
10	Loss of angiotensin-converting enzyme-2 exacerbates diabetic cardiovascular complications and leads to systolic and vascular dysfunction: a critical role of the angiotensin II/AT1 receptor axis. <i>Circulation Research</i> , 2012 , 110, 1322-35	15.7	125
9	Role of ACE2 in diastolic and systolic heart failure. <i>Heart Failure Reviews</i> , 2012 , 17, 683-91	5	50
8	Loss of TIMP3 selectively exacerbates diabetic nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2012 , 303, F1341-52	4.3	34
7	Targeting the ACE2 and Apelin Pathways Are Novel Therapies for Heart Failure: Opportunities and Challenges. <i>Cardiology Research and Practice</i> , 2012 , 2012, 823193	1.9	21
6	Agonist-induced hypertrophy and diastolic dysfunction are associated with selective reduction in glucose oxidation: a metabolic contribution to heart failure with normal ejection fraction. <i>Circulation: Heart Failure</i> , 2012 , 5, 493-503	7.6	104

5	Oreocnide integrifolia (Gaud.) Miq leaf water extract improves metabolic alterations in high fructose fed insulin resistant and hypertensive rats. <i>European Journal of Integrative Medicine</i> , 2010 , 2, 79-87	1.7	7
4	Protective effect of Clerodendron glandulosum extract against experimentally induced metabolic syndrome in rats. <i>Pharmaceutical Biology</i> , 2010 , 48, 1312-9	3.8	13
3	Cardioprotective effect of melatonin against isoproterenol induced myocardial infarction in rats: A biochemical, electrocardiographic and histoarchitectural evaluation. <i>European Journal of Pharmacology</i> , 2010 , 644, 160-8	5.3	152
2	The protective effect of Tinospora cordifolia on various mast cell mediated allergic reactions. <i>Pharmaceutical Biology</i> , 2009 , 47, 1096-1106	3.8	4
1	Antihyperlipidemic potential of a polyherbal preparation on triton WR 1339 (Tyloxapol) induced hyperlipidemia: A comparison with lovastatin. <i>International Journal of Green Pharmacy</i> , 2009 , 3, 119	2	9