

# Hannah L Buckley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4392361/publications.pdf>

Version: 2024-02-01

96  
papers

3,037  
citations

172457

29  
h-index

189892

50  
g-index

104  
all docs

104  
docs citations

104  
times ranked

4677  
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the potential of invertebrate natural enemies of insect pests inhabiting <i>Miscanthus x giganteus</i> shelterbelts in pasture. <i>New Zealand Journal of Agricultural Research</i> , 2023, 66, 259-269.	1.6	0
2	Large-scale tree planting initiatives as an opportunity to derive carbon and biodiversity co-benefits: a case study from Aotearoa New Zealand. <i>New Forests</i> , 2022, 53, 589-602.	1.7	11
3	Directional changes over time in the species composition of tropical vascular epiphyte assemblages. <i>Journal of Ecology</i> , 2022, 110, 553-568.	4.0	5
4	LOTVS: A global collection of permanent vegetation plots. <i>Journal of Vegetation Science</i> , 2022, 33, .	2.2	4
5	Land-use history impacts spatial patterns and composition of woody plant species across a 35-hectare temperate forest plot. <i>PeerJ</i> , 2022, 10, e12693.	2.0	4
6	Environmental DNA sampling detects between-habitat variation in soil arthropod communities, but is a poor indicator of fine-scale spatial and seasonal variation. <i>Ecological Indicators</i> , 2022, 140, 109040.	6.3	3
7	Grassland plant and invertebrate species richness increases from mowing are mediated by impacts on soil chemistry. <i>Basic and Applied Ecology</i> , 2022, 63, 152-163.	2.7	2
8	Disentangling native and alien plant diversity in coastal sand dune ecosystems worldwide. <i>Journal of Vegetation Science</i> , 2021, 32, .	2.2	19
9	A global framework for linking alpine treeline ecotone patterns to underlying processes. <i>Ecography</i> , 2021, 44, 265-292.	4.5	52
10	Measuring change in biological communities: multivariate analysis approaches for temporal datasets with low sample size. <i>PeerJ</i> , 2021, 9, e11096.	2.0	12
11	Changes in the analysis of temporal community dynamics data: a 29-year literature review. <i>PeerJ</i> , 2021, 9, e11250.	2.0	10
12	High light-induced photoinhibition is not limiting seedling establishment at abrupt treeline ecotones in New Zealand. <i>Tree Physiology</i> , 2021, 41, 2034-2045.	3.1	5
13	Livestock exclusion reduces the spillover effects of pastoral agriculture on soil bacterial communities in adjacent forest fragments. <i>Environmental Microbiology</i> , 2021, 23, 2919-2936.	3.8	6
14	Testing a global standard for quantifying species recovery and assessing conservation impact. <i>Conservation Biology</i> , 2021, 35, 1833-1849.	4.7	51
15	Identifying optimal bioinformatics protocols for aerosol microbial community data. <i>PeerJ</i> , 2021, 9, e12065.	2.0	1
16	Interactions between landscape structure and bird mobility traits affect the connectivity of agroecosystem networks. <i>Ecological Indicators</i> , 2021, 129, 107962.	6.3	7
17	Resource competition, not facilitation, structures gravel beach plant communities. <i>Journal of Vegetation Science</i> , 2021, 32, e13099.	2.2	0
18	Shoot flammability is decoupled from leaf flammability, but controlled by leaf functional traits. <i>Journal of Ecology</i> , 2020, 108, 641-653.	4.0	39

#	ARTICLE	IF	CITATIONS
19	Measuring Homeâ€Range Changes Following Density Reduction of Australian Brushtail Possum. <i>Journal of Wildlife Management</i> , 2020, 84, 185-192.	1.8	2
20	Connecting through space and time: catchmentâ€scale distributions of bacteria in soil, stream water and sediment. <i>Environmental Microbiology</i> , 2020, 22, 1000-1010.	3.8	31
21	Temporal variation in soil bacterial communities can be confounded with spatial variation. <i>FEMS Microbiology Ecology</i> , 2020, 96, .	2.7	2
22	Using soil bacterial communities to predict physico-chemical variables and soil quality. <i>Microbiome</i> , 2020, 8, 79.	11.1	137
23	A Systematic Review of Sources of Variability and Uncertainty in eDNA Data for Environmental Monitoring. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	42
24	From pine to pasture: land use history has long-term impacts on soil bacterial community composition and functional potential. <i>FEMS Microbiology Ecology</i> , 2020, 96, .	2.7	9
25	Shoot flammability of vascular plants is phylogenetically conserved and related to habitat fire-proneness and growth form. <i>Nature Plants</i> , 2020, 6, 355-359.	9.3	29
26	The roles of nonâ€production vegetation in agroecosystems: A research framework for filling process knowledge gaps in a socialâ€ecological context. <i>People and Nature</i> , 2020, 2, 292-304.	3.7	14
27	Restoring mature-phase forest tree species through enrichment planting in New Zealandâ€™s lowland landscapes. <i>New Zealand Journal of Ecology</i> , 2020, 44, .	1.1	8
28	Achieving win-win outcomes for pastoral farming and biodiversity conservation in New Zealand. <i>New Zealand Journal of Ecology</i> , 2020, 44, .	1.1	10
29	Hypothesis: Do invasive house geckos exacerbate dengue fever epidemics?. <i>Biological Invasions</i> , 2019, 21, 3533-3543.	2.4	4
30	Flame Temperatures Saturate with Increasing Dead Material in <i>Ulex europaeus</i> , but Flame Duration, Fuel Consumption and Overall Flammability Continue to Increase. <i>Fire</i> , 2019, 2, 6.	2.8	7
31	Perspectives on the Impact of Sampling Design and Intensity on Soil Microbial Diversity Estimates. <i>Frontiers in Microbiology</i> , 2019, 10, 1820.	3.5	14
32	Microbial assemblages and bioindicators as proxies for ecosystem health status: potential and limitations. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 6407-6421.	3.6	45
33	Species Diversity Associated with Foundation Species in Temperate and Tropical Forests. <i>Forests</i> , 2019, 10, 128.	2.1	21
34	Intractable: species in New Zealand that continue to decline despite conservation efforts. <i>Journal of the Royal Society of New Zealand</i> , 2019, 49, 301-319.	1.9	19
35	How many samples? Soil variability affects confidence in the use of common agroecosystem soil indicators. <i>Ecological Indicators</i> , 2019, 102, 401-409.	6.3	11
36	The New Zealand Beef and Sheep Sectorâ€™s Contribution to Biodiversity and Carbon Sequestration. <i>Proceedings (mdpi)</i> , 2019, 8, 48.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Landscape variation influences trophic cascades in dengue vector food webs. <i>Science Advances</i> , 2018, 4, eaap9534.	10.3	26
38	Optimal extraction methods for the simultaneous analysis of <sc>DNA</sc> from diverse organisms and sample types. <i>Molecular Ecology Resources</i> , 2018, 18, 557-569.	4.8	65
39	Community-level flammability declines over 25 years of plant invasion in grasslands. <i>Journal of Ecology</i> , 2018, 106, 1582-1594.	4.0	28
40	Sensitivity of Codispersion to Noise and Error in Ecological and Environmental Data. <i>Forests</i> , 2018, 9, 679.	2.1	4
41	Towards robust and repeatable sampling methods in <sc>eDNA</sc>-based studies. <i>Molecular Ecology Resources</i> , 2018, 18, 940-952.	4.8	137
42	Using niche conservatism information to prioritize hotspots of invasion by non-native freshwater invertebrates in New Zealand. <i>Diversity and Distributions</i> , 2018, 24, 1802-1815.	4.1	26
43	Patterns of range size in New Zealand ferns and lycophytes. , 2018, 42, .		5
44	Methods for the extraction, storage, amplification and sequencing of DNA from environmental samples. , 2018, , .		58
45	Aspect has a greater impact on alpine soil bacterial community structure than elevation. <i>FEMS Microbiology Ecology</i> , 2017, 93, fiw253.	2.7	28
46	Following Rapoport's Rule: the geographic range and genome size of bacterial taxa decline at warmer latitudes. <i>Environmental Microbiology</i> , 2017, 19, 3152-3162.	3.8	25
47	Bacteria as Emerging Indicators of Soil Condition. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	3.1	202
48	Isolation of Polymorphic Microsatellite Loci in the New Zealand Endemic Sand-Binder, <i>Ficinia spiralis</i> (Cyperaceae). <i>Applications in Plant Sciences</i> , 2017, 5, 1700039.	2.1	0
49	When a foundation crumbles: forecasting forest dynamics following the decline of the foundation species <i>Tsuga canadensis</i> . <i>Ecosphere</i> , 2017, 8, e01893.	2.2	23
50	Bacterial and fungal communities respond differently to varying tillage depth in agricultural soils. <i>PeerJ</i> , 2017, 5, e3930.	2.0	42
51	Using codispersion analysis to quantify and understand spatial patterns in species-environment relationships. <i>New Phytologist</i> , 2016, 211, 735-749.	7.3	15
52	Using codispersion analysis to characterize spatial patterns in species co-occurrences. <i>Ecology</i> , 2016, 97, 32-39.	3.2	17
53	Detecting Ecological Patterns Along Environmental Gradients: Alpine Treeline Ecotones. <i>Chance</i> , 2016, 29, 10-15.	0.2	3
54	Increased stem density and competition may diminish the positive effects of warming at alpine treeline. <i>Ecology</i> , 2016, 97, 1668-1679.	3.2	93

#	ARTICLE	IF	CITATIONS
55	Experimental evidence that the effectiveness of conservation biological control depends on landscape complexity. <i>Journal of Applied Ecology</i> , 2015, 52, 1274-1282.	4.0	84
56	Density-dependent allometric functional response models. <i>Ecological Modelling</i> , 2015, 303, 12-18.	2.5	5
57	Isolation and co-culturing of symbionts in the genus <i>Usnea</i> . <i>Symbiosis</i> , 2015, 66, 123-132.	2.3	16
58	Predation rates of mixed instar Odonata naiads feeding on <i>Aedes aegypti</i> and <i>Armigeres moultoni</i> (Diptera: Culicidae) larvae. <i>Journal of Asia-Pacific Entomology</i> , 2015, 18, 1-8.	0.9	12
59	Local-scale topoclimate effects on treeline elevations: a country-wide investigation of New Zealand's southern beech treelines. <i>PeerJ</i> , 2015, 3, e1334.	2.0	12
60	Phylogenetic congruence of lichenised fungi and algae is affected by spatial scale and taxonomic diversity. <i>PeerJ</i> , 2014, 2, e573.	2.0	12
61	Multi-scale phylogenetic structure in coastal dune plant communities across the globe. <i>Journal of Plant Ecology</i> , 2014, 7, 101-114.	2.3	37
62	Functional traits of common New Zealand foredune species at New Brighton, Canterbury. <i>New Zealand Journal of Botany</i> , 2014, 52, 460-466.	1.1	1
63	Conservation of forest biodiversity and ecosystem properties in a pastoral landscape of the Ecuadorian Andes. <i>Agroforestry Systems</i> , 2014, 88, 369-381.	2.0	5
64	Container-breeding mosquitoes and predator community dynamics along an urban-forest gradient: The effects of habitat type and isolation. <i>Basic and Applied Ecology</i> , 2014, 15, 486-495.	2.7	13
65	Predation on Mosquitoes by Common Southeast Asian House-Dwelling Jumping Spiders (Salticidae). <i>Arachnology</i> , 2014, 16, 122-127.	0.4	12
66	Fine-scale spatial patterns in bacterial community composition and function within freshwater ponds. <i>ISME Journal</i> , 2014, 8, 1715-1726.	9.8	110
67	Microhabitat variation in <i>Usnea</i> biomass on mountain beech in Nina Valley, New Zealand. <i>New Zealand Journal of Botany</i> , 2013, 51, 328-333.	1.1	3
68	The founder space race: a response to Waters et al.. <i>Trends in Ecology and Evolution</i> , 2013, 28, 189-190.	8.7	10
69	Predicting food web structure with metacommunity models. <i>Oikos</i> , 2013, 122, 492-506.	2.7	37
70	The biogeography of stream bacteria. <i>Global Ecology and Biogeography</i> , 2013, 22, 544-554.	5.8	67
71	Both species sorting and neutral processes drive assembly of bacterial communities in aquatic microcosms. <i>FEMS Microbiology Ecology</i> , 2013, 86, 288-302.	2.7	44
72	Twenty-five years of plant community dynamics and invasion in New Zealand tussock grasslands. <i>Austral Ecology</i> , 2013, 38, 688-699.	1.5	15

#	ARTICLE	IF	CITATIONS
73	Agricultural intensification drives landscape context effects on host-parasitoid interactions in agroecosystems. <i>Journal of Applied Ecology</i> , 2012, 49, 706-714.	4.0	77
74	Geographic variation in network structure of a nearctic aquatic food web. <i>Global Ecology and Biogeography</i> , 2012, 21, 579-591.	5.8	52
75	Invasion patterns across multiple scales by <i>Hieracium</i> species over 25 years in tussock grasslands of New Zealand's South Island. <i>Austral Ecology</i> , 2011, 36, 559-570.	1.5	18
76	Isolation affects tree-scale epiphytic lichen community structure on New Zealand mountain beech trees. <i>Journal of Vegetation Science</i> , 2011, 22, 1062-1071.	2.2	18
77	Searching behavior of an aphid parasitoid and its hyperparasitoid with and without floral nectar. <i>Biological Control</i> , 2011, 57, 79-84.	3.0	31
78	Climate and coastal dune vegetation: disturbance, recovery, and succession. <i>Plant Ecology</i> , 2010, 206, 97-104.	1.6	152
79	Understanding the role of species dynamics in abundance-occupancy relationships. <i>Journal of Ecology</i> , 2010, 98, 645-658.	4.0	60
80	Local to continental scale variation in the richness and composition of an aquatic food web. <i>Global Ecology and Biogeography</i> , 2010, 19, 711-723.	5.8	10
81	Adding floral nectar resources to improve biological control: Potential pitfalls of the fourth trophic level. <i>Basic and Applied Ecology</i> , 2009, 10, 554-562.	2.7	42
82	URban Biotopes of Aotearoa New Zealand (URBANZ) (I): composition and diversity of temperate urban lawns in Christchurch. <i>Urban Ecosystems</i> , 2009, 12, 233-248.	2.4	48
83	Interacting effects of management and environmental variability at multiple scales on invasive species distributions. <i>Journal of Applied Ecology</i> , 2009, 46, 1210-1218.	4.0	22
84	URban Biotopes of Aotearoa New Zealand (URBANZ) II: Floristics, biodiversity and conservation values of urban residential and public woodlands, Christchurch. <i>Urban Forestry and Urban Greening</i> , 2009, 8, 149-162.	5.3	49
85	Implications of floral resources for predation by an omnivorous lacewing. <i>Basic and Applied Ecology</i> , 2008, 9, 172-181.	2.7	54
86	Floral diversity, parasitoids and hyperparasitoids – A laboratory approach. <i>Basic and Applied Ecology</i> , 2008, 9, 588-597.	2.7	44
87	Patterns of host damage by the cabbage tree monophagous Epiphyryne verriculata Feld (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overload 0.3 1 77-88.	0.3	1
88	Evaluating Support for the Resource-Ratio Hypothesis: A Reply to Wilson et al.. <i>American Naturalist</i> , 2007, 169, 707-708.	2.1	8
89	A Critical Review of Twenty Years' Use of the Resource-Ratio Theory. <i>American Naturalist</i> , 2005, 165, 439-448.	2.1	209
90	Morphological variation in <i>Sarracenia purpurea</i> (Sarraceniaceae): geographic, environmental, and taxonomic correlates. <i>American Journal of Botany</i> , 2004, 91, 1930-1935.	1.7	62

#	ARTICLE	IF	CITATIONS
91	Small-scale patterns in community structure of <i>Sarracenia purpurea</i> inquilines. <i>Community Ecology</i> , 2004, 5, 181-188.	0.9	12
92	Reverse latitudinal trends in species richness of pitcher-plant food webs. <i>Ecology Letters</i> , 2003, 6, 825-829.	6.4	82
93	Small-scale species richness in forest canopy gaps: the role of niche limitation versus the size of the species pool. <i>Journal of Vegetation Science</i> , 1998, 9, 455-460.	2.2	26
94	Managing and protecting native biodiversity on-farm – what do sheep and beef farmers think?. <i>New Zealand Journal of Ecology</i> , 0, , .	1.1	2
95	The significance of sheep and beef farms to conservation of native vegetation in New Zealand. <i>New Zealand Journal of Ecology</i> , 0, , .	1.1	2
96	Factors affecting home range size of feral cats: a meta-analysis. <i>New Zealand Journal of Ecology</i> , 0, , .	1.1	2