Alexander Neef

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4392782/publications.pdf

Version: 2024-02-01

257450 434195 2,796 33 24 31 citations h-index g-index papers 34 34 34 3508 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Microbiota and volatilome of dry-cured pork loins manufactured with paprika and reduced concentration of nitrite and nitrate. Food Research International, 2021, 149, 110691.	6.2	13
2	Distinct mutational pattern of myelodysplastic syndromes with and without 5q– treated with lenalidomide. British Journal of Haematology, 2020, 189, e133-e137.	2.5	4
3	Analysis of SNP Array Abnormalities in Patients with DE NOVO Acute Myeloid Leukemia with Normal Karyotype. Scientific Reports, 2020, 10, 5904.	3.3	8
4	The modular network structure of the mutational landscape of Acute Myeloid Leukemia. PLoS ONE, 2018, 13, e0202926.	2.5	5
5	Yeast diversity during the fermentation of Andean chicha: A comparison of high-throughput sequencing and culture-dependent approaches. Food Microbiology, 2017, 67, 1-10.	4.2	35
6	Comparison of the Molecular Spectrum of Lenalidomide-Treated Myelodysplastic Syndrome with and without Del(5q). Blood, 2016, 128, 3172-3172.	1.4	0
7	Clonal Hematopoiesis Landscape in Patients with De Novo Acute Myeloid Leukemia By Deep Sequencing. Blood, 2016, 128, 598-598.	1.4	O
8	Bifidobacterium pseudocatenulatum CECT 7765 Reduces Obesity-Associated Inflammation by Restoring the Lymphocyte-Macrophage Balance and Gut Microbiota Structure in High-Fat Diet-Fed Mice. PLoS ONE, 2015, 10, e0126976.	2.5	179
9	The HLA-DQ2 genotype selects for early intestinal microbiota composition in infants at high risk of developing coeliac disease. Gut, 2015, 64, 406-417.	12.1	254
10	Future for probiotic science in functional food and dietary supplement development. Current Opinion in Clinical Nutrition and Metabolic Care, 2013, 16, 679-687.	2.5	75
11	Genome Economization in the Endosymbiont of the Wood Roach Cryptocercus punctulatus Due to Drastic Loss of Amino Acid Synthesis Capabilities. Genome Biology and Evolution, 2011, 3, 1437-1448.	2.5	35
12	Evolutionary Convergence and Nitrogen Metabolism in Blattabacterium strain Bge, Primary Endosymbiont of the Cockroach Blattella germanica. PLoS Genetics, 2009, 5, e1000721.	3.5	134
13	Blattabacteria, the endosymbionts of cockroaches, have small genome sizes and high genome copy numbers. Environmental Microbiology, 2008, 10, 3417-3422.	3.8	31
14	Biochemical and structural features of a novel cyclodextrinase from cow rumen metagenome. Biotechnology Journal, 2007, 2, 207-213.	3.5	39
15	Novel hydrolase diversity retrieved from a metagenome library of bovine rumen microflora. Environmental Microbiology, 2005, 7, 1996-2010.	3.8	258
16	Fluorescence based rRNA sensor systems for detection of whole cells of Saccharomonospora spp. and Thermoactinomyces spp Biosensors and Bioelectronics, 2003, 18, 565-569.	10.1	17
17	Chryseobacterium defluvii sp. nov., isolated from wastewater. International Journal of Systematic and Evolutionary Microbiology, 2003, 53, 93-97.	1.7	188
18	Sphingopyxis witflariensis sp. nov., isolated from activated sludge. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2029-2034.	1.7	44

#	Article	IF	CITATIONS
19	Novosphingobium hassiacum sp. nov., a New Species Isolated from an Aerated Sewage Pond. Systematic and Applied Microbiology, 2002, 25, 37-45.	2.8	41
20	Chelatobacter heintzii (Auling et al. 1993) is a later subjective synonym of Aminobacter aminovorans (Urakami et al. 1992) International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 835-839.	1.7	10
21	Sphingopyxis witflariensis sp. nov., isolated from activated sludge International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2029-2034.	1.7	38
22	Chelatobacter heintzii (Auling et al. 1993) is a later subjective synonym of Aminobacter aminovorans (Urakami et al. 1992). International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 835-839.	1.7	26
23	Detection of sphingomonads and in situ identification in activated sludge using 16S rRNA-targeted oligonucleotide probes. Journal of Industrial Microbiology and Biotechnology, 1999, 23, 261-267.	3.0	85
24	Differential detection of key enzymes of polyaromatic-hydrocarbon-degrading bacteria using PCR and gene probes. Microbiology (United Kingdom), 1999, 145, 1731-1741.	1.8	115
25	Description of Pseudaminobacter gen. nov. with two new species, Pseudaminobacter salicylatoxidans sp. nov. and Pseudaminobacter defluvii sp. nov International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 887-897.	1.7	81
26	rRNA based identification and detection systems for rhizobia and other bacteria. Plant and Soil, 1998, 204, 1-19.	3.7	42
27	Monitoring a widespread bacterial group: in situ detection of planctomycetes with 16S rRNA-targeted probes. Microbiology (United Kingdom), 1998, 144, 3257-3266.	1.8	464
28	Denitrification in a methanol-fed fixed-bed reactor. Part 2: Composition and ecology of the bacterial community in the biofilms. Water Research, 1997, 31, 1903-1908.	11.3	52
29	Modern methods in subsurface microbiology: in situ identification of microorganisms with nucleic acid probes. FEMS Microbiology Reviews, 1997, 20, 191-200.	8.6	89
30	Analysis of bacterial community structure in bulk soil by in situ hybridization. Archives of Microbiology, 1997, 168, 185-192.	2.2	219
31	Modern methods in subsurface microbiology: in situ identification of microorganisms with nucleic acid probes. FEMS Microbiology Reviews, 1997, 20, 191-200.	8.6	7
32	Population analysis in a denitrifying sand filter: conventional and in situ identification of Paracoccus spp. in methanol-fed biofilms. Applied and Environmental Microbiology, 1996, 62, 4329-4339.	3.1	173
33	Detection of Microbial Cells in Aerosols Using Nucleic Acid Probes. Systematic and Applied Microbiology, 1995, 18, 113-122.	2.8	35