

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4394509/pascal-kintz-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

252 papers	6,772 citations	50 h-index	72 g-index
294 ext. papers	7,458 ext. citations	2.3 avg, IF	6.4 L-index

#	Paper	IF	Citations
252	Society of Hair Testing guidelines for drug testing in hair. <i>Forensic Science International</i> , 2012 , 218, 20-4	2.6	452
251	Comparison of the prevalence of alcohol, cannabis and other drugs between 900 injured drivers and 900 control subjects: results of a French collaborative study. <i>Forensic Science International</i> , 2003 , 133, 79-85	2.6	218
250	Deaths involving buprenorphine: a compendium of French cases. <i>Forensic Science International</i> , 2001 , 121, 65-9	2.6	189
249	Buprenorphine-related deaths among drug addicts in France: a report on 20 fatalities. <i>Journal of Analytical Toxicology</i> , 1998 , 22, 430-4	2.9	172
248	Hair analysis for drug detection. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 442-6	3.2	159
247	Value of hair analysis in postmortem toxicology. <i>Forensic Science International</i> , 2004 , 142, 127-34	2.6	132
246	Testing for drugs in hair. Critical review of chromatographic procedures since 1992. <i>Biomedical Applications</i> , 1998 , 713, 147-61		115
245	Bioanalytical procedures for detection of chemical agents in hair in the case of drug-facilitated crimes. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 1467-74	4.4	107
244	Testing for GHB in Hair by GC/MS/MS after a Single Exposure. Application to Document Sexual Assault. <i>Journal of Forensic Sciences</i> , 2003 , 48, 2002209	1.8	105
243	Sweat testing in opioid users with a sweat patch. <i>Journal of Analytical Toxicology</i> , 1996 , 20, 393-7	2.9	91
242	Use of alternative specimens: drugs of abuse in saliva and doping agents in hair. <i>Therapeutic Drug Monitoring</i> , 2002 , 24, 239-46	3.2	90
241	A new series of 13 buprenorphine-related deaths. <i>Clinical Biochemistry</i> , 2002 , 35, 513-6	3.5	89
240	Windows of detection of zolpidem in urine and hair: application to two drug facilitated sexual assaults. <i>Forensic Science International</i> , 2004 , 143, 157-61	2.6	86
239	Simultaneous determination of opiates, cocaine and major metabolites of cocaine in human hair by gas chromatography/mass spectrometry (GC/MS). <i>Forensic Science International</i> , 1995 , 73, 93-100	2.6	85
238	Screening method for benzodiazepines and hypnotics in hair at pg/mg level by liquid chromatography-mass spectrometry/mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 825, 72-8	3.2	84
237	Systematic Toxicological Analysis Using HPLC/DAD. <i>Journal of Forensic Sciences</i> , 1995 , 40,	1.8	82
236	Detection of cannabis in oral fluid (saliva) and forehead wipes (sweat) from impaired drivers. <i>Journal of Analytical Toxicology</i> , 2000 , 24, 557-61	2.9	81

235	Detection of drugs in human hair for clinical and forensic applications. <i>International Journal of Legal Medicine</i> , 1992 , 105, 1-4	3.1	80
234	Evidence of addiction by anesthesiologists as documented by hair analysis. <i>Forensic Science International</i> , 2005 , 153, 81-4	2.6	79
233	Ethyl glucuronide: unusual distribution between head hair and pubic hair. <i>Forensic Science International</i> , 2008 , 176, 87-90	2.6	75
232	GHB in postmortem toxicology. Discrimination between endogenous production from exposure using multiple specimens. <i>Forensic Science International</i> , 2004 , 143, 177-81	2.6	73
231	Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxymphetamine and 3,4-methylenedioxymphetamine in human hair by gas chromatography-mass spectrometry. <i>Biomedical Applications</i> , 1995 , 670, 162-6		70
230	Drug testing in addicts: a comparison between urine, sweat, and hair. <i>Therapeutic Drug Monitoring</i> , 1996 , 18, 450-5	3.2	70
229	Testing human hair for Cannabis. III. rapid screening procedure for the simultaneous identification of delta 9-tetrahydrocannabinol, cannabinol, and cannabidiol. <i>Journal of Analytical Toxicology</i> , 1996 , 20, 13-6	2.9	69
228	Testing for the undetectable in drug-facilitated sexual assault using hair analyzed by tandem mass spectrometry as evidence. <i>Therapeutic Drug Monitoring</i> , 2004 , 26, 211-4	3.2	67
227	Testing human hair for cannabis. <i>Forensic Science International</i> , 1995 , 70, 175-82	2.6	67
226	Drug-facilitated sexual assault and analytical toxicology: the role of LC-MS/MS A case involving zolpidem. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2005 , 12, 36-41		65
225	Screening and confirmatory method for benzodiazepines and hypnotics in oral fluid by LC-MS/MS. <i>Forensic Science International</i> , 2005 , 150, 213-20	2.6	65
224	Hair analysis in toxicology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 1265-72	5.9	63
223	Drug concentrations in human hair after bleaching. <i>Journal of Analytical Toxicology</i> , 1995 , 19, 331-2	2.9	63
222	Screening for forensically relevant benzodiazepines in human hair by gas chromatography-negative ion chemical ionization-mass spectrometry. <i>Biomedical Applications</i> , 1997 , 700, 119-29		62
221	Windows of detection of lorazepam in urine, oral fluid and hair, with a special focus on drug-facilitated crimes. <i>Forensic Science International</i> , 2004 , 145, 131-5	2.6	61
220	Value of the concept of minimal detectable dosage in human hair. <i>Forensic Science International</i> , 2012 , 218, 28-30	2.6	58
219	Issues about axial diffusion during segmental hair analysis. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 408-10	2	58
218	Identification of testosterone and testosterone esters in human hair. <i>Journal of Analytical Toxicology</i> , 1999 , 23, 352-6	2.9	58

217	Guidelines for European workplace drug and alcohol testing in hair. <i>Drug Testing and Analysis</i> , 2010 , 2, 367-76	3.5	56
216	Hair to document drug-facilitated crimes: four cases involving bromazepam. <i>Journal of Analytical Toxicology</i> , 2004 , 28, 516-9	2.9	56
215	Identification of alprazolam in hair in two cases of drug-facilitated incidents. <i>Forensic Science International</i> , 2005 , 153, 222-6	2.6	56
214	Unusually high concentrations in a fatal GHB case. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 582-5	2.9	55
213	Segmental hair analysis can demonstrate external contamination in postmortem cases. <i>Forensic Science International</i> , 2012 , 215, 73-6	2.6	54
212	Testing for anabolic steroids in hair from two bodybuilders. <i>Forensic Science International</i> , 1999 , 101, 209-16	2.6	53
211	Analysis of Drugs in Saliva. <i>Forensic Science Review</i> , 1999 , 11, 1-19	1.5	53
210	Interlaboratory comparison of quantitative determination of amphetamine and related compounds in hair samples. <i>Forensic Science International</i> , 1997 , 84, 151-6	2.6	52
209	Evaluation of the IDS One-Step ELISA kits for the detection of illicit drugs in hair. <i>Forensic Science International</i> , 2007 , 170, 189-92	2.6	52
208	HPLC/MS Determination of Buprenorphine and Norbuprenorphine in Biological Fluids and Hair Samples. <i>Journal of Forensic Sciences</i> , 1997 , 42, 14077J	1.8	52
207	Detection of flunitrazepam and 7-aminoflunitrazepam in oral fluid after controlled administration of rohypnol. <i>Journal of Analytical Toxicology</i> , 2002 , 26, 211-5	2.9	50
206	Pharmacological criteria that can affect the detection of doping agents in hair. <i>Forensic Science International</i> , 2000 , 107, 325-34	2.6	50
205	Detection of codeine and phenobarbital in sweat collected with a sweat patch. <i>Journal of Analytical Toxicology</i> , 1996 , 20, 197-201	2.9	50
204	European guidelines for workplace drug and alcohol testing in hair. <i>Drug Testing and Analysis</i> , 2016 , 8, 996-1004	3.5	48
203	Ultra-rapid procedure to test for gamma-hydroxybutyric acid in blood and urine by gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 792, 83-7	3.2	48
202	Detection of amphetamines in fingernails: an alternative to hair analysis. <i>Archives of Toxicology</i> , 1995 , 70, 68-9	5.8	47
201	Determination of "Ecstasy" components in alternative biological specimens. <i>Biomedical Applications</i> , 1999 , 733, 137-43		46
200	Excretion of MBDB and BDB in urine, saliva, and sweat following single oral administration. <i>Journal of Analytical Toxicology</i> , 1997 , 21, 570-5	2.9	43

199	Evaluation of the One-Step ELISA kit for the detection of buprenorphine in urine, blood, and hair specimens. <i>Forensic Science International</i> , 2004 , 143, 153-6	2.6	43
198	Consensus of the Society of Hair Testing on hair testing for chronic excessive alcohol consumption 2009. <i>Forensic Science International</i> , 2010 , 196, 2	2.6	42
197	Interpretation of hair findings in children after methadone poisoning. <i>Forensic Science International</i> , 2010 , 196, 51-4	2.6	42
196	Hair Analysis in Forensic Toxicology: An Updated Review with a Special Focus on Pitfalls. <i>Current Pharmaceutical Design</i> , 2017 , 23, 5480-5486	3.3	42
195	High-performance liquid chromatography coupled to ion spray mass spectrometry for the determination of colchicine at ppb levels in human biofluids. <i>Biomedical Applications</i> , 1996 , 675, 235-42		41
194	Testing for atropine and scopolamine in hair by LC-MS-MS after Datura inoxia abuse. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 454-7	2.9	40
193	Colchicine poisoning: report of a fatal case and presentation of an HPLC procedure for body fluid and tissue analyses. <i>Journal of Analytical Toxicology</i> , 1997 , 21, 70-2	2.9	39
192	Chemical abuse in the elderly: evidence from hair analysis. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 207-11	3.2	39
191	Enantioselective Separation of Methadone and Its Main Metabolite in Human Hair by Liquid Chromatography/Ion Spray-Mass Spectrometry. <i>Journal of Forensic Sciences</i> , 1997 , 42, 1411-3	1.8	37
190	Last performance with VIAGRA: post-mortem identification of sildenafil and its metabolites in biological specimens including hair sample. <i>Forensic Science International</i> , 2002 , 126, 71-6	2.6	36
189	Doping control for nandrolone using hair analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2001 , 24, 1125-30	3.5	36
188	Testing human hair for carbamazepine in epileptic patients: is hair investigation suitable for drug monitoring?. <i>Human and Experimental Toxicology</i> , 1995 , 14, 812-5	3.4	36
187	Methadone as a chemical weapon: two fatal cases involving babies. <i>Therapeutic Drug Monitoring</i> , 2005 , 27, 741-3	3.2	35
186	Variability of opiates concentrations in human hair according to their anatomical origin: head, axillary and pubic regions. <i>Forensic Science International</i> , 1993 , 63, 77-83	2.6	35
185	Doping Control for β -Adrenergic Compounds Through Hair Analysis. <i>Journal of Forensic Sciences</i> , 2000 , 45, 1465-4	1.8	35
184	Arsenic speciation of two specimens of Napoleon's hair. <i>Forensic Science International</i> , 2007 , 170, 204-6	2.6	34
183	Hair Analysis of Seven Bodybuilders for Anabolic Steroids, Ephedrine, and Clenbuterol. <i>Journal of Forensic Sciences</i> , 2002 , 47, 1522-8	1.8	34
182	Window of Detection of β -Hydroxybutyrate in Blood and Saliva. <i>Clinical Chemistry</i> , 2001 , 47, 2033-2034	5.5	33

181	Testing human blood for cannabis by GC-MS. <i>Biomedical Chromatography</i> , 1997 , 11, 371-3	1.7	31
180	Oral fluid testing for cannabis: on-site OraLine IV s.a.t. device versus GC/MS. <i>Forensic Science International</i> , 2006 , 161, 180-4	2.6	31
179	Detection of cannabis use in drivers with the drugwipe device and by GC-MS after Intercept device collection. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 724-7	2.9	30
178	Detection of the designer benzodiazepine metizolam in urine and preliminary data on its metabolism. <i>Drug Testing and Analysis</i> , 2017 , 9, 1026-1033	3.5	29
177	Enzyme immunoassay validation for the detection of buprenorphine in urine. <i>Journal of Analytical Toxicology</i> , 2003 , 27, 103-5	2.9	29
176	Discrimination of the Nature of Doping with 19-Norsteroids through Hair Analysis. <i>Clinical Chemistry</i> , 2000 , 46, 2020-2022	5.5	29
175	Hair testing and doping control in sport. <i>Toxicology Letters</i> , 1998 , 102-103, 109-13	4.4	29
174	Physiological concentrations of DHEA in human hair. <i>Journal of Analytical Toxicology</i> , 1999 , 23, 424-8	2.9	29
173	Detection and quantification of lorazepam in human hair by GC-MS/NCI in a case of traffic accident. <i>International Journal of Legal Medicine</i> , 1996 , 108, 265-7	3.1	29
172	Hair testing of GHB: an everlasting issue in forensic toxicology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 198-208	5.9	29
171	Testing for anabolic steroids in hair: a review. <i>Legal Medicine</i> , 2003 , 5 Suppl 1, S29-33	1.9	28
170	Buprenorphine in drug-facilitated sexual abuse: a fatal case involving a 14-year-old boy. <i>Journal of Analytical Toxicology</i> , 2003 , 27, 527-9	2.9	27
169	Doping control for metandienone using hair analyzed by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 836, 124-8	3.2	26
168	Windows of detection of tetrazepam in urine, oral fluid, beard, and hair, with a special focus on drug-facilitated crimes. <i>Therapeutic Drug Monitoring</i> , 2005 , 27, 565-70	3.2	26
167	Enantioselective analysis of methadone in sweat as monitored by liquid chromatography/ion spray-mass spectrometry. <i>Therapeutic Drug Monitoring</i> , 1998 , 20, 35-40	3.2	25
166	Identification and analytical characterization of seven NPS, by combination of H NMR spectroscopy, GC-MS and UPLC-MS/MS, to resolve a complex toxicological fatal case. <i>Forensic Science International</i> , 2019 , 298, 140-148	2.6	24
165	Determination of trimeprazine-facilitated sedation in children by hair analysis. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 400-2	2.9	23
164	Testing for zolpidem in oral fluid by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 811, 59-63	3.2	23

163	Fatal Combination with 3-Methylmethcathinone (3-MMC) and Gamma-Hydroxybutyric Acid (GHB). <i>Journal of Analytical Toxicology</i> , 2016 , 40, 546-52	2.9	23
162	Hair analysis to demonstrate administration of amitriptyline, temazepam, tramadol and dihydrocodeine to a child in a case of kidnap and false imprisonment. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2014 , 23, 26-31	1.7	22
161	Hair analysis for diphenhydramine after surreptitious administration to a child. <i>Forensic Science International</i> , 2007 , 173, 171-4	2.6	22
160	Multi-element screening by ICP-MS of two specimens of Napoleon's hair. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 621-3	2.9	22
159	Determination of heroin after embalment. <i>Forensic Science International</i> , 2003 , 134, 36-9	2.6	22
158	Testing of the anabolic stanozolol in human hair by gas chromatography-negative ion chemical ionization mass spectrometry. <i>Biomedical Applications</i> , 2000 , 740, 265-71		22
157	A Novel Approach to Document Single Exposure to GHB: Hair Analysis After Sweat Contamination. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 563-4	2.9	21
156	Testing for ethanol markers in hair: discrepancies after simultaneous quantification of ethyl glucuronide and fatty acid ethyl esters. <i>Forensic Science International</i> , 2014 , 243, 44-6	2.6	21
155	Evaluation of the Cozart DDSV test for cannabis in oral fluid. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 131-42	3.2	21
154	Hair to document exposure to glibenclamide. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 842, 111-5	3.2	20
153	Doping control for methenolone using hair analysis by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 766, 161-7	3.2	20
152	Contribution of in utero drug exposure when interpreting hair results in young children. <i>Forensic Science International</i> , 2015 , 249, 314-7	2.6	19
151	Buprenorphine-related deaths: unusual forensic situations. <i>International Journal of Legal Medicine</i> , 2010 , 124, 647-51	3.1	19
150	High risk of misinterpreting hair analysis results for children tested for methadone. <i>Forensic Science International</i> , 2017 , 280, 176-180	2.6	18
149	Amitriptyline poisoning of a baby: how informative can hair analysis be?. <i>Forensic Science International</i> , 2015 , 249, 53-8	2.6	18
148	Hair analysis to demonstrate administration of sildenafil to a woman in a case of drug-facilitated sexual assault. <i>Journal of Analytical Toxicology</i> , 2009 , 33, 553-6	2.9	17
147	The distribution of laudanosine in tissues after death from atracurium injection. <i>International Journal of Legal Medicine</i> , 2000 , 114, 93-5	3.1	17
146	Testing for Drugs in Exhaled Breath Collected With ExaBreath in a Drug Dependence Population: Comparison With Data Obtained in Urine After Liquid Chromatographic-Tandem Mass Spectrometric Analyses. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 135-9	3.2	17

145	Hair testing for doping agents. What is known and what remains to do. <i>Drug Testing and Analysis</i> , 2020 , 12, 316-322	3.5	16
144	Detection of the designer benzodiazepine flunitrazolam in urine and preliminary data on its metabolism. <i>Drug Testing and Analysis</i> , 2019 , 11, 223-229	3.5	16
143	A case of abuse in which children were forced to take tablets containing scopolamine: segmental analysis of hair for scopolamine by ultra performance liquid chromatography-tandem mass spectrometry. <i>Forensic Toxicology</i> , 2007 , 25, 49-52	2.6	16
142	Testing for zolpidem in oral fluid by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 811, 59-63	3.2	16
141	Interpretation of hair findings in children: about a case involving carbamazepine. <i>Drug Testing and Analysis</i> , 2014 , 6 Suppl 1, 2-4	3.5	15
140	Smoking cessation with varenicline: a suicidal fatality. <i>Journal of Analytical Toxicology</i> , 2009 , 33, 118-20	2.9	15
139	Detection of Δ -tetrahydrocannabinol in exhaled breath after cannabis smoking and comparison with oral fluid. <i>Forensic Toxicology</i> , 2017 , 35, 173-178	2.6	14
138	First identification of a diuretic, hydrochlorothiazide, in hair: Application to a doping case and interpretation of the results. <i>Drug Testing and Analysis</i> , 2019 , 11, 157-161	3.5	13
137	Usage criminel de substances psycho-actives : le problème de la durée de détection. <i>Acta Clinica Belgica</i> , 2002 , 57 Suppl 1, 24-30	1.8	13
136	Buprenorphine to norbuprenorphine ratio in human hair. <i>Journal of Analytical Toxicology</i> , 2000 , 24, 448-452	2.9	13
135	Soumission chimique : approches pratiques en toxicologie médico-légale. <i>Toxicologie Analytique Et Clinique</i> , 2002 , 14, 361-364	0.4	13
134	Testing for GHB in hair by GC/MS/MS after a single exposure. Application to document sexual assault. <i>Journal of Forensic Sciences</i> , 2003 , 48, 195-200	1.8	13
133	Complete Post-mortem Investigations in a Death Involving Clenbuterol After Long-term Abuse. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 660-665	2.9	12
132	Conflicting hair testing results can have an impact in courts: interpretation of single exposure to zolpidem. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 304-5	2.9	12
131	Interpretation of Cannabis Findings in the Hair of Very Young Children: Mission Impossible. <i>Current Pharmaceutical Biotechnology</i> , 2017 , 18, 791-795	2.6	12
130	Evidence of 2 Populations of Mephedrone Abusers by Hair Testing. Application to 4 Forensic Expertises. <i>Current Neuropharmacology</i> , 2017 , 15, 658-662	7.6	12
129	Les marqueurs de l'hyalisme chronique. Focus sur les approches immuno-chimiques. <i>Toxicologie Analytique Et Clinique</i> , 2009 , 21, 21-25	0.4	12
128	LGD-4033, S-4 and MK-2866 Testing for SARMS in hair: About 2 doping cases. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, 56-63	0.4	12

127	Murdered while under the influence of 3-MeO-PCP. <i>International Journal of Legal Medicine</i> , 2019 , 133, 475-478	3.1	11
126	La thanatopraxie : une technique utile pour conserver les corps, mais qui peut g�her l'expertise toxicologique m�dico-l�gale. <i>Toxicologie Analytique Et Clinique</i> , 2008 , 20, 1-10	0.4	11
125	Hair analysis in forensic toxicology. <i>Wiley Interdisciplinary Reviews Forensic Science</i> , 2018 , e1196	2.6	11
124	Interpretation of a highly positive ethyl glucuronide result together with negative fatty acid ethyl esters result in hair and negative blood results. <i>Forensic Toxicology</i> , 2014 , 32, 176-179	2.6	10
123	Testing for AB-PINACA in human hair: Distribution in head hair versus pubic hair. <i>Drug Testing and Analysis</i> , 2019 , 11, 610-616	3.5	10
122	Hair analysis can provide additional information in doping and forensic cases involving clostebol. <i>Drug Testing and Analysis</i> , 2019 , 11, 95-101	3.5	9
121	A new series of hair test results involving anabolic steroids. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, 320-324	0.4	9
120	Dehydroepiandrosterone (DHEA) and Testosterone Concentrations in Human Hair after Chronic DHEA Supplementation. <i>Clinical Chemistry</i> , 2000 , 46, 414-415	5.5	9
119	Chapter 13 Unconventional samples and alternative matrices. <i>Handbook of Analytical Separations</i> , 2000 , 2, 459-488	0.7	9
118	Metabolites to parent 3-MeO-PCP ratio in human urine collected in two fatal cases. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 321-324	2.9	9
117	Characterization of Flunitrazolam, a New Designer Benzodiazepine, in Oral Fluid After a Controlled Single Administration. <i>Journal of Analytical Toxicology</i> , 2018 , 42, e58-e60	2.9	8
116	External post mortem artefact: a key issue in hair result interpretation. <i>Toxicologie Analytique Et Clinique</i> , 2008 , 20, 121-125	0.4	8
115	Analysis of pharmaceutical products and dietary supplements seized from the black market among bodybuilders. <i>Forensic Science International</i> , 2021 , 322, 110771	2.6	8
114	Testing for GW501516 (cardarine) in human hair using LC/MS-MS and confirmation by LC/HRMS. <i>Drug Testing and Analysis</i> , 2020 , 12, 980-986	3.5	8
113	Interest of Single Hair Analysis to Document Drug Exposure: Literature Review and a Case Report Involving Zuclopenthixol. <i>Current Pharmaceutical Design</i> , 2017 , 23, 5502-5510	3.3	8
112	Sex specific relationships between infants' mental rotation ability and amiotic sex hormones. <i>Neuroscience Letters</i> , 2019 , 707, 134298	3.3	7
111	Testing for Stanozolol, Using UPLC-MS-MS and Confirmation by UPLC-q-TOF-MS, in Hair Specimens Collected from Five Different Anatomical Regions. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 834-839	2.9	7
110	Interpretation of Tramadol Findings in Hair. Concentrations After a Single Exposure and Application to a Munchausen's Syndrome by Proxy Case. <i>Journal of Analytical Toxicology</i> , 2018 , 42, e35-e37	2.9	7

109	Drug Testing in Hair 2008 , 67-81		7
108	Identification of S22 (ostarine) in human nails and hair using LC-HRMS. Application to two authentic cases. <i>Drug Testing and Analysis</i> , 2020 , 12, 1508-1513	3.5	7
107	Simultaneous testing for anabolic steroids in human hair specimens collected from various anatomic locations has several advantages when compared with the standard head hair analysis. <i>Drug Testing and Analysis</i> , 2021 , 13, 1445-1451	3.5	7
106	Discrimination between zeranol and zearalenone exposure using hair analysis. Application to an adverse analytical finding case. <i>Drug Testing and Analysis</i> , 2018 , 10, 906-909	3.5	6
105	Compendium of results from hair tested for anabolics. <i>Toxicologie Analytique Et Clinique</i> , 2014 , 26, 197-204		6
104	Trichloroethanol is not a metabolite of alpha chloralose. <i>International Journal of Legal Medicine</i> , 1996 , 108, 191-3	3.1	6
103	Retrospective Demonstration of 25I-NBOMe Acute Poisoning Using Hair Analysis. <i>Current Pharmaceutical Biotechnology</i> , 2017 , 18, 786-790	2.6	6
102	Vaping Pure Cannabidiol e-Cigarettes Does Not Produce Detectable Amount of Δ -THC in Human Blood. <i>Journal of Analytical Toxicology</i> , 2021 , 44, e1-e2	2.9	6
101	Characterization of metizolam, a designer benzodiazepine, in alternative biological specimens. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, 57-63	0.4	5
100	Testing for SGT-151 (CUMYL-PEGACLONE) and its Metabolites in Blood and Urine after Surreptitious Administration. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 75-80	2.9	5
99	Testing for alpha-chloralose by headspace-GC/MS. A case report. <i>Forensic Science International</i> , 1999 , 104, 59-63	2.6	5
98	Cocaine External Contamination Can Be Documented by a Hair Test. <i>Journal of Analytical Toxicology</i> , 2021 , 44, e4-e5	2.9	5
97	Characterization of letrozole in human hair using LC-MS/MS and confirmation by LC-HRMS: Application to a doping case. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1162, 122495	3.2	5
96	Immunoassay responses of MBDB. <i>Journal of Analytical Toxicology</i> , 1997 , 21, 589-90	2.9	5
95	Testing for midazolam and oxycodone in blood after formalin-embalment: About a complex medico-legal case. <i>Drug Testing and Analysis</i> , 2019 , 11, 1460-1464	3.5	4
94	Détection d'une alcoolique chronique par baclofène dans un cadre suicidaire chez un sujet naïf. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 117-120	0.4	4
93	Development of a new GC-MS/MS method for the determination of metformin in human hair. <i>Drug Testing and Analysis</i> , 2020 , 12, 1380-1386	3.5	4
92	Bromazepam intoxication in an infant: Contribution of hair and nail analysis. <i>Drug Testing and Analysis</i> , 2020 , 12, 397-401	3.5	4

91	Les « designer benzodiazepines » : qu'en sait-on aujourd'hui?. <i>Toxicologie Analytique Et Clinique</i> , 2018 , 30, 5-18	0.4	4
90	Hair testing in postmortem diagnosis of substance abuse: An unusual case of slow-release oral morphine abuse in an adolescent. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2015 , 36, 172-6	1.7	4
89	Hair analysis for doxylamine. <i>Forensic Toxicology</i> , 2012 , 30, 173-178	2.6	4
88	A single therapeutic treatment with betamethasone is detectable in hair. <i>Journal of Analytical Toxicology</i> , 2002 , 26, 582-3	2.9	4
87	Perspectives in Evaluating Selective Androgen Receptor Modulators in Human Hair: A Short Communication. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 298-300	3.2	4
86	Experiences in Child Hair Analysis 2015 , 161-178		3
85	New Challenges and Perspectives in Hair Analysis 2015 , 337-368		3
84	Assessment of Pregabalin Use by Hair Testing. <i>Substance Use and Misuse</i> , 2018 , 53, 2093-2098	2.2	3
83	Results from hair testing in putrefied bodies should not be used to document long-term exposure to drugs. <i>Toxicologie Analytique Et Clinique</i> , 2018 , 30, 223-228	0.4	3
82	The Specific Problem of Children and Old People in Drug-Facilitated Crime Cases 2014 , 255-281		3
81	Unusual pattern in hair after prazepam exposure. <i>Toxicologie Analytique Et Clinique</i> , 2014 , 26, 24-26	0.4	3
80	Première sñie de dññ en France liñ ^ lñxycodone. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 52-56	0.4	3
79	Reply to Letter to the Editor: Caveats against an improper use of hair testing to support the diagnosis of chronic excessive alcohol consumption, following the Consensus of the Society of Hair Testing 2009 [Forensic Science International 196 (2010) 2]. <i>Forensic Science International</i> , 2011 , 207, e71	2.6	3
78	Cheveux et toxicologie mñico-judiciaire 2012 , 257-275		3
77	Violence under the influence of methylphenidate as determined by hair analysis. <i>Forensic Toxicology</i> , 2010 , 28, 115-118	2.6	3
76	Recommandations de la SFTA pour la rñalisation des analyses toxicologiques dans les cas de dññ impliquant des NPS ¶version 2019. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, 337-339	0.4	3
75	Interprñation des concentrations dññyl glucuronide dans les cheveux. <i>Toxicologie Analytique Et Clinique</i> , 2010 , 22, 187-189	0.4	3
74	Identification of chloramphenicol in human hair leading to a diagnosis of factitious disorder. <i>Clinical Toxicology</i> , 2020 , 58, 926-930	2.9	3

73	Anabolic steroids and extreme violence: a case of murder after chronic intake and under acute influence of metandienone and trenbolone. <i>International Journal of Legal Medicine</i> , 2021 , 135, 1449-1453 ^{3.1}	3
72	Human hair tests to document drug environmental contamination: Application in a family law case involving N,N-dimethyltryptamine. <i>Drug Testing and Analysis</i> , 2021 , 13, 447-450	3.5 3
71	Metabolic profiling of deschloro-N-ethyl-ketamine and identification of new target metabolites in urine and hair using human liver microsomes and high-resolution accurate mass spectrometry. <i>Drug Testing and Analysis</i> , 2021 , 13, 1108-1117	3.5 3
70	Evidence of repeated mirtazapine poisoning in children by hair analysis. <i>Journal of Forensic Sciences</i> , 2021 , 66, 1165-1170	1.8 3
69	Documentation of a Little-Studied Designer Benzodiazepine After a Controlled Single Administration: II. Concentration Profile of Deschloroetizolam in Saliva. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 759-761	3.2 3
68	The Difficult Interpretation of a Hair Test Result from a 32-Month-Old Child: Administration of Propranolol and Quetiapine or Contamination?. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 747-751	2.9 2
67	Dosage sanguin du cannabidiol après consommation par e-cigarette. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, 1-3	0.4 2
66	Substance Misuse: Hair Analysis 2016 , 371-376	2
65	Suicide médicamenteux par médicaments anesthésiques en milieu hospitalier. <i>Toxicologie Analytique Et Clinique</i> , 2016 , 28, 134-138	0.4 2
64	Quantifying steroid hormones in amniotic fluid by ultra-performance liquid chromatography and tandem mass spectrometry. <i>F1000Research</i> , 7 , 1736	3.6 2
63	Aspect toxicologique d'un phénomène en plein essor: le chemsex. Description d'un cas médico-légal aux conséquences fatales, impliquant la 4-MEC. <i>Revue De Medecine Legale</i> , 2019 , 10, 104-107	0.2 2
62	Abuse of 3-MMC and forensic aspects: About 4 cases and review of the literature. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, 251-257	0.4 2
61	Lettre à la rédaction : Le phétozam utilisé comme arme chimique ? Discrimination par l'analyse des cheveux. <i>Toxicologie Analytique Et Clinique</i> , 2004 , 16, 285-287	0.4 2
60	Characterization of Cannabidiol in Alternative Biological Specimens and Urine, After Consumption of an Oral Capsule. <i>Journal of Analytical Toxicology</i> , 2020 ,	2.9 2
59	Hair testing for acetazolamide as an evidence of the use of a contaminated dietary supplement. <i>Drug Testing and Analysis</i> , 2021 , 13, 1584-1588	3.5 2
58	In a Case of Death Involving Steroids, Hair Testing is More Informative than Blood or Urine Testing. <i>Journal of Analytical Toxicology</i> , 2021 , 45, 829-834	2.9 2
57	Colchicine et intoxication pédiatrique : à propos d'un décès accidentel et revue de la littérature. <i>Toxicologie Analytique Et Clinique</i> , 2016 , 28, 79-84	0.4 2
56	The significance of a negative hair test result. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, S15	0.4 2

55	What Are the Prerequisites to Account for "No Fault" in Doping Control after an Adverse Analytical Finding Possibly due to Drug Contamination? Perspective from a Hair Testing Analyst. <i>Journal of Analytical Toxicology</i> , 2021 , 45, e3-e5	2.9	2
54	Specific interpretation of hair concentrations in 2 fatal metformin intoxication cases. <i>Legal Medicine</i> , 2021 , 48, 101803	1.9	2
53	Recherche d'hydrochlorothiazide dans les cheveux après deux contrôles antidopage. <i>Toxicologie Analytique Et Clinique</i> , 2018 , 30, 268-272	0.4	2
52	Concentrations post mortem de baclofène : présentation d'un cas et étude de la littérature. <i>Toxicologie Analytique Et Clinique</i> , 2018 , 30, 136-141	0.4	2
51	Investigations toxicologiques sur une couche. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, 246-250	0.4	1
50	Stability of Δ^9 -THC, 11-OH-THC and THC-COOH in Whole Blood in Presence of Formalin Solution. <i>Journal of Analytical Toxicology</i> , 2019 , 43, e1-e3	2.9	1
49	Disappearance of Tramadol and THC-COOH in Hair After Discontinuation of Abuse. Two Different Profiles. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 65-68	2.9	1
48	Influence of antemortem perfusion on autopsy blood ethanol concentration. <i>Forensic Toxicology</i> , 2012 , 30, 76-79	2.6	1
47	Défi toxique par ingestion combiné de métoprolol et de lacosamide. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, 267-272	0.4	1
46	Premeditated double infanticide by zopiclone administration. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 251-254	0.4	1
45	Poisoning of a child by levamisole: Evidence by hair testing. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 48-51	0.4	1
44	Fatal alfentanil/morphine mixture: A case report. <i>Toxicologie Analytique Et Clinique</i> , 2014 , 26, 201-205	0.4	1
43	Negative hair test result after long-term drug use. About a case involving morphine and literature review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 267-273	5.9	1
42	Recommandations de la SFTA pour la réalisation des analyses toxicologiques impliquant des NPS - version 2020. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, 89-91	0.4	1
41	The forensic response after an adverse analytical finding (doping) involving a selective androgen receptor modulator (SARM) in human athlete. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 207, 114433	3.5	1
40	Is a Toxic Death possible with gliclazide, an oral hypoglycemic drug, found at therapeutic concentration?. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, 228-234	0.4	1
39	Toxicological investigations, including hair testing, in a death involving gabapentin. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 33, 136-136	0.4	1
38	Stratégie pharmaco-toxicologique pour évaluer la dose de cocaïne après une analyse urinaire positive. <i>Toxicologie Analytique Et Clinique</i> , 2011 , 23, 155-156	0.4	1

37	Ethyl glucuronide (marqueur de l'alcoolisme chronique) et poils. Une distribution surprenante. <i>Toxicologie Analytique Et Clinique</i> , 2008 , 20, 55-56	0.4	1
36	Mise en évidence d'une interaction métabolique entre la rilpivirine et le budésonide en utilisant les microsomes hépatiques humains comme support de démonstration. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, 106-110	0.4	1
35	Testing for anabolic steroids in human nail clippings. <i>Journal of Forensic Sciences</i> , 2021 , 66, 1577-1582	1.8	1
34	Determination of 3-MeO-PCP in human blood and urine in a fatal intoxication case, with a specific focus on metabolites identification. <i>Forensic Sciences Research</i> , 2021 , 6, 208-214	3.6	1
33	About 5 cases with 3 Meo-PCP including 2 deaths and 3 non-fatal cases seen in France in 2018. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, 332-336	0.4	1
32	Identification of furosemide in hair in a post-mortem case by UHPLC-MS/MS with guidance on interpretation. <i>Journal of Forensic Sciences</i> , 2021 , 66, 272-277	1.8	1
31	Toxicological Investigations in a Death Involving 2,5-Dimethoxy-4-Chloamphetamine (DOC) Performed on an Exhumed Body. <i>Journal of Analytical Toxicology</i> , 2021 , 45, e1-e7	2.9	1
30	The use of multiple keratinous matrices (head hair, axillary hair, and toenail clippings) can help narrowing a period of drug exposure: experience with a criminal case involving 25I-NBOMe and 4-MMC. <i>International Journal of Legal Medicine</i> , 2021 , 135, 1461-1465	3.1	1
29	Dosage du baclofène dans des larves de mouches recueillies sur un corps putréfi. <i>Toxicologie Analytique Et Clinique</i> , 2018 , 30, 218-222	0.4	1
28	Défi impliquant un surdosage de fentanyl par diversion d'un dispositif transdermique. Proposition d'un cas original avec mastication. <i>Revue De Medecine Legale</i> , 2018 , 9, 174-178	0.2	1
27	Accident de la voie publique sous l'influence de scopolamine : discussion sur l'imputabilité de cet alcaloïde. <i>Revue De Medecine Legale</i> , 2021 , 12, 103-108	0.2	1
26	Evidence of use of drostanolone, an anabolic steroid, at the time the subject committed a murder: Place of hair analysis. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, 222-225	0.4	1
25	Liquid chromatography-tandem mass spectrometry and confirmation by liquid chromatography-high-resolution mass spectrometry hair tests to evidence use of tizanidine by racing cyclists. <i>Drug Testing and Analysis</i> , 2021 ,	3.5	1
24	Aspects médicaux d'un choc anaphylactique au rocuronium. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, 331-336	0.4	0
23	Development and validation of SARMS and metabolic modulators screening in hair using UHPLC-MS/MS: Application to a doping case and first identification of S23 in authentic human hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1187, 123048	3.2	0
22	Descente fatale après consommation de 3-méthylmethcathinone (3-MMC) : à propos d'un cas. <i>Toxicologie Analytique Et Clinique</i> , 2020 , 32, 205-209	0.4	0
21	Entactogènes (MDMA) et soumission chimique. <i>Revue De Medecine Legale</i> , 2016 , 7, 71-74	0.2	0
20	Dopage sportif : appliquer les principes de la toxicologie judiciaire. Proposition de 3 cas dans le tennis, l'athlétisme et le football. <i>Revue De Medecine Legale</i> , 2016 , 7, 81-83	0.2	0

19	Hair Test Results for Drugs Prone to Contamination Should Not Be Used in Isolation to Avoid False Interpretation: A Case Involving Cocaine. <i>Journal of Analytical Toxicology</i> , 2021 , 45, e6-e7	2.9	o
18	In vitro characterization of S-23 metabolites produced by human liver microsomes, and subsequent application to urine after a controlled oral administration.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022 , 212, 114660	3.5	o
17	La thanatopraxie empêche-t-elle de réaliser une expertise toxicologique de référence?. <i>Toxicologie Analytique Et Clinique</i> , 2019 , 31, 3-6	0.4	
16	Consommation de stupéfiants et de nouvelles substances psychoactives par le biais des e-liquides. Description d'un cas et analyse de cheveux de deux expérimentateurs. <i>Revue De Medecine Legale</i> , 2020 , 11, 145-149	0.2	
15	Identification of adrafinil and its main metabolite modafinil in human hair. Self-administration study and interpretation of an authentic case. <i>Forensic Sciences Research</i> , 2020 , 5, 322-326	3.6	
14	In hair, a positive FAEE result cannot overrule a negative EtG result. <i>Toxicologie Analytique Et Clinique</i> , 2014 , 26, 107-109	0.4	
13	Intoxication par le bromazépam chez un nourrisson : apport des analyses capillaire et unguéale pour confirmer une exposition post-natale. <i>Toxicologie Analytique Et Clinique</i> , 2017 , 29, S16	0.4	
12	Drugs in Hair 2013 , 360-364		
11	Detection of Doping Agents in Human Hair. <i>International Forensic Science and Investigation Series</i> , 2006 , 241-254		
10	Contextualizing Methadone-Related Deaths: Failure to Contextualize May Be Considered a Weapon Against Public Health. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 713	3.2	
9	Evaluation of the One-Step ELISA kit for the detection of buprenorphine in urine, blood, and hair specimens. <i>Forensic Science International</i> , 2004 , 143, 153-153	2.6	
8	Problèmes posés par le dopage à la nandrolone. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2001 , 16, 130-131		
7	Recommandations de la SFTA pour la réalisation des analyses toxicologiques impliquant des NPST Version 2021. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 34, 1-1	0.4	
6	Le passage transcutané de l'indanylhydrate de boldénone peut-il être la source d'un résultat anormal lors d'un contrôle antidopage?. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, 161-161	0.4	
5	Mise en évidence de la consommation chronique d'alcool d'un anesthésiste à partir d'une analyse de cheveux. <i>Toxicologie Analytique Et Clinique</i> , 2016 , 28, 153-157	0.4	
4	Testing human hair after magic mushrooms abuse by LC-MS/MS: Pitfalls and limitations. <i>Forensic Chemistry</i> , 2021 , 26, 100364	2.8	
3	Le cannabidiol est-il un produit dopant?. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, 165-167	0.4	
2	Stupéfiants impliqués dans les décès toxiques observés à l'IML de Strasbourg, entre 2018 et 2020. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, 234-235	0.4	

- 1 Forensic investigations in a case of aggressive behavior of three dogs: Identification of dietary supplements contamination by metandienone and confirmation by hair tests. *Forensic Science International Animals and Environments*, **2021**, 1, 100022