

# Shao Yiming

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4395959/publications.pdf>

Version: 2024-02-01

165  
papers

3,169  
citations

218592

26  
h-index

223716

46  
g-index

169  
all docs

169  
docs citations

169  
times ranked

3616  
citing authors

#	ARTICLE	IF	CITATIONS
1	Virologic failure and all-cause mortality among older people living with HIV/AIDS in South China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 1815-1820.	0.6	4
2	HIV-1 genetic diversity a challenge for AIDS vaccine development: a retrospective bibliometric analysis. <i>Human Vaccines and Immunotherapeutics</i> , 2022, 18, 1-11.	1.4	13
3	Exploring Rapid and Effective Screening Methods for Anti-SARS-CoV-2 Neutralizing Antibodies in COVID-19 Convalescent Patients and Longitudinal Vaccinated Populations. <i>Pathogens</i> , 2022, 11, 171.	1.2	4
4	Nonstudent Young Men Put Students at High Risk of HIV Acquisition in Guangxi, China: A Phylogenetic Analysis of Surveillance Data. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofac042.	0.4	5
5	Higher Risk of Mortality and Virologic Failure in HIV-Infected Patients With High Viral Load at Antiretroviral Therapy Initiation: An Observational Cohort Study in Chongqing, China. <i>Frontiers in Public Health</i> , 2022, 10, 800839.	1.3	2
6	Spatiotemporal Patterns of CRF07_BC in China: A Population-Based Study of the HIV Strain With the Highest Infection Rates. <i>Frontiers in Immunology</i> , 2022, 13, 824178.	2.2	6
7	CRF07_BC is associated with slow HIV disease progression in Chinese patients. <i>Scientific Reports</i> , 2022, 12, 3773.	1.6	10
8	Impact of low-level viremia with drug resistance on CD4 cell counts among people living with HIV on antiretroviral treatment in China. <i>BMC Infectious Diseases</i> , 2022, 22, 426.	1.3	4
9	CRF01_AE and CRF01_AE Cluster 4 Are Associated With Poor Immune Recovery in Chinese Patients Under Combination Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2021, 72, 1799-1809.	2.9	21
10	Relationship Between Drug Resistance and Death in HIV-Infected Patients Receiving Antiretroviral Therapy – 7 PLADs, China, 2010–2019. <i>China CDC Weekly</i> , 2021, 3, 291-297.	1.0	5
11	Using longitudinal genetic-network study to understand HIV treatment-as-prevention. <i>Aids</i> , 2021, 35, 947-955.	1.0	16
12	The prevalence of CRF55_01B among HIV-1 strain and its connection with traffic development in China. <i>Emerging Microbes and Infections</i> , 2021, 10, 256-265.	3.0	22
13	Changing Epidemiology of Hepatitis B Virus and Hepatitis C Virus Coinfection in a Human Immunodeficiency Virus–Positive Population in China: Results From the Third and Fourth Nationwide Molecular Epidemiologic Surveys. <i>Clinical Infectious Diseases</i> , 2021, 73, 642-649.	2.9	7
14	HIV-1 CRF07_BC transmission dynamics in China: two decades of national molecular surveillance. <i>Emerging Microbes and Infections</i> , 2021, 10, 1919-1930.	3.0	15
15	Dynamics of HIV-1 quasispecies diversity of participants on long-term antiretroviral therapy based on intrahost single-nucleotide variations. <i>International Journal of Infectious Diseases</i> , 2021, 104, 306-314.	1.5	5
16	Virus Evolution and Neutralization Sensitivity in an HIV-1 Subtype B <sup>2</sup> Infected Plasma Donor with Broadly Neutralizing Activity. <i>Vaccines</i> , 2021, 9, 311.	2.1	9
17	A Prognostic Model to Assess Long-Term Survival of Patients on Antiretroviral Therapy: A 15-Year Retrospective Cohort Study in Southwestern China. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab309.	0.4	0
18	Identification of a CD4-binding site-directed antibody with ADCC activity from a chronic HIV-1B <sup>2</sup> -infected Chinese donor. <i>Virus Research</i> , 2021, 302, 198470.	1.1	3

#	ARTICLE	IF	CITATIONS
19	The inference of HIV-1 transmission direction between a man who has sex with men and his heterosexual wife based on the sequences of HIV-1 quasi-species. <i>Emerging Microbes and Infections</i> , 2021, 10, 1209-1216.	3.0	5
20	Human challenge trials to assess the efficacy of currently approved COVID-19 vaccines against SARS-CoV-2 variants. <i>Emerging Microbes and Infections</i> , 2021, 10, 439-441.	3.0	5
21	Early Pro-Inflammatory Signal and T-Cell Activation Associate With Vaccine-Induced Anti-Vaccinia Protective Neutralizing Antibodies. <i>Frontiers in Immunology</i> , 2021, 12, 737487.	2.2	2
22	Epidemiology and Molecular Transmission Characteristics of HIV in the Capital City of Anhui Province in China. <i>Pathogens</i> , 2021, 10, 1554.	1.2	5
23	Changing Proportions of HIV-1 Subtypes and Transmitted Drug Resistance Among Newly Diagnosed HIV/AIDS Individuals in China, 2015 and 2018. <i>China CDC Weekly</i> , 2021, 3, 1133-1138.	1.0	8
24	Two dimensional nanosheets as immunoregulator improve HIV vaccine efficacy. <i>Chemical Science</i> , 2021, 13, 178-187.	3.7	4
25	Genome Sequence of a Novel HIV-1 Circulating Recombinant Form (CRF103_01B) Identified from Hebei Province, China. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 234-241.	0.5	11
26	Identification of a Novel HIV-1 Second-Generation (CRF01_AE/B) Among Men Who Have Sex with Men in Tianjin, China. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 138-142.	0.5	5
27	Premature Stop Codon at Residue 101 within HIV-1 Rev Does Not Influence Viral Replication of Clade BC but Severely Reduces Viral Fitness of Clade B. <i>Virologica Sinica</i> , 2020, 35, 181-190.	1.2	2
28	The complex challenges of HIV vaccine development require renewed and expanded global commitment. <i>Lancet, The</i> , 2020, 395, 384-388.	6.3	44
29	Effects of HIV-1 genotype on baseline CD4+ cell count and mortality before and after antiretroviral therapy. <i>Scientific Reports</i> , 2020, 10, 15875.	1.6	10
30	Near Full-Length Genomic Characterization of a Novel HIV-1 Circulating Recombinant Form (CRF106_cpx) Identified Among Heterosexuals in China. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 875-880.	0.5	6
31	Transmission of HIV and HCV within Former Soviet Union Countries. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2020, 2020, 1-10.	0.8	2
32	A V <sub>H</sub> 1-69 antibody lineage from an infected Chinese donor potentially neutralizes HIV-1 by targeting the V3 glycan supersite. <i>Science Advances</i> , 2020, 6, .	4.7	19
33	Trends of HIV, hepatitis C virus and syphilis seroprevalence among injection and non-injection drug users in southwestern China, 2010-2017. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, , 1-6.	0.6	5
34	First Detection of a Circulating Recombinant Form of HIV-1 CRF01_AE/08_BC (CRF105_0108) with Drug-Resistant Mutations in Sichuan, China. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 625-630.	0.5	5
35	Trends of Human Immunodeficiency Virus, Syphilis, and Hepatitis C Infections Among Men Who Have Sex With Men in Chongqing, China: A Serial Cross-sectional Survey From 2011 to 2018. <i>Sexually Transmitted Diseases</i> , 2020, 47, 491-498.	0.8	5
36	HIV drug resistance in patients in China's national HIV treatment programme who have been on first-line ART for at least 9 months. <i>AIDS Research and Therapy</i> , 2020, 17, 9.	0.7	5

#	ARTICLE	IF	CITATIONS
37	Increasing the Assembly Efficacy of Peptidic $\hat{I}^2$ -Sheets for a Highly-Sensitive HIV Detection. <i>Analytical Chemistry</i> , 2020, 92, 11089-11094.	3.2	6
38	IDM editorial statement on the 2019-nCoV. <i>Infectious Disease Modelling</i> , 2020, 5, 233-234.	1.2	12
39	Propagation analysis and prediction of the COVID-19. <i>Infectious Disease Modelling</i> , 2020, 5, 282-292.	1.2	201
40	Transmitted HIV drug resistance among individuals with newly diagnosed HIV infection: a multicenter observational study. <i>Aids</i> , 2020, 34, 609-619.	1.0	21
41	Survey of Pretreatment HIV Drug Resistance and Genetic Transmission Network Analysis Among HIV Patients in a High Drug-Use Area of Southwest China. <i>Current HIV Research</i> , 2020, 17, 441-451.	0.2	10
42	Genomic Characterization of a Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/B) from Men Who Have Sex with Men in Guangxi Zhuang Autonomous Region, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 972-977.	0.5	7
43	Genomic Characterization of a Novel HIV-1 CRF01_AE/07_BC Recombinant Virus from a Married Man Who Has Sex with Men in Tianjin, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 780-784.	0.5	3
44	Higher Risks of Virologic Failure and All-Cause Deaths Among Older People Living with HIV in Chongqing, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 1095-1102.	0.5	10
45	Using Baidu Search Engine to Monitor AIDS Epidemics Inform for Targeted intervention of HIV/AIDS in China. <i>Scientific Reports</i> , 2019, 9, 320.	1.6	33
46	Characteristics of Envelope Genes in a Chinese Chronically HIV-1 Infected Patient With Broadly Neutralizing Activity. <i>Frontiers in Microbiology</i> , 2019, 10, 1096.	1.5	5
47	Role of FOXO3 Activated by HIV-1 Tat in HIV-Associated Neurocognitive Disorder Neuronal Apoptosis. <i>Frontiers in Neuroscience</i> , 2019, 13, 44.	1.4	25
48	Treatment outcomes of initial differential antiretroviral regimens among HIV patients in Southwest China: comparison from an observational cohort study. <i>BMJ Open</i> , 2019, 9, e025666.	0.8	10
49	Characterization of a Novel HIV-1 CRF01_AE/CRF07_BC Recombinant Virus Among Men Who Have Sex with Men in Tianjin, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 488-493.	0.5	4
50	Genomic Characterization of a Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/07_BC) from a Married Man Who Has Sex with Men in Zhejiang, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 583-587.	0.5	0
51	Rapidly Spreading Human Immunodeficiency Virus Epidemic Among Older Males and Associated Factors: A Large-scale Prospective Cohort Study in Rural Southwest China. <i>Sexually Transmitted Diseases</i> , 2019, 46, 234-239.	0.8	22
52	Characterization of a New HIV-1 CRF01_AE/B Recombinant Virus Form Among Men Who Have Sex with Men in Shanghai, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 414-418.	0.5	6
53	Near Full-Length Genomic Characterization of HIV-1 CRF01_AE/B Recombinant Strains Identified in Hebei, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 196-204.	0.5	7
54	Disparate impact on CD4 T cell count by two distinct HIV-1 phylogenetic clusters from the same clade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 239-244.	3.3	38

#	ARTICLE	IF	CITATIONS
55	Open letter from Chinese HIV professionals on human genome editing. <i>Lancet</i> , The, 2019, 393, 26-27.	6.3	10
56	Exploration of Implementation Patterns and Content from a Text-Based Outreach Intervention Clinical Trial for Newly Diagnosed, HIV-Positive MSM in Beijing, China. <i>AIDS and Behavior</i> , 2019, 23, 1158-1165.	1.4	3
57	Near Full-Length Genome Sequence of a Novel HIV-1 Second-Generation Recombinant Form (CRF01_AE/CRF07_BC) Detected Among Men Who Have Sex with Men in Tianjin, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 205-212.	0.5	6
58	Peer counselling versus standard of care on reducing high risk behaviours among newly diagnosed HIV-positive men who have sex with men in Beijing, China: a randomized intervention study. <i>Journal of the International AIDS Society</i> , 2018, 21, e25079.	1.2	22
59	Early antiretroviral therapy on reducing HIV transmission in China: strengths, weaknesses and next focus of the program. <i>Scientific Reports</i> , 2018, 8, 3431.	1.6	19
60	Characterization of a New HIV-1 CRF01_AE/CRF07_BC Recombinant Virus Form Among Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 550-554.	0.5	12
61	Risky Sexual Behavior Among Individuals Receiving Buprenorphine/Naloxone Opiate Dependency Treatment: HIV Prevention Trials Network (HPTN) 058. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 300-307.	0.9	3
62	MicroRNA 31 inhibits CD8+ T-cell function by increasing its sensitivity to type I interferon signaling in chronic viral infection. <i>Cellular and Molecular Immunology</i> , 2018, 15, 533-535.	4.8	1
63	HIV testing and sexual risks among migrant men who have sex with men: findings from a large cross-sectional study in Beijing, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 86-94.	0.6	15
64	Identification of a Novel HIV-1 Unique Recombinant Form Between B, CRF01_AE and CRF07_BC in Men Who Have Sex with Men in Guangxi, China. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 319-323.	0.5	9
65	HIV-1 and hepatitis C virus selection bottleneck in Chinese people who inject drugs. <i>Aids</i> , 2018, 32, 309-320.	1.0	0
66	Adherence, virological outcome, and drug resistance in Chinese HIV patients receiving first-line antiretroviral therapy from 2011 to 2015. <i>Medicine (United States)</i> , 2018, 97, e13555.	0.4	20
67	Identification of a novel broadly HIV-1-neutralizing antibody from a CRF01_AE-infected Chinese donor. <i>Emerging Microbes and Infections</i> , 2018, 7, 1-12.	3.0	7
68	Characteristics of HBV infection in 705 HIV-infected patients under lamivudine-based antiretroviral treatment from three regions in China. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 1635-1644.	1.1	2
69	HIV-1 Transmissions Among Recently Infected Individuals in Southwest China are Predominantly Derived from Circulating Local Strains. <i>Scientific Reports</i> , 2018, 8, 12831.	1.6	16
70	A defucosylated bispecific multivalent molecule exhibits broad HIV-1-neutralizing activity and enhanced antibody-dependent cellular cytotoxicity against reactivated HIV-1 latently infected cells. <i>Aids</i> , 2018, 32, 1749-1761.	1.0	11
71	Risk Prediction Score for HIV Infection: Development and Internal Validation with Cross-Sectional Data from Men Who Have Sex with Men in China. <i>AIDS and Behavior</i> , 2018, 22, 2267-2276.	1.4	15
72	Early Env-specific CTLs effectively suppress viral replication in SHIV controller macaques. <i>Cellular Immunology</i> , 2018, 331, 30-37.	1.4	4

#	ARTICLE	IF	CITATIONS
73	Inducing CCR5 <sup>Δ32/Δ32</sup> Homozygotes in the Human Jurkat CD4 <sup>+</sup> Cell Line and Primary CD4 <sup>+</sup> Cells by CRISPR-Cas9 Genome-Editing Technology. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 267-274.	2.3	25
74	HIV-1 Tat increases BAG3 via NF- $\kappa$ B signaling to induce autophagy during HIV-associated neurocognitive disorder. <i>Cell Cycle</i> , 2018, 17, 1614-1623.	1.3	18
75	Near Full-Length Genome Sequence of a Novel HIV-1 Recombinant Form (CRF01_AE/07_BC) Detected Among Men Who Have Sex with Men in Zhejiang, China. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 1095-1099.	0.5	4
76	Prevalence of Transmitted HIV drug resistance in antiretroviral treatment na <sup>-</sup> ve newly diagnosed individuals in China. <i>Scientific Reports</i> , 2018, 8, 12273.	1.6	37
77	Amantadine Surface-Modified Silver Nanorods Improves Immunotherapy of HIV Vaccine Against HIV-Infected Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 28494-28501.	4.0	12
78	Near Full-Length Genomic Characterization of a Novel HIV Type 1 Recombinant Form (CRF01_AE/B) Identified from Anhui, China. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 1100-1105.	0.5	5
79	Decreasing HIV, Syphilis, and Hepatitis C Infection After a Decade of Harm Reduction Implementation Among Drug Users in Southwestern Areas of China. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 248-257.	0.6	3
80	Aphrodisiac Use and Associated Factors Among Older Male Clients of Low-Cost Female Sex Workers in Southwestern Rural Areas of China. <i>Sexuality Research and Social Policy</i> , 2017, 14, 71-80.	1.4	4
81	Relationship of Stigma and Depression Among Newly HIV-Diagnosed Chinese Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2017, 21, 292-299.	1.4	41
82	Subsequent Sexual Risks Among Men Who Have Sex with Men May Differ by Sex of First Partner and Age at Sexual Debut: A Cross-Sectional Study in Beijing, China. <i>AIDS and Behavior</i> , 2017, 21, 2913-2923.	1.4	11
83	Five Near Full-Length Hepatitis C Virus Sequences Were Identified from HIV Coinfected Injection Drug Users of China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 496-499.	0.5	0
84	Generation and Characterization of HIV-1 Transmitted and Founder Virus Consensus Sequence from Intravenous Drug Users in Xinjiang, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 610-613.	0.5	1
85	Identification of a Novel HIV Type 1 CRF01_AE/CRF07_BC Recombinant Isolate in Sichuan, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 621-628.	0.5	3
86	Impact of Depression and Anxiety on Initiation of Antiretroviral Therapy Among Men Who Have Sex with Men with Newly Diagnosed HIV Infections in China. <i>AIDS Patient Care and STDs</i> , 2017, 31, 96-104.	1.1	46
87	Disparities in HIV and syphilis prevalence and risk factors between older male clients with and without steady sex partners in southwestern rural China. <i>BMC Infectious Diseases</i> , 2017, 17, 269.	1.3	21
88	Characterization of a New HIV-1 CRF01_AE/CRF07_BC Recombinant Virus in Guangxi, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 1166-1170.	0.5	10
89	Genome Sequence of a Novel HIV-1 Circulating Recombinant Form (CRF79_0107) Identified from Shanxi, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 1056-1060.	0.5	34
90	Four Closely Related HIV-1 CRF01_AE/CRF07_BC Recombinant Forms Identified in East China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 740-744.	0.5	9

#	ARTICLE	IF	CITATIONS
91	Profiling the neutralizing antibody response in chronically HIV-1 CRF07_BC-infected intravenous drug users naïve to antiretroviral therapy. <i>Scientific Reports</i> , 2017, 7, 46308.	1.6	6
92	Drug resistance-related mutations T369V/I in the connection subdomain of HIV-1 reverse transcriptase severely impair viral fitness. <i>Virus Research</i> , 2017, 233, 8-16.	1.1	3
93	Predictors of HIV virological failure and drug resistance in Chinese patients after 48 months of antiretroviral treatment, 2008–2012: a prospective cohort study. <i>BMJ Open</i> , 2017, 7, e016012.	0.8	12
94	Escape from humoral immunity is associated with treatment failure in HIV-1-infected patients receiving long-term antiretroviral therapy. <i>Scientific Reports</i> , 2017, 7, 6222.	1.6	6
95	Characterization of a Novel HIV-1 Second-Generation Recombinant Form in Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 1175-1179.	0.5	7
96	Tracing the epidemic history of HIV-1 CRF01_AE clusters using near-complete genome sequences. <i>Scientific Reports</i> , 2017, 7, 4024.	1.6	42
97	A Systems Vaccinology Approach Reveals Temporal Transcriptomic Changes of Immune Responses to the Yellow Fever 17D Vaccine. <i>Journal of Immunology</i> , 2017, 199, 1476-1489.	0.4	40
98	Polymorphisms and Mutational Covariation Associated with Death in a Prospective Cohort of HIV/AIDS Patients Receiving Long-Term ART in China. <i>PLoS ONE</i> , 2017, 12, e0170139.	1.1	8
99	Expanded antiretroviral treatment, sexual networks, and condom use: Treatment as prevention unlikely to succeed without partner reduction among men who have sex with men in China. <i>PLoS ONE</i> , 2017, 12, e0171295.	1.1	5
100	Menin mediates Tat-induced neuronal apoptosis in brain frontal cortex of SIV-infected macaques and in Tat-treated cells. <i>Oncotarget</i> , 2017, 8, 18082-18094.	0.8	9
101	HIV-1 Tat inhibits EAAT-2 through AEG-1 upregulation in models of HIV-associated neurocognitive disorder. <i>Oncotarget</i> , 2017, 8, 39922-39934.	0.8	15
102	Recent Progress toward Engineering HIV-1-Specific Neutralizing Monoclonal Antibodies. <i>Frontiers in Immunology</i> , 2016, 7, 391.	2.2	9
103	Molecular linkage tracing of HIV-1 transmission events in seroconcordant couples in Guangxi Province, Southeastern China. <i>SpringerPlus</i> , 2016, 5, 2015.	1.2	2
104	Drug Resistance and Virological Failure among HIV-Infected Patients after a Decade of Antiretroviral Treatment Expansion in Eight Provinces of China. <i>PLoS ONE</i> , 2016, 11, e0166661.	1.1	30
105	Associations of current marital status and living arrangements with HIV and syphilis risk: findings from a community-based sample of men who have sex with men in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1461-1466.	0.6	5
106	Geographic origin and evolutionary history of China's two predominant HIV-1 circulating recombinant forms, CRF07_BC and CRF08_BC. <i>Scientific Reports</i> , 2016, 6, 19279.	1.6	67
107	Key gp120 Glycans Pose Roadblocks to the Rapid Development of VRC01-Class Antibodies in an HIV-1-Infected Chinese Donor. <i>Immunity</i> , 2016, 44, 939-950.	6.6	85
108	Improved safety of a replication-competent poxvirus-based HIV vaccine with the introduction of the HSV-TK/GCV suicide gene system. <i>Vaccine</i> , 2016, 34, 3447-3453.	1.7	2

#	ARTICLE	IF	CITATIONS
109	Identification of a Novel CRF01_AE/CRF07_BC Recombinant Form in Men Who Have Sex with Men in Sichuan, China. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 718-721.	0.5	12
110	Investigating HIV Infection and HIV Incidence Among Chinese Men Who Have Sex with Men with Recent Sexual Debut, Chongqing, China, 2011. <i>AIDS and Behavior</i> , 2016, 20, 2976-2982.	1.4	10
111	Effects of CD4 Cell Counts and Viral Load Testing on Mortality Rates in Patients With HIV Infection Receiving Antiretroviral Treatment: An Observational Cohort Study in Rural Southwest China. <i>Clinical Infectious Diseases</i> , 2016, 63, 108-114.	2.9	18
112	Interleukin-21 administration leads to enhanced antigen-specific T cell responses and natural killer cells in HIV-1 vaccinated mice. <i>Cellular Immunology</i> , 2016, 303, 55-65.	1.4	7
113	Assessment of the antiviral capacity of primary natural killer cells by optimized in vitro quantification of HIV-1 replication. <i>Journal of Immunological Methods</i> , 2016, 434, 53-60.	0.6	5
114	Alcohol misuse, risky sexual behaviors, and HIV or syphilis infections among Chinese men who have sex with men. <i>Drug and Alcohol Dependence</i> , 2016, 168, 239-246.	1.6	22
115	The 2014 Ebola virus outbreak in West Africa highlights no evidence of rapid evolution or adaptation to humans. <i>Scientific Reports</i> , 2016, 6, 35822.	1.6	6
116	Seeking Male Sexual Partners via Internet and Traditional Venues among Chinese Men Who Have Sex with Men: Implications for HIV Risk Reduction Interventions. <i>AIDS and Behavior</i> , 2016, 20, 2222-2230.	1.4	18
117	Near Full-Length Genome Identification of a Novel HIV-1 Unique (B/C) Recombinant Isolate in Sichuan, China. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 1229-1233.	0.5	2
118	A mathematical modeling study of the HIV epidemics at two rural townships in the Liangshan Prefecture of the Sichuan Province of China. <i>Infectious Disease Modelling</i> , 2016, 1, 3-10.	1.2	8
119	Poppers use and risky sexual behaviors among men who have sex with men in Beijing, China. <i>Drug and Alcohol Dependence</i> , 2016, 160, 42-48.	1.6	43
120	Polyvinylpyrrolidone-Poly(ethylene glycol) Modified Silver Nanorods Can Be a Safe, Noncarrier Adjuvant for HIV Vaccine. <i>ACS Nano</i> , 2016, 10, 3589-3596.	7.3	39
121	Enhanced non-inflammasome mediated immune responses by mannosylated zwitterionic-based cationic liposomes for HIV DNA vaccines. <i>Biomaterials</i> , 2016, 85, 1-17.	5.7	68
122	Near Full-Length Genomic Characterization of a Novel HIV Type 1 CRF01_AE/CRF07_BC Recombinant Form Transmitted Between a Heterosexual Couple in Guangxi, China. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 689-693.	0.5	11
123	Alcohol drinking and HIV-related risk among men who have sex with men in Chongqing, China. <i>Alcohol</i> , 2016, 50, 1-7.	0.8	12
124	Cyclophilin A as a potential genetic adjuvant to improve HIV-1 Gag DNA vaccine immunogenicity by eliciting broad and long-term Gag-specific cellular immunity in mice. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 545-553.	1.4	13
125	Lamivudine Concentration in Hair and Prediction of Virologic Failure and Drug Resistance among HIV Patients Receiving Free ART in China. <i>PLoS ONE</i> , 2016, 11, e0154421.	1.1	24
126	Inhibition of HIV-1 assembly by coiled-coil domain containing protein 8 in human cells. <i>Scientific Reports</i> , 2015, 5, 14724.	1.6	7



#	ARTICLE	IF	CITATIONS
127	Trends of HIV subtypes and phylogenetic dynamics among young men who have sex with men in China, 2009–2014. <i>Scientific Reports</i> , 2015, 5, 16708.	1.6	49
128	Efficacy and HIV drug resistance profile of second-line ART among patients having received long-term first-line regimens in rural China. <i>Scientific Reports</i> , 2015, 5, 14823.	1.6	15
129	Predictors of antiretroviral therapy initiation: a cross-sectional study among Chinese HIV-infected men who have sex with men. <i>BMC Infectious Diseases</i> , 2015, 15, 570.	1.3	20
130	Low Virologic Failure and Drug Resistance among HIV-Infected Patients Receiving Hospital-Based ART While Care and Outreach through Community in Guangxi, China. <i>Frontiers in Public Health</i> , 2015, 3, 244.	1.3	12
131	Reconstitution and characterization of antibody repertoires of HIV-1-infected “elite neutralizers”. <i>Antiviral Research</i> , 2015, 118, 1-9.	1.9	12
132	Need for an international health emergency response force for future epidemic outbreaks. <i>BMJ</i> , The, 2015, 350, h277-h277.	3.0	0
133	Genomic Characterization of Two Novel HIV-1 Unique (CRF01_AE/B) Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 921-925.	0.5	8
134	Reductions in virological failure and drug resistance in Chinese antiretroviral-treated patients due to lamivudine-based regimens, 2003–12. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2097-2103.	1.3	21
135	The sexually driven epidemic in youths in China’s southwestern border region was caused by dynamic emerging multiple recombinant HIV-1 strains. <i>Scientific Reports</i> , 2015, 5, 11323.	1.6	19
136	CRF01_AE/B/C, a Novel Drug-Resistant HIV-1 Recombinant in Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 745-748.	0.5	9
137	The HEPT Analogue WPR-6 Is Active against a Broad Spectrum of Nonnucleoside Reverse Transcriptase Drug-Resistant HIV-1 Strains of Different Serotypes. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 4882-4888.	1.4	2
138	Qualitative Assessment of Barriers and Facilitators of Access to HIV Testing Among Men Who Have Sex with Men in China. <i>AIDS Patient Care and STDs</i> , 2015, 29, 481-489.	1.1	55
139	Higher levels of circulating monocyte–platelet aggregates are correlated with viremia and increased sCD163 levels in HIV-1 infection. <i>Cellular and Molecular Immunology</i> , 2015, 12, 435-443.	4.8	42
140	Evaluation of an In-House HIV-1 Drug Resistance Genotypic Testing for Using Dried Blood Spot Specimens in China. <i>Current HIV Research</i> , 2015, 13, 109-116.	0.2	2
141	Virological Outcomes and Drug Resistance in Chinese Patients after 12 Months of 3TC-Based First-Line Antiretroviral Treatment, 2011–2012. <i>PLoS ONE</i> , 2014, 9, e88305.	1.1	20
142	HIV, Syphilis, and Behavioral Risk Factors among Female Sex Workers before and after Implementation of Harm Reduction Programs in a High Drug-Using Area of China. <i>PLoS ONE</i> , 2014, 9, e84950.	1.1	12
143	Efficacy of Peer-Led Interventions to Reduce Unprotected Anal Intercourse among Men Who Have Sex with Men: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e90788.	1.1	30
144	Molecular Epidemiology of HIV-1 in Jilin Province, Northeastern China: Emergence of a New CRF07_BC Transmission Cluster and Intersubtype Recombinants. <i>PLoS ONE</i> , 2014, 9, e110738.	1.1	24

#	ARTICLE	IF	CITATIONS
145	Cholera toxin B subunit acts as a potent systemic adjuvant for HIV-1 DNA vaccination intramuscularly in mice. <i>Human Vaccines and Immunotherapeutics</i> , 2014, 10, 1274-1283.	1.4	39
146	Alcohol Use among Chinese Men Who Have Sex with Men: An Epidemiological Survey and Meta-Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	17
147	HIV Risk Perception among HIV Negative or Status-Unknown Men Who Have Sex with Men in China. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	23
148	HIV virological failure and drug resistance among injecting drug users receiving first-line ART in China. <i>BMJ Open</i> , 2014, 4, e005886.	0.8	32
149	Changing the Landscape of the HIV Epidemic among MSM in China: Results from Three Consecutive Respondent-Driven Sampling Surveys from 2009 to 2011. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	20
150	Prevalence and Seroincidence of Hepatitis B and Hepatitis C Infection in High Risk People Who Inject Drugs in China and Thailand. <i>Hepatitis Research and Treatment</i> , 2014, 2014, 1-5.	2.0	7
151	Hepatotoxicity in a 52-week randomized trial of short-term versus long-term treatment with buprenorphine/naloxone in HIV-negative injection opioid users in China and Thailand. <i>Drug and Alcohol Dependence</i> , 2014, 142, 139-145.	1.6	7
152	CorMut: an R/Bioconductor package for computing correlated mutations based on selection pressure. <i>Bioinformatics</i> , 2014, 30, 2073-2075.	1.8	8
153	The development of drug resistance mutations K103N Y181C and G190A in long term Nevirapine-containing antiviral therapy. <i>AIDS Research and Therapy</i> , 2014, 11, 36.	0.7	17
154	Modeling the Impact on HIV Incidence of Combination Prevention Strategies among Men Who Have Sex with Men in Beijing, China. <i>PLoS ONE</i> , 2014, 9, e90985.	1.1	33
155	Alterations in HIV-1 gp120 V3 Region Are Necessary but Not Sufficient for Coreceptor Switching in CRF07_BC in China. <i>PLoS ONE</i> , 2014, 9, e93426.	1.1	4
156	Sexual Risk Reduction for HIV-Infected Persons: A Meta-Analytic Review of "Positive Prevention" Randomized Clinical Trials. <i>PLoS ONE</i> , 2014, 9, e107652.	1.1	16
157	Construction and Characterization of Highly Infectious Full-Length Molecular Clones of a HIV-1 CRF07_BC Isolate from Xinjiang, China. <i>PLoS ONE</i> , 2013, 8, e79177.	1.1	7
158	Profiles of neutralizing antibody response in chronically human immunodeficiency virus type 1 clade B $\epsilon$ 2-infected former plasma donors from China naive to antiretroviral therapy. <i>Journal of General Virology</i> , 2012, 93, 2267-2278.	1.3	21
159	The HIV-1 Epidemic: Low- to Middle-Income Countries. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012, 2, a007187-a007187.	2.9	89
160	A Comprehensive Mapping of HIV-1 Genotypes in Various Risk Groups and Regions across China Based on a Nationwide Molecular Epidemiologic Survey. <i>PLoS ONE</i> , 2012, 7, e47289.	1.1	205
161	HIV/AIDS-Related Stigmatizing and Discriminatory Attitudes and Recent HIV Testing Among Men Who Have Sex With Men in Beijing. <i>AIDS and Behavior</i> , 2012, 16, 499-507.	1.4	57
162	Genetic and temporal dynamics of human immunodeficiency virus type 1 CRF07_BC in Xinjiang, China. <i>Journal of General Virology</i> , 2009, 90, 1757-1761.	1.3	20

#	ARTICLE	IF	CITATIONS
163	Phenotypic and genotypic characterization of Human Immunodeficiency Virus type 1 CRF07_BC strains circulating in the Xinjiang Province of China. <i>Retrovirology</i> , 2009, 6, 45.	0.9	29
164	Correlation between the induction of Th1 cytokines by an attenuated equine infectious anemia virus vaccine and protection against disease progression. <i>Journal of General Virology</i> , 2007, 88, 998-1004.	1.3	12
165	Characterization of a Virtually Full-Length Human Immunodeficiency Virus Type 1 Genome of a Prevalent Intersubtype (C/Δ) Recombinant Strain in China. <i>Journal of Virology</i> , 2000, 74, 11367-11376.	1.5	291