Basak Baykara

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/4396257/publications.pdf

Version: 2024-02-01

28	861	586496 16	591227 27
papers	citations	h-index	g-index

28	28	28	1570
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	The effect of exercise on anxiety- and depression-like behavior of aged rats. Biotechnic and Histochemistry, 2020, 95, 8-17.	0.7	11
2	Dose dependent effects of oxytocin on cognitive defects and anxiety disorders in adult rats following acute infantile maternal deprivation stress. Biotechnic and Histochemistry, 2019, 94, 469-480.	0.7	6
3	The role of serotonin and serotonin 2A receptor in the anxiety due to traumatic brain injury in immature rats. Anadolu Psikiyatri Dergisi, 2019, , 1.	0.3	0
4	Exercise increases leptin levels correlated with IGF-1 in hippocampus and prefrontal cortex of adolescent male and female rats. Journal of Chemical Neuroanatomy, 2017, 81, 27-33.	1.0	22
5	Effects of administration of subtoxic doses of acetaminophen on liver and blood levels of insulin-like growth factor-1 in rats. Toxicology and Industrial Health, 2016, 32, 39-46.	0.6	7
6	Effects of voluntary and involuntary exercise on cognitive functions, and VEGF and BDNF levels in adolescent rats. Biotechnic and Histochemistry, 2015, 90, 55-68.	0.7	114
7	Potential Novel Biomarkers for Diabetic Testicular Damage in Streptozotocin-Induced Diabetic Rats: Nerve Growth Factor Beta and Vascular Endothelial Growth Factor. Disease Markers, 2014, 2014, 1-7.	0.6	32
8	Effects of exercise and poor indoor air quality on learning, memory and blood IGF-1 in adolescent mice. Biotechnic and Histochemistry, 2014, 89, 126-135.	0.7	9
9	Effects of carbon dioxide exposure on early brain development in rats. Biotechnic and Histochemistry, 2014, 89, 371-383.	0.7	23
10	Anxiety- and depression-like behavior are correlated with leptin and leptin receptor expression in prefrontal cortex of streptozotocin-induced diabetic rats. Biotechnic and Histochemistry, 2014, 89, 161-171.	0.7	30
11	The protective effects of carnosine in alcohol-induced hepatic injury in rats. Toxicology and Industrial Health, 2014, 30, 25-32.	0.6	9
12	Structural deteriorations of the human peritoneum during laparoscopic cholecystectomy. A transmission electron microscopic study. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 2744-2750.	1.3	8
13	Progesterone treatment decreases traumatic brain injury induced anxiety and is correlated with increased serum IGF-1 levels; prefrontal cortex, amygdala, hippocampus neuron density; and reduced serum corticosterone levels in immature rats. Biotechnic and Histochemistry, 2013, 88, 250-257.	0.7	30
14	Preparation of131I-Pyrimethamine and evaluation for scintigraphy of experimentallyToxoplasma gondii-infected rats. Journal of Drug Targeting, 2013, 21, 175-179.	2.1	4
15	Serum IGF-1 levels correlate negatively to liver damage in diabetic rats. Biotechnic and Histochemistry, 2013, 88, 194-201.	0.7	30
16	Positive effects of aerobic exercise on learning and memory functioning, which correlate with hippocampal IGF-1 increase in adolescent rats. Neuroscience Letters, 2013, 549, 177-181.	1.0	49
17	Anxiety correlates to decreased blood and prefrontal cortex IGF-1 levels in streptozotocin induced diabetes. Neuroscience Letters, 2012, 531, 176-181.	1.0	63
18	Relationship between circulating IGF-1 levels and traumatic brain injury-induced hippocampal damage and cognitive dysfunction in immature rats. Neuroscience Letters, 2012, 507, 84-89.	1.0	47

#	Article	IF	Citations
19	Acute footshock-stress increases spatial learningâ€“memory and correlates to increased hippocampal BDNF and VEGF and cell numbers in adolescent male and female rats. Neuroscience Letters, 2012, 514, 141-146.	1.0	47
20	Maternal treadmill exercise during pregnancy decreases anxiety and increases prefrontal cortex VEGF and BDNF levels of rat pups in early and late periods of life. Neuroscience Letters, 2012, 516, 221-225.	1.0	56
21	Neuroprotective effects of recombinant human erythropoietin in the developing brain of rat after lithium-pilocarpine induced status epilepticus. Brain and Development, 2012, 34, 189-195.	0.6	14
22	The combined treatment with progesterone and magnesium sulfate positively affects the traumatic brain injury in immature rats.. Turkish Neurosurgery, 2012, 23, 129-37.	0.1	19
23	Anxiety caused by traumatic brain injury correlates to decreased prefrontal cortex vegf immunoreactivity and neuron density in immature rats. Turkish Neurosurgery, 2012, 22, 604-10.	0.1	12
24	Maternal Hypothyroidism and Its Rolein the Placenta: A Morphometric andImmunohistochemical Study. Turkiye Klinikleri Journal of Medical Sciences, 2010, 30, 970-977.	0.1	1
25	Prophylactic and Therapeutic Effects of Carnosine in Ischemia Reperfusion Injury of Liver. Turkiye Klinikleri Journal of Medical Sciences, 2010, 30, 1896-1905.	0.1	2
26	The protective effects of carnosine and melatonin in ischemia-reperfusion injury in the rat liver. Acta Histochemica, 2009, 111, 42-51.	0.9	49
27	Carnosine attenuates oxidative stress and apoptosis in transient cerebral ischemia in rats. Acta Biologica Hungarica, 2009, 60, 137-148.	0.7	39
28	Neuroprotective effects of resveratrol against traumatic brain injury in immature rats. Neuroscience Letters, 2007, 420, 133-137.	1.0	128