Kataaki Okubo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4396308/publications.pdf

Version: 2024-02-01

42 papers

1,416 citations

³⁹⁴⁴²¹ 19 h-index 36 g-index

47 all docs

47
docs citations

47 times ranked

955 citing authors

#	Article	IF	CITATIONS
1	Co-existing Neuropeptide FF and Gonadotropin-Releasing Hormone 3 Coordinately Modulate Male Sexual Behavior. Endocrinology, 2022, 163, .	2.8	7
2	Estrogen receptor 2b is the major determinant of sex-typical mating behavior and sexual preference in medaka. Current Biology, 2021, 31, 1699-1710.e6.	3.9	36
3	Estrogen mediates sex differences in preoptic neuropeptide and pituitary hormone production in medaka. Communications Biology, 2021, 4, 948.	4.4	5
4	Androgen-dependent sexual dimorphism in pituitary tryptophan hydroxylase expression: relevance to sex differences in pituitary hormones. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20200713.	2.6	17
5	Male-predominant galanin mediates androgen-dependent aggressive chases in medaka. ELife, 2020, 9, .	6.0	17
6	Localization of three forms of gonadotropin-releasing hormone in the brain and pituitary of the self-fertilizing fish, Kryptolebias marmoratus. Fish Physiology and Biochemistry, 2019, 45, 753-771.	2.3	1
7	Sexually Dimorphic Neuropeptide B Neurons in Medaka Exhibit Activated Cellular Phenotypes Dependent on Estrogen. Endocrinology, 2019, 160, 827-839.	2.8	17
8	A conceptual framework for understanding sexual differentiation of the teleost brain. General and Comparative Endocrinology, 2019, 284, 113129.	1.8	18
9	Seasonal regulation of the IncRNA LDAIR modulates self-protective behaviours during the breeding season. Nature Ecology and Evolution, 2019, 3, 845-852.	7.8	18
10	Neuropeptide B mediates female sexual receptivity in medaka fish, acting in a female-specific but reversible manner. ELife, $2019,8,.$	6.0	34
11	Three urocortins in medaka: identification and spatial expression in the central nervous system. Journal of Neuroendocrinology, 2017, 29, .	2.6	18
12	Expression of isotocin is maleâ€specifically upâ€regulated by gonadal androgen in the medaka brain. Journal of Neuroendocrinology, 2017, 29, e12545.	2.6	16
13	Morphological analysis of the early development of telencephalic and diencephalic gonadotropinâ€releasing hormone neuronal systems in enhanced green fluorescent proteinâ€expressing transgenic medaka lines. Journal of Comparative Neurology, 2016, 524, 896-913.	1.6	21
14	Teleocortin: A Novel Member of the CRH Family in Teleost Fish. Endocrinology, 2015, 156, 2949-2957.	2.8	29
15	Glucocorticoid receptor exhibits sexually dimorphic expression in the medaka brain. General and Comparative Endocrinology, 2015, 223, 47-53.	1.8	15
16	RFamide Peptides in Early Vertebrate Development. Frontiers in Endocrinology, 2014, 5, 203.	3. 5	21
17	Neuropeptide B Is Female-Specifically Expressed in the Telencephalic and Preoptic Nuclei of the Medaka Brain. Endocrinology, 2014, 155, 1021-1032.	2.8	35
18	Embryonic development of gonadotrope cells and gonadotropic hormones – Lessons from model fish. Molecular and Cellular Endocrinology, 2014, 385, 18-27.	3.2	40

#	Article	IF	CITATIONS
19	A Neural Mechanism Underlying Mating Preferences for Familiar Individuals in Medaka Fish. Science, 2014, 343, 91-94.	12.6	151
20	Sexually dimorphic expression of the sex chromosome-linked genes cntfa and pdlim3a in the medaka brain. Biochemical and Biophysical Research Communications, 2014, 445, 113-119.	2.1	17
21	hebp3, a Novel Member of the Heme-Binding Protein Gene Family, Is Expressed in the Medaka Meninges With Higher Abundance in Females Due to a Direct Stimulating Action of Ovarian Estrogens. Endocrinology, 2013, 154, 920-930.	2.8	8
22	Looking at the mechanisms underlying sexual maturation of fish brain. Nippon Suisan Gakkaishi, 2013, 79, 619-622.	0.1	0
23	Post-Proliferative Immature Radial Clial Cells Female-Specifically Express Aromatase in the Medaka Optic Tectum. PLoS ONE, 2013, 8, e73663.	2.5	27
24	Neuroanatomical Evidence That Kisspeptin Directly Regulates Isotocin and Vasotocin Neurons. PLoS ONE, 2013, 8, e62776.	2.5	85
25	Female-specific target sites for both oestrogen and androgen in the teleost brain. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 5014-5023.	2.6	50
26	Time-of-Day-Dependent Changes in GnRH1 Neuronal Activities and Gonadotropin mRNA Expression in a Daily Spawning Fish, Medaka. Endocrinology, 2012, 153, 3394-3404.	2.8	65
27	Sex differences in the expression of vasotocin/isotocin, gonadotropin-releasing hormone, and tyrosine and tryptophan hydroxylase family genes in the medaka brain. Neuroscience, 2012, 218, 65-77.	2.3	54
28	Sex Differences in Aromatase Gene Expression in the Medaka Brain. Journal of Neuroendocrinology, 2011, 23, 412-423.	2.6	56
29	Differential regulation of the luteinizing hormone genes in teleosts and tetrapods due to their distinct genomic environments – Insights into gonadotropin beta subunit evolution. General and Comparative Endocrinology, 2011, 173, 253-258.	1.8	50
30	Structural and functional evolution of gonadotropinâ€releasing hormone in vertebrates. Acta Physiologica, 2008, 193, 3-15.	3.8	244
31	Forebrain Gonadotropin-Releasing Hormone Neuronal Development: Insights from Transgenic Medaka and the Relevance to X-Linked Kallmann Syndrome. Endocrinology, 2006, 147, 1076-1084.	2.8	121
32	GnRH systems in masu salmon and barfin flounder. Fish Physiology and Biochemistry, 2003, 28, 19-22.	2.3	2
33	GnRH gene products downregulate their neighboring genes encoding protein tyrosine phosphatases. Fish Physiology and Biochemistry, 2003, 28, 23-24.	2.3	1
34	The expression and localization of corticotropin-releasing hormone and urotensinÂl transcripts in the Japanese eel, Anguilla japonica. Fish Physiology and Biochemistry, 2003, 28, 43-44.	2.3	2
35	Identification of growth hormone receptor in the ovary of tilapia, Oreochromis mossambicus. Fish Physiology and Biochemistry, 2003, 28, 211-212.	2.3	2
36	Gonadotropin-releasing hormone gene products downregulate the expression of their neighboring genes that encode protein tyrosine phosphatases \hat{l}_\pm and \hat{l}_μ . Biochemical and Biophysical Research Communications, 2003, 312, 531-536.	2.1	5

3

#	Article	IF	CITATION
37	A novel third gonadotropin-releasing hormone receptor in the medaka Oryzias latipes: evolutionary and functional implications. Gene, 2003, 314, 121-131.	2.2	56
38	Conserved physical linkage of GnRH-R and RBM8 in the medaka and human genomes. Biochemical and Biophysical Research Communications, 2002, 293, 327-331.	2.1	7
39	Structural characterization of GnRH loci in the medaka genome. Gene, 2002, 293, 181-189.	2.2	31
40	Three mRNA species for mammalian-type gonadotropin-releasing hormone in the brain of the eel Anguilla japonica. Molecular and Cellular Endocrinology, 2002, 192, 17-25.	3.2	12
41	Molecular cloning and expression of corticotropin-releasing hormone and urotensin I in the medaka, <i>Oryzias latipes</i> . Fisheries Science, 2002, 68, 1281-1282.	1.6	4
42	Identification of gonadotropin-releasing hormones and their receptors in the medaka. Fisheries Science, 2002, 68, 667-670.	1.6	0