

Idoia Ruiz de Larramendi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4396965/publications.pdf>

Version: 2024-02-01

69
papers

4,242
citations

304743

22
h-index

114465

63
g-index

75
all docs

75
docs citations

75
times ranked

8372
citing authors

#	ARTICLE	IF	CITATIONS
1	Antibacterial properties of nanoparticles. Trends in Biotechnology, 2012, 30, 499-511.	9.3	2,113
2	The Challenge To Relate the Physicochemical Properties of Colloidal Nanoparticles to Their Cytotoxicity. Accounts of Chemical Research, 2013, 46, 743-749.	15.6	330
3	In vivo integrity of polymer-coated gold nanoparticles. Nature Nanotechnology, 2015, 10, 619-623.	31.5	314
4	Na-ion Batteries—Approaching Old and New Challenges. Advanced Energy Materials, 2020, 10, 2002055.	19.5	229
5	Recovery by hydrometallurgical extraction of the platinum-group metals from car catalytic converters. Minerals Engineering, 2011, 24, 505-513.	4.3	152
6	Sodium—Oxygen Battery: Steps Toward Reality. Journal of Physical Chemistry Letters, 2016, 7, 1161-1166.	4.6	86
7	New Insights into the Instability of Discharge Products in Na-O ₂ Batteries. ACS Applied Materials & Interfaces, 2016, 8, 20120-20127.	8.0	63
8	Optical Sensing of Small Ions with Colloidal Nanoparticles. Chemistry of Materials, 2012, 24, 738-745.	6.7	60
9	Redox mediators: a shuttle to efficacy in metal-O ₂ batteries. Journal of Materials Chemistry A, 2019, 7, 8746-8764.	10.3	54
10	In situ monitoring of discharge/charge processes in Li-O ₂ batteries by electrochemical impedance spectroscopy. Journal of Power Sources, 2014, 249, 110-117.	7.8	47
11	The Formation of Performance Enhancing Pseudo-Composites in the Highly Active La _{1-x} Ca _x Fe _{0.8} Ni _{0.2} O ₃ System for IT-SOFC Application. Advanced Functional Materials, 2013, 23, 5131-5139.	14.9	40
12	Operando UV-visible spectroscopy evidence of the reactions of iodide as redox mediator in Li-O ₂ batteries. Electrochemistry Communications, 2015, 59, 24-27.	4.7	32
13	Architecture of Na-O ₂ battery deposits revealed by transmission X-ray microscopy. Nano Energy, 2017, 37, 224-231.	16.0	32
14	Improving Na-O ₂ batteries with redox mediators. Chemical Communications, 2017, 53, 12008-12011.	4.1	31
15	Carbon-Free Cathodes: A Step Forward in the Development of Stable Lithium—Oxygen Batteries. ChemSusChem, 2015, 8, 3932-3940.	6.8	29
16	Monitoring the Location of Cathode-Reactions in Li-O ₂ Batteries. Journal of the Electrochemical Society, 2015, 162, A3126-A3132.	2.9	29
17	Potassium Salts as Electrolyte Additives in Lithium—Oxygen Batteries. Journal of Physical Chemistry C, 2017, 121, 3822-3829.	3.1	28
18	Nanoparticles of La _{0.8} Ca _{0.2} Fe _{0.8} Ni _{0.2} O ₃ perovskite for solid oxide fuel cell application. Materials Research Bulletin, 2010, 45, 1513-1519.	5.2	27

#	ARTICLE	IF	CITATIONS
19	Synthesis and electrochemical performance of $\text{La}_{0.6}\text{Ca}_{0.4}\text{Fe}_{1-x}\text{Ni}_x\text{O}_3$ ($x=0.1, 0.2, 0.3$) material for solid oxide fuel cell cathode. <i>Journal of Power Sources</i> , 2009, 192, 63-69.	7.8	25
20	Optimizing solid oxide fuel cell cathode processing route for intermediate temperature operation. <i>Applied Energy</i> , 2013, 104, 984-991.	10.1	24
21	LiFePO_4 thin films grown by pulsed laser deposition: Effect of the substrate on the film structure and morphology. <i>Applied Surface Science</i> , 2010, 256, 2563-2568.	6.1	23
22	A novel one step synthesized Co-free perovskite/brownmillerite nanocomposite for solid oxide fuel cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 9682.	6.7	23
23	Magnetic ionic plastic crystal: choline $[\text{FeCl}_4]$. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 12724.	2.8	23
24	Pr-doped ceria nanoparticles as intermediate temperature ionic conductors. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 10981-10990.	7.1	22
25	Electrochemical characterization of $\text{La}_{0.6}\text{Ca}_{0.4}\text{Fe}_{0.8}\text{Ni}_{0.2}\text{O}_{3-\delta}$ perovskite cathode for IT-SOFC. <i>Journal of Power Sources</i> , 2013, 239, 196-200.	7.8	22
26	Structure and impedance spectroscopy of $\text{La}_{0.6}\text{Ca}_{0.4}\text{Fe}_{0.8}\text{Ni}_{0.2}\text{O}_{3-\delta}$ thin films grown by pulsed laser deposition. <i>Journal of Power Sources</i> , 2007, 171, 747-753.	7.8	21
27	Electrochemical characterization of $\text{La}_{0.6}\text{Ca}_{0.4}\text{Fe}_{0.8}\text{Ni}_{0.2}\text{O}_3$ cathode on $\text{Ce}_{0.8}\text{Gd}_{0.2}\text{O}_{1.9}$ electrolyte for IT-SOFC. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 6675-6679.	7.1	21
28	Goldilocks and the three glymes: How Na^+ solvation controls Na^+/O_2 battery cycling. <i>Energy Storage Materials</i> , 2020, 29, 235-245.	18.0	21
29	Development of electrolyte-supported intermediate-temperature single-chamber solid oxide fuel cells using $\text{Ln}_{0.7}\text{Sr}_{0.3}\text{Fe}_{0.8}\text{Co}_{0.2}\text{O}_{3-\delta}$ ($\text{Ln}=\text{Pr}, \text{La}, \text{Gd}$) cathodes. <i>Journal of Power Sources</i> , 2009, 193, 774-778.	7.8	20
30	Understanding the charge/discharge mechanisms and passivation reactions in Na-O_2 batteries. <i>Journal of Power Sources</i> , 2017, 345, 237-246.	7.8	19
31	An Overview of Engineered Graphene-Based Cathodes: Boosting Oxygen Reduction and Evolution Reactions in Lithium and Sodium Oxygen Batteries. <i>ChemSusChem</i> , 2020, 13, 1203-1225.	6.8	19
32	Structural and electrical properties of thin films of $\text{Pr}_{0.8}\text{Sr}_{0.2}\text{Fe}_{0.8}\text{Ni}_{0.2}\text{O}_{3-\delta}$. <i>Journal of Power Sources</i> , 2007, 169, 35-39.	7.8	15
33	Novel $\text{Pr}_{0.6}\text{Sr}_{0.4}\text{Fe}_{0.8}\text{Co}_{0.2}\text{O}_3:\text{Ce}_{0.8}\text{Sm}_{0.2}\text{O}_2$ composite nanotubes for energy conversion and storage. <i>Journal of Power Sources</i> , 2012, 201, 332-339.	7.8	15
34	Optimization of $\text{La}_{0.6}\text{Ca}_{0.4}\text{Fe}_{0.8}\text{Ni}_{0.2}\text{O}_{3-\delta}:\text{Ce}_{0.8}\text{Sm}_{0.2}\text{O}_2$ composite cathodes for intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2011, 196, 4332-4336.	7.8	14
35	Exploring Reaction Conditions to Improve the Magnetic Response of Cobalt-Doped Ferrite Nanoparticles. <i>Nanomaterials</i> , 2018, 8, 63.	4.1	13
36	Unveiling the Role of Tetrabutylammonium and Cesium Bulky Cations in Enhancing Na^+/O_2 Battery Performance. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	13

#	ARTICLE	IF	CITATIONS
37	Synthesis of highly ordered three-dimensional nanostructures and the influence of the temperature on their application as solid oxide fuel cells cathodes. <i>Journal of Power Sources</i> , 2011, 196, 4174-4180.	7.8	12
38	Nd and Sc co-doped BiFeO ₃ nanopowders displaying enhanced ferromagnetism at room temperature. <i>Journal of Alloys and Compounds</i> , 2015, 638, 282-288.	5.5	12
39	Unraveling the Effect of Singlet Oxygen on Metal-O ₂ Batteries: Strategies Toward Deactivation. <i>Frontiers in Chemistry</i> , 2020, 8, 605.	3.6	12
40	Singlet oxygen formation in Na O ₂ battery cathodes catalyzed by ammonium Brønsted acid. <i>Journal of Electroanalytical Chemistry</i> , 2020, 872, 114265.	3.8	12
41	A straightforward synthesis of carbon nanotube/perovskite composites for solid oxide fuel cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 10273.	6.7	11
42	Modifying the ORR route by the addition of lithium and potassium salts in Na-O ₂ batteries. <i>Electrochimica Acta</i> , 2018, 263, 102-109.	5.2	11
43	Crystal structure, magneto-structural correlation, thermal and electrical studies of an imidazolium halometallate molten salt: (trimim)[FeCl ₄]. <i>RSC Advances</i> , 2020, 10, 11200-11209.	3.6	11
44	A New Partially Deprotonated Mixed-Valence Manganese(II,III) Hydroxide-Arsenate with Electronic Conductivity: Magnetic Properties of High- and Room-Temperature Sarkinite. <i>Inorganic Chemistry</i> , 2012, 51, 5246-5256.	4.0	9
45	Oriented nanocrystals in SrLaMnTiO ₆ perovskite thin films grown by pulsed laser deposition. <i>Journal of Alloys and Compounds</i> , 2011, 509, 1457-1462.	5.5	8
46	(NH ₄): A new mixed valence vanadium(III,IV) fluoro-arsenate with ferromagnetic interactions and electronic conductivity. <i>Journal of Solid State Chemistry</i> , 2009, 182, 65-71.	2.9	7
47	La _{0.6} Sr _{0.2} Ca _{0.2} Fe _{0.8} Ni _{0.2} O ₃ thin films obtained by pulsed laser ablation: Effect of the substrate on the electrochemical behavior. <i>Solid State Ionics</i> , 2011, 192, 584-590.	2.7	7
48	Unusual magnetic properties in Pr _{1-x} Sr _x Fe _{0.8} Ni _{0.2} O ₃ (x=0.1, 0.2, 0.3). <i>Journal of Applied Physics</i> , 2008, 103, 033902.	2.5	6
49	Nanostructured Gd _{0.8} Sr _{0.2} Fe _{0.8} M _{0.2} O ₃ (M=Cr, Ga) materials for solid oxide fuel cell cathodes. <i>Physics Procedia</i> , 2010, 8, 2-9.	1.2	5
50	Synthesis and Performance of La _{0.6} Ca _{0.4} Fe _{0.8} Ni _{0.2} O ₃ Material for Intermediate-Temperature SOFC Cathode. <i>ECS Transactions</i> , 2007, 7, 1157-1164.	0.5	4
51	Towards the design of contrast-enhanced agents: systematic Ga ³⁺ doping on magnetite nanoparticles. <i>Dalton Transactions</i> , 2022, 51, 2517-2530.	3.3	4
52	Structure and impedance spectroscopy of Pr _{1-x} Sr _x Fe _{0.8} Co _{0.2} O ₃ (x=0.1, 0.2, 0.3) thin films grown by laser ablation. <i>Applied Physics A: Materials Science and Processing</i> , 2008, 93, 655-661.	2.3	3
53	Influence of colloidal templates on the impedance spectroscopic behaviour of Pr _{0.7} Sr _{0.3} Fe _{0.8} Ni _{0.2} O ₃ for solid oxide fuel cell applications. <i>Solid State Ionics</i> , 2011, 192, 235-240.	2.7	3
54	Microstructural improvements of the gradient composite material Pr _{0.6} Sr _{0.4} Fe _{0.8} Co _{0.2} O ₃ /Ce _{0.8} Sm _{0.2} O _{1.9} by employing vertically aligned carbon nanotubes. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 4074-4080.	7.1	3

#	ARTICLE	IF	CITATIONS
55	Effect of Electrolyte Contribution on the Electrochemical Behaviour of Pr _{0.8} Sr _{0.2} Fe _{0.8} Ga _{0.2} O ₃ . ECS Transactions, 2009, 25, 2799-2806.	0.5	2
56	Effect of the Strontium Content on the Electrochemical Performance of the Perovskite-Type Pr _{1-x} Sr _x Fe _{0.8} Co _{0.2} O ₃ Oxides. ECS Transactions, 2011, 35, 2183-2190.	0.5	2
57	Designing Perovskite Oxides for Solid Oxide Fuel Cells. , 0, , .		2
58	Substrate-induced dielectric polarization in thin films of lead-free (Sr _{0.5} Bi _{0.5}) ₂ Mn _{2-x} Ti _x O ₆ perovskites grown by pulsed laser deposition. Applied Surface Science, 2017, 399, 387-395.	6.1	2
59	Impact of Lithium and Potassium Cations on the Mössbauer Spectral and Electrical Properties of Two Mixed-Valence Iron(II/III) Phosphites. Chemistry of Materials, 2020, 32, 5534-5540.	6.7	2
60	Alternative anodes for Na ⁺ O ₂ batteries: the case of the Sn ₄ P ₃ alloy. Journal of Materials Chemistry A, 2022, 10, 2398-2411.	10.3	2
61	Performance of Ln _{0.7} Sr _{0.3} Fe _{0.8} Co _{0.2} O _{3-δ} (Ln = Pr, La, Gd) Cathodes for Intermediate-Temperature SOFCs Synthesized by a Novel Gel-Combustion Route. ECS Transactions, 2007, 7, 1147-1155.	0.5	1
62	R-MnO ₂ nanourchins: a promising catalyst in Li-O ₂ batteries. Materials Research Society Symposia Proceedings, 2014, 1643, 1.	0.1	1
63	Nanostructure and Impedance Spectroscopy of Pr _{0.7} Sr _{0.3} Mn _{1-x} M _x O ₃ (M = Fe, Co, Ni; x = 0 and 0.2) Thin Films Grown by Pulsed Laser Deposition. Open Inorganic Chemistry Journal, 2009, 3, 47-55.	0.3	1
64	DESIGN OF AN INQUIRY-BASED LEARNING PROCESS APPLIED TO THE INTEGRATION OF SUSTAINABILITY IN DEGREE FINAL PROJECTS IN CHEMISTRY. , 2021, , .		0
65	Nanoteknologia: artsenikoaren erauzketarako bide berria. Ekaia (journal), 2016, , 87-105.	0.0	0
66	Nanoelikagaiak: tamainak axola duenean. Ekaia (journal), 2019, , 143-163.	0.0	0
67	DEVELOPMENT OF A MOODLE-BASED PLATFORM TO AID IN THE LEARNING PROCESS OF CHEMICAL NOMENCLATURE. , 2019, , .		0
68	(Invited) Sodium Layered Oxides in the Spotlight: Current State-of-Art and Remaining Challenges. ECS Meeting Abstracts, 2021, MA2021-02, 229-229.	0.0	0
69	PROMOTING SUSTAINABLE DEVELOPMENT IN CHEMISTRY DEGREE: IMPLEMENTATION OF AN E-LEARNING PLATFORM. EDULEARN Proceedings, 2022, , .	0.0	0