

Alexander W Biondo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4398299/alexander-w-biondo-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

1,806
citations

23
h-index

34
g-index

181
ext. papers

2,172
ext. citations

2.1
avg, IF

4.23
L-index

#	Paper	IF	Citations
164	Hemoplasma infection in HIV-positive patient, Brazil. <i>Emerging Infectious Diseases</i> , 2008 , 14, 1922-4	10.2	101
163	Ehrlichiosis in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 1-12	1.3	70
162	Leishmania chagasi infection in cats with dermatologic lesions from an endemic area of visceral leishmaniasis in Brazil. <i>Veterinary Parasitology</i> , 2011 , 178, 22-8	2.8	60
161	Serological cross-reactivity of Trypanosoma cruzi, Ehrlichia canis, Toxoplasma gondii, Neospora caninum and Babesia canis to Leishmania infantum chagasi tests in dogs. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2014 , 47, 105-7	1.5	58
160	Coinfection of Leishmania chagasi with Toxoplasma gondii, Feline Immunodeficiency Virus (FIV) and Feline Leukemia Virus (FeLV) in cats from an endemic area of zoonotic visceral leishmaniasis. <i>Veterinary Parasitology</i> , 2012 , 187, 302-6	2.8	57
159	Mapping risk of bovine fasciolosis in the south of Brazil using Geographic Information Systems. <i>Veterinary Parasitology</i> , 2010 , 169, 76-81	2.8	46
158	Canine hepatozoonosis in Brazil: description of eight naturally occurring cases. <i>Veterinary Parasitology</i> , 1998 , 74, 319-23	2.8	44
157	Presence of infectious agents and co-infections in diarrheic dogs determined with a real-time polymerase chain reaction-based panel. <i>BMC Veterinary Research</i> , 2014 , 10, 23	2.7	43
156	A review of the occurrence of hemoplasmas (hemotrophic mycoplasmas) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2009 , 18, 1-7	1.3	39
155	Validation of a Leishmania infantum ELISA rapid test for serological diagnosis of Leishmania chagasi in dogs. <i>Veterinary Parasitology</i> , 2011 , 175, 15-9	2.8	31
154	Natural Infection by SARS-CoV-2 in Companion Animals: A Review of Case Reports and Current Evidence of Their Role in the Epidemiology of COVID-19. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 591216 ^{3.1}	3.1	30
153	Serosurvey of tick-borne pathogens in dogs from urban and rural areas from Parana State, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 104-9	1.3	30
152	Mycoplasma ovis in captive cervids: prevalence, molecular characterization and phylogeny. <i>Veterinary Microbiology</i> , 2011 , 152, 415-9	3.3	29
151	Exploratory study of Mycoplasma suis (Eperythrozoon suis) on four commercial pig farms in southern Brazil. <i>Veterinary Record</i> , 2007 , 160, 50-3	0.9	28
150	Immunohistochemistry of atrial and brain natriuretic peptides in control cats and cats with hypertrophic cardiomyopathy. <i>Veterinary Pathology</i> , 2003 , 40, 501-6	2.8	28
149	Molecular detection and occurrence of Candidatus Mycoplasma haemobos in dairy cattle of Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 342-4	1.3	25
148	Serological survey of Ehrlichia species in dogs, horses and humans: zoonotic scenery in a rural settlement from southern Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2013 , 55, 335-40 ^{2.2}	2.2	25

147	Design, optimization, and application of a conventional PCR assay with an internal control for detection of <i>Candidatus Mycoplasma turicensis</i> 16S rDNA in domestic cats from Brazil. <i>Veterinary Clinical Pathology</i> , 2009 , 38, 443-52	1	25
146	Rapid, actionable diagnosis of urban epidemic leptospirosis using a pathogenic <i>Leptospira</i> lipL32-based real-time PCR assay. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005940	4.8	25
145	Socioeconomic vulnerability associated to <i>Toxoplasma gondii</i> exposure in southern Brazil. <i>PLoS ONE</i> , 2019 , 14, e0212375	3.7	24
144	A quantitative TaqMan PCR assay for the detection of <i>Mycoplasma suis</i> . <i>Journal of Applied Microbiology</i> , 2011 , 111, 417-25	4.7	24
143	Prevalence and molecular characterization of <i>Mycoplasma ovis</i> in selected free-ranging Brazilian deer populations. <i>Journal of Wildlife Diseases</i> , 2011 , 47, 1005-11	1.3	24
142	Detection of a novel hemoplasma based on 16S rRNA gene DNA in captive and free-ranging capybaras (<i>Hydrochaeris hydrochaeris</i>). <i>Veterinary Microbiology</i> , 2009 , 139, 410-3	3.3	24
141	Genomic sequence and cardiac expression of atrial natriuretic peptide in cats. <i>American Journal of Veterinary Research</i> , 2002 , 63, 236-40	1.1	22
140	Molecular detection of <i>Ehrlichia canis</i> and <i>Anaplasma platys</i> in dogs in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 360-6	1.3	20
139	Cardiac lesions in 30 dogs naturally infected with <i>Leishmania infantum</i> chagasi. <i>Veterinary Pathology</i> , 2014 , 51, 603-6	2.8	19
138	Identification, occurrence and clinical findings of canine hemoplasmas in southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014 , 37, 259-65	2.6	19
137	Seroepidemiological survey of <i>Theileria equi</i> and <i>Babesia caballi</i> in horses from a rural and from urban areas of Paraná State, southern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2013 , 4, 537-41	3.6	19
136	Longitudinal analysis of serological tests officially adopted by the Brazilian Ministry of Health for the diagnosis of canine visceral leishmaniasis in dogs vaccinated with Leishmune [®] . <i>Veterinary Parasitology</i> , 2013 , 197, 649-52	2.8	19
135	<i>Mycoplasma ovis</i> infection in goat farms from northeastern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 55, 1-5	2.6	19
134	Temporal IgG subclasses response in dogs following vaccination against <i>Leishmania</i> with Leishmune [®] . <i>Veterinary Parasitology</i> , 2011 , 181, 153-9	2.8	18
133	Impact of demographic characteristics in pet ownership: modeling animal count according to owners income and age. <i>Preventive Veterinary Medicine</i> , 2013 , 109, 213-8	3.1	17
132	Serological and molecular detection of <i>Theileria equi</i> in sport horses of northeastern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 47, 72-6	2.6	17
131	Seroprevalence and spatial distribution of <i>Toxoplasma gondii</i> infection in cats, dogs, pigs and equines of the Fernando de Noronha Island, Brazil. <i>Parasitology International</i> , 2017 , 66, 43-46	2.1	16
130	Hemoplasma prevalence and hematological abnormalities associated with infection in three different cat populations from Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014 , 23, 428-34	1.3	16

129	Serologic survey for <i>Leptospira</i> spp. in captive neotropical felids in Foz do Iguaçu, Paraná, Brazil. <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 223-8	0.9	16
128	Detection of <i>Neospora</i> sp. antibodies in cart horses from urban areas of Curitiba, Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 68-70	1.3	16
127	Detection of <i>Plasmodium</i> sp. in capybara. <i>Veterinary Parasitology</i> , 2009 , 163, 148-51	2.8	16
126	Detection of <i>Bartonella</i> spp. in neotropical felids and evaluation of risk factors and hematological abnormalities associated with infection. <i>Veterinary Microbiology</i> , 2010 , 142, 346-51	3.3	15
125	Survey of owned feline and canine populations in apartments from a neighbourhood in Curitiba, Brazil. <i>Zoonoses and Public Health</i> , 2008 , 55, 402-5	2.9	15
124	Development of hepatitis C virus genotyping by real-time PCR based on the NS5B region. <i>PLoS ONE</i> , 2010 , 5, e10150	3.7	15
123	Ticks and serosurvey of anti- <i>Rickettsia</i> spp. antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs and hunters of Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007405	4.8	14
122	Spatial and simultaneous representative seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in owners and their domiciled dogs in a major city of southern Brazil. <i>PLoS ONE</i> , 2017 , 12, e0180906	3.7	14
121	<i>Ehrlichia</i> sp. infection in carthorses of low-income owners, Southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 48, 1-5	2.6	14
120	Detection of <i>Ehrlichia canis</i> , <i>Babesia vogeli</i> , and <i>Toxoplasma gondii</i> DNA in the Brain of Dogs Naturally Infected with <i>Leishmania infantum</i> . <i>Journal of Parasitology</i> , 2016 , 102, 275-9	0.9	14
119	Hemotropic mycoplasma in a free-ranging black howler monkey (<i>Alouatta caraya</i>) in Brazil. <i>Journal of Wildlife Diseases</i> , 2013 , 49, 728-31	1.3	14
118	<i>gyrA</i> and <i>gyrB</i> gene mutation in ciprofloxacin-resistant <i>Mycobacterium massiliense</i> clinical isolates from Southern Brazil. <i>Microbial Drug Resistance</i> , 2012 , 18, 1-6	2.9	14
117	Serological survey of <i>Toxoplasma gondii</i> in captive Neotropical felids from Southern Brazil. <i>Veterinary Parasitology</i> , 2010 , 172, 144-6	2.8	14
116	An Optimized Method for Quantification of Pathogenic <i>Leptospira</i> in Environmental Water Samples. <i>PLoS ONE</i> , 2016 , 11, e0160523	3.7	14
115	Exposure to rabies virus in a population of free-ranging capuchin monkeys (<i>Cebus apella nigrilus</i>) in a fragmented, environmentally protected area in southeastern Brazil. <i>Primates</i> , 2012 , 53, 227-31	1.7	13
114	Survey of feline leukemia virus and feline coronaviruses in captive neotropical wild felids from Southern Brazil. <i>Journal of Zoo and Wildlife Medicine</i> , 2009 , 40, 360-4	0.9	13
113	Detection of RD(Rio) strain of <i>Mycobacterium tuberculosis</i> in tapirs (<i>Tapirus terrestris</i>) from a zoo in Brazil. <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 872-5	0.9	12
112	Detection of anti- <i>Toxoplasma gondii</i> antibodies in carthorses in the metropolitan region of Curitiba, Paraná, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 179-81	1.3	12

111	Anti-Rickettsia spp. antibodies in free-ranging and captive capybaras from southern Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2011 , 31, 1014-1018	0.4	12
110	Comparative clinical sample preparation of DNA and RNA viral nucleic acids for a commercial deep sequencing system (Illumina MiSeq(™)). <i>Journal of Virological Methods</i> , 2015 , 220, 60-3	2.6	11
109	MOLECULAR INVESTIGATION OF HEMOTROPIC MYCOPLASMAS IN HUMAN BEINGS, DOGS AND HORSES IN A RURAL SETTLEMENT IN SOUTHERN BRAZIL. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2015 , 57, 353-7	2.2	11
108	Molecular detection of "Candidatus Mycoplasma haemominutum" in a lion (<i>Panthera leo</i>) from a Brazilian zoological garden. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2007 , 49, 195-6	2.2	11
107	Co-infection with <i>Mycoplasma haemofelis</i> and <i>Candidatus Mycoplasma haemominutum</i> in three cats from Brazil. <i>Journal of Feline Medicine and Surgery</i> , 2007 , 9, 518-20	2.3	11
106	Comparative sequences of canine and feline endothelin-1. <i>Veterinary Clinical Pathology</i> , 2003 , 32, 188-94		11
105	Brazilian spotted fever in cart horses in a non-endemic area in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010 , 19, 130-131	1.3	11
104	Occurrence of hemotropic mycoplasmas in non-human primates (<i>Alouatta caraya</i> , <i>Sapajus nigritus</i> and <i>Callithrix jacchus</i>) of southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 52, 6-13	2.6	10
103	Serosurvey of <i>Leptospira</i> spp. and <i>Toxoplasma gondii</i> in rats captured from two zoos in Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2017 , 50, 857-860	1.5	10
102	Microscopic and molecular identification of hemotropic mycoplasmas in South American coatis (<i>Nasua nasua</i>). <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 53, 19-25	2.6	10
101	Serosurvey of anti- <i>Leptospira</i> sp. and anti- <i>Toxoplasma gondii</i> antibodies in capybaras and collared and white-lipped peccaries. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2017 , 50, 248-250	1.5	10
100	Serological and molecular survey of <i>Leptospira</i> spp. among cart horses from an endemic area of human leptospirosis in Curitiba, southern Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2014 , 56, 473-6	2.2	10
99	Dog parasite incidence and risk factors, from sampling after one-year interval, in Pinhais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 101-6	1.3	10
98	Seroprevalence of <i>Toxoplasma gondii</i> infection in cats from Curitiba, Paraná, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 256-8	1.3	10
97	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil. <i>PLoS ONE</i> , 2019 , 14, e0223474	3.7	9
96	Epstein-Barr virus: general factors, virus-related diseases and measurement of viral load after transplant. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011 , 33, 383-8		9
95	Serosurvey for <i>Leishmania</i> spp., <i>Toxoplasma gondii</i> , <i>Trypanosoma cruzi</i> and <i>Neospora caninum</i> in neighborhood dogs in Curitiba-Paraná, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016 , 25, 504-510	1.3	9
94	Impact of a 3-year pet management program on pet population and owner's perception. <i>Preventive Veterinary Medicine</i> , 2017 , 139, 33-41	3.1	8

93	Occurrence and identification of hemotropic mycoplasmas (Hemoplasmas) in free ranging and laboratory rats (<i>Rattus norvegicus</i>) from two Brazilian zoos. <i>BMC Veterinary Research</i> , 2015 , 11, 286	2.7	8
92	Seroprevalence and seroincidence of <i>Leptospira</i> infection in dogs during a one-year period in an endemic urban area in Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015 , 48, 50-5	1.5	8
91	Seroprevalence of <i>Rickettsia bellii</i> and <i>Rickettsia felis</i> in dogs, S Josdos Pinhais, State of ParanBrazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010 , 19, 222-7	1.3	8
90	Hemograma de bovinos (<i>Bos indicus</i>) sdios da ra nelore no primeiro ms de vida, criados no estado de S Paulo. <i>Ciencia Rural</i> , 1998 , 28, 251-256	1.3	8
89	Plasma endothelin-1 immunoreactivity in normal dogs and dogs with acquired heart disease. <i>Journal of Veterinary Internal Medicine</i> , 2004 , 18, 840-4	3.1	8
88	Molecular detection of <i>Leptospira</i> spp. in rats as early spatial predictor for human disease in an endemic urban area. <i>PLoS ONE</i> , 2019 , 14, e0216830	3.7	7
87	Dog and cat population dynamics in an urban area: evaluation of a birth control strategy. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 511-518	0.4	7
86	Occurrences of anti- <i>Toxoplasma gondii</i> and anti- <i>Neospora caninum</i> antibodies in Barbary sheep at Curitiba zoo, southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014 , 23, 255-9	1.3	7
85	Cat infected by a variant of bat rabies virus in a 29-year disease-free urban area of southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2012 , 45, 255-6	1.5	7
84	Chloride: a quick reference. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2008 , 38, 459-65, viii	2.4	7
83	Frequency and spatial distribution of animal and object hoarder behavior in Curitiba, ParanState, Brazil. <i>Cadernos De Saude Publica</i> , 2017 , 33, e00001316	3.2	6
82	infection in two species of captive snakes. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2016 , 22, 27	2.2	6
81	Bat rabies surveillance and risk factors for rabies spillover in an urban area of Southern Brazil. <i>BMC Veterinary Research</i> , 2018 , 14, 173	2.7	6
80	Tick-borne pathogens in carthorses from Foz do Igua City, ParanState, southern Brazil: A tri-border area of Brazil, Paraguay and Argentina. <i>Veterinary Parasitology</i> , 2019 , 273, 71-79	2.8	6
79	Occurrence of antibodies anti - <i>Toxoplasma gondii</i> , <i>Neospora caninum</i> and <i>Leptospira interrogans</i> in a captive deer herd in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015 , 24, 482-7	1.3	6
78	Use of a <i>Mycoplasma suis</i> -PCR protocol for screening a population of captive peccaries (<i>Tayassu tajacu</i> and <i>Tayassu pecari</i>). <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 75-7	1.3	6
77	Serosurvey of <i>Borrelia</i> in dogs, horses, and humans exposed to ticks in a rural settlement of southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016 , 25, 418-422	1.3	6
76	Comparison of indirect fluorescent antibody test and the modified agglutination test for the detection of <i>Toxoplasma gondii</i> antibodies in stray dogs from Southern Brazil. <i>Acta Parasitologica</i> , 2016 , 61, 694-696	1.7	5

75	An outbreak of tuberculosis by Mycobacterium bovis in coatis (Nasua nasua). <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 338-41	0.9	5
74	Incidence of canine leptospirosis in the metropolitan area of Curitiba, State of Paraná Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013 , 46, 772-5	1.5	5
73	Análise espacial do risco de leptospirose canina na Vila Pantanal, Curitiba, Paraná <i>Pesquisa Veterinaria Brasileira</i> , 2013 , 33, 74-79	0.4	5
72	Molecular identification and typing of Mycobacterium massiliense isolated from postsurgical infections in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2011 , 15, 436-441	2.8	5
71	Epidemiologic pattern of patients with neurocysticercosis diagnosed by computed tomography in Curitiba, Brazil. <i>Arquivos De Neuro-Psiquiatria</i> , 2010 , 68, 269-72	1.6	5
70	Surveillance of canine visceral leishmaniasis in a disease-free area. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010 , 19, 62-4	1.3	5
69	From the Approach to the Concept: One Health in Latin America-Experiences and Perspectives in Brazil, Chile, and Colombia. <i>Frontiers in Public Health</i> , 2021 , 9, 687110	6	5
68	Spatial and simultaneous seroepidemiology of anti-Leishmania spp. antibodies in dog owners and their dogs from randomly selected households in a major city of southern Brazil. <i>Preventive Veterinary Medicine</i> , 2018 , 154, 47-53	3.1	4
67	Mycobacterium bovis in a European bison (Bison bonasus) raises concerns about tuberculosis in Brazilian captive wildlife populations: a case report. <i>BMC Research Notes</i> , 2017 , 10, 91	2.3	4
66	Multiscreening LC-MS/MS Designed for Ten Pesticide and Six Antimicrobial Residues in Eggs. <i>Journal of Food Quality</i> , 2017 , 2017, 1-6	2.7	4
65	Exame do fluido peritoneal e hemograma de eqüinos submetidos à laparotomia e infusão intraperitoneal de carboximetilcelulose. <i>Ciencia Rural</i> , 1999 , 29, 79-85	1.3	4
64	Preliminary report of body lice infesting homeless people in Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2018 , 60, e9	2.2	4
63	Spatial and Simultaneous Seroprevalence of Anti- Antibodies in Owners and Their Domiciled Dogs in a Major City of Southern Brazil. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 580400	3.1	4
62	Spatial serosurvey of anti-Toxoplasma gondii antibodies in individuals with animal hoarding disorder and their dogs in Southern Brazil. <i>PLoS ONE</i> , 2020 , 15, e0233305	3.7	3
61	First molecular screening of Plasmodium species in ungulates from Southern Brazil. <i>BMC Research Notes</i> , 2018 , 11, 536	2.3	3
60	Use of pan-hemoplasma PCR for screening horses highly exposed to tick bites from southern Brazil. <i>Semina:Ciencias Agrarias</i> , 2015 , 36, 291	0.6	3
59	Prevention educational program of human rabies transmitted by bats in rain forest preserved area of southern Brazilian coast. <i>Zoonoses and Public Health</i> , 2011 , 58, 529-32	2.9	3
58	Bronchoalveolar lavage (BAL) in tapirs (Tapirus terrestris) with Mycobacterium tuberculosis. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014 , 66, 1643-1646	0.3	3

57	Serology for <i>Brucella abortus</i> in cart horses from an urban area in Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013 , 65, 619-621	0.3	3
56	Molecular Detection of Dengue Virus in Mosquitoes as an Early Indicator to Aid in the Prevention of Human Infection in Endemic Areas. <i>Vector-Borne and Zoonotic Diseases</i> , 2020 , 20, 54-59	2.4	3
55	Serological survey of anti- <i>Leptospira</i> spp. antibodies in individuals with animal hoarding disorder and their dogs in a major city of Southern Brazil.. <i>Veterinary Medicine and Science</i> , 2022 ,	2.1	3
54	Serosurvey of Anti- Antibodies in Homeless Persons of Sõ Paulo City, Southeastern Brazil. <i>Frontiers in Public Health</i> , 2020 , 8, 580637	6	2
53	APPROACH TO HOMELESSNESS VULNERABILITY AND THE IMPACT AS ONE HEALTH INITIATIVE. <i>Archives of Veterinary Science</i> , 2017 , 22,	0.7	2
52	Survey of spatial distribution of vector-borne disease in neighborhood dogs in southern Brazil. <i>Open Veterinary Journal</i> , 2017 , 7, 50-56	1	2
51	Evaluation of urine dipstick and cystoscopy in bovine enzootic haematuria. <i>Semina:Ciencias Agrarias</i> , 2014 , 35, 1369	0.6	2
50	Neighborhood and postal worker characteristics associated with dog bites in postal workers of the Brazilian National Postal Service in Curitiba. <i>Ciencia E Saude Coletiva</i> , 2013 , 18, 1367-74	2.2	2
49	Responsible pet ownership perception in elementary schools after an educational program in Southern Brazil. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2016 , 53, 182	0.3	2
48	Serosurvey of <i>Rickettsia</i> spp. in cats from a Brazilian spotted fever-endemic area. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019 , 28, 713-721	1.3	2
47	One Health approach on human seroprevalence of anti- antibodies, spp. eggs in dogs and sand samples between seashore mainland and island areas of southern Brazil. <i>One Health</i> , 2021 , 13, 100353	7.6	2
46	Serum and Urinary C-Reactive Protein Concentrations in Dogs with Leptospirosis. <i>Acta Scientiae Veterinariae</i> , 2018 , 38, 245	1.1	2
45	Febre maculosa brasileira em cõs. <i>Semina:Ciencias Agrarias</i> , 2011 , 32, 339	0.6	2
44	Comparative study of two serological tests for detection of anti- <i>Theileria equi</i> antibodies in horses. <i>Semina:Ciencias Agrarias</i> , 2015 , 36, 4361	0.6	2
43	First report of severe acute respiratory syndrome coronavirus 2 detection in two asymptomatic cats in the state of Pernambuco, Northeastern Brazil.. <i>Veterinary World</i> , 2021 , 14, 2839-2842	1.7	2
42	Infecõ pelo complexo <i>Mycobacterium tuberculosis</i> em carneiro da Barbõia (<i>Ammotragus lervia</i>) no Zoolõgico de Curitiba, sul do Brasil: relato de caso. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2016 , 53, 1	0.3	2
41	Hemotropic mycoplasmas (hemoplasmas) in free-ranging bats from Southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020 , 69, 101416	2.6	2
40	Seroepidemiology of <i>Neospora caninum</i> among goats (<i>Capra hircus</i>) in the state of Paraõba, northeastern Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2018 , 70, 147-152	0.3	2

39	Measurements of plasma endothelin immunoreactivity in healthy cats and cats with cardiomyopathy. <i>Journal of Veterinary Internal Medicine</i> , 2004 , 18, 826-30	3.1	2
38	Natural SARS-CoV-2 Infection in a Free-Ranging Black-Tailed Marmoset (<i>Mico melanurus</i>) from an Urban Area in Mid-West Brazil.. <i>Journal of Comparative Pathology</i> , 2022 , 194, 22-27	1	2
37	Serosurvey for Pseudorabies (Aujeszky's Disease) in Free-Range Wild Boars (<i>Sus scrofa</i>) of Brazil. <i>Journal of Wildlife Diseases</i> , 2020 , 56, 959-961	1.3	1
36	Serosurvey of Eastern, Western, and Venezuelan Equine Encephalitis Viruses in Wild Boars (), Hunting Dogs, and Hunters of Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2020 , 20, 868-871	2.4	1
35	Comparative sequences of the canine and feline vasopressin prohormones. <i>Comparative Clinical Pathology</i> , 2007 , 16, 173-179	0.9	1
34	Molecular screening for hemotropic mycoplasmas in captive Barbary sheep () in southern Brazil. <i>Veterinary World</i> , 2017 , 10, 924-926	1.7	1
33	High SARS-CoV-2 seroprevalence in persons experiencing homelessness and shelter workers from a day-shelter in Sõ Paulo, Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009754	4.8	1
32	Seroprevalence of Anti-Brucella spp. Antibodies in Wild Boars (<i>Sus scrofa</i>), Hunting Dogs, and Hunters of Brazil. <i>Journal of Wildlife Diseases</i> , 2021 , 57, 974-976	1.3	1
31	Serosurvey of <i>Toxoplasma gondii</i> and <i>Leptospira</i> spp. in Free-Range Agoutis (<i>Dasyprocta azarae</i>) from an Urban Area of Southern Brazil. <i>Journal of Wildlife Diseases</i> , 2020 , 56, 472	1.3	1
30	Hemotropic mycoplasmas (hemoplasmas) in wild boars, hunting dogs, and hunters from two Brazilian regions. <i>Transboundary and Emerging Diseases</i> , 2021 ,	4.2	1
29	First Molecular Detection of Parasites in Brazilian Bat Species. <i>Microorganisms</i> , 2021 , 9,	4.9	1
28	The Role of Nile Tilapia () in the Life Cycle of spp. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 685911	3.1	1
27	Serosurvey of bluetongue, caprine arthritis-encephalitis (CAE) and Maedi-Visna in Barbary sheep (<i>Ammotragus lervia</i>) of a southern Brazilian zoo. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 1203-1206	0.4	1
26	Microbiological vulnerability of eggs and environmental conditions in conventional and free-range housing systems. <i>Semina:Ciencias Agrarias</i> , 2018 , 39, 133	0.6	1
25	<i>Leptospira</i> spp. Antibody in Wild Boars (<i>Sus scrofa</i>), Hunting Dogs (<i>Canis lupus familiaris</i>), and Hunters of Brazil. <i>Journal of Wildlife Diseases</i> , 2021 , 57, 184-188	1.3	1
24	One Health Index (OHI) applied to Curitiba, the ninth-largest metropolitan area of Brazil, with concomitant assessment of animal, environmental, and human health indicators. <i>One Health</i> , 2022 , 14, 100373	7.6	0
23	Spatial Distribution of Bat Shelters and Livestock Rabies in Southern Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2021 , 21, 785-795	2.4	0
22	Serosurvey and associated risk factors of anti- <i>Toxocara</i> spp. antibodies in bovines from slaughterhouses of southeastern Brazil. <i>Parasites and Vectors</i> , 2021 , 14, 250	4	0

21	EXPOSURE OF WILD BOAR (SUS SCROFA) TO THE COMMON VAMPIRE BAT AND LACK OF IMMUNE PROTECTION TO RABIES VIRUS IN BRAZILIAN HUNTERS. <i>Journal of Wildlife Diseases</i> , 2021 , 57, 561-568	1.3	○
20	Serosurvey of anti-treponema pallidum (syphilis), anti-hepatitis C virus and anti-HIV antibodies in homeless persons of São Paulo city, southeastern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2021 , 25, 101602	2.8	○
19	Serosurvey of anti-Toxocara antibodies and risk factors in adolescent and adult pregnant women of southeastern Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009571	4.8	○
18	Persistent SARS-CoV-2 antigen presence in multiple organs of a naturally infected cat from Brazil.. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2022 , 28, e20210074	2.2	○
17	Sociodemographic, income, and environmental characteristics of individuals displaying animal and object hoarding behavior in a major city in South Brazil: A cross-sectional study.. <i>Veterinary World</i> , 2021 , 14, 3111-3118	1.7	○
16	Dog:cat population ratio is interestingly similar in houses and apartments of Southern Brazil. <i>Preventive Veterinary Medicine</i> , 2014 , 114, 285	3.1	
15	Risk factors associated with ticks and spp. exposure in wild boars (), hunting dogs, and hunters of Brazil.. <i>Veterinary World</i> , 2021 , 14, 2745-2749	1.7	
14	Serosurvey of anti- () antibodies in hunting dogs and hunters in Brazil.. <i>Veterinary World</i> , 2021 , 14, 2735-2738		
13	Seropositive dog for L. (L.) infantum overlapping spatial distribution of cutaneous disease. <i>Preventive Veterinary Medicine</i> , 2020 , 184, 105105	3.1	
12	PCR and qPCR for detection of Porcine Circovirus type 2 (PCV2) in captive white-lipped (Tayassu pecari) and collared (Tayassu tajacu) peccaries from Southern Brazil. <i>Semina:Ciencias Agrarias</i> , 2016 , 37, 4167	0.6	
11	Serosurvey of anti-Neospora caninum antibodies in wild boars (Sus scrofa), hunting dogs and hunters of Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021 , 23, 100522	1.2	
10	Serological survey of anti-Leptospira spp. antibodies in Barbary sheep (Ammotragus lervia) at the Curitiba Zoo, southern Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 143-146	0.4	
9	Animal welfare assessment in nine dog shelters of southern Brazil. <i>Brazilian Journal of Environmental Sciences (Online)</i> , 2022 , 57, 84-92	1	
8	Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (Sus scrofa), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
7	Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (Sus scrofa), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
6	Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (Sus scrofa), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
5	Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (Sus scrofa), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
4	Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (Sus scrofa), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		

- 3 Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (*Sus scrofa*), hunting dogs, and hunters of Brazil **2019**, 14, e0223474
- 2 Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (*Sus scrofa*), hunting dogs, and hunters of Brazil **2019**, 14, e0223474
- 1 Seroprevalence of anti-Toxoplasma gondii antibodies in wild boars (*Sus scrofa*), hunting dogs, and hunters of Brazil **2019**, 14, e0223474