

Alexander W Biondo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4398299/alexander-w-biondo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

1,806
citations

23
h-index

34
g-index

181
ext. papers

2,172
ext. citations

2.1
avg, IF

4.23
L-index

#	Paper	IF	Citations
164	One Health Index (OHI) applied to Curitiba, the ninth-largest metropolitan area of Brazil, with concomitant assessment of animal, environmental, and human health indicators. <i>One Health</i> , 2022 , 14, 100373	7.6	0
163	Animal welfare assessment in nine dog shelters of southern Brazil. <i>Brazilian Journal of Environmental Sciences (Online)</i> , 2022 , 57, 84-92	1	
162	Persistent SARS-CoV-2 antigen presence in multiple organs of a naturally infected cat from Brazil.. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2022 , 28, e20210074	2.2	0
161	Serological survey of anti-Leptospira spp. antibodies in individuals with animal hoarding disorder and their dogs in a major city of Southern Brazil.. <i>Veterinary Medicine and Science</i> , 2022 ,	2.1	3
160	Natural SARS-CoV-2 Infection in a Free-Ranging Black-Tailed Marmoset (<i>Mico melanurus</i>) from an Urban Area in Mid-West Brazil.. <i>Journal of Comparative Pathology</i> , 2022 , 194, 22-27	1	2
159	One Health approach on human seroprevalence of anti- antibodies, spp. eggs in dogs and sand samples between seashore mainland and island areas of southern Brazil. <i>One Health</i> , 2021 , 13, 100353	7.6	2
158	High SARS-CoV-2 seroprevalence in persons experiencing homelessness and shelter workers from a day-shelter in So Paulo, Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009754	4.8	1
157	Seroprevalence of Anti-Brucella spp. Antibodies in Wild Boars (<i>Sus scrofa</i>), Hunting Dogs, and Hunters of Brazil. <i>Journal of Wildlife Diseases</i> , 2021 , 57, 974-976	1.3	1
156	Risk factors associated with ticks and spp. exposure in wild boars (), hunting dogs, and hunters of Brazil.. <i>Veterinary World</i> , 2021 , 14, 2745-2749	1.7	
155	Spatial Distribution of Bat Shelters and Livestock Rabies in Southern Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2021 , 21, 785-795	2.4	0
154	Serosurvey of anti- () antibodies in hunting dogs and hunters in Brazil.. <i>Veterinary World</i> , 2021 , 14, 2735-2738		
153	First report of severe acute respiratory syndrome coronavirus 2 detection in two asymptomatic cats in the state of Pernambuco, Northeastern Brazil.. <i>Veterinary World</i> , 2021 , 14, 2839-2842	1.7	2
152	Hemotropic mycoplasmas (hemoplasmas) in wild boars, hunting dogs, and hunters from two Brazilian regions. <i>Transboundary and Emerging Diseases</i> , 2021 ,	4.2	1
151	Serosurvey and associated risk factors of anti-Toxocara spp. antibodies in bovines from slaughterhouses of southeastern Brazil. <i>Parasites and Vectors</i> , 2021 , 14, 250	4	0
150	First Molecular Detection of Parasites in Brazilian Bat Species. <i>Microorganisms</i> , 2021 , 9,	4.9	1
149	The Role of Nile Tilapia () in the Life Cycle of spp. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 685911	3.1	1
148	Serosurvey of anti-Neospora caninum antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs and hunters of Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2021 , 23, 100522	1.2	

147	EXPOSURE OF WILD BOAR (SUS SCROFA) TO THE COMMON VAMPIRE BAT AND LACK OF IMMUNE PROTECTION TO RABIES VIRUS IN BRAZILIAN HUNTERS. <i>Journal of Wildlife Diseases</i> , 2021 , 57, 561-568	1.3	0
146	Serosurvey of anti-treponema pallidum (syphilis), anti-hepatitis C virus and anti-HIV antibodies in homeless persons of Sã Paulo city, southeastern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2021 , 25, 101602	2.8	0
145	Serosurvey of anti-Toxocara antibodies and risk factors in adolescent and adult pregnant women of southeastern Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009571	4.8	0
144	From the Approach to the Concept: One Health in Latin America-Experiences and Perspectives in Brazil, Chile, and Colombia. <i>Frontiers in Public Health</i> , 2021 , 9, 687110	6	5
143	Leptospira spp. Antibody in Wild Boars (Sus scrofa), Hunting Dogs (Canis lupus familiaris), and Hunters of Brazil. <i>Journal of Wildlife Diseases</i> , 2021 , 57, 184-188	1.3	1
142	Sociodemographic, income, and environmental characteristics of individuals displaying animal and object hoarding behavior in a major city in South Brazil: A cross-sectional study.. <i>Veterinary World</i> , 2021 , 14, 3111-3118	1.7	0
141	Natural Infection by SARS-CoV-2 in Companion Animals: A Review of Case Reports and Current Evidence of Their Role in the Epidemiology of COVID-19. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 591216	3.1	30
140	Serosurvey of Anti- Antibodies in Homeless Persons of Sã Paulo City, Southeastern Brazil. <i>Frontiers in Public Health</i> , 2020 , 8, 580637	6	2
139	Spatial serosurvey of anti-Toxoplasma gondii antibodies in individuals with animal hoarding disorder and their dogs in Southern Brazil. <i>PLoS ONE</i> , 2020 , 15, e0233305	3.7	3
138	Serosurvey for Pseudorabies (Aujeszky's Disease) in Free-Range Wild Boars (Sus scrofa) of Brazil. <i>Journal of Wildlife Diseases</i> , 2020 , 56, 959-961	1.3	1
137	Serosurvey of Eastern, Western, and Venezuelan Equine Encephalitis Viruses in Wild Boars (), Hunting Dogs, and Hunters of Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2020 , 20, 868-871	2.4	1
136	Molecular Detection of Dengue Virus in Mosquitoes as an Early Indicator to Aid in the Prevention of Human Infection in Endemic Areas. <i>Vector-Borne and Zoonotic Diseases</i> , 2020 , 20, 54-59	2.4	3
135	Hemotropic mycoplasmas (hemoplasmas) in free-ranging bats from Southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020 , 69, 101416	2.6	2
134	Serosurvey of Toxoplasma gondii and Leptospira spp. in Free-Range Agoutis (Dasyprocta azarae) from an Urban Area of Southern Brazil. <i>Journal of Wildlife Diseases</i> , 2020 , 56, 472	1.3	1
133	Seropositive dog for L. (L.) infantum overlapping spatial distribution of cutaneous disease. <i>Preventive Veterinary Medicine</i> , 2020 , 184, 105105	3.1	
132	Spatial and Simultaneous Seroprevalence of Anti- Antibodies in Owners and Their Domiciled Dogs in a Major City of Southern Brazil. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 580400	3.1	4
131	Ticks and serosurvey of anti-Rickettsia spp. antibodies in wild boars (Sus scrofa), hunting dogs and hunters of Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007405	4.8	14
130	Molecular detection of Leptospira spp. in rats as early spatial predictor for human disease in an endemic urban area. <i>PLoS ONE</i> , 2019 , 14, e0216830	3.7	7

129	Socioeconomic vulnerability associated to <i>Toxoplasma gondii</i> exposure in southern Brazil. <i>PLoS ONE</i> , 2019 , 14, e0212375	3.7	24
128	Tick-borne pathogens in carthorses from Foz do Iguaçu City, Paraná State, southern Brazil: A tri-border area of Brazil, Paraguay and Argentina. <i>Veterinary Parasitology</i> , 2019 , 273, 71-79	2.8	6
127	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil. <i>PLoS ONE</i> , 2019 , 14, e0223474	3.7	9
126	Serosurvey of <i>Rickettsia</i> spp. in cats from a Brazilian spotted fever-endemic area. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019 , 28, 713-721	1.3	2
125	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
124	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
123	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
122	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
121	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
120	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
119	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
118	Seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs, and hunters of Brazil 2019 , 14, e0223474		
117	Spatial and simultaneous seroepidemiology of anti- <i>Leishmania</i> spp. antibodies in dog owners and their dogs from randomly selected households in a major city of southern Brazil. <i>Preventive Veterinary Medicine</i> , 2018 , 154, 47-53	3.1	4
116	First molecular screening of <i>Plasmodium</i> species in ungulates from Southern Brazil. <i>BMC Research Notes</i> , 2018 , 11, 536	2.3	3
115	Dog and cat population dynamics in an urban area: evaluation of a birth control strategy. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 511-518	0.4	7
114	Bat rabies surveillance and risk factors for rabies spillover in an urban area of Southern Brazil. <i>BMC Veterinary Research</i> , 2018 , 14, 173	2.7	6
113	Preliminary report of body lice infesting homeless people in Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2018 , 60, e9	2.2	4
112	Serum and Urinary C-Reactive Protein Concentrations in Dogs with Leptospirosis. <i>Acta Scientiae Veterinariae</i> , 2018 , 38, 245	1.1	2

111	Serosurvey of bluetongue, caprine arthritis-encephalitis (CAE) and Maedi-Visna in Barbary sheep (<i>Ammotragus lervia</i>) of a southern Brazilian zoo. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 1203-1206	0.4	1
110	Seroepidemiology of <i>Neospora caninum</i> among goats (<i>Capra hircus</i>) in the state of Paraíba, northeastern Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2018 , 70, 147-152	0.3	2
109	Serological survey of anti- <i>Leptospira</i> spp. antibodies in Barbary sheep (<i>Ammotragus lervia</i>) at the Curitiba Zoo, southern Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 143-146	0.4	
108	Microbiological vulnerability of eggs and environmental conditions in conventional and free-range housing systems. <i>Semina:Ciencias Agrarias</i> , 2018 , 39, 133	0.6	1
107	Impact of a 3-year pet management program on pet population and owner's perception. <i>Preventive Veterinary Medicine</i> , 2017 , 139, 33-41	3.1	8
106	Occurrence of hemotropic mycoplasmas in non-human primates (<i>Alouatta caraya</i> , <i>Sapajus nigritus</i> and <i>Callithrix jacchus</i>) of southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 52, 6-13	2.6	10
105	Frequency and spatial distribution of animal and object hoarder behavior in Curitiba, Paraná State, Brazil. <i>Cadernos De Saude Publica</i> , 2017 , 33, e00001316	3.2	6
104	Spatial and simultaneous representative seroprevalence of anti- <i>Toxoplasma gondii</i> antibodies in owners and their domiciled dogs in a major city of southern Brazil. <i>PLoS ONE</i> , 2017 , 12, e0180906	3.7	14
103	APPROACH TO HOMELESSNESS VULNERABILITY AND THE IMPACT AS ONE HEALTH INITIATIVE. <i>Archives of Veterinary Science</i> , 2017 , 22,	0.7	2
102	Survey of spatial distribution of vector-borne disease in neighborhood dogs in southern Brazil. <i>Open Veterinary Journal</i> , 2017 , 7, 50-56	1	2
101	Serosurvey of <i>Leptospira</i> spp. and <i>Toxoplasma gondii</i> in rats captured from two zoos in Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2017 , 50, 857-860	1.5	10
100	<i>Mycoplasma ovis</i> infection in goat farms from northeastern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 55, 1-5	2.6	19
99	Microscopic and molecular identification of hemotropic mycoplasmas in South American coatis (<i>Nasua nasua</i>). <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 53, 19-25	2.6	10
98	<i>Mycobacterium bovis</i> in a European bison (<i>Bison bonasus</i>) raises concerns about tuberculosis in Brazilian captive wildlife populations: a case report. <i>BMC Research Notes</i> , 2017 , 10, 91	2.3	4
97	Seroprevalence and spatial distribution of <i>Toxoplasma gondii</i> infection in cats, dogs, pigs and equines of the Fernando de Noronha Island, Brazil. <i>Parasitology International</i> , 2017 , 66, 43-46	2.1	16
96	Serosurvey of anti- <i>Leptospira</i> sp. and anti- <i>Toxoplasma gondii</i> antibodies in capybaras and collared and white-lipped peccaries. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2017 , 50, 248-250	1.5	10
95	Multiscreening LC-MS/MS Designed for Ten Pesticide and Six Antimicrobial Residues in Eggs. <i>Journal of Food Quality</i> , 2017 , 2017, 1-6	2.7	4
94	Rapid, actionable diagnosis of urban epidemic leptospirosis using a pathogenic <i>Leptospira</i> lipL32-based real-time PCR assay. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005940	4.8	25

93	Molecular screening for hemotropic mycoplasmas in captive Barbary sheep () in southern Brazil. <i>Veterinary World</i> , 2017 , 10, 924-926	1.7	1
92	Ehrlichia sp. infection in carthorses of low-income owners, Southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 48, 1-5	2.6	14
91	Comparison of indirect fluorescent antibody test and the modified agglutination test for the detection of Toxoplasma gondii antibodies in stray dogs from Southern Brazil. <i>Acta Parasitologica</i> , 2016 , 61, 694-696	1.7	5
90	infection in two species of captive snakes. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2016 , 22, 27	2.2	6
89	Detection of Ehrlichia canis, Babesia vogeli, and Toxoplasma gondii DNA in the Brain of Dogs Naturally Infected with Leishmania infantum. <i>Journal of Parasitology</i> , 2016 , 102, 275-9	0.9	14
88	Responsible pet ownership perception in elementary schools after an educational program in Southern Brazil. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2016 , 53, 182	0.3	2
87	Infecço pelo complexo Mycobacterium tuberculosis em carneiro da Barbia (Ammotragus lervia) no Zoolgico de Curitiba, sul do Brasil: relato de caso. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2016 , 53, 1	0.3	2
86	PCR and qPCR for detection of Porcine Circovirus type 2 (PCV2) in captive white-lipped (Tayassu pecari) and collared (Tayassu tajacu) peccaries from Southern Brazil. <i>Semina:Ciencias Agrarias</i> , 2016 , 37, 4167	0.6	
85	Serosurvey for Leishmania spp., Toxoplasma gondii, Trypanosoma cruzi and Neospora caninum in neighborhood dogs in Curitiba-ParanBrazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016 , 25, 504-510	1.3	9
84	An Optimized Method for Quantification of Pathogenic Leptospira in Environmental Water Samples. <i>PLoS ONE</i> , 2016 , 11, e0160523	3.7	14
83	Serosurvey of Borrelia in dogs, horses, and humans exposed to ticks in a rural settlement of southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016 , 25, 418-422	1.3	6
82	Serological and molecular detection of Theileria equi in sport horses of northeastern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 47, 72-6	2.6	17
81	Comparative clinical sample preparation of DNA and RNA viral nucleic acids for a commercial deep sequencing system (Illumina MiSeq()). <i>Journal of Virological Methods</i> , 2015 , 220, 60-3	2.6	11
80	Occurrence and identification of hemotropic mycoplasmas (Hemoplasmas) in free ranging and laboratory rats (Rattus norvegicus) from two Brazilian zoos. <i>BMC Veterinary Research</i> , 2015 , 11, 286	2.7	8
79	MOLECULAR INVESTIGATION OF HEMOTROPIC MYCOPLASMAS IN HUMAN BEINGS, DOGS AND HORSES IN A RURAL SETTLEMENT IN SOUTHERN BRAZIL. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2015 , 57, 353-7	2.2	11
78	Occurrence of antibodies anti -Toxoplasma gondii, Neospora caninum and Leptospira interrogans in a captive deer herd in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015 , 24, 482-7	1.3	6
77	Use of pan-hemoplasma PCR for screening horses highly exposed to tick bites from southern Brazil. <i>Semina:Ciencias Agrarias</i> , 2015 , 36, 291	0.6	3
76	Seroprevalence and seroincidence of Leptospira infection in dogs during a one-year period in an endemic urban area in Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015 , 48, 50-5	1.5	8

75	Comparative study of two serological tests for detection of anti-Theileria equi antibodies in horses. <i>Semina:Ciencias Agrarias</i> , 2015 , 36, 4361	0.6	2
74	Cardiac lesions in 30 dogs naturally infected with Leishmania infantum chagasi. <i>Veterinary Pathology</i> , 2014 , 51, 603-6	2.8	19
73	Identification, occurrence and clinical findings of canine hemoplasmas in southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014 , 37, 259-65	2.6	19
72	Dog:cat population ratio is interestingly similar in houses and apartments of Southern Brazil. <i>Preventive Veterinary Medicine</i> , 2014 , 114, 285	3.1	
71	Evaluation of urine dipstick and cystoscopy in bovine enzootic haematuria. <i>Semina:Ciencias Agrarias</i> , 2014 , 35, 1369	0.6	2
70	Serological cross-reactivity of Trypanosoma cruzi, Ehrlichia canis, Toxoplasma gondii, Neospora caninum and Babesia canis to Leishmania infantum chagasi tests in dogs. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2014 , 47, 105-7	1.5	58
69	Hemoplasma prevalence and hematological abnormalities associated with infection in three different cat populations from Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014 , 23, 428-34	1.3	16
68	Serological and molecular survey of Leptospira spp. among cart horses from an endemic area of human leptospirosis in Curitiba, southern Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2014 , 56, 473-6	2.2	10
67	Occurrences of anti-Toxoplasma gondii and anti-Neospora caninum antibodies in Barbary sheep at Curitiba zoo, southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014 , 23, 255-9	1.3	7
66	Presence of infectious agents and co-infections in diarrheic dogs determined with a real-time polymerase chain reaction-based panel. <i>BMC Veterinary Research</i> , 2014 , 10, 23	2.7	43
65	Bronchoalveolar lavage (BAL) in tapirs (Tapirus terrestris) with Mycobacterium tuberculosis. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014 , 66, 1643-1646	0.3	3
64	Seroepidemiological survey of Theileria equi and Babesia caballi in horses from a rural and from urban areas of Paraná State, southern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2013 , 4, 537-41	3.6	19
63	Impact of demographic characteristics in pet ownership: modeling animal count according to owners income and age. <i>Preventive Veterinary Medicine</i> , 2013 , 109, 213-8	3.1	17
62	Longitudinal analysis of serological tests officially adopted by the Brazilian Ministry of Health for the diagnosis of canine visceral leishmaniasis in dogs vaccinated with Leishmune [®] . <i>Veterinary Parasitology</i> , 2013 , 197, 649-52	2.8	19
61	Hemotropic mycoplasma in a free-ranging black howler monkey (Alouatta caraya) in Brazil. <i>Journal of Wildlife Diseases</i> , 2013 , 49, 728-31	1.3	14
60	Serological survey of Ehrlichia species in dogs, horses and humans: zoonotic scenery in a rural settlement from southern Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2013 , 55, 335-40 ^{2.2}	2.2	25
59	Incidence of canine leptospirosis in the metropolitan area of Curitiba, State of Paraná Southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013 , 46, 772-5	1.5	5
58	Molecular detection of Ehrlichia canis and Anaplasma platys in dogs in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 360-6	1.3	20

57	Serosurvey of tick-borne pathogens in dogs from urban and rural areas from Parana State, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 104-9	1.3	30
56	Neighborhood and postal worker characteristics associated with dog bites in postal workers of the Brazilian National Postal Service in Curitiba. <i>Ciencia E Saude Coletiva</i> , 2013 , 18, 1367-74	2.2	2
55	Detection of anti-Toxoplasma gondii antibodies in carthorses in the metropolitan region of Curitiba, Parana, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013 , 22, 179-81	1.3	12
54	Análise espacial do risco de leptospirose canina na Vila Pantanal, Curitiba, Parana. <i>Pesquisa Veterinaria Brasileira</i> , 2013 , 33, 74-79	0.4	5
53	Serology for Brucella abortus in cart horses from an urban area in Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013 , 65, 619-621	0.3	3
52	Coinfection of Leishmania chagasi with Toxoplasma gondii, Feline Immunodeficiency Virus (FIV) and Feline Leukemia Virus (FeLV) in cats from an endemic area of zoonotic visceral leishmaniasis. <i>Veterinary Parasitology</i> , 2012 , 187, 302-6	2.8	57
51	An outbreak of tuberculosis by Mycobacterium bovis in coatis (Nasua nasua). <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 338-41	0.9	5
50	Detection of RD(Rio) strain of Mycobacterium tuberculosis in tapirs (Tapirus terrestris) from a zoo in Brazil. <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 872-5	0.9	12
49	Serologic survey for Leptospira spp. in captive neotropical felids in Foz do Iguaçu, Parana, Brazil. <i>Journal of Zoo and Wildlife Medicine</i> , 2012 , 43, 223-8	0.9	16
48	Dog parasite incidence and risk factors, from sampling after one-year interval, in Pinhais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 101-6	1.3	10
47	Molecular detection and occurrence of Candidatus Mycoplasma haemobos in dairy cattle of Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 342-4	1.3	25
46	Detection of Neospora sp. antibodies in cart horses from urban areas of Curitiba, Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012 , 21, 68-70	1.3	16
45	Cat infected by a variant of bat rabies virus in a 29-year disease-free urban area of southern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2012 , 45, 255-6	1.5	7
44	Exposure to rabies virus in a population of free-ranging capuchin monkeys (Cebus apella nigritus) in a fragmented, environmentally protected area in southeastern Brazil. <i>Primates</i> , 2012 , 53, 227-31	1.7	13
43	gyrA and gyrB gene mutation in ciprofloxacin-resistant Mycobacterium massiliense clinical isolates from Southern Brazil. <i>Microbial Drug Resistance</i> , 2012 , 18, 1-6	2.9	14
42	Prevention educational program of human rabies transmitted by bats in rain forest preserved area of southern Brazilian coast. <i>Zoonoses and Public Health</i> , 2011 , 58, 529-32	2.9	3
41	Epstein-Barr virus: general factors, virus-related diseases and measurement of viral load after transplant. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011 , 33, 383-8		9
40	Anti-Rickettsia spp. antibodies in free-ranging and captive capybaras from southern Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2011 , 31, 1014-1018	0.4	12

39	Use of a <i>Mycoplasma suis</i> -PCR protocol for screening a population of captive peccaries (<i>Tayassu tajacu</i> and <i>Tayassu pecari</i>). <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 75-7	1.3	6
38	Ehrlichiosis in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 1-12	1.3	70
37	Molecular identification and typing of <i>Mycobacterium massiliense</i> isolated from postsurgical infections in Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2011 , 15, 436-441	2.8	5
36	Seroprevalence of <i>Toxoplasma gondii</i> infection in cats from Curitiba, Paraná-Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011 , 20, 256-8	1.3	10
35	A quantitative TaqMan PCR assay for the detection of <i>Mycoplasma suis</i> . <i>Journal of Applied Microbiology</i> , 2011 , 111, 417-25	4.7	24
34	Validation of a <i>Leishmania infantum</i> ELISA rapid test for serological diagnosis of <i>Leishmania chagasi</i> in dogs. <i>Veterinary Parasitology</i> , 2011 , 175, 15-9	2.8	31
33	<i>Leishmania chagasi</i> infection in cats with dermatologic lesions from an endemic area of visceral leishmaniasis in Brazil. <i>Veterinary Parasitology</i> , 2011 , 178, 22-8	2.8	60
32	<i>Mycoplasma ovis</i> in captive cervids: prevalence, molecular characterization and phylogeny. <i>Veterinary Microbiology</i> , 2011 , 152, 415-9	3.3	29
31	Temporal IgG subclasses response in dogs following vaccination against <i>Leishmania</i> with Leishmune [®] . <i>Veterinary Parasitology</i> , 2011 , 181, 153-9	2.8	18
30	Prevalence and molecular characterization of <i>Mycoplasma ovis</i> in selected free-ranging Brazilian deer populations. <i>Journal of Wildlife Diseases</i> , 2011 , 47, 1005-11	1.3	24
29	Febre maculosa brasileira em cães. <i>Semina: Ciências Agrárias</i> , 2011 , 32, 339	0.6	2
28	Epidemiologic pattern of patients with neurocysticercosis diagnosed by computed tomography in Curitiba, Brazil. <i>Arquivos De Neuro-Psiquiatria</i> , 2010 , 68, 269-72	1.6	5
27	Seroprevalence of <i>Rickettsia bellii</i> and <i>Rickettsia felis</i> in dogs, São Jos'dos Pinhais, State of Paraná-Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010 , 19, 222-7	1.3	8
26	Detection of <i>Bartonella</i> spp. in neotropical felids and evaluation of risk factors and hematological abnormalities associated with infection. <i>Veterinary Microbiology</i> , 2010 , 142, 346-51	3.3	15
25	Mapping risk of bovine fasciolosis in the south of Brazil using Geographic Information Systems. <i>Veterinary Parasitology</i> , 2010 , 169, 76-81	2.8	46
24	Serological survey of <i>Toxoplasma gondii</i> in captive Neotropical felids from Southern Brazil. <i>Veterinary Parasitology</i> , 2010 , 172, 144-6	2.8	14
23	Development of hepatitis C virus genotyping by real-time PCR based on the NS5B region. <i>PLoS ONE</i> , 2010 , 5, e10150	3.7	15
22	Surveillance of canine visceral leishmaniasis in a disease-free area. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010 , 19, 62-4	1.3	5

21	Brazilian spotted fever in cart horses in a non-endemic area in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010 , 19, 130-131	1.3	11
20	A review of the occurrence of hemoplasmas (hemotrophic mycoplasmas) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2009 , 18, 1-7	1.3	39
19	Detection of a novel hemoplasma based on 16S rRNA gene DNA in captive and free-ranging capybaras (<i>Hydrochaeris hydrochaeris</i>). <i>Veterinary Microbiology</i> , 2009 , 139, 410-3	3.3	24
18	Detection of <i>Plasmodium</i> sp. in capybara. <i>Veterinary Parasitology</i> , 2009 , 163, 148-51	2.8	16
17	Survey of feline leukemia virus and feline coronaviruses in captive neotropical wild felids from Southern Brazil. <i>Journal of Zoo and Wildlife Medicine</i> , 2009 , 40, 360-4	0.9	13
16	Design, optimization, and application of a conventional PCR assay with an internal control for detection of <i>Candidatus Mycoplasma turicensis</i> 16S rDNA in domestic cats from Brazil. <i>Veterinary Clinical Pathology</i> , 2009 , 38, 443-52	1	25
15	Chloride: a quick reference. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2008 , 38, 459-65, viii	2.4	7
14	Survey of owned feline and canine populations in apartments from a neighbourhood in Curitiba, Brazil. <i>Zoonoses and Public Health</i> , 2008 , 55, 402-5	2.9	15
13	Hemoplasma infection in HIV-positive patient, Brazil. <i>Emerging Infectious Diseases</i> , 2008 , 14, 1922-4	10.2	101
12	Molecular detection of " <i>Candidatus Mycoplasma haemominutum</i> " in a lion (<i>Panthera leo</i>) from a Brazilian zoological garden. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2007 , 49, 195-6	2.2	11
11	Comparative sequences of the canine and feline vasopressin prohormones. <i>Comparative Clinical Pathology</i> , 2007 , 16, 173-179	0.9	1
10	Exploratory study of <i>Mycoplasma suis</i> (<i>Eperythrozoon suis</i>) on four commercial pig farms in southern Brazil. <i>Veterinary Record</i> , 2007 , 160, 50-3	0.9	28
9	Co-infection with <i>Mycoplasma haemofelis</i> and <i>Candidatus Mycoplasma haemominutum</i> in three cats from Brazil. <i>Journal of Feline Medicine and Surgery</i> , 2007 , 9, 518-20	2.3	11
8	Plasma endothelin-1 immunoreactivity in normal dogs and dogs with acquired heart disease. <i>Journal of Veterinary Internal Medicine</i> , 2004 , 18, 840-4	3.1	8
7	Measurements of plasma endothelin immunoreactivity in healthy cats and cats with cardiomyopathy. <i>Journal of Veterinary Internal Medicine</i> , 2004 , 18, 826-30	3.1	2
6	Comparative sequences of canine and feline endothelin-1. <i>Veterinary Clinical Pathology</i> , 2003 , 32, 188-94		11
5	Immunohistochemistry of atrial and brain natriuretic peptides in control cats and cats with hypertrophic cardiomyopathy. <i>Veterinary Pathology</i> , 2003 , 40, 501-6	2.8	28
4	Genomic sequence and cardiac expression of atrial natriuretic peptide in cats. <i>American Journal of Veterinary Research</i> , 2002 , 63, 236-40	1.1	22

3	Exame do fluido peritoneal e hemograma de eqüinos submetidos à laparotomia e infusãõ intraperitoneal de carboximetilcelulose. <i>Ciencia Rural</i> , 1999 , 29, 79-85	1.3	4
2	Canine hepatozoonosis in Brazil: description of eight naturally occurring cases. <i>Veterinary Parasitology</i> , 1998 , 74, 319-23	2.8	44
1	Hemograma de bovinos (<i>Bos indicus</i>) sadios da raça nelore no primeiro mês de vida, criados no estado de São Paulo. <i>Ciencia Rural</i> , 1998 , 28, 251-256	1.3	8