

# Greg Landsberg

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4399400/greg-landsberg-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

359 papers	11,847 citations	50 h-index	92 g-index
374 ext. papers	13,673 ext. citations	4.8 avg, IF	4.41 L-index

#	Paper	IF	Citations
359	Observation of the Top Quark. <i>Physical Review Letters</i> , <b>1995</b> , 74, 2632-2637	7.4	909
358	Black holes at the Large Hadron Collider. <i>Physical Review Letters</i> , <b>2001</b> , 87, 161602	7.4	719
357	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
356	Observation of a new boson with mass near 125 GeV in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	261
355	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4.2	250
354	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , <b>2016</b> , 76, 155	4.2	250
353	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3076	4.2	239
352	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ( $\sqrt{s} = 0.9$ ) and 2.36 TeV. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	201
351	Suppression of non-prompt $J/\psi$ and ( $\Upsilon$ )(1S) in PbPb collisions at ( $\sqrt{s_{NN}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	184
350	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
349	FCC Physics Opportunities. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	174
348	Search for top-squark pair production in the single-lepton final state in pp collisions at ( $\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	162
347	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 421	4.2	153
346	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	144
345	Measurement of the inclusive W and Z production cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	121
344	Prompt and non-prompt $J/\psi$ production in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	118
343	Measurements of inclusive W and Z cross sections in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	104

342	Measurement of differential top-quark-pair production cross sections in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	102
341	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , <b>2010</b> , 70, 1165-1192	4.2	99
340	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 542	4.2	98
339	Measurement of the Top Quark Mass Using Dilepton Events. <i>Physical Review Letters</i> , <b>1998</b> , 80, 2063-2068	4.4	96
338	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ( $\sqrt{s_{\text{NN}}} = 2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	87
337	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2568	4.2	82
336	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	81
335	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	77
334	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	74
333	Searches for invisible decays of the Higgs boson in pp collisions at ( $\sqrt{s}$ ) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	74
332	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	73
331	Measurement of the single-top-quark t-channel cross section in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	70
330	Measurement of the underlying event activity at the LHC with ( $\sqrt{s} = 7$ ) TeV and comparison with ( $\sqrt{s} = 0.9$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	70
329	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	69
328	J/ψ and ψ(2S) production in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	69
327	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ( $\sqrt{s_{\text{NN}}} = 5.02$ ) (TeV). <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	67
326	Charged-particle nuclear modification factors in PbPb and pPb collisions at ( $\sqrt{s_{\text{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	64
325	Measurement of the ( $\overline{t}t$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	64

324	Search for high-mass resonances in dilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	63
323	High-pT jets in p <p> collisions at <math>s=630</math> and 1800 GeV. <i>Physical Review D</i>, <b>2001</b>, 64,</p>	4.9	62
322	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , <b>2020</b> , 80, 4	4.2	61
321	Study of double parton scattering using W + 2-jet events in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	61
320	Search for a charged Higgs boson in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	61
319	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	59
318	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 252	4.2	58
317	Search for anomalous ( $\overline{t}t$ ) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	57
316	Measurement of the $W+W\overline{t}$ cross section in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ) and limits on anomalous $WW\overline{t}$ and $WWZ$ couplings. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	56
315	Black holes at future colliders and beyond. <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2006</b> , 32, R337-R365	2.9	56
314	Rapidity gaps between jets in pp-bar collisions at $\sqrt{s}=1.8$ TeV. <i>Physical Review Letters</i> , <b>1994</b> , 72, 2332-2336	4.3	55
313	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 710	4.2	54
312	Dijet Mass Spectrum and a Search for Quark Compositeness in p <p> Collisions at <math>\sqrt{s}=1.8\text{ TeV}</math>. <i>Physical Review Letters</i>, <b>1999</b>, 82, 2457-2462</p>	7.4	53
311	Probing hard color-singlet exchange in pp collisions at $s = 630$ GeV and 1800 GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1998</b> , 440, 189-202	4.2	52
310	Searching for long-lived particles beyond the Standard Model at the Large Hadron Collider. <i>Journal of Physics G: Nuclear and Particle Physics</i> , <b>2020</b> , 47, 090501	2.9	51
309	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	50
308	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 237	4.2	48
307	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	48

306	Measurement of the ( $\bar{t}t$ ) production cross section and the top quark mass in the dilepton channel in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	48
305	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , <b>2012</b> , 85,	4.9	47
304	Kaluza-Klein states of the standard model gauge bosons: Constraints from high energy experiments. <i>Physical Review D</i> , <b>2002</b> , 65,	4.9	47
303	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	46
302	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	46
301	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	45
300	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	45
299	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2283	4.2	45
298	Measurement of the ( $\bar{t}t$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	43
297	Search for leptonic decays of W bosons in pp collisions at ( $\sqrt{s} = 7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
296	Discovering new physics in the decays of black holes. <i>Physical Review Letters</i> , <b>2002</b> , 88, 181801	7.4	43
295	Event activity dependence of ( $\Upsilon$ )(nS) production in ( $\sqrt{s_{NN}}$ ) = 5.02 TeV pPb and ( $\sqrt{s}$ ) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	42
294	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186	4.2	41
293	Measurement of the inelastic proton-proton cross section at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	41
292	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	40
291	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
290	Study of the underlying event at forward rapidity in pp collisions at ( $\sqrt{s}=0.9, 2.76, 7$ TeV). <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39
289	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	39

288	Search for scalar bottom quarks and third-generation leptoquarks in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 693, 95-101	4.2	39
287	Jet production via strongly interacting color-singlet exchange in pp-bar collisions. <i>Physical Review Letters</i> , <b>1996</b> , 76, 734-739	7.4	39
286	Search for natural and split supersymmetry in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
285	Search for new physics in events with same-sign dileptons and jets in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38
284	Search for microscopic black holes in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	38
283	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ( $\sqrt{s}=7$ ;{TeV}). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	38
282	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2016</b> , 76, 401	4.2	38
281	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4.2	37
280	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 469	4.2	37
279	Measurement of associated W + charm production in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
278	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	37
277	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	37
276	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , <b>2018</b> , 78, 509	4.2	37
275	Interplay and characterization of Dark Matter searches at colliders and in direct detection experiments. <i>Physics of the Dark Universe</i> , <b>2015</b> , 9-10, 51-58	4.4	36
274	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 451	4.2	36
273	Search for disappearing tracks in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	35
272	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 13	4.2	35
271	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	35

270	Measurement of the $(\mathrm{t}\bar{\mathrm{t}})$ production cross section in pp collisions at $(\sqrt{s}=7)$ TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	35
269	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $(\sqrt{s}=8)$ TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	34
268	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 439	4.2	34
267	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	33
266	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	33
265	Search for a light charged Higgs boson decaying to $(\mathrm{c}\bar{\mathrm{s}})$ in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-37	5.4	33
264	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	32
263	Measurement of the Drell-Yan cross section in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	32
262	Search for new physics in $e^+e^-$ data at DØ using SLEUTH: A quasi-model-independent search strategy for new physics. <i>Physical Review D</i> , <b>2000</b> , 62,	4.9	32
261	Black holes at future colliders and in cosmic rays. <i>European Physical Journal C</i> , <b>2004</b> , 33, s927-s931	4.2	31
260	Measurement of the $(\mathrm{t}\bar{\mathrm{t}})$ production cross section in the $e^+e^-$ channel in proton-proton collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	30
259	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	30
258	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $(\sqrt{s}=7-8)$ TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	30
257	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 165	4.2	29
256	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable $\beta_T$ . <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	29
255	Observation of $Y(1S)$ pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
254	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3060	4.2	29
253	Search for heavy Majorana neutrinos in $e^+e^-$ jets and $e^+e^-$ jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	28

252	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	28
251	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 368	4-2	27
250	Evidence for exclusive $\bar{W} + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	27
249	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	27
248	Measurement of ( $\overline{\text{B}}\text{B}$ ) angular correlations based on secondary vertex reconstruction at ( $\sqrt{s} = 7, \text{TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5-4	27
247	Measurement of the WZ and ZZ production cross sections using leptonic final states in 8.6 fb of pp collisions. <i>Physical Review D</i> , <b>2012</b> , 85,	4-9	27
246	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 269	4-2	26
245	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	26
244	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	26
243	Searches for supersymmetry using the $M_{T2}$ variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	26
242	Search for top squark pair production in pp collisions at ( $\sqrt{s}=13$ ) TeV using single lepton events. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	25
241	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , <b>2015</b> , 75, 511	4-2	25
240	VANISHING DIMENSIONS AND PLANAR EVENTS AT THE LHC. <i>Modern Physics Letters A</i> , <b>2012</b> , 27, 1250021,3		25
239	Quasi-model-independent search for new physics at large transverse momentum. <i>Physical Review D</i> , <b>2001</b> , 64,	4-9	25
238	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , <b>2016</b> , 76, 371	4-2	25
237	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , <b>2018</b> , 78, 701	4-2	25
236	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 325	4-2	24
235	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4-2	24

234	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 372	4.2	24
233	Measurement of the $Z/\gamma + b$ -jet cross section in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
232	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
231	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ channel in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	24
230	Quasi-model-independent search for new high p(T) physics at D0. <i>Physical Review Letters</i> , <b>2001</b> , 86, 3712-74	7.4	24
229	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
228	Searching for the layered structure of space at the LHC. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	23
227	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 707	4.2	23
226	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\tau$ leptons at $(\sqrt{s} = 13)$ TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
225	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 172	4.2	22
224	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 845	4.2	22
223	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and $8\sqrt{s}$ [Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 236	4.2	21
222	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , <b>2017</b> , 77, 294	4.2	21
221	Correlations between jets and charged particles in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}} = 2.76)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
220	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text] [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 128	4.2	21
219	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	21
218	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2758	4.2	21
217	Measurement of the $t\bar{t}$ production cross section in the $b\bar{b}$ jets channel in pp collisions at $(\sqrt{s} = 7)$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	21

216	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 578	4.2	21
215	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	21
214	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
213	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 379	4.2	20
212	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 140	4.2	20
211	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 564	4.2	20
210	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
209	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 636	4.2	20
208	Search for anomalous single top quark production in association with a photon in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
207	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , <b>2017</b> , 77, 15	4.2	19
206	Search for resonant and nonresonant Higgs boson pair production in the ( $\overline{\mathrm{b}}\mathrm{b}\ell\ell$ ) final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	19
205	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 237	4.2	19
204	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
203	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	19
202	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s}=0.9$ ) and 7 TeV. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	19
201	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 965	4.2	19
200	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , <b>2018</b> , 78, 789	4.2	19
199	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 364	4.2	18

198	Observation of top quark pairs produced in association with a vector boson in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	18
197	Measurement of the $pp \rightarrow W+b+X$ production cross section at $s=1.96\text{TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 718, 1314-1320	4.2	18
196	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
195	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	18
194	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
193	Search for pair production of the scalar top quark in the electron + muon final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2011</b> , 696, 321-327	4.2	18
192	Hard single diffraction in p p collisions at $s=630$ and $1800\text{GeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2002</b> , 531, 52-60	4.2	18
191	Recommendations on presenting LHC searches for missing transverse energy signals using simplified s-channel models of dark matter. <i>Physics of the Dark Universe</i> , <b>2020</b> , 27, 100365	4.4	18
190	Search for ( $\overline{\text{t}}\text{H}$ ) production in the ( $\text{H}$ to $\overline{\text{b}}\text{b}$ ) decay channel with leptonic ( $\overline{\text{t}}$ ) decays in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	17
189	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$ . <i>European Physical Journal C</i> , <b>2018</b> , 78, 291	4.2	17
188	Measurement of the inclusive jet cross section in pp collisions at ( $\sqrt{s}=2.76\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	17
187	Search for ( $\overline{\text{t}}\text{t}$ ) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	17
186	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 327	4.2	17
185	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	17
184	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ( $\sqrt{s}=7\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	17
183	Search for sneutrino production in $e\bar{e}$ final states in $5.3\text{fb}^{-1}$ of pp collisions at square root $s=1.96\text{TeV}$ . <i>Physical Review Letters</i> , <b>2010</b> , 105, 191802	7.4	17
182	Color coherent radiation in multijet events from collisions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>1997</b> , 414, 419-427	4.2	17
181	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 459	4.2	16

180	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
179	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
178	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ell\ell$ leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
177	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
176	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
175	LHC Dark Matter Working Group: Next-generation spin-0 dark matter models. <i>Physics of the Dark Universe</i> , <b>2020</b> , 27, 100351	4.4	16
174	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
173	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , <b>2017</b> , 77, 751	4.2	15
172	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	15
171	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
170	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	15
169	Recommendations of the LHC Dark Matter Working Group: Comparing LHC searches for dark matter mediators in visible and invisible decay channels and calculations of the thermal relic density. <i>Physics of the Dark Universe</i> , <b>2019</b> , 26, 100377	4.4	15
168	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
167	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 467	4.2	14
166	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 460	4.2	14
165	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
164	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section in the all-jet final state in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
163	Measurement of the ( $\overline{\text{t}}\text{t}$ ) production cross section using events with one lepton and at least one jet in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	14

162	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
161	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
160	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 325	4.2	13
159	Measurement of exclusive $\pi^0$ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 702	4.2	13
158	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , <b>2019</b> , 79, 313	4.2	13
157	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2901	4.2	13
156	Search for pair production of the scalar top quark in muon + tau final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2012</b> , 710, 578-586	4.2	13
155	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
154	Measurement of the ratio of differential cross sections ( $\sigma(\text{pp} \rightarrow \text{Z} + \text{b jet})/\sigma(\text{pp} \rightarrow \text{Z} + \text{jet})$ ) in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2013</b> , 87,	4.9	13
153	Measurement of the ratio of inclusive cross sections ( $\sigma(\text{pp} \rightarrow \text{Z} + \text{b quark jet})/\sigma(\text{pp} \rightarrow \text{Z} + \text{jet})$ ) at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2011</b> , 83,	4.9	13
152	Measurement of ( $\bar{\sigma}_{\text{p}}^{\text{p}}$ ) normalised multi-differential cross sections in ( $\text{p-p}$ ) collisions at ( $\sqrt{s}=13$ , TeV), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
151	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
150	Search for ( $\text{t}\overline{\text{t}}\text{H}$ ) production in the all-jet final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	13
149	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 891	4.2	13
148	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 280	4.2	12
147	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
146	Measurement of normalized differential ( $\text{t}\overline{\text{t}}$ ) cross sections in the dilepton channel from pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
145	Pseudoscalar portal dark matter and new signatures of vector-like fermions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12

144	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
143	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4.2	12
142	Search for new physics in the monophoton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
141	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 287	4.2	11
140	Phenomenological MSSM interpretation of CMS searches in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	11
139	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3014	4.2	11
138	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
137	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
136	Search for new physics with dijet angular distributions in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
135	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	11
134	Measurement of the $t\bar{t}$ cross section using high-multiplicity jet events. <i>Physical Review D</i> , <b>2010</b> , 82,	4.9	11
133	Measurements of differential Z boson production cross sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11
132	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P02027-P02027	1	11
131	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	11
130	Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
129	A multi-dimensional search for new heavy resonances decaying to boosted $\gamma\gamma$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10
128	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ( $\sqrt{s}=8$ ) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
127	Search for excited leptons in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10

126	Measurements of jet charge with dijet events in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
125	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
124	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	10
123	Search for 3- and 4-body decays of the scalar top quark in pp collisions at $\sqrt{s}=1.8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2004</b> , 581, 147-155	4.2	10
122	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, T10004-T10004	1	10
121	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
120	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
119	Searches for extra spatial dimensions with the CMS detector at the LHC. <i>Modern Physics Letters A</i> , <b>2015</b> , 30, 1540017	1.3	9
118	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
117	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	9
116	Measurement of the combined rapidity and . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2013</b> , 721, 212-219	4.2	9
115	Search for associated production of dark matter with a Higgs boson decaying to ( $\overline{\text{b}}\text{b}$ ) or ( $\text{t}\bar{\text{t}}$ ) at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
114	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
113	Measurement of electroweak-induced production of $W\gamma$ with two jets in pp collisions at ( $\sqrt{s}=8$ ) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
112	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 317	4.2	9
111	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
110	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 697	4.2	9
109	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8

108	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	8
107	Search for s channel single top quark production in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	8
106	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	8
105	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	8
104	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2017</b> , 77, 354	4-2	8
103	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , <b>2017</b> , 77, 746	4-2	8
102	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	8
101	Search for electroweak production of charginos in final states with two $\ell$ leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
100	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2017</b> , 77, 92	4-2	7
99	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ( $\sqrt{s}=13$ , text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	7
98	Search for rare decays of $H$ and $A$ Higgs bosons to $\gamma\gamma$ and a photon in proton-proton collisions at $\sqrt{s}=13$ . <i>European Physical Journal C</i> , <b>2019</b> , 79, 94	4-2	7
97	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	7
96	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	7
95	Search for supersymmetry in pp collisions at ( $\sqrt{s}=13$ ) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	7
94	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	7
93	Jet properties in PbPb and pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	7
92	Measurement of the semileptonic ( $t\bar{t}$ ) + $\ell\bar{\ell}$ production cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7
91	Searches for $W^\pm$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	7

90	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
89	Measurement of the $Z\ell\bar{\ell}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	7
88	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	7
87	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2	7
86	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
85	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $Z\ell q$ final states at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
84	Search for dark matter produced in association with a Higgs boson decaying to $\ell\bar{\ell} \ell\bar{\ell}$ ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
83	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
82	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2	7
81	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 90	4.2	6
80	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ( $\sqrt{s}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	6
79	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4.2	6
78	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 43	4.2	6
77	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2016</b> , 76, 536	4.2	6
76	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ( $\sqrt{s} = 13$ , text {TeV} ). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	6
75	Search for the associated production of the Higgs boson with a top-quark pair <b>2014</b> , 2014, 1		6
74	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	6
73	Measurement of the differential Drell-Yan cross section in proton-proton collisions at ( $\sqrt{\mathrm{s}} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	6

72	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 893	4.2	6
71	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 886	4.2	6
70	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
69	Search for a heavy resonance decaying into a Z boson and a vector boson in the ( $\nu_{\text{q}}$ ) final state. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
68	Measurement of the mass of the top quark in decays with a $J/\psi$ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	5
67	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
66	A novel method for modeling the recoil in W boson events at hadron colliders. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2009</b> , 609, 250-262	1.2	5
65	Measurement of energy flow at large pseudorapidities in pp collisions at ( $\sqrt{s} = 0.9$ ) and 7 TeV <b>2011</b> , 2011, 1		5
64	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2	5
63	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2	5
62	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2	5
61	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4.2	5
60	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , <b>2018</b> , 78, 708	4.2	5
59	Search for the pair production of light top squarks in the $e\bar{e}$ final state in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	4
58	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 123	4.2	4
57	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 20	4.2	4
56	Evidence for ( $W^+W^-$ ) production from double-parton interactions in proton-proton collisions at ( $\sqrt{s} = 13$ , TeV). <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
55	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 242	4.2	4

54	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ ) and 8.16 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	4
53	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	4
52	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
51	Search for high-mass $Z$ resonances in $e+e$ and $\mu+\mu$ final states in proton-proton collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
50	Search for CP violation in ( $\overline{t}$ ) production and decay in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	4
49	Measurement of differential cross sections and charge ratios for $\gamma$ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4-2	4
48	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	4
47	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ( $\sqrt{s}=13$ ~TeV). <i>European Physical Journal C</i> , <b>2018</b> , 78, 1	4-2	4
46	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4-2	4
45	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4-2	3
44	Measurement of the inclusive ( $\overline{t}\mathrm{t}$ ) cross section in pp collisions at ( $\sqrt{s}=5.02$ ) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
43	Search for ZZ resonances in the $2\mu$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
42	Search for top quark partners with charge 5/3 in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	3
41	Measurements of the ( $p\mathrm{p}\rightarrow Z\mathrm{Z}$ ) production cross section and the ( $Z\rightarrow 4\ell$ ) branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s}=13$ ,~TeV) <b>2018</b> , 78, 1		3
40	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4-2	3
39	Measurement of the ( $\overline{t}t$ ) production cross section in the dilepton channel in pp collisions at ( $\sqrt{s}=8$ TeV <b>2014</b> , 2014, 1		3
38	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
37	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3

36	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e <sup>±</sup> final states in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	3
35	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4-2	3
34	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 305	4-2	2
33	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	2
32	Measurement of differential cross sections in the kinematic angular variable $\phi^*$ for inclusive Z boson production in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	2
31	Search for dark matter particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the razor variables. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	2
30	Search for $W^\pm \rightarrow b$ in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	2
29	Search for the production of an excited bottom quark decaying to $tW$ in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	2
28	Measurements of the $pp \rightarrow Wb$ and $pp \rightarrow Zb$ cross sections and limits on anomalous quartic gauge couplings at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	2
27	Search for new phenomena with multiple charged leptons in proton-proton collisions at ( $\sqrt{s}=13$ ) (,text {TeV}). <i>European Physical Journal C</i> , <b>2017</b> , 77, 1	4-2	2
26	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $\sqrt{s}=8$ ) TeV <b>2013</b> , 2013, 1		2
25	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4-2	2
24	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4-2	2
23	Search for supersymmetry in events with a photon, jets, $\gamma$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , <b>2019</b> , 79, 444	4-2	1
22	Development and validation of HERWIG <sup>++</sup> tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4-2	1
21	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	1
20	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , <b>2019</b> , 79, 773	4-2	0
19	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1164	4-2	0

18	Search for a heavy vector resonance decaying to a $\ell$ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	○
17	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	○
16	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
15	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	○
14	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	○
13	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
12	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
11	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
9	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
8	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
7	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. <i>Journal of Instrumentation</i> , <b>2018</b> , 13, P01002-P01002	1	
6	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	
5	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P12034-P12034	1	
4	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	
3	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P05002-P05002	1	
2	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
1	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	

