

Antonella Saija

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4400083/antonella-saija-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

192
papers

8,791
citations

51
h-index

88
g-index

195
ext. papers

9,660
ext. citations

4.4
avg, IF

5.55
L-index

#	Paper	IF	Citations
192	Protective Effects of a Standardized Extract From L. Leaves Against TNF- α -Induced Intestinal Inflammation.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 809938	5.6	3
191	Nano-Hybrid Au@LCCs Systems Displaying Anti-Inflammatory Activity. <i>Materials</i> , 2022 , 15, 3701	3.5	1
190	Effects of a pinitol-rich L. leaf extract on insulin and inflammatory signaling pathways in palmitate-induced hypertrophic adipocytes. <i>Natural Product Research</i> , 2021 , 1-8	2.3	1
189	In Vitro Effects of Cyanidin-3-O-Glucoside on Inflammatory and Insulin-Sensitizing Genes in Human Adipocytes Exposed to Palmitic Acid. <i>Chemistry and Biodiversity</i> , 2021 , e2100607	2.5	0
188	Silibinin as potential tool against SARS-Cov-2: In silico spike receptor-binding domain and main protease molecular docking analysis, and in vitro endothelial protective effects. <i>Phytotherapy Research</i> , 2021 , 35, 4616-4625	6.7	5
187	Comparison of Phytochemical Profile and Bioproperties of Methanolic Extracts from Different Parts of Tunisian Rumex roseus. <i>Chemistry and Biodiversity</i> , 2021 , 18, e2100185	2.5	2
186	Evaluation of Antioxidant, Anti-Inflammatory and Antityrosinase Potential of Extracts from Different Aerial Parts of Rhanterium suaveolens from Tunisia. <i>Chemistry and Biodiversity</i> , 2021 , 18, e2100316	2.5	2
185	Natural Product-Based Hybrids as Potential Candidates for the Treatment of Cancer: Focus on Curcumin and Resveratrol. <i>Molecules</i> , 2021 , 26,	4.8	3
184	Interaction of selected terpenoids with two SARS-CoV-2 key therapeutic targets: An in silico study through molecular docking and dynamics simulations. <i>Computers in Biology and Medicine</i> , 2021 , 134, 104538	7.3	8
183	A pinitol-rich L. leaf extract as functional supplement with potential in the prevention of endothelial dysfunction through improving insulin signalling. <i>Archives of Physiology and Biochemistry</i> , 2020 , 1-10	2.2	2
182	Phytochemical and Biological Characterization of Methanolic Extracts from Rumex algeriensis and Rumex tunetanus. <i>Chemistry and Biodiversity</i> , 2020 , 17, e2000345	2.5	3
181	Anthocyanins As Modulators of Cell Redox-Dependent Pathways in Non-Communicable Diseases. <i>Current Medicinal Chemistry</i> , 2020 , 27, 1955-1996	4.3	10
180	Cyanidin-3-O-glucoside protects intestinal epithelial cells from palmitate-induced lipotoxicity. <i>Archives of Physiology and Biochemistry</i> , 2020 , 1-8	2.2	5
179	Cyanidin-3-O-glucoside restores insulin signaling and reduces inflammation in hypertrophic adipocytes. <i>Archives of Biochemistry and Biophysics</i> , 2020 , 691, 108488	4.1	16
178	LC-DAD-ESI-MS and HPLC-DAD phytochemical investigation and in vitro antioxidant assessment of Rosa sp. stem pruning products from different northern areas in Tunisia. <i>Phytochemical Analysis</i> , 2020 , 31, 98-111	3.4	4
177	Anthocyanins ameliorate palmitate-induced inflammation and insulin resistance in 3T3-L1 adipocytes. <i>Phytotherapy Research</i> , 2019 , 33, 1888-1897	6.7	19
176	Essential Oil from Aerial Parts of Wild Algerian Rosemary: Screening of Chemical Composition, Antimicrobial and Antioxidant Activities. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2019 , 22, 1-17	1.7	21

175	Increased serum interleukin-37 (IL-37) levels correlate with oxidative stress parameters in Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2019 , 42, 199-205	5.2	18
174	Curcumin potentiates the antitumor activity of Paclitaxel in rat glioma C6 cells. <i>Phytomedicine</i> , 2019 , 55, 23-30	6.5	27
173	Oxidative stress markers in patients with hereditary angioedema. <i>Archives of Medical Science</i> , 2019 , 15, 92-98	2.9	3
172	Experimental exposure of blue mussels (<i>Mytilus galloprovincialis</i>) to high levels of benzo[a]pyrene and possible implications for human health. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 150, 96-103	7	20
171	Flavonoid profile, antioxidant and antiglycation properties of <i>Retama sphaerocarpa</i> fruits extracts. <i>Natural Product Research</i> , 2018 , 32, 1911-1919	2.3	11
170	Alpha-lipoic acid, but not di-hydrolipoic acid, activates Nrf2 response in primary human umbilical-vein endothelial cells and protects against TNF- α -induced endothelium dysfunction. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 655, 18-25	4.1	15
169	Curcumin ameliorates the in vitro efficacy of carfilzomib in human multiple myeloma U266 cells targeting p53 and NF- κ B pathways. <i>Toxicology in Vitro</i> , 2018 , 47, 186-194	3.6	31
168	Phytochemical profiles, phototoxic and antioxidant properties of eleven <i>Hypericum</i> species - A comparative study. <i>Phytochemistry</i> , 2018 , 152, 162-173	4	59
167	Evaluation of biological response induced by molybdenum oxide nanocolloids on in vitro cultured NIH/3T3 fibroblast cells by micro-Raman spectroscopy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 170, 233-241	6	18
166	Nano-precipitated curcumin loaded particles: effect of carrier size and drug complexation with (2-hydroxypropyl)- β -cyclodextrin on their biological performances. <i>International Journal of Pharmaceutics</i> , 2017 , 520, 21-28	6.5	28
165	Cyanidin-3-O-glucoside ameliorates palmitate-induced insulin resistance by modulating IRS-1 phosphorylation and release of endothelial derived vasoactive factors. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017 , 1862, 351-357	5	41
164	Involvement of new oxidative stress markers in chronic spontaneous urticaria. <i>Postepy Dermatologii I Alergologii</i> , 2017 , 34, 448-452	1.5	8
163	Exposure to <i>Anisakis</i> extracts can induce inflammation on in vitro cultured human colonic cells. <i>Parasitology Research</i> , 2017 , 116, 2471-2477	2.4	13
162	Low nanomolar caffeic acid attenuates high glucose-induced endothelial dysfunction in primary human umbilical-vein endothelial cells by affecting NF- κ B and Nrf2 pathways. <i>BioFactors</i> , 2017 , 43, 54-62	6.1	32
161	Cyanidin-3-O-Glucoside Modulates the In Vitro Inflammatory Crosstalk between Intestinal Epithelial and Endothelial Cells. <i>Mediators of Inflammation</i> , 2017 , 2017, 3454023	4.3	35
160	Phytochemicals, Antioxidant and Antiproliferative Properties of L on U937 and CaCo-2 Cells. <i>Iranian Journal of Pharmaceutical Research</i> , 2017 , 16, 315-327	1.1	11
159	Comparative study of phenolic composition and antioxidant activity of leaf extracts from three wild <i>Rosa</i> species grown in different Tunisia regions: <i>Rosa canina</i> L., <i>Rosa moschata</i> Herrm. and <i>Rosa sempervirens</i> L.. <i>Industrial Crops and Products</i> , 2016 , 94, 167-177	5.9	38
158	Cyanidin-3-O-glucoside inhibits NF- κ B signalling in intestinal epithelial cells exposed to TNF- α and exerts protective effects via Nrf2 pathway activation. <i>Toxicology Letters</i> , 2016 , 264, 51-58	4.4	81

157	Berry anthocyanins reduce proliferation of human colorectal carcinoma cells by inducing caspase-3 activation and p21 upregulation. <i>Molecular Medicine Reports</i> , 2016 , 14, 1397-403	2.9	26
156	Biocompatible silver nanoparticles embedded in a PEGPLA polymeric matrix for stimulated laser light drug release. <i>Journal of Nanoparticle Research</i> , 2016 , 18, 1	2.3	19
155	Oxidative Stress and Advanced Glycation End Products in Hashimoto's Thyroiditis. <i>Thyroid</i> , 2016 , 26, 504-11	6.2	47
154	Antioxidant and Anti-inflammatory Properties of Algerian Thymelaea microphylla Coss. and Dur. Extracts. <i>Pharmacognosy Magazine</i> , 2016 , 12, 203-10	0.8	16
153	Bitter Orange (<i>Citrus aurantium</i> L.) Oils 2016 , 259-268		6
152	Protective activity of an anthocyanin-rich extract from bilberries and blackcurrants on acute acetaminophen-induced hepatotoxicity in rats. <i>Natural Product Research</i> , 2016 , 30, 2845-2849	2.3	10
151	Phytochemical, Ecological and Antioxidant Evaluation of Wild Sicilian Thyme: <i>Thymbra capitata</i> (L.) Cav. <i>Chemistry and Biodiversity</i> , 2016 , 13, 1641-1655	2.5	24
150	Interleukin-10 involvement in exposure to low dose of benzene. <i>Toxicology and Industrial Health</i> , 2015 , 31, 351-4	1.8	5
149	Curcumin loaded PLGA-ploxamer blend nanoparticles induce cell cycle arrest in mesothelioma cells. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015 , 93, 37-45	5.7	56
148	Oxidative stress markers are increased in patients with mastocytosis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015 , 70, 436-42	9.3	19
147	Palmitate-induced endothelial dysfunction is attenuated by cyanidin-3-O-glucoside through modulation of Nrf2/Bach1 and NF- κ B pathways. <i>Toxicology Letters</i> , 2015 , 239, 152-60	4.4	62
146	Exposure of sea bream (<i>Sparus aurata</i>) to toxic concentrations of benzo[a]pyrene: possible human health effect. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 122, 116-25	7	13
145	Oxidative stress markers in patients with hymenoptera venom allergy. <i>Allergy and Asthma Proceedings</i> , 2015 , 36, 9-13	2.6	8
144	Wild Sicilian rosemary: phytochemical and morphological screening and antioxidant activity evaluation of extracts and essential oils. <i>Chemistry and Biodiversity</i> , 2015 , 12, 1075-94	2.5	20
143	Cyanidin-3-O-glucoside modulates intracellular redox status and prevents HIF-1 stabilization in endothelial cells in vitro exposed to chronic hypoxia. <i>Toxicology Letters</i> , 2014 , 226, 206-13	4.4	31
142	Anthocyanins in Vascular Diseases 2014 , 923-941		4
141	Alteration in synaptic junction proteins following traumatic brain injury. <i>Journal of Neurotrauma</i> , 2014 , 31, 1375-85	5.4	23
140	Protective effect of red orange extract supplementation against UV-induced skin damages: photoaging and solar lentigines. <i>Journal of Cosmetic Dermatology</i> , 2014 , 13, 151-7	2.5	33

139	Bioavailability and molecular activities of anthocyanins as modulators of endothelial function. <i>Genes and Nutrition</i> , 2014 , 9, 404	4.3	63
138	Selective COX-2 Inhibitory Properties of Dihydrostilbenes from Liquorice Leaves—In Vitro Assays and Structure/Activity Relationship Study. <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400901	0.9	3
137	Cytotoxic effects induced in vitro by organic extracts from urban air particulate matter in human leukocytes. <i>Drug and Chemical Toxicology</i> , 2014 , 37, 32-9	2.3	15
136	Increased serum interleukin-22 levels in patients with PRL-secreting and non-functioning pituitary macroadenomas. <i>Pituitary</i> , 2014 , 17, 76-80	4.3	5
135	Selective COX-2 inhibitory properties of dihydrostilbenes from liquorice leaves—in vitro assays and structure/activity relationship study. <i>Natural Product Communications</i> , 2014 , 9, 1761-4	0.9	7
134	Anthocyanins protect human endothelial cells from mild hyperoxia damage through modulation of Nrf2 pathway. <i>Genes and Nutrition</i> , 2013 , 8, 391-9	4.3	41
133	In vitro antioxidant and in vivo photoprotective effect of pistachio (<i>Pistacia vera</i> L., variety Bronte) seed and skin extracts. <i>Phytotherapy</i> , 2013 , 85, 41-8	3.2	66
132	High endogenous melatonin levels in critically ill children: a pilot study. <i>Journal of Pediatrics</i> , 2013 , 162, 357-60	3.6	31
131	Cyanidin-3-O-glucoside counters the response to TNF-alpha of endothelial cells by activating Nrf2 pathway. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 1979-87	5.9	64
130	Biomolecular characterization of wild sicilian oregano: phytochemical screening of essential oils and extracts, and evaluation of their antioxidant activities. <i>Chemistry and Biodiversity</i> , 2013 , 10, 411-33	2.5	50
129	Oxidative stress in oncohematologic diseases: an update. <i>Expert Review of Hematology</i> , 2013 , 6, 317-25	2.8	52
128	Differences in the behavior of advanced glycation end products and advanced oxidation protein products in patients with allergic rhinitis. <i>Journal of Investigational Allergology and Clinical Immunology</i> , 2013 , 23, 101-6	2.3	12
127	Changes in advanced oxidation protein products, advanced glycation end products, and s-nitrosylated proteins, in patients affected by polycythemia vera and essential thrombocythemia. <i>Clinical Biochemistry</i> , 2012 , 45, 1439-43	3.5	23
126	Functionalization of multi-walled carbon nanotubes with coumarin derivatives and their biological evaluation. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 1025-31	3.9	35
125	Increased serum levels of advanced oxidation protein products and glycation end products in subjects exposed to low-dose benzene. <i>International Journal of Hygiene and Environmental Health</i> , 2012 , 215, 389-92	6.9	17
124	Pulsed high oxygen induces a hypoxic-like response in human umbilical endothelial cells and in humans. <i>Journal of Applied Physiology</i> , 2012 , 113, 1684-9	3.7	30
123	Cellular adaptive response to glutathione depletion modulates endothelial dysfunction triggered by TNF- α . <i>Toxicology Letters</i> , 2011 , 207, 291-7	4.4	27
122	Increase in serum protein carbonyl groups is associated with more advanced stage of disease in multiple myeloma patients. <i>Biomarkers</i> , 2011 , 16, 718-9	2.6	7

121	Carbonyl group serum levels are associated with CD38 expression in patients with B chronic lymphocytic leukemia. <i>Clinical Biochemistry</i> , 2011 , 44, 1487-90	3.5	14
120	Phytocomplexes from liquorice (<i>Glycyrrhiza glabra</i> L.) leaves--chemical characterization and evaluation of their antioxidant, anti-genotoxic and anti-inflammatory activity. <i>Floterap</i> , 2011 , 82, 546-563 ²	3.2	92
119	Nutritional antioxidants and adaptive cell responses: an update. <i>Current Molecular Medicine</i> , 2011 , 11, 770-89	2.5	104
118	Simvastatin administration ameliorates neurobehavioral consequences of subarachnoid hemorrhage in the rat. <i>Journal of Neurotrauma</i> , 2011 , 28, 2493-501	5.4	14
117	In vitro protective effects of two extracts from bergamot peels on human endothelial cells exposed to tumor necrosis factor-alpha (TNF-alpha). <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 8430-6	5.7	45
116	Cyanidin-3-O-glucoside protection against TNF- α -induced endothelial dysfunction: involvement of nuclear factor- κ B signaling. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 12048-54	5.7	96
115	Antioxidant activity and phenolic profile of pistachio (<i>Pistacia vera</i> L., variety Bronte) seeds and skins. <i>Biochimie</i> , 2010 , 92, 1115-22	4.6	190
114	Antioxidant properties of 4-methylcoumarins in in vitro cell-free systems. <i>Biochimie</i> , 2010 , 92, 1101-7	4.6	62
113	Hypersensitivity to tranexamic acid: a wide spectrum of adverse reactions. <i>International Journal of Clinical Pharmacy</i> , 2010 , 32, 416-9		43
112	Is interleukin-22 a possible indicator of chronic heart failure's progression?. <i>Archives of Gerontology and Geriatrics</i> , 2010 , 50, 311-4	4	12
111	Characterization of polyphenols, lipids and dietary fibre from almond skins (<i>Amygdalus communis</i> L.). <i>Journal of Food Composition and Analysis</i> , 2010 , 23, 166-174	4.1	106
110	Polyphenol and nutrient release from skin of almonds during simulated human digestion. <i>Food Chemistry</i> , 2010 , 122, 1083-1088	8.5	57
109	Increased serum levels of IL-22 in patients with nickel contact dermatitis. <i>Contact Dermatitis</i> , 2009 , 60, 57-8	2.7	29
108	Increased serum levels of interleukin-22 in patients affected by pityriasis rosea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009 , 23, 858-9	4.6	9
107	Serum levels of carbonylated and nitrosylated proteins in mobbing victims with workplace adjustment disorders. <i>Biological Psychology</i> , 2009 , 82, 308-11	3.2	15
106	Serum levels of protein oxidation products in patients with nickel allergy. <i>Allergy and Asthma Proceedings</i> , 2009 , 30, 552-7	2.6	5
105	Glutathione Metabolism: Favorable Versus Unfavorable Effects 2008 , 203-229		1
104	Electron beam irradiated UHMWPE: Degrading action of air and hyaluronic acid. <i>Bio-Medical Materials and Engineering</i> , 2008 , 18, 137-148	1	3

103	Protective effects of a standardised red orange extract on air pollution-induced oxidative damage in traffic police officers. <i>Natural Product Research</i> , 2008 , 22, 1544-51	2.3	14
102	Antiviral and immunomodulatory effect of a lyophilized extract of Capparis spinosa L. buds. <i>Phytotherapy Research</i> , 2008 , 22, 313-7	6.7	49
101	Radical-scavenging capacity of several Italian red wines. <i>Food Chemistry</i> , 2007 , 103, 75-81	8.5	58
100	Rituximab for the treatment of post-bone marrow transplantation refractory hemolytic anemia in a child with Omenn's syndrome. <i>Pediatric Transplantation</i> , 2007 , 11, 552-6	1.8	5
99	Antimicrobial activity of flavonoids extracted from bergamot (Citrus bergamia Risso) peel, a byproduct of the essential oil industry. <i>Journal of Applied Microbiology</i> , 2007 , 103, 2056-64	4.7	228
98	Protective effects of a red orange extract on UVB-induced damage in human keratinocytes. <i>BioFactors</i> , 2007 , 30, 129-38	6.1	59
97	Antiulcer Potential of a Standardized Extract of Red Orange Juice in the Rat. <i>International Journal of Food Properties</i> , 2007 , 10, 331-344	3	1
96	Interaction of four monoterpenes contained in essential oils with model membranes: implications for their antibacterial activity. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 6300-8	5.7	394
95	Protective effect of Mediterranean fish oil extracts on heat-induced denaturation of albumin. <i>Journal of Pharmacy and Pharmacology</i> , 2006 , 58, 1411-3	4.8	2
94	Increased protein carbonyl groups in the serum of patients affected by thalassemia major. <i>Annals of Hematology</i> , 2006 , 85, 520-2	3	21
93	Effect of a standardized extract of red orange juice on proliferation of human prostate cells in vitro. <i>Phytotherapy</i> , 2006 , 77, 151-5	3.2	8
92	Muscle damage induced by black cohosh (Cimicifuga racemosa). <i>Phytomedicine</i> , 2006 , 13, 115-8	6.5	19
91	Effect of polysaccharides from Opuntia ficus-indica (L.) cladodes on the healing of dermal wounds in the rat. <i>Phytomedicine</i> , 2006 , 13, 352-8	6.5	80
90	In vitro antifungal and anti-elastase activity of some aliphatic aldehydes from Olea europaea L. fruit. <i>Phytomedicine</i> , 2006 , 13, 558-63	6.5	54
89	Chemical composition, antimicrobial and antioxidant activities of the essential oil of several populations of Algerian Origanum glandulosum Desf.. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 890-898	2.5	53
88	Characterization of flavonoids and pectins from bergamot (Citrus bergamia Risso) peel, a major byproduct of essential oil extraction. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 197-203	5.7	75
87	In vitro antimycoplasmal activity of Melaleuca alternifolia essential oil. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 58, 706-7	5.1	18
86	Effect of cyanidin-3-O-glucoside on UVB-induced response in human keratinocytes. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 4041-7	5.7	66

85	Differential scanning calorimetry evidence of the enhancement of beta-sitosterol absorption across biological membranes mediated by beta-cyclodextrins. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 10228-33	5.7	12
84	Inhibition of intestinal motility and secretion by extracts of <i>Epilobium</i> spp. in mice. <i>Journal of Ethnopharmacology</i> , 2006 , 107, 342-8	5	18
83	In vitro protective effect of a Jacquez grapes wine extract on UVB-induced skin damage. <i>Toxicology in Vitro</i> , 2006 , 20, 1395-402	3.6	39
82	Allergic contact angioedema to benzoyl peroxide. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006 , 31, 385-7	2.2	15
81	Mechanisms of antibacterial action of three monoterpenes. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 2474-8	5.9	722
80	A case of contact urticaria due to adigraf, a PVC-made material. <i>Environmental Toxicology and Pharmacology</i> , 2005 , 20, 381-2	5.8	
79	Modification of the content of plasma protein carbonyl groups in donors after granulocyte colony stimulating factor-induced stem cell mobilization. <i>Transfusion and Apheresis Science</i> , 2005 , 33, 141-6	2.4	4
78	Oxidative stress in handball players: effect of supplementation with a red orange extract. <i>Nutrition Research</i> , 2005 , 25, 917-924	4	19
77	Toxic effect of nickel in an in vitro model of human oral epithelium. <i>Toxicology Letters</i> , 2005 , 159, 219-254	4.4	47
76	Influence of heating on antioxidant activity and the chemical composition of some spice essential oils. <i>Food Chemistry</i> , 2005 , 89, 549-554	8.5	299
75	'In vivo' time course of plasma myeloperoxidase levels after granulocyte colony-stimulating factor-induced stem cell mobilization. <i>Transfusion Medicine</i> , 2005 , 15, 425-8	1.3	5
74	Fractionation and characterisation of arabinoxylans from brewers' spent grain and wheat bran. <i>Journal of Cereal Science</i> , 2005 , 42, 205-212	3.8	116
73	Antiallergic and antihistaminic effect of two extracts of <i>Capparis spinosa</i> L. flowering buds. <i>Phytotherapy Research</i> , 2005 , 19, 29-33	6.7	41
72	Studies on antidiarrhoeal activity of an extract of wine from Jacquez grapes in mice. <i>Phytotherapy Research</i> , 2005 , 19, 924-7	6.7	7
71	Protective effect of buflomedil in a rat model of moderate cerebral ischemia. <i>Arzneimittelforschung</i> , 2005 , 55, 437-42		5
70	Evaluation of in-vivo topical anti-inflammatory activity of indometacin from liposomal vesicles. <i>Journal of Pharmacy and Pharmacology</i> , 2004 , 56, 1225-32	4.8	40
69	Montelukast-induced generalized urticaria. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 999-1001	2.9	25
68	Lipid peroxidation and protein oxidation in patients affected by Hodgkin's lymphoma. <i>Mediators of Inflammation</i> , 2004 , 13, 381-3	4.3	42

67	Vardenafil-induced generalized urticaria. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2004 , 29, 483-4	2.2	4
66	Serum levels of malondialdehyde and 4-hydroxy-2,3-nonenal in patients affected by familial chronic nail candidiasis. <i>Inflammation Research</i> , 2004 , 53, 601-3	7.2	4
65	Effect of limonin and nomilin on HIV-1 replication on infected human mononuclear cells. <i>Planta Medica</i> , 2003 , 69, 910-3	3.1	87
64	Protein carbonyl group content in patients affected by familiar chronic nail candidiasis. <i>Mediators of Inflammation</i> , 2003 , 12, 247-9	4.3	2
63	'In vitro' antioxidant and photoprotective properties and interaction with model membranes of three new quercetin esters. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2003 , 56, 167-74	5.7	62
62	The compositional characterisation and antioxidant activity of fresh juices from sicilian sweet orange (<i>Citrus sinensis</i> L. Osbeck) varieties. <i>Free Radical Research</i> , 2003 , 37, 681-7	4	73
61	Malondialdehyde in benign prostate hypertrophy: a useful marker?. <i>Mediators of Inflammation</i> , 2003 , 12, 127-8	4.3	36
60	Chemical analysis and photoprotective effect of an extract of wine from Jacquez grapes. <i>Journal of the Science of Food and Agriculture</i> , 2002 , 82, 1867-1874	4.3	15
59	Study on the mechanisms of the antibacterial action of some plant alpha,beta-unsaturated aldehydes. <i>Letters in Applied Microbiology</i> , 2002 , 35, 285-90	2.9	65
58	Design and characterization of liposomes containing long-chain N-acylPEs for brain delivery: penetration of liposomes incorporating GM1 into the rat brain. <i>Pharmaceutical Research</i> , 2002 , 19, 1430-8	4.5	37
57	Cadmium concentration in maternal and cord blood and infant birth weight: a study on healthy non-smoking women. <i>Journal of Perinatal Medicine</i> , 2002 , 30, 395-9	2.7	82
56	In vitro antimycoplasmal activity of oleuropein. <i>International Journal of Antimicrobial Agents</i> , 2002 , 20, 293-6	14.3	71
55	Interaction of melatonin with model membranes and possible implications in its photoprotective activity. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2002 , 53, 209-15	5.7	33
54	Antioxidant and photoprotective activity of a crude extract of <i>Culcitium reflexum</i> H.B.K. leaves and their major flavonoids. <i>Journal of Ethnopharmacology</i> , 2002 , 79, 183-91	5	58
53	Evaluation of oxidative stress in diabetic patients after supplementation with a standardised red orange extract. <i>Diabetes, Nutrition & Metabolism</i> , 2002 , 15, 14-9		22
52	In vitro antioxidant and in vivo photoprotective effects of a lyophilized extract of <i>Capparis spinosa</i> L buds. <i>Journal of Cosmetic Science</i> , 2002 , 53, 321-35	0.7	51
51	In vitro antibacterial activity of some aliphatic aldehydes from <i>Olea europaea</i> L. <i>FEMS Microbiology Letters</i> , 2001 , 198, 9-13	2.9	158
50	Effect of the exposure to gentamicin and diltiazem on the permeability of model membranes. <i>Il Farmaco</i> , 2001 , 56, 447-9		3

49	In vitro and in vivo evaluation of polyoxyethylene esters as dermal prodrugs of ketoprofen, naproxen and diclofenac. <i>European Journal of Pharmaceutical Sciences</i> , 2001 , 14, 123-34	5.1	109
48	Phenolic constituents and antioxidant activity of an extract of <i>Anthurium versicolor</i> leaves. <i>Journal of Natural Products</i> , 2001 , 64, 1019-23	4.9	118
47	In vitro evaluation of the antioxidant activity and biomembrane interaction of the lazaroid U-74389G. <i>Life Sciences</i> , 2001 , 68, 1351-66	6.8	16
46	In vitro and in vivo evaluation of caffeic and ferulic acids as topical photoprotective agents. <i>International Journal of Pharmaceutics</i> , 2000 , 199, 39-47	6.5	235
45	Iron-induced Lipid Peroxidation in Human Skin-derived Cell Lines: Protection by a Red Orange Extract. <i>ATLA Alternatives To Laboratory Animals</i> , 2000 , 28, 427-33	2.1	9
44	Olive biophenols: functional effects on human wellbeing. <i>Trends in Food Science and Technology</i> , 2000 , 11, 357-363	15.3	38
43	On the in-vitro antimicrobial activity of oleuropein and hydroxytyrosol. <i>Journal of Pharmacy and Pharmacology</i> , 1999 , 51, 971-4	4.8	321
42	Synthesis, stability, and pharmacological evaluation of nipecotic acid prodrugs. <i>Journal of Pharmaceutical Sciences</i> , 1999 , 88, 561-7	3.9	57
41	Ferulic and caffeic acids as potential protective agents against photooxidative skin damage. <i>Journal of the Science of Food and Agriculture</i> , 1999 , 79, 476-480	4.3	128
40	Antioxidant effectiveness as influenced by phenolic content of fresh orange juices. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 4718-23	5.7	283
39	Differences between coumaric and cinnamic acids in membrane permeation as evidenced by time-dependent calorimetry. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 991-5	5.7	49
38	In vitro antioxidant activity and in vivo photoprotective effect of a red orange extract. <i>International Journal of Cosmetic Science</i> , 1998 , 20, 331-42	2.7	62
37	'In vitro' evaluation of the antioxidant activity and biomembrane interaction of the plant phenols oleuropein and hydroxytyrosol. <i>International Journal of Pharmaceutics</i> , 1998 , 166, 123-133	6.5	128
36	Influence of different penetration enhancers on in vitro skin permeation and in vivo photoprotective effect of flavonoids. <i>International Journal of Pharmaceutics</i> , 1998 , 175, 85-94	6.5	90
35	Dipalmitoylphosphatidylcholine/linoleic acid mixed unilamellar vesicles as model membranes for studies on novel free-radical scavengers. <i>Journal of Pharmacological and Toxicological Methods</i> , 1997 , 37, 135-41	1.7	20
34	Changes in the permeability of the blood-brain barrier following sodium dodecyl sulphate administration in the rat. <i>Experimental Brain Research</i> , 1997 , 115, 546-51	2.3	32
33	1-ethylazacycloalkan-2-one indomethacin esters as new oral prodrugs: chemical stability, enzymatic hydrolysis, anti-inflammatory activity and gastrointestinal toxicity. <i>International Journal of Pharmaceutics</i> , 1997 , 156, 245-250	6.5	6
32	Transport of alpha-tocopherol and its derivatives through erythrocyte membranes. <i>Pharmaceutical Research</i> , 1996 , 13, 1343-7	4.5	7

31	Flavonoid-biomembrane interactions: A calorimetric study on dipalmitoylphosphatidylcholine vesicles. <i>International Journal of Pharmaceutics</i> , 1995 , 124, 1-8	6.5	54
30	Flavonoids as antioxidant agents: importance of their interaction with biomembranes. <i>Free Radical Biology and Medicine</i> , 1995 , 19, 481-6	7.8	519
29	Systemic cytokine administration can affect blood-brain barrier permeability in the rat. <i>Life Sciences</i> , 1995 , 56, 775-84	6.8	97
28	Increased cardiovascular responsiveness to central cholinergic stimulation in the genetically epilepsy-prone rat. <i>Journal of Pharmacy and Pharmacology</i> , 1994 , 46, 497-502	4.8	3
27	Protective effect of glutathione on kainic acid-induced neuropathological changes in the rat brain. <i>General Pharmacology</i> , 1994 , 25, 97-102		34
26	Genetically epilepsy-prone rodents show some changes of ion levels in the brain. <i>Brain Research Bulletin</i> , 1994 , 33, 1-6	3.9	1
25	Ageing influences haloperidol-induced changes in the permeability of the blood-brain barrier in the rat. <i>Journal of Pharmacy and Pharmacology</i> , 1992 , 44, 450-2	4.8	12
24	Blood-brain barrier dysfunctions following systemic injection of kainic acid in the rat. <i>Life Sciences</i> , 1992 , 51, 467-77	6.8	27
23	Release of atrial natriuretic factor induced by the A1 adenosine receptor agonist 2-chloro-N6-cyclopentyl-adenosine in the rat. <i>Pharmacological Research</i> , 1992 , 25, 393-402	10.2	4
22	The determination of catecholamines in <i>Crataegus oxyacantha</i> L. Flowers and leaves by high pressure liquid chromatography-electrochemical detection. <i>Phytochemical Analysis</i> , 1992 , 3, 254-257	3.4	2
21	Evaluation of local cerebral glucose utilization and the permeability of the blood-brain barrier in the genetically epilepsy-prone rat. <i>Experimental Brain Research</i> , 1992 , 88, 151-7	2.3	17
20	Effect of the 5-HT ₂ antagonist ketanserin on salt appetite in the rat. <i>Pharmacology Biochemistry and Behavior</i> , 1991 , 39, 171-6	3.9	12
19	The hypothalamic paraventricular nucleus is a site of action for the central effect of tachykinins on plasma vasopressin. <i>Brain Research Bulletin</i> , 1991 , 26, 149-54	3.9	31
18	Arecoline, but not haloperidol, induces changes in the permeability of the blood-brain barrier in the rat. <i>Journal of Pharmacy and Pharmacology</i> , 1990 , 42, 135-8	4.8	9
17	Effect of <i>Vaccinium myrtillus</i> anthocyanins on triiodothyronine transport into brain in the rat. <i>Pharmacological Research</i> , 1990 , 22 Suppl 3, 59-60	10.2	15
16	The bioflavonoid O-(beta-hydroxyethyl)-rutoside affects the cerebral metabolism and the permeability of the blood-brain barrier in the rat. <i>Pharmacological Research</i> , 1990 , 22 Suppl 1, 69-70	10.2	1
15	Aging and sex influence the permeability of the blood-brain barrier in the rat. <i>Life Sciences</i> , 1990 , 47, 2261-7	6.8	35
14	Effect of Cd ⁺⁺ on germination, growth and active principles of <i>Datura metel</i> L.* Presented 11 April 1988 at the 3rd IAEAC Workshop on Toxic Metal Compounds, Follonica, Italy.. <i>Toxicological and Environmental Chemistry</i> , 1989 , 23, 121-127	1.4	2

13	Vasopressin release induced by intracranial injection of tachykinins is due to activation of central neurokinin-3 receptors. <i>Neuroscience Letters</i> , 1989 , 103, 320-5	3.3	34
12	Cholinomimetic drugs modify betamethasone suppression in the rat. <i>Pharmacological Research</i> , 1989 , 21, 609-16	10.2	1
11	Modifications of the permeability of the blood-brain barrier and local cerebral metabolism in pentobarbital- and ketamine-anaesthetized rats. <i>Neuropharmacology</i> , 1989 , 28, 997-1002	5.5	54
10	Label distribution after injection of labelled tachykinins into the rat lateral cerebroventricle. <i>Research Communications in Chemical Pathology and Pharmacology</i> , 1989 , 64, 99-110		1
9	Circadian modifications of blood brain barrier (BBB) permeability in the rat. <i>Pharmacological Research Communications</i> , 1988 , 20, 249-250		5
8	High intensity light exposure increases blood-brain barrier transport in rats. <i>Pharmacological Research Communications</i> , 1988 , 20, 553-9		11
7	Examination of conditions altering blood-brain barrier (BBB) local permeability. <i>Pharmacological Research Communications</i> , 1988 , 20, 341		
6	Flavonoids modify calcium ions and calcitonin plasma levels in the rat. <i>Pharmacological Research Communications</i> , 1988 , 20, 1067-8		2
5	The effect of concussive head injury on central cholinergic neurons. <i>Brain Research</i> , 1988 , 452, 303-11	3.7	71
4	The effects of scopolamine and traumatic brain injury on central cholinergic neurons. <i>Journal of Neurotrauma</i> , 1988 , 5, 161-70	5.4	30
3	Metabolic effects of buflomedil hydrochloride. <i>Journal of International Medical Research</i> , 1985 , 13, 131-5	4	7
2	The calcium antagonist nimodipine increases beta-endorphin release from rat hypophysis through an action on adrenal glands. An "in vivo" and "in vitro" study. <i>Pharmacological Research Communications</i> , 1984 , 16, 959-68		7
1	Effect of Nimodipine, a New Calcium Antagonist, on ACTH and Corticosterone Release [In Vivo] and [In Vitro] <i>Journal of Urology</i> , 1984 , 131, 838-838	2.5	