

# Nuria Fiol

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4400706/publications.pdf>

Version: 2024-02-01

45  
papers

3,092  
citations

257101

24  
h-index

264894

42  
g-index

46  
all docs

46  
docs citations

46  
times ranked

3770  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal and metal oxide nanoparticles: An integrated perspective of the green synthesis methods by natural products and waste valorization: applications and challenges. <i>Comprehensive Analytical Chemistry</i> , 2021, , 433-469.	0.7	24
2	Comparative assessment of cellulose nanofibers and calcium alginate beads for continuous Cu(II) adsorption in packed columns: the influence of water and surface hydrophobicity. <i>Cellulose</i> , 2021, 28, 4327-4344.	2.4	12
3	Single and simultaneous adsorption of Cr(VI) and Cu (II) on a novel Fe <sub>3</sub> O <sub>4</sub> /pine cones gel beads nanocomposite: Experiments, characterization and isotherms modeling. <i>Chemical Engineering Journal</i> , 2021, 416, 129101.	6.6	76
4	TEMPO-oxidized cellulose nanofibers as potential Cu(II) adsorbent for wastewater treatment. <i>Cellulose</i> , 2019, 26, 903-916.	2.4	45
5	A proposal for the sustainable treatment and valorisation of olive mill wastes. <i>Journal of Environmental Chemical Engineering</i> , 2019, 7, 102803.	3.3	38
6	A fast and easy approach to the simulation of binary mixtures sorption kinetics. <i>Science of the Total Environment</i> , 2018, 616-617, 948-959.	3.9	4
7	Green Synthesis of Ag Nanoparticles Using Grape Stalk Waste Extract for the Modification of Screen-Printed Electrodes. <i>Nanomaterials</i> , 2018, 8, 946.	1.9	46
8	Extraction of espresso coffee by using gradient of temperature. Effect on physicochemical and sensorial characteristics of espresso. <i>Food Chemistry</i> , 2017, 214, 622-630.	4.2	41
9	Application of Anodic Stripping Voltammetry to assess sorption performance of an industrial waste entrapped in alginate beads to remove As(V). <i>Arabian Journal of Chemistry</i> , 2017, 10, S1014-S1021.	2.3	6
10	Effect of chromium speciation on its sorption mechanism onto grape stalks entrapped into alginate beads. <i>Arabian Journal of Chemistry</i> , 2017, 10, S1293-S1302.	2.3	29
11	Valorisation of Lignocellulosic Biomass Wastes for the Removal of Metal Ions from Aqueous Streams: A Review. , 2017, , .		6
12	A new technology for the treatment of chromium electroplating wastewater based on biosorption. <i>Journal of Water Process Engineering</i> , 2016, 11, 143-151.	2.6	44
13	New approach in modeling Cr(VI) sorption onto biomass from metal binary mixtures solutions. <i>Science of the Total Environment</i> , 2016, 541, 101-108.	3.9	22
14	New Insights into the Role of Chemical Components on Metal Ions Sorption by Grape Stalks Waste. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	1.1	2
15	Binding interactions between suberin monomer components and pesticides. <i>Science of the Total Environment</i> , 2015, 527-528, 159-164.	3.9	6
16	The Role of Exhausted Coffee Compounds on Metal Ions Sorption. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	1.1	22
17	Evaluation of an activated carbon from olive stones used as an adsorbent for heavy metal removal from aqueous phases. <i>Comptes Rendus Chimie</i> , 2015, 18, 88-99.	0.2	136
18	New insights into the interactions between cork chemical components and pesticides. The contribution of π-π interactions, hydrogen bonding and hydrophobic effect. <i>Chemosphere</i> , 2015, 119, 863-870.	4.2	26

#	ARTICLE	IF	CITATIONS
19	Assessment of vegetable wastes for basic violet 14 removal: role of sorbent surface chemistry and porosity. <i>Desalination and Water Treatment</i> , 2015, 53, 2278-2288.	1.0	2
20	Modelling synergistic sorption of Cr(VI), Cu(II) and Ni(II) onto exhausted coffee wastes from binary mixtures Cr(VI)â€“Cu(II) and Cr(VI)â€“Ni(II). <i>Chemical Engineering Journal</i> , 2013, 230, 396-405.	6.6	29
21	The chemical composition of exhausted coffee waste. <i>Industrial Crops and Products</i> , 2013, 50, 423-429.	2.5	220
22	Chemical characterization of different granulometric fractions of grape stalks waste. <i>Industrial Crops and Products</i> , 2013, 50, 494-500.	2.5	48
23	REMOVAL OF CHROMIUM (VI) IN AQUEOUS ENVIRONMENTS USING CORK AND HEAT-TREATED CORK SAMPLES FROM QUERCUS CERRIS AND QUERCUS SUBER. <i>BioResources</i> , 2012, 7, .	0.5	17
24	Mechanism of paracetamol removal by vegetable wastes: The contribution of ĩ€â€“ĳ interactions, hydrogen bonding and hydrophobic effect. <i>Desalination</i> , 2011, 270, 135-142.	4.0	136
25	Determination of sorbent point zero charge: usefulness in sorption studies. <i>Environmental Chemistry Letters</i> , 2009, 7, 79-84.	8.3	432
26	Arsenic removal by a waste metal (hydr)oxide entrapped into calcium alginate beads. <i>Journal of Hazardous Materials</i> , 2009, 164, 533-541.	6.5	108
27	Modeling of kinetics of Cr(VI) sorption onto grape stalk waste in a stirred batch reactor. <i>Journal of Hazardous Materials</i> , 2009, 170, 286-291.	6.5	23
28	Use of Cyclic Voltammetry to Evaluate Sorption Properties of Cork Residues Towards Mn(II) in Waters. <i>Journal of Solution Chemistry</i> , 2008, 37, 477-485.	0.6	4
29	Chromium sorption and Cr(VI) reduction to Cr(III) by grape stalks and yohimbe bark. <i>Bioresource Technology</i> , 2008, 99, 5030-5036.	4.8	116
30	Grape Stalks Waste as Low Cost Biosorbents: An Alternative for Metal Removal from Aqueous Solutions. <i>Solvent Extraction and Ion Exchange</i> , 2008, 26, 261-270.	0.8	23
31	Reâ€“use of Exhausted Ground Coffee Waste for Cr(VI) Sorption. <i>Separation Science and Technology</i> , 2008, 43, 582-596.	1.3	46
32	The kinetics of copper sorption onto yohimbe bark wastes. <i>International Journal of Environment and Pollution</i> , 2008, 34, 215.	0.2	6
33	Metal Ion Uptake from Aqueous Solution by Olive Stones: A Carbonâ€“13 Solidâ€“State Nuclear Magnetic Resonance and Potentiometric Study. <i>Water Environment Research</i> , 2007, 79, 2363-2367.	1.3	4
34	Vegetable waste-based sensors for metal ion determination. <i>Sensors and Actuators B: Chemical</i> , 2007, 122, 187-194.	4.0	16
35	Preliminary studies on Cr(VI) removal from aqueous solution using grape stalk wastes encapsulated in calcium alginate beads in a packed bed up-flow column. <i>Reactive and Functional Polymers</i> , 2006, 66, 795-807.	2.0	41
36	Sorption of Pb(II), Ni(II), Cu(II) and Cd(II) from aqueous solution by olive stone waste. <i>Separation and Purification Technology</i> , 2006, 50, 132-140.	3.9	384

#	ARTICLE	IF	CITATIONS
37	Removal of lead(II) and cadmium(II) from aqueous solutions using grape stalk waste. Journal of Hazardous Materials, 2006, 133, 203-211.	6.5	280
38	Chromium sorption on grape stalks encapsulated in calcium alginate beads. Environmental Chemistry Letters, 2006, 4, 239-242.	8.3	24
39	Low Cost Materials for Metal Uptake from Aqueous Solutions. , 2005, , 251-258.		1
40	Grape Stalks Wastes Encapsulated in Calcium Alginate Beads for Cr(VI) Removal from Aqueous Solutions. Separation Science and Technology, 2005, 40, 1013-1028.	1.3	20
41	Chromium (VI) uptake by grape stalks wastes encapsulated in calcium alginate beads: equilibrium and kinetics studies. Chemical Speciation and Bioavailability, 2004, 16, 25-33.	2.0	36
42	Removal of copper and nickel ions from aqueous solutions by grape stalks wastes. Water Research, 2004, 38, 992-1002.	5.3	394
43	Biosorption of Cr(VI) using low cost sorbents. Environmental Chemistry Letters, 2003, 1, 135-139.	8.3	60
44	Copper(II) and nickel(II) uptake from aqueous solutions by cork wastes: a NMR and potentiometric study. Polyhedron, 2002, 21, 1363-1367.	1.0	27
45	Single and binary adsorption of some heavy metal ions from aqueous solutions by activated carbon derived from olive stones. Desalination and Water Treatment, 0, , 1-7.	1.0	8