

Wieslaw A Oleszek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4401660/wieslaw-a-oleszek-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

5,854
citations

41
h-index

69
g-index

184
ext. papers

6,469
ext. citations

4.1
avg, IF

5.62
L-index

#	Paper	IF	Citations
176	Biocontrol Potential and Catabolic Profile of Endophytic Diaporthe eres Strain 1420S from Prunus domestica L. in Poland Preliminary Study. <i>Agronomy</i> , 2022 , 12, 165	3.6	2
175	Comprehensive polyoxypregnane glycosides report in Caralluma quadrangula using UPLC-ESI-Q-TOF and their antioxidant effects in human plasma.. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 150, 112954	7.5	1
174	Antiradical and antioxidant activity in vitro of hops-derived extracts rich in bitter acids and xanthohumol. <i>Industrial Crops and Products</i> , 2021 , 161, 113208	5.9	11
173	Fingerprinting of two an acylated polyoxypregnane glycosides from (Forssk.) N.E.Br. using UPLC-ESI-Q-TOF and computational study. <i>Natural Product Research</i> , 2021 , 1-5	2.3	2
172	Fingerprinting profile of flavonol glycosides from Bassia eriophora using negative electrospray ionization, computational studies and their antioxidant activities. <i>Journal of Molecular Structure</i> , 2021 , 1241, 130689	3.4	0
171	Determination of phenolic profiles of Herniaria polygama and Herniaria incana fractions and their in vitro antioxidant and anti-inflammatory effects. <i>Phytochemistry</i> , 2021 , 190, 112861	4	2
170	Saponins in Food 2021 , 1501-1540		
169	Norditerpenoids with Selective Anti-Cholinesterase Activity from the Roots of Benth. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
168	Gas chromatography-mass spectrometry (GM-MS) analysis and biological activities of the aerial part of Cleome amblyocarpa Barr. and Murb. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 22670-22679	5.1	2
167	Saponins in Food 2020 , 1-40		4
166	The effect of total and individual alfalfa saponins on rumen methane production. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 1922-1930	4.3	4
165	Electrospray ionization mass spectrometry characterization of ubiquitous minor lipids and oligosaccharides in milk of the camel (Camelus dromedarius) and their inhibition of oxidative stress in human plasma. <i>Journal of Dairy Science</i> , 2020 , 103, 72-86	4	
164	Reinvestigation of Herniaria glabra L. saponins and their biological activity. <i>Phytochemistry</i> , 2020 , 169, 112162	4	7
163	Activity of Saponins from Species against Phytoparasitic Nematodes. <i>Plants</i> , 2020 , 9,	4.5	13
162	Analysis of Plant Saponins 2019 , 1-29		
161	Chemical Profile and Antioxidant Activity of Jacq. Fractions. <i>Molecules</i> , 2019 , 24,	4.8	5
160	Cytotoxic Cardenolides from the Leaves of Acokanthera oblongifolia. <i>Planta Medica</i> , 2019 , 85, 965-972	3.1	4

159	Yuccalechins A-C from the Roezl ex Ortgies Bark: Elucidation of the Relative and Absolute Configurations of Three New Spirobiflavonoids and Their Cholinesterase Inhibitory Activities. <i>Molecules</i> , 2019 , 24,	4.8	3
158	Effects of berry seed residues on ruminal fermentation, methane concentration, milk production, and fatty acid proportions in the rumen and milk of dairy cows. <i>Journal of Dairy Science</i> , 2019 , 102, 12574-1273	4.273	20
157	Structural and quantitative changes of saponins in fresh alfalfa compared to alfalfa silage. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 2243-2250	4.3	9
156	Molecular modeling and in vitro approaches towards cholinesterase inhibitory effect of some natural xanthohumol, naringenin, and acyl phloroglucinol derivatives. <i>Phytomedicine</i> , 2018 , 42, 25-33	6.5	23
155	Phenolic fractions from nine Trifolium species modulate the coagulant properties of blood plasma in vitro without cytotoxicity towards blood cells. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 413-425	4.8	6
154	Free amino acids in Viola tricolor in relation to different habitat conditions. <i>Open Chemistry</i> , 2018 , 16, 833-841	1.6	2
153	Pyrone compounds: flavonoids and maltol glucoside derivatives from Herniaria glabra L. collected in the Ternopil region of the Ukraine. <i>Phytochemistry</i> , 2018 , 152, 213-222	4	11
152	Multidirectional characterisation of chemical composition and health-promoting potential of Rosa rugosa hips. <i>Natural Product Research</i> , 2017 , 31, 667-671	2.3	13
151	Hyaluronidase, acetylcholinesterase inhibiting potential, antioxidant activity, and LC-ESI-MS/MS analysis of polyphenolics of rose (Rosa rugosa Thunb.) teas and tinctures. <i>International Journal of Food Properties</i> , 2017 , 20, S16-S25	3	9
150	Triterpenoid Components from Oak Heartwood (Quercus robur) and Their Potential Health Benefits. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 4611-4623	5.7	12
149	Cytotoxic triterpenoids isolated from sweet chestnut heartwood (Castanea sativa) and their health benefits implication. <i>Food and Chemical Toxicology</i> , 2017 , 109, 863-870	4.7	4
148	Tentative Characterization of Polyphenolic Compounds in the Male Flowers of Phoenix dactylifera by Liquid Chromatography Coupled with Mass Spectrometry and DFT. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	60
147	The anti-adhesive and anti-aggregatory effects of phenolics from Trifolium species in vitro. <i>Molecular and Cellular Biochemistry</i> , 2016 , 412, 155-64	4.2	7
146	Animal by-products for feed: characteristics, European regulatory framework, and potential impacts on human and animal health and the environment. <i>Journal of Animal and Feed Sciences</i> , 2016 , 25, 189-202	1.5	35
145	Highly Polar Triterpenoid Saponins from the Roots of Saponaria officinalis L.. <i>Helvetica Chimica Acta</i> , 2016 , 99, 347-354	2	5
144	Determination of free amino acids in plants by liquid chromatography coupled to tandem mass spectrometry (LC-MS/MS). <i>Analytical Methods</i> , 2015 , 7, 7574-7581	3.2	14
143	Triterpenoid saponins from the aerial parts of Trifolium argutum Sol. and their phytotoxic evaluation. <i>Phytochemistry Letters</i> , 2015 , 13, 165-170	1.9	7
142	Evaluation of rose roots, a post-harvest plantation residue as a source of phytochemicals with radical scavenging, cytotoxic, and antimicrobial activity. <i>Industrial Crops and Products</i> , 2015 , 69, 129-136	5.9	13

141	Elicitation of Anthocyanin Production in Roots of <i>Kalanchoe blossfeldiana</i> by Methyl Jasmonate. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2015 , 57, 141-148		4
140	Comparison of biological activity of phenolic fraction from roots of <i>Alhagi maurorum</i> with properties of commercial phenolic extracts and resveratrol. <i>Platelets</i> , 2015 , 26, 788-94	3.6	11
139	Extracts from <i>Tribulus</i> species may modulate platelet adhesion by interfering with arachidonic acid metabolism. <i>Platelets</i> , 2015 , 26, 87-92	3.6	3
138	Profiles analysis of proanthocyanidins in the argun nut (<i>Medemia argun</i> --an ancient Egyptian palm) by LC-ESI-MS/MS. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 306-15	2.2	49
137	Three new triterpene saponins from roots of <i>Eryngium planum</i> . <i>Natural Product Research</i> , 2014 , 28, 653-60		15
136	Isolation, chemical characterization, and free radical scavenging activity of phenolics from <i>Triticum aestivum</i> L. aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 11200-8	5.7	12
135	Metabolite profiling of leek (<i>Allium porrum</i> L) cultivars by (1) H NMR and HPLC-MS. <i>Phytochemical Analysis</i> , 2014 , 25, 220-8	3.4	11
134	Protective action of proanthocyanidin fraction from <i>Medemia argun</i> nuts against oxidative/nitrative damages of blood platelet and plasma components. <i>Platelets</i> , 2014 , 25, 75-80	3.6	10
133	The Effect of Nutritional Factors and Plant Growth Regulators on Micropropagation and Production of Phenolic Acids and Saponins from Plantlets and Adventitious Root Cultures of <i>Eryngium maritimum</i> L.. <i>Journal of Plant Growth Regulation</i> , 2014 , 33, 809-819	4.7	35
132	Ultrapformance liquid chromatography tandem mass spectrometry determination of cyanogenic glucosides in <i>Trifolium</i> species. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1777-82	5.7	7
131	Cytotoxic, antioxidant, antimicrobial properties and chemical composition of rose petals. <i>Journal of the Science of Food and Agriculture</i> , 2014 , 94, 560-7	4.3	49
130	Rumen antimethanogenic effect of <i>Saponaria officinalis</i> L. phytochemicals in vitro. <i>Journal of Agricultural Science</i> , 2014 , 152, 981-993	1	28
129	Analysis of Plant Saponins 2014 , 1-21		1
128	Studies on <i>Medicago lupulina</i> saponins. 2. Isolation, chemical characterization and biological activity of saponins from <i>M. lupulina</i> tops. <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 53, 527-533	1.5	7
127	Studies on <i>Medicago lupulina</i> saponins. 4. Variation in the saponin content of <i>M. lupulina</i> . <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 53, 543-550	1.5	6
126	Isolation, chemical characterization and biological activity of alfalfa (<i>Medicago media</i> Pers.) root saponins. <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 55, 23-33	1.5	13
125	Isolation, chemical characterization and biological activity of red clover (<i>Trifolium pratense</i> L.) root saponins. <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 55, 247-252	1.5	10
124	Studies on <i>Medicago lupulina</i> saponins. 6. Some chemical characteristics and biological activity of root saponins. <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 56, 119-126	1.5	2

123	The sensitivity of <i>Trichoderma viride</i> to medicagenic acid, its natural glucosides (saponins) and derivatives. <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 57, 361-370	1.5	8
122	Triterpene saponins from the aerial parts of <i>Dianthus caryophyllus</i> var. remontant Hort.. <i>Acta Societatis Botanicorum Poloniae</i> , 2014 , 67, 65-68	1.5	6
121	The polyphenol-rich extracts from black chokeberry and grape seeds impair changes in the platelet adhesion and aggregation induced by a model of hyperhomocysteinemia. <i>European Journal of Nutrition</i> , 2013 , 52, 1049-57	5.2	25
120	Free radical scavenging activities of polyphenolic compounds isolated from <i>Medicago sativa</i> and <i>Medicago truncatula</i> assessed by means of thin-layer chromatography DPPH rapid test. <i>Phytochemical Analysis</i> , 2013 , 24, 47-52	3.4	33
119	Saponin inventory from <i>Argania spinosa</i> kernel cakes by liquid chromatography and mass spectrometry. <i>Phytochemical Analysis</i> , 2013 , 24, 616-22	3.4	14
118	COMPARISON OF TWO TLC-DPPH IMAGE PROCESSING PROCEDURES FOR STUDYING FREE RADICAL SCAVENGING ACTIVITY OF COMPOUNDS FROM SELECTED VARIETIES OF MEDICAGO SATIVA. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013 , 36, 2387-2394	1.3	19
117	Triterpene saponins from the aerial parts of <i>Trifolium medium</i> L. var. sarosiense. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 9789-96	5.7	9
116	The protein quality control system manages plant defence compound synthesis. <i>Nature</i> , 2013 , 504, 148-52	5.4	91
115	Isolation, chemical and free radical scavenging characterization of phenolics from <i>Trifolium scabrum</i> L. aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4417-23	5.7	24
114	Antioxidative effects of extracts from <i>Trifolium</i> species on blood platelets exposed to oxidative stress. <i>Journal of Physiology and Biochemistry</i> , 2013 , 69, 879-87	5	11
113	<i>Trifolium pallidum</i> and <i>Trifolium scabrum</i> extracts in the protection of human plasma components. <i>Journal of Thrombosis and Thrombolysis</i> , 2013 , 35, 193-9	5.1	11
112	Comparative antiadhesive properties of crude extract and phenolic fraction isolated from aerial parts of <i>Tribulus pterocarpus</i> during severe hyperhomocysteinemia. <i>Food and Chemical Toxicology</i> , 2013 , 56, 266-71	4.7	1
111	Isolation and structural determination of triterpenoid glycosides from the aerial parts of alsike clover (<i>Trifolium hybridum</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 2631-7	5.7	8
110	Characterisation of four popular Polish hop cultivars. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 1770-1774	3.8	10
109	Rapid analysis of avenacosides in grain and husks of oats by UPLC-TQ-MS. <i>Food Chemistry</i> , 2013 , 141, 2300-4	8.5	18
108	Plant components with specific activities against rumen methanogens. <i>Animal</i> , 2013 , 7 Suppl 2, 253-65	3.1	95
107	Evaluation of polyphenolic fraction isolated from aerial parts of <i>Tribulus pterocarpus</i> on biological properties of blood platelets in vitro. <i>Platelets</i> , 2013 , 24, 156-61	3.6	5
106	Extracts from <i>Trifolium pallidum</i> and <i>Trifolium scabrum</i> aerial parts as modulators of blood platelet adhesion and aggregation. <i>Platelets</i> , 2013 , 24, 136-44	3.6	9

105	New Triterpenoid Saponins from the Roots of <i>Saponaria officinalis</i> . <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300801	0.9	3
104	New triterpenoid saponins from the roots of <i>Saponaria officinalis</i> . <i>Natural Product Communications</i> , 2013 , 8, 1687-90	0.9	8
103	<i>Aronia melanocarpa</i> extract suppresses the biotoxicity of homocysteine and its metabolite on the hemostatic activity of fibrinogen and plasma. <i>Nutrition</i> , 2012 , 28, 793-8	4.8	30
102	The effects of jasmonic acid and methyl jasmonate on rosmarinic acid production in <i>Mentha piperita</i> cell suspension cultures. <i>Plant Cell, Tissue and Organ Culture</i> , 2012 , 108, 73-81	2.7	83
101	Profiles of steroidal saponins from the aerial parts of <i>Tribulus pentandrus</i> , <i>T. megistopterus</i> subsp. <i>pterocarpus</i> and <i>T. parvispinus</i> by LC-ESI-MS/MS. <i>Phytochemical Analysis</i> , 2012 , 23, 613-21	3.4	10
100	Phenolic fractions from <i>Trifolium pallidum</i> and <i>Trifolium scabrum</i> aerial parts in human plasma protect against changes induced by hyperhomocysteinemia in vitro. <i>Food and Chemical Toxicology</i> , 2012 , 50, 4023-7	4.7	23
99	Approach to develop a standardized TLC-DPPH test for assessing free radical scavenging properties of selected phenolic compounds. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 126-35	3.5	68
98	Revised structures of avenacosides A and B and a new sulfated saponin from <i>Avena sativa</i> L. <i>Magnetic Resonance in Chemistry</i> , 2012 , 50, 755-8	2.1	19
97	Oleanane glycosides from the roots of <i>Alhagi maurorum</i> . <i>Phytochemistry Letters</i> , 2012 , 5, 782-787	1.9	19
96	The polyphenol-rich extract from grape seeds inhibits platelet signaling pathways triggered by both proteolytic and non-proteolytic agonists. <i>Platelets</i> , 2012 , 23, 282-9	3.6	15
95	Low-temperature thin-layer chromatography preliminary bioautographic tests for detection of free radical scavengers and acetylcholinesterase inhibitors in volatile samples. <i>Journal of Planar Chromatography - Modern TLC</i> , 2012 , 25, 225-231	0.9	12
94	GC-MS Analysis of Aroma of <i>Medemia argun</i> (Mama-n-Khanen or Mama-n-Xanin), an Ancient Egyptian Fruit Palm. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	2
93	Preliminary in vitro study on the effect of xanthohumol on rumen methanogenesis. <i>Archives of Animal Nutrition</i> , 2012 , 66, 66-71	2.7	7
92	In vitro production of <i>M. piperita</i> not containing pulegone and menthofuran.. <i>Acta Biochimica Polonica</i> , 2012 , 59,	2	6
91	GC-MS analysis of aroma of <i>Medemia argun</i> (mama-n-khanen or mama-n-xanin), an ancient Egyptian fruit palm. <i>Natural Product Communications</i> , 2012 , 7, 633-6	0.9	1
90	The polyphenol-rich extract from grape seeds suppresses toxicity of homocysteine and its thiolactone on the fibrinolytic system. <i>Thrombosis Research</i> , 2011 , 127, 489-91	8.2	9
89	Integrated plant biotechnologies applied to safer and healthier food production: The Nutra-Snack manufacturing chain. <i>Trends in Food Science and Technology</i> , 2011 , 22, 353-366	15.3	16
88	Phenolic Constituents of <i>Knautia arvensis</i> Aerial Parts. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100601		

87	Amides and Esters of Phenylpropenoic Acids from the Aerial Parts of <i>Trifolium pallidum</i> . <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600	0.9	4
86	Determination of Polyphenols in <i>Mentha longifolia</i> and <i>M. piperita</i> Field-Grown and In Vitro Plant Samples Using UPLC-TQ-MS. <i>Journal of AOAC INTERNATIONAL</i> , 2011 , 94, 43-50	1.7	39
85	The extract from hop cones in plasma protects against changes following exposure to peroxynitrite. <i>Open Life Sciences</i> , 2011 , 6, 990-996	1.2	3
84	Strong antioxidant phenolics from <i>Acacia nilotica</i> : profiling by ESI-MS and qualitative-quantitative determination by LC-ESI-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 228-39	3.5	28
83	Clovamide-rich extract from <i>Trifolium pallidum</i> reduces oxidative stress-induced damage to blood platelets and plasma. <i>Journal of Physiology and Biochemistry</i> , 2011 , 67, 391-9	5	25
82	Phenolic acid concentrations in organically and conventionally cultivated spring and winter wheat. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 1089-95	4.3	45
81	The extract from hop cones (<i>Humulus lupulus</i>) as a modulator of oxidative stress in blood platelets. <i>Platelets</i> , 2011 , 22, 345-52	3.6	15
80	Changes of platelet antioxidative enzymes during oxidative stress: the protective effect of polyphenol-rich extract from berries of <i>Aronia melanocarpa</i> and grape seeds. <i>Platelets</i> , 2011 , 22, 385-9	3.6	13
79	Qualitative and quantitative analysis of steroidal saponins in crude extract and bark powder of <i>Yucca schidigera</i> Roetzl. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8058-64	5.7	20
78	<i>Mentha longifolia</i> in vitro cultures as safe source of flavouring ingredients.. <i>Acta Biochimica Polonica</i> , 2011 , 58,	2	5
77	The potential of the wild dog rose (<i>Rosa canina</i>) to mitigate in vitro rumen methane production. <i>Journal of Animal and Feed Sciences</i> , 2011 , 20, 285-299	1.5	14
76	Determination of polyphenols in <i>Mentha longifolia</i> and <i>M. piperita</i> field-grown and in vitro plant samples using UPLC-TQ-MS. <i>Journal of AOAC INTERNATIONAL</i> , 2011 , 94, 43-50	1.7	12
75	The nitrative and oxidative stress in blood platelets isolated from breast cancer patients: the protectory action of <i>aronia melanocarpa</i> extract. <i>Platelets</i> , 2010 , 21, 541-8	3.6	21
74	Dietary phytochemicals and human health. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 698, 74-98	3.6	52
73	Dietary plant bioactives for poultry health and productivity. <i>British Poultry Science</i> , 2010 , 51, 461-87	1.9	100
72	A mint purified extract protects human keratinocytes from short-term, chemically induced oxidative stress. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 11428-34	5.7	13
71	Antimutagenic and anti-oxidant activities of isoflavonoids from <i>Belamcanda chinensis</i> (L.) DC. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010 , 696, 148-53	3	38
70	Effects of polyphenol-rich extract from berries of <i>Aronia melanocarpa</i> on the markers of oxidative stress and blood platelet activation. <i>Platelets</i> , 2010 , 21, 274-81	3.6	21

69	Effect of aronia on thiol levels in plasma of breast cancer patients. <i>Open Life Sciences</i> , 2010 , 5, 38-46	1.2	9
68	Saponins in aerial parts of <i>Helleborus viridis</i> L.. <i>Phytochemistry Letters</i> , 2010 , 3, 129-132	1.9	7
67	Fragmentation pathways of acylated flavonoid diglucuronides from leaves of <i>Medicago truncatula</i> . <i>Phytochemical Analysis</i> , 2010 , 21, 224-33	3.4	31
66	Phenolics in Aerial Parts of Persian Clover: <i>Trifolium resupinatum</i> . <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900401	0.9	2
65	An extract from berries of <i>Aronia melanocarpa</i> modulates the generation of superoxide anion radicals in blood platelets from breast cancer patients. <i>Planta Medica</i> , 2009 , 75, 1405-9	3.1	32
64	Gentisic acid conjugates of <i>Medicago truncatula</i> roots. <i>Phytochemistry</i> , 2009 , 70, 1272-6	4	13
63	Quantitative Analysis of Caffeoylquinic Acids and Styrylpyrones in <i>Sweetia panamensis</i> Bark by UPLC. <i>Chromatographia</i> , 2009 , 70, 1621-1626	2.1	0
62	Quali-quantitative analyses of Flavonoids of <i>Morus nigra</i> L. and <i>Morus alba</i> L. (Moraceae) fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 3377-80	5.7	113
61	Comparative anti-platelet and antioxidant properties of polyphenol-rich extracts from: berries of <i>Aronia melanocarpa</i> , seeds of grape and bark of <i>Yucca schidigera</i> in vitro. <i>Platelets</i> , 2008 , 19, 70-7	3.6	80
60	Influence of phenolic constituents from <i>Yucca schidigera</i> bark on arachidonate metabolism in vitro. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 8885-90	5.7	12
59	Variation in Flavonoids in Leaves, Stems and Flowers of White Clover Cultivars. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	5
58	Distribution of steroidal saponins in <i>Tribulus terrestris</i> from different geographical regions. <i>Phytochemistry</i> , 2008 , 69, 176-86	4	91
57	Comparative studies of the antioxidant effects of a naturally occurring resveratrol analogue -- trans-3,3',5,5'-tetrahydroxy-4'-methoxystilbene and resveratrol -- against oxidation and nitration of biomolecules in blood platelets. <i>Cell Biology and Toxicology</i> , 2008 , 24, 331-40	7.4	17
56	Flavonoids from barrel medic (<i>Medicago truncatula</i>) aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2645-52	5.7	48
55	Effect of Acylation of Flavones with Hydroxycinnamic Acids on their Spectral Characteristics. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700200	0.9	2
54	Concentration of isoflavones and other phenolics in the aerial parts of <i>Trifolium</i> species. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8095-100	5.7	62
53	Flavonoids in horse chestnut (<i>Aesculus hippocastanum</i>) seeds and powdered waste water byproducts. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8485-90	5.7	62
52	Comparative studies of the antioxidant effects of a naturally occurring resveratrol analogue □ trans-3,3',5,5'-tetrahydroxy-4'-methoxystilbene and resveratrol □ against oxidation and nitration of biomolecules in blood platelets 2007 , 51-60		

51	Relative effects of phenolic constituents from <i>Yucca schidigera</i> Roezl. bark on Kaposi's sarcoma cell proliferation, migration, and PAF synthesis. <i>Biochemical Pharmacology</i> , 2006 , 71, 1479-87	6	42
50	Antioxidant properties of trans-3,3',5,5'-tetrahydroxy-4'-methoxystilbene against modification of variety of biomolecules in human blood cells treated with platinum compounds. <i>Nutrition</i> , 2006 , 22, 1202-9	4.8	15
49	Concentration of benzoxazinoids in roots of field-grown wheat (<i>Triticum aestivum</i> L.) varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1016-22	5.7	27
48	Cardenolide glycosides from <i>Pergularia tomentosa</i> and their proapoptotic activity in Kaposi's sarcoma cells. <i>Journal of Natural Products</i> , 2006 , 69, 1319-22	4.9	41
47	Effects of some benzoxazinoids on in vitro growth of <i>Cephalosporium gramineum</i> and other fungi pathogenic to cereals and on <i>Cephalosporium stripe</i> of winter wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1036-9	5.7	29
46	Elevated CO ₂ levels and herbivore damage alter host plant preferences. <i>Oikos</i> , 2006 , 112, 63-72	4	34
45	Triterpene saponins from barrel medic (<i>Medicago truncatula</i>) aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 2164-70	5.7	46
44	Determination of saponins in aerial parts of barrel medic (<i>Medicago truncatula</i>) by liquid chromatography-electrospray ionization/mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 7654-60	5.7	50
43	Inhibition of blood platelet adhesion and secretion by different phenolics from <i>Yucca schidigera</i> Roezl. bark. <i>Nutrition</i> , 2005 , 21, 199-206	4.8	29
42	Saponins and Phenolics of <i>Yucca schidigera</i> Roezl: Chemistry and Bioactivity. <i>Phytochemistry Reviews</i> , 2005 , 4, 177-190	7.7	77
41	Antiproliferative hopane and oleanane glycosides from the roots of <i>Glinus lotoides</i> . <i>Planta Medica</i> , 2005 , 71, 554-60	3.1	16
40	Combined effects of elevated CO ₂ and herbivore damage on alfalfa and cotton. <i>Journal of Chemical Ecology</i> , 2004 , 30, 2309-24	2.7	39
39	Liquid chromatography/tandem mass spectrometry of unusual phenols from <i>Yucca schidigera</i> bark: comparison with other analytical techniques. <i>Journal of Mass Spectrometry</i> , 2004 , 39, 1131-8	2.2	15
38	Steroidal saponins from the aerial parts of <i>Tribulus pentandrus</i> Forssk. <i>Phytochemistry</i> , 2004 , 65, 2935-45	4.7	22
37	<i>Yucca schidigera</i> bark: phenolic constituents and antioxidant activity. <i>Journal of Natural Products</i> , 2004 , 67, 882-5	4.9	77
36	Inhibition of inducible nitric oxide synthase expression by yuccaol C from <i>Yucca schidigera</i> roezl. <i>Life Sciences</i> , 2004 , 75, 1491-501	6.8	31
35	Herbivore-induced responses in alfalfa (<i>Medicago sativa</i>). <i>Journal of Chemical Ecology</i> , 2003 , 29, 303-20	2.7	63
34	Inhibition of oxidative stress in blood platelets by different phenolics from <i>Yucca schidigera</i> Roezl. bark. <i>Nutrition</i> , 2003 , 19, 633-40	4.8	36

33	Isolation and structure elucidation of flavonoid and phenolic acid glycosides from pericarp of hot pepper fruit <i>Capsicum annuum</i> L. <i>Phytochemistry</i> , 2003 , 63, 893-8	4	74
32	The effect of <i>Yucca schidigera</i> extract on the physical structure and on the oxidative stability of sugar-candy foam products. <i>LWT - Food Science and Technology</i> , 2003 , 36, 347-351	5-4	8
31	Flavonoids from <i>Pinus sylvestris</i> needles and their variation in trees of different origin grown for nearly a century at the same area. <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 1011-1022	1-4	32
30	A novel phenolic spiro derivative, Yuccaone A, from <i>Yucca schidigera</i> bark. <i>Tetrahedron Letters</i> , 2002 , 43, 9133-9136	2	12
29	Triterpene saponins and flavonoids in the seeds of <i>Trifolium</i> species. <i>Phytochemistry</i> , 2002 , 61, 165-70	4	67
28	Preface Dietary phytochemicals and human health. <i>Phytochemistry Reviews</i> , 2002 , 1, 163-166	7-7	7
27	Anti-platelet effects of different phenolic compounds from <i>Yucca schidigera</i> Roezl. bark. <i>Platelets</i> , 2002 , 13, 167-73	3-6	35
26	Acylated apigenin glycosides from alfalfa (<i>Medicago sativa</i> L.) var. Artal. <i>Phytochemistry</i> , 2001 , 57, 1223-4	4	30
25	Alfalfa (<i>Medicago sativa</i> L.) flavonoids. 1. Apigenin and luteolin glycosides from aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 753-8	5-7	99
24	Antioxidant and antiradical activities of flavonoids. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 2774-9	5-7	788
23	Alfalfa (<i>Medicago sativa</i> L.) flavonoids. 2. Tricin and chrysoeriol glycosides from aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 5310-4	5-7	71
22	Resveratrol and other phenolics from the bark of <i>Yucca schidigera</i> roezl. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 747-52	5-7	53
21	Steroidal saponins of <i>Yucca schidigera</i> Roezl. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 4392-5	5-7	51
20	Extraction and determination of capsaicinoids in fruit of hot pepper <i>Capsicum annuum</i> L. by spectrophotometry and high-performance liquid chromatography. <i>Food Chemistry</i> , 2000 , 71, 287-291	8-5	94
19	Saponins in alfalfa (<i>Medicago sativa</i> L.) root and their structural elucidation. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 3185-92	5-7	64
18	Effect of processing on the flavonoid content in buckwheat (<i>Fagopyrum esculentum</i> M. Benth) grain. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 4384-7	5-7	172
17	Determination and toxicity of saponins from <i>Amaranthus cruentus</i> seeds. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 3685-7	5-7	55
16	Triterpenoid saponins from the seeds of <i>amaranthus cruentus</i> . <i>Phytochemistry</i> , 1998 , 49, 195-198	4	22

15	Composition and Quantitation of Saponins in Alfalfa (<i>Medicago sativa</i> L.) Seedlings. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 960-962	5-7	22
14	Changes of Cyanogenic Glucosides in White Clover (<i>Trifolium repens</i> L.) during the Growing Season. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 4333-4336	5-7	39
13	Alfalfa saponins: structure, biological activity, and chemotaxonomy. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 405, 155-70	3.6	28
12	Influence of Cultivar, Maturity Stage, and Storage Conditions on Phenolic Composition and Enzymic Browning of Pear Fruits. <i>Journal of Agricultural and Food Chemistry</i> , 1995 , 43, 1132-1137	5-7	147
11	Determination of Alfalfa (<i>Medicago sativa</i>) Saponins by High-Performance Liquid Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 1994 , 42, 727-730	5-7	38
10	Flavonoids from <i>Vernonia amygdalina</i> and their antioxidant activities. <i>Journal of Agricultural and Food Chemistry</i> , 1994 , 42, 2445-2448	5-7	119
9	Identification of Some Phenolics in Pear Fruit. <i>Journal of Agricultural and Food Chemistry</i> , 1994 , 42, 1261-1265	5-7	61
8	Allelopathic potentials of alfalfa (<i>Medicago sativa</i>) saponins: Their relation to antifungal and hemolytic activities. <i>Journal of Chemical Ecology</i> , 1993 , 19, 1063-74	2-7	42
7	Zahnic acid tridesmoside and other dominant saponins from alfalfa (<i>Medicago sativa</i> L.) aerial parts. <i>Journal of Agricultural and Food Chemistry</i> , 1992 , 40, 191-196	5-7	79
6	Structural specificity of alfalfa (<i>Medicago sativa</i>) Saponin Haemolysis and Its Impact on Two Haemolysis based Quantification Methods. <i>Journal of the Science of Food and Agriculture</i> , 1990 , 53, 477-485	4-5	23
5	High-performance liquid chromatography of alfalfa root saponins. <i>Journal of Chromatography A</i> , 1990 , 519, 109-116	4-5	34
4	Phenolic compounds and their changes in apples during maturation and cold storage. <i>Journal of Agricultural and Food Chemistry</i> , 1990 , 38, 945-948	5-7	200
3	Isolation and identification of alfalfa (<i>Medicago sativa</i> L.) root saponins: their activity in relation to a fungal bioassay. <i>Journal of Agricultural and Food Chemistry</i> , 1990 , 38, 1810-1817	5-7	88
2	Identification of some phenolic compounds in apples. <i>Journal of Agricultural and Food Chemistry</i> , 1988 , 36, 430-432	5-7	100
1	Saponin-Based Surfactants		239-249 32