

Luis Angel Fernandez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/440301/luis-angel-fernandez-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,736
citations

33
h-index

51
g-index

79
ext. papers

3,103
ext. citations

7.8
avg, IF

5.1
L-index

#	Paper	IF	Citations
72	Nanobodies Protecting From Lethal SARS-CoV-2 Infection Target Receptor Binding Epitopes Preserved in Virus Variants Other Than Omicron.. <i>Frontiers in Immunology</i> , 2022 , 13, 863831	8.4	1
71	Synthetic biology: at the crossroads of genetic engineering and human therapeutics-a Keystone Symposia report. <i>Annals of the New York Academy of Sciences</i> , 2021 ,	6.5	1
70	ssDNA recombineering boosts in vivo evolution of nanobodies displayed on bacterial surfaces. <i>Communications Biology</i> , 2021 , 4, 1169	6.7	0
69	Type III secretion system effectors form robust and flexible intracellular virulence networks. <i>Science</i> , 2021 , 371,	33.3	19
68	Identification of Nanobodies Blocking Intimate Adherence of Shiga Toxin-Producing Escherichia coli to Epithelial Cells. <i>Methods in Molecular Biology</i> , 2021 , 2291, 253-272	1.4	0
67	Potent neutralization of clinical isolates of SARS-CoV-2 D614 and G614 variants by a monomeric, sub-nanomolar affinity nanobody. <i>Scientific Reports</i> , 2021 , 11, 3318	4.9	16
66	In vivo diversification of target genomic sites using processive base deaminase fusions blocked by dCas9. <i>Nature Communications</i> , 2020 , 11, 6436	17.4	15
65	Programmable Modular Assembly of Functional Proteins on Raman-Encoded Zeolitic Imidazolate Framework-8 (ZIF-8) Nanoparticles as SERS Tags. <i>Chemistry of Materials</i> , 2020 , 32, 5739-5749	9.6	17
64	Clustering of Tir during enteropathogenic E. coli infection triggers calcium influx-dependent pyroptosis in intestinal epithelial cells. <i>PLoS Biology</i> , 2020 , 18, e3000986	9.7	3
63	A nanobody targeting the translocated intimin receptor inhibits the attachment of enterohemorrhagic E. coli to human colonic mucosa. <i>PLoS Pathogens</i> , 2019 , 15, e1008031	7.6	6
62	Enteropathogenic Escherichia coli Stimulates Effector-Driven Rapid Caspase-4 Activation in Human Macrophages. <i>Cell Reports</i> , 2019 , 27, 1008-1017.e6	10.6	20
61	Screening and purification of nanobodies from E. coli culture supernatants using the hemolysin secretion system. <i>Microbial Cell Factories</i> , 2019 , 18, 47	6.4	20
60	Engineering Escherichia coli to Combat Cancer 2019 , 253-290		
59	Synthetic consortia of nanobody-coupled and formatted bacteria for prophylaxis and therapy interventions targeting microbiome dysbiosis-associated diseases and co-morbidities. <i>Microbial Biotechnology</i> , 2019 , 12, 58-65	6.3	11
58	Whole-Cell Biosensor with Tunable Limit of Detection Enables Low-Cost Agglutination Assays for Medical Diagnostic Applications. <i>ACS Sensors</i> , 2019 , 4, 370-378	9.2	34
57	Direct Evaluation of Live Uropathogenic Escherichia coli Adhesion and Efficiency of Antiadhesive Compounds Using a Simple Microarray Approach. <i>Analytical Chemistry</i> , 2018 , 90, 12314-12321	7.8	9
56	Attaching and effacing (A/E) lesion formation by enteropathogenic E. coli on human intestinal mucosa is dependent on non-LEE effectors. <i>PLoS Pathogens</i> , 2017 , 13, e1006706	7.6	33

55	Sustainable therapies by engineered bacteria. <i>Microbial Biotechnology</i> , 2017 , 10, 1057-1061	6.3	15
54	Escherichia coli surface display for the selection of nanobodies. <i>Microbial Biotechnology</i> , 2017 , 10, 1468-1484	6.3	35
53	Characterization of nanobodies binding human fibrinogen selected by E. coli display. <i>Journal of Biotechnology</i> , 2016 , 234, 58-65	3.7	10
52	High affinity nanobodies against human epidermal growth factor receptor selected on cells by E. coli display. <i>MABs</i> , 2016 , 8, 1286-1301	6.6	19
51	Engineered bacteria as therapeutic agents. <i>Current Opinion in Biotechnology</i> , 2015 , 35, 94-102	11.4	63
50	Programming controlled adhesion of E. coli to target surfaces, cells, and tumors with synthetic adhesins. <i>ACS Synthetic Biology</i> , 2015 , 4, 463-73	5.7	87
49	Engineering the Controlled Assembly of Filamentous Injectisomes in E. coli K-12 for Protein Translocation into Mammalian Cells. <i>ACS Synthetic Biology</i> , 2015 , 4, 1030-41	5.7	24
48	Analyzing the Role of Periplasmic Folding Factors in the Biogenesis of OMPs and Members of the Type V Secretion System. <i>Methods in Molecular Biology</i> , 2015 , 1329, 77-110	1.4	
47	Disposable amperometric magnetoimmunosensors using nanobodies as biorecognition element. Determination of fibrinogen in plasma. <i>Biosensors and Bioelectronics</i> , 2014 , 52, 255-60	11.8	34
46	Immunoglobulin domains in Escherichia coli and other enterobacteria: from pathogenesis to applications in antibody technologies. <i>FEMS Microbiology Reviews</i> , 2013 , 37, 204-50	15.1	65
45	High yield purification of nanobodies from the periplasm of E. coli as fusions with the maltose binding protein. <i>Protein Expression and Purification</i> , 2013 , 91, 42-8	2	37
44	A nanobody targeting the F-actin capping protein CapG restrains breast cancer metastasis. <i>Breast Cancer Research</i> , 2013 , 15, R116	8.3	67
43	Mapping cytoskeletal protein function in cells by means of nanobodies. <i>Cytoskeleton</i> , 2013 , 70, 604-22	2.4	32
42	Selection of single domain antibodies from immune libraries displayed on the surface of E. coli cells with two E-domains of opposite topologies. <i>PLoS ONE</i> , 2013 , 8, e75126	3.7	54
41	Production and characterization of a recombinant single-chain antibody (scFv) for tracing the B4 factor of Pseudomonas putida. <i>Journal of Biotechnology</i> , 2012 , 160, 33-41	3.7	
40	A novel set of vectors for genome engineering of E. coli strains. <i>New Biotechnology</i> , 2012 , 29, S160	6.4	
39	The fimbrial usher FimD follows the SurA-BamB pathway for its assembly in the outer membrane of Escherichia coli. <i>Journal of Bacteriology</i> , 2011 , 193, 5222-30	3.5	35
38	Comparative analysis of the biochemical and functional properties of C-terminal domains of autotransporters. <i>Journal of Bacteriology</i> , 2010 , 192, 5588-602	3.5	22

37	Direct injection of functional single-domain antibodies from E. coli into human cells. <i>PLoS ONE</i> , 2010 , 5, e15227	3.7	39
36	Role of periplasmic chaperones and BamA (YaeT/Omp85) in folding and secretion of intimin from enteropathogenic Escherichia coli strains. <i>Journal of Bacteriology</i> , 2009 , 191, 5169-79	3.5	65
35	Specific residues in the N-terminal domain of FimH stimulate type 1 fimbriae assembly in Escherichia coli following the initial binding of the adhesin to FimD usher. <i>Molecular Microbiology</i> , 2008 , 69, 911-25	4.1	18
34	Pathogenomics: an updated European Research Agenda. <i>Infection, Genetics and Evolution</i> , 2008 , 8, 386-93	3.5	6
33	Conjugative transfer can be inhibited by blocking relaxase activity within recipient cells with intrabodies. <i>Molecular Microbiology</i> , 2007 , 63, 404-16	4.1	54
32	Recognition of the N-terminal lectin domain of FimH adhesin by the usher FimD is required for type 1 pilus biogenesis. <i>Molecular Microbiology</i> , 2007 , 64, 333-46	4.1	42
31	Thioredoxin fusions increase folding of single chain Fv antibodies in the cytoplasm of Escherichia coli: evidence that chaperone activity is the prime effect of thioredoxin. <i>Journal of Molecular Biology</i> , 2006 , 357, 49-61	6.5	67
30	In vivo drafting of single-chain antibodies for regulatory duty on the sigma54-promoter Pu of the TOL plasmid. <i>Molecular Microbiology</i> , 2006 , 60, 1218-27	4.1	5
29	Structural tolerance of bacterial autotransporters for folded passenger protein domains. <i>Molecular Microbiology</i> , 2004 , 52, 1069-80	4.1	78
28	Secretion of proteins with dimerization capacity by the haemolysin type I transport system of Escherichia coli. <i>Molecular Microbiology</i> , 2004 , 53, 1109-21	4.1	14
27	Prokaryotic expression of antibodies and affibodies. <i>Current Opinion in Biotechnology</i> , 2004 , 15, 364-73	11.4	43
26	Autotransporters as scaffolds for novel bacterial adhesins: surface properties of Escherichia coli cells displaying Jun/Fos dimerization domains. <i>Journal of Bacteriology</i> , 2003 , 185, 5585-90	3.5	38
25	Neutralization of enteric coronaviruses with Escherichia coli cells expressing single-chain Fv-autotransporter fusions. <i>Journal of Virology</i> , 2003 , 77, 13396-8	6.6	20
24	Sigma 54 levels and physiological control of the Pseudomonas putida Pu promoter. <i>Journal of Bacteriology</i> , 2003 , 185, 3379-83	3.5	26
23	Export of autotransported proteins proceeds through an oligomeric ring shaped by C-terminal domains. <i>EMBO Journal</i> , 2002 , 21, 2122-31	13	107
22	Production of functional single-chain Fv antibodies in the cytoplasm of Escherichia coli. <i>Journal of Molecular Biology</i> , 2002 , 320, 1-10	6.5	134
21	Formation of disulphide bonds during secretion of proteins through the periplasmic-independent type I pathway. <i>Molecular Microbiology</i> , 2001 , 40, 332-46	4.1	36
20	Multiple regulatory mechanisms act on the 5' untranslated region of the S-layer gene from Thermus thermophilus HB8. <i>Journal of Bacteriology</i> , 2001 , 183, 1491-4	3.5	14

19	Matrix attachment region-dependent function of the immunoglobulin mu enhancer involves histone acetylation at a distance without changes in enhancer occupancy. <i>Molecular and Cellular Biology</i> , 2001 , 21, 196-208	4.8	85
18	Monitoring intracellular levels of XylR in <i>Pseudomonas putida</i> with a single-chain antibody specific for aromatic-responsive enhancer-binding proteins. <i>Journal of Bacteriology</i> , 2001 , 183, 5571-9	3.5	34
17	Engineering a mouse metallothionein on the cell surface of <i>Ralstonia eutropha</i> CH34 for immobilization of heavy metals in soil. <i>Nature Biotechnology</i> , 2000 , 18, 661-5	44.5	226
16	Secretion and assembly of regular surface structures in Gram-negative bacteria. <i>FEMS Microbiology Reviews</i> , 2000 , 24, 21-44	15.1	59
15	Secretion and assembly of regular surface structures in Gram-negative bacteria. <i>FEMS Microbiology Reviews</i> , 2000 , 24, 21-44	15.1	49
14	Specific secretion of active single-chain Fv antibodies into the supernatants of <i>Escherichia coli</i> cultures by use of the hemolysin system. <i>Applied and Environmental Microbiology</i> , 2000 , 66, 5024-9	4.8	65
13	Probing secretion and translocation of a beta-autotransporter using a reporter single-chain Fv as a cognate passenger domain. <i>Molecular Microbiology</i> , 1999 , 33, 1232-43	4.1	74
12	Nuclear matrix attachment regions antagonize methylation-dependent repression of long-range enhancer-promoter interactions. <i>Genes and Development</i> , 1999 , 13, 3003-14	12.6	67
11	A thermophilic nitrate reductase is responsible for the strain specific anaerobic growth of <i>Thermus thermophilus</i> HB8. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998 , 1396, 215-27		63
10	Nuclear matrix attachment regions confer long-range function upon the immunoglobulin mu enhancer. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1998 , 63, 515-24	3.9	10
9	Characterization of L-glutamine:D-fructose-6-phosphate amidotransferase from an extreme thermophile <i>Thermus thermophilus</i> HB8. <i>Archives of Biochemistry and Biophysics</i> , 1997 , 337, 129-36	4.1	13
8	Extension of chromatin accessibility by nuclear matrix attachment regions. <i>Nature</i> , 1997 , 385, 269-72	50.4	213
7	IV. Molecular biology of S-layers. <i>FEMS Microbiology Reviews</i> , 1997 , 20, 47-98	15.1	18
6	Surface proteins and a novel transcription factor regulate the expression of the S-layer gene in <i>Thermus thermophilus</i> HB8. <i>Molecular Microbiology</i> , 1997 , 24, 61-72	4.1	33
5	glmS of <i>Thermus thermophilus</i> HB8: an essential gene for cell-wall synthesis identified immediately upstream of the S-layer gene. <i>Molecular Microbiology</i> , 1995 , 17, 1-12	4.1	27
4	Insertional mutagenesis in the extreme thermophilic eubacteria <i>Thermus thermophilus</i> HB8. <i>Molecular Microbiology</i> , 1992 , 6, 1555-64	4.1	68
3	Potent neutralization of clinical isolates of SARS-CoV-2 D614 and G614 variants by a monomeric, sub-nanomolar affinity Nanobody		7
2	In vivo diversification of target genomic sites using processive T7 RNA polymerase-base deaminase fusions blocked by RNA-guided dCas9		1

1 ssDNA recombineering boosts in vivo evolution of nanobodies displayed on bacterial surfaces

1