

Tsz-Kwong Man

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/440545/publications.pdf>

Version: 2024-02-01

26
papers

606
citations

623734

14
h-index

677142

22
g-index

27
all docs

27
docs citations

27
times ranked

1257
citing authors

#	ARTICLE	IF	CITATIONS
1	LOX upregulates FAK phosphorylation to promote metastasis in osteosarcoma. <i>Genes and Diseases</i> , 2023, 10, 254-266.	3.4	2
2	Short NK- and Naïve T-Cell Telomere Length Is Associated with Thyroid Cancer in Childhood Cancer Survivors: A Report from the Childhood Cancer Survivor Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 453-460.	2.5	3
3	Abstract 965: The role of LOX-mediated FAK phosphorylation in osteosarcoma metastasis. , 2021, , .		0
4	IFN- γ signature in the plasma proteome distinguishes pediatric hemophagocytic lymphohistiocytosis from sepsis and SIRS. <i>Blood Advances</i> , 2021, 5, 3457-3467.	5.2	23
5	Spatial Dissection of Invasive Front from Tumor Mass Enables Discovery of Novel microRNA Drivers of Glioblastoma Invasion. <i>Advanced Science</i> , 2021, 8, e2101923.	11.2	11
6	Peri-Transplant Alemtuzumab Levels Predict Risk of Secondary Graft Failure and Inversely Impact CXCL9 Levels after RIC HCT (A Correlative Biology Study to BMT-CTN 1204 RICHI). <i>Blood</i> , 2021, 138, 748-748.	1.4	0
7	Cite-Seq Reveals Distinct Patterns and Potential Mechanisms of Relapse in Pediatric AML. <i>Blood</i> , 2021, 138, 3458-3458.	1.4	0
8	Mislocalized cytoplasmic p27 activates PAK1-mediated metastasis and is a prognostic factor in osteosarcoma. <i>Molecular Oncology</i> , 2020, 14, 846-864.	4.6	10
9	Defining the Inflammatory Plasma Proteome in Pediatric Hodgkin Lymphoma. <i>Cancers</i> , 2020, 12, 3603.	3.7	6
10	Circulating CD1c+ myeloid dendritic cells are potential precursors to LCH lesion CD1a+CD207+ cells. <i>Blood Advances</i> , 2020, 4, 87-99.	5.2	25
11	GCT-73. EXPRESSION PROFILING OF INTRACRANIAL GERM CELL TUMORS REVEALS UPREGULATION OF RAS THROUGH mRNA-microRNA SIGNALING PATHWAY. <i>Neuro-Oncology</i> , 2020, 22, iii343-iii343.	1.2	0
12	CNS Langerhans cell histiocytosis: Common hematopoietic origin for LCH-associated neurodegeneration and mass lesions. <i>Cancer</i> , 2018, 124, 2607-2620.	4.1	73
13	RAF/MEK/extracellular signal-related kinase pathway suppresses dendritic cell migration and traps dendritic cells in Langerhans cell histiocytosis lesions. <i>Journal of Experimental Medicine</i> , 2018, 215, 319-336.	8.5	58
14	Systems biology-based drug repositioning identifies digoxin as a potential therapy for groups 3 and 4 medulloblastoma. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	54
15	The prognostic significance of circulating serum amyloid A and CXC chemokine ligand 4 in osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26659.	1.5	3
16	A novel prognostic model for osteosarcoma using circulating CXCL10 and FLT3LG. <i>Cancer</i> , 2017, 123, 144-154.	4.1	26
17	Osteosarcoma enters a post genomic era with in silico opportunities: Generation of the High Dimensional Database for facilitating sarcoma biology research: A report from the Children's Oncology Group and the QuadW Foundation. <i>PLoS ONE</i> , 2017, 12, e0181204.	2.5	8
18	Biomarker significance of plasma and tumor miR-21, miR-221, and miR-106a in osteosarcoma. <i>Oncotarget</i> , 2017, 8, 96738-96752.	1.8	41

#	ARTICLE	IF	CITATIONS
19	p27 Is a Candidate Prognostic Biomarker and Metastatic Promoter in Osteosarcoma. <i>Cancer Research</i> , 2016, 76, 4002-4011.	0.9	27
20	SV-STAT accurately detects structural variation via alignment to reference-based assemblies. <i>Source Code for Biology and Medicine</i> , 2016, 11, 8.	1.7	3
21	Coamplification of <i>Myc</i> and homozygous deletion of <i>Nlrp1</i> locus are frequent genetics changes in mouse osteosarcoma. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 796-808.	2.8	15
22	Stromal <i>CYR61</i> Confers Resistance to Mitoxantrone via Spleen Tyrosine Kinase Activation in Human Acute Myeloid Leukaemia. <i>British Journal of Haematology</i> , 2015, 170, 704-718.	2.5	27
23	A patient tumor-derived orthotopic xenograft mouse model replicating the group 3 supratentorial primitive neuroectodermal tumor in children. <i>Neuro-Oncology</i> , 2014, 16, 787-799.	1.2	15
24	A p53 Drug Response Signature Identifies Prognostic Genes in High-Risk Neuroblastoma. <i>PLoS ONE</i> , 2013, 8, e79843.	2.5	34
25	Optimising the use of TRIzol-extracted proteins in surface enhanced laser desorption/ ionization (SELDI) analysis. <i>Proteome Science</i> , 2006, 4, 3.	1.7	18
26	Genome-wide array comparative genomic hybridization analysis reveals distinct amplifications in osteosarcoma. <i>BMC Cancer</i> , 2004, 4, 45.	2.6	124