

Britta C Urban

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4405590/britta-c-urban-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

3,692
citations

32
h-index

60
g-index

75
ext. papers

4,188
ext. citations

7.9
avg, IF

4.65
L-index

#	Paper	IF	Citations
73	Streptococcus pneumoniae colonization associates with impaired adaptive immune responses against SARS-CoV-2.. <i>Journal of Clinical Investigation</i> , 2022 ,	15.9	2
72	Longitudinal profile of antibody response to SARS-CoV-2 in patients with COVID-19 in a setting from Sub-Saharan Africa: A prospective longitudinal study.. <i>PLoS ONE</i> , 2022 , 17, e0263627	3.7	1
71	Whole blood versus red cell concentrates for children with severe anaemia: a secondary analysis of the Transfusion and Treatment of African Children (TRACT) trial.. <i>The Lancet Global Health</i> , 2022 , 10, e360-e368	13.6	1
70	Interrogating the Impact of Intestinal Parasite-Microbiome on Pathogenesis of COVID-19 in Sub-Saharan Africa. <i>Frontiers in Microbiology</i> , 2021 , 12, 614522	5.7	5
69	Effect of co-infection with intestinal parasites on COVID-19 severity: A prospective observational cohort study. <i>EclinicalMedicine</i> , 2021 , 39, 101054	11.3	14
68	Immune Responses to the Sexual Stages of Parasites. <i>Frontiers in Immunology</i> , 2019 , 10, 136	8.4	11
67	Antigenic cartography of immune responses to Plasmodium falciparum erythrocyte membrane protein 1 (PfEMP1). <i>PLoS Pathogens</i> , 2019 , 15, e1007870	7.6	3
66	Innate and adaptive nasal mucosal immune responses following experimental human pneumococcal colonization. <i>Journal of Clinical Investigation</i> , 2019 , 129, 4523-4538	15.9	15
65	Gametocyte Development and Carriage in Ghanaian Individuals with Uncomplicated Malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018 , 99, 57-64	3.2	5
64	Glycan-independent binding and internalization of human IgM to FCMR, its cognate cellular receptor. <i>Scientific Reports</i> , 2017 , 7, 42989	4.9	13
63	Cytomegalovirus viraemia is associated with poor growth and T-cell activation with an increased burden in HIV-exposed uninfected infants. <i>Aids</i> , 2017 , 31, 1809-1818	3.5	12
62	The CSF Immune Response in HIV-1-Associated Cryptococcal Meningitis: Macrophage Activation, Correlates of Disease Severity, and Effect of Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, 299-307	3.1	17
61	Proportions of circulating follicular helper T cells are reduced and correlate with memory B cells in HIV-infected children. <i>PLoS ONE</i> , 2017 , 12, e0175570	3.7	14
60	Increased adhesion of Plasmodium falciparum infected erythrocytes to ICAM-1 in children with acute intestinal injury. <i>Malaria Journal</i> , 2016 , 15, 54	3.6	11
59	HIV-Exposed Uninfected Infants Show Robust Memory B-Cell Responses in Spite of a Delayed Accumulation of Memory B Cells: an Observational Study in the First 2 Years of Life. <i>Vaccine Journal</i> , 2016 , 23, 576-85		7
58	A Glucuronoxylomannan-Associated Immune Signature, Characterized by Monocyte Deactivation and an Increased Interleukin 10 Level, Is a Predictor of Death in Cryptococcal Meningitis. <i>Journal of Infectious Diseases</i> , 2016 , 213, 1725-34	7	29
57	Flow Cytometry To Assess Cerebrospinal Fluid Fungal Burden in Cryptococcal Meningitis. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 802-4	9.7	6

56	A recombinant two-module form of human properdin is an inhibitor of the complement alternative pathway. <i>Molecular Immunology</i> , 2016 , 73, 76-87	4.3	14
55	Control of Viremia Enables Acquisition of Resting Memory B Cells with Age and Normalization of Activated B Cell Phenotypes in HIV-Infected Children. <i>Journal of Immunology</i> , 2015 , 195, 1082-91	5.3	20
54	Prime-boost vaccination with chimpanzee adenovirus and modified vaccinia Ankara encoding TRAP provides partial protection against <i>Plasmodium falciparum</i> infection in Kenyan adults. <i>Science Translational Medicine</i> , 2015 , 7, 286re5	17.5	94
53	10-valent pneumococcal non-typeable <i>Haemophilus influenzae</i> protein-D conjugate vaccine (PHiD-CV) induces memory B cell responses in healthy Kenyan toddlers. <i>Clinical and Experimental Immunology</i> , 2015 , 181, 297-305	6.2	4
52	Transfusion and Treatment of severe anaemia in African children (TRACT): a study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 593	2.8	31
51	Altered Memory T-Cell Responses to <i>Bacillus Calmette-Guerin</i> and Tetanus Toxoid Vaccination and Altered Cytokine Responses to Polyclonal Stimulation in HIV-Exposed Uninfected Kenyan Infants. <i>PLoS ONE</i> , 2015 , 10, e0143043	3.7	22
50	Value of <i>Plasmodium falciparum</i> histidine-rich protein 2 level and malaria retinopathy in distinguishing cerebral malaria from other acute encephalopathies in Kenyan children. <i>Journal of Infectious Diseases</i> , 2014 , 209, 600-9	7	23
49	Translating the immunogenicity of prime-boost immunization with ChAd63 and MVA ME-TRAP from malaria naive to malaria-endemic populations. <i>Molecular Therapy</i> , 2014 , 22, 1992-2003	11.7	39
48	CD4+ T cell responses to the <i>Plasmodium falciparum</i> erythrocyte membrane protein 1 in children with mild malaria. <i>Journal of Immunology</i> , 2014 , 192, 1753-61	5.3	14
47	HIV-exposed uninfected children: a growing population with a vulnerable immune system?. <i>Clinical and Experimental Immunology</i> , 2014 , 176, 11-22	6.2	135
46	Inflammatory Flt3l is essential to mobilize dendritic cells and for T cell responses during <i>Plasmodium</i> infection. <i>Nature Medicine</i> , 2013 , 19, 730-8	50.5	112
45	Endotoxaemia is common in children with <i>Plasmodium falciparum</i> malaria. <i>BMC Infectious Diseases</i> , 2013 , 13, 117	4	17
44	Phenotypic and functional profiling of CD4 T cell compartment in distinct populations of healthy adults with different antigenic exposure. <i>PLoS ONE</i> , 2013 , 8, e55195	3.7	23
43	Safety and immunogenicity of heterologous prime-boost immunisation with <i>Plasmodium falciparum</i> malaria candidate vaccines, ChAd63 ME-TRAP and MVA ME-TRAP, in healthy Gambian and Kenyan adults. <i>PLoS ONE</i> , 2013 , 8, e57726	3.7	60
42	Human complement Factor H modulates C1q-mediated phagocytosis of apoptotic cells. <i>Immunobiology</i> , 2012 , 217, 455-64	3.4	28
41	T-cell responses to the DBL α ag, a short semi-conserved region of the <i>Plasmodium falciparum</i> membrane erythrocyte protein 1. <i>PLoS ONE</i> , 2012 , 7, e30095	3.7	11
40	The plasma concentration of the B cell activating factor is increased in children with acute malaria. <i>Journal of Infectious Diseases</i> , 2011 , 204, 962-70	7	45
39	<i>Plasmodium falciparum</i> -infected erythrocytes and beta-hematin induce partial maturation of human dendritic cells and increase their migratory ability in response to lymphoid chemokines. <i>Infection and Immunity</i> , 2011 , 79, 2727-36	3.7	25

38	Specific receptor usage in Plasmodium falciparum cytoadherence is associated with disease outcome. <i>PLoS ONE</i> , 2011 , 6, e14741	3.7	92
37	Functional analysis of dendritic cell-T cell interaction in sarcoidosis. <i>Clinical and Experimental Immunology</i> , 2010 , 159, 82-6	6.2	13
36	Distinct kinetics of memory B-cell and plasma-cell responses in peripheral blood following a blood-stage Plasmodium chabaudi infection in mice. <i>PLoS ONE</i> , 2010 , 5, e15007	3.7	30
35	Copy number, linkage disequilibrium and disease association in the FCGR locus. <i>Human Molecular Genetics</i> , 2010 , 19, 3282-94	5.6	103
34	A defunctioning polymorphism in FCGR2B is associated with protection against malaria but susceptibility to systemic lupus erythematosus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 7881-5	11.5	135
33	Multiple functions of human T cells generated by experimental malaria challenge. <i>European Journal of Immunology</i> , 2009 , 39, 3042-51	6.1	25
32	Immune recognition of Plasmodium-infected erythrocytes. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 653, 175-84	3.6	3
31	Dendritic cells in Plasmodium infection. <i>Future Microbiology</i> , 2008 , 3, 279-86	2.9	8
30	Correlation of memory T cell responses against TRAP with protection from clinical malaria, and CD4 CD25 high T cells with susceptibility in Kenyans. <i>PLoS ONE</i> , 2008 , 3, e2027	3.7	72
29	Systemic lupus erythematosus-associated defects in the inhibitory receptor FcγRIIb reduce susceptibility to malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7169-74	11.5	138
28	Characterization of a Plasmodium falciparum macrophage-migration inhibitory factor homologue. <i>Journal of Infectious Diseases</i> , 2007 , 195, 905-12	7	42
27	CD4 T cells from malaria-nonexposed individuals respond to the CD36-Binding Domain of Plasmodium falciparum erythrocyte membrane protein-1 via an MHC class II-TCR-independent pathway. <i>Journal of Immunology</i> , 2006 , 176, 5504-12	5.3	24
26	The frequency of BDCA3-positive dendritic cells is increased in the peripheral circulation of Kenyan children with severe malaria. <i>Infection and Immunity</i> , 2006 , 74, 6700-6	3.7	57
25	Malaria pigment paralyzes dendritic cells. <i>Journal of Biology</i> , 2006 , 5, 4		50
24	Frequencies of peripheral blood myeloid cells in healthy Kenyan children with alpha+ thalassemia and the sickle cell trait. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006 , 74, 578-84	3.2	7
23	FREQUENCIES OF PERIPHERAL BLOOD MYELOID CELLS IN HEALTHY KENYAN CHILDREN WITH THALASSEMIA AND THE SICKLE CELL TRAIT. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006 , 74, 578-584	3.2	9
22	Deficiency of a subset of T-cells with immunoregulatory properties in sarcoidosis. <i>Lancet, The</i> , 2005 , 365, 1062-72	4.0	67
21	PfEMP1 expression is reduced on the surface of knobless Plasmodium falciparum infected erythrocytes. <i>Journal of Cell Science</i> , 2005 , 118, 2507-18	5.3	64

20	Immunological properties of human decidual macrophages--a possible role in intrauterine immunity. <i>Reproduction</i> , 2005 , 129, 631-7	3.8	55
19	Fatal Plasmodium falciparum malaria causes specific patterns of splenic architectural disorganization. <i>Infection and Immunity</i> , 2005 , 73, 1986-94	3.7	89
18	Response of the splenic dendritic cell population to malaria infection. <i>Infection and Immunity</i> , 2004 , 72, 4233-9	3.7	66
17	CD4(-)CD8alphaalpha subset of CD1d-restricted NKT cells controls T cell expansion. <i>Journal of Immunology</i> , 2004 , 172, 7350-8	5.3	49
16	Mutational analyses of the recombinant globular regions of human C1q A, B, and C chains suggest an essential role for arginine and histidine residues in the C1q-IgG interaction. <i>Journal of Immunology</i> , 2004 , 172, 4351-8	5.3	58
15	Modular organization of the carboxyl-terminal, globular head region of human C1q A, B, and C chains. <i>Journal of Immunology</i> , 2003 , 171, 812-20	5.3	95
14	Inhibition of T cell function during malaria: implications for immunology and vaccinology. <i>Journal of Experimental Medicine</i> , 2003 , 197, 137-41	16.6	36
13	Malaria, monocytes, macrophages and myeloid dendritic cells: sticking of infected erythrocytes switches off host cells. <i>Current Opinion in Immunology</i> , 2002 , 14, 458-65	7.8	78
12	Protective roles of pulmonary surfactant proteins, SP-A and SP-D, against lung allergy and infection caused by Aspergillus fumigatus. <i>Immunobiology</i> , 2002 , 205, 610-8	3.4	60
11	The normal cellular prion protein is strongly expressed by myeloid dendritic cells. <i>Blood</i> , 2001 , 98, 3733-8.2		65
10	Peripheral blood dendritic cells in children with acute Plasmodium falciparum malaria. <i>Blood</i> , 2001 , 98, 2859-61	2.2	66
9	A role for CD36 in the regulation of dendritic cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 8750-5	11.5	254
8	Platelet-mediated clumping of Plasmodium falciparum-infected erythrocytes is a common adhesive phenotype and is associated with severe malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 1805-10	11.5	212
7	Unique T cell effector functions elicited by Plasmodium falciparum epitopes in malaria-exposed Africans tested by three T cell assays. <i>Journal of Immunology</i> , 2001 , 167, 4729-37	5.3	50
6	A non-sense mutation in Cd36 gene is associated with protection from severe malaria. <i>Lancet, The</i> , 2001 , 357, 1502-3	40	89
5	Two novel calcium-binding proteins from cytoplasmic granules of the protozoan parasite Entamoeba histolytica. <i>FEBS Letters</i> , 2000 , 486, 112-6	3.8	30
4	Plasmodium falciparum-infected erythrocytes modulate the maturation of dendritic cells. <i>Nature</i> , 1999 , 400, 73-7	50.4	489
3	Putative serine/threonine protein kinase expressed in complement-resistant forms of Entamoeba histolytica. <i>Molecular and Biochemical Parasitology</i> , 1996 , 80, 171-8	1.9	22

2	DNA extraction from urea-preserved blood or blood clots for use in PCR. <i>Trends in Genetics</i> , 1995 , 11, 41	8.5	7
1	Pharmacokinetics and pharmacodynamics of azithromycin in severe malaria bacterial co-infection in African children (TABS-PKPD): a protocol for a Phase II randomised controlled trial. <i>Wellcome Open Research</i> , 6, 161	4.8	