Leonardo Pisani

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4405866/leonardo-pisani-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

1,946
citations

h-index

43
g-index

60
ext. papers

2,290
ext. citations

4.8
avg, IF

L-index

#	Paper	IF	Citations
56	A New Series of Aryloxyacetic Acids Endowed with Multi-Target Activity towards Peroxisome Proliferator-Activated Receptors (PPARs), Fatty Acid Amide Hydrolase (FAAH), and Acetylcholinesterase (AChE) <i>Molecules</i> , 2022 , 27,	4.8	2
55	Dual Reversible Coumarin Inhibitors Mutually Bound to Monoamine Oxidase B and Acetylcholinesterase Crystal Structures <i>ACS Medicinal Chemistry Letters</i> , 2022 , 13, 499-506	4.3	O
54	Evaluation of Water-Soluble Mannich Base Prodrugs of 2,3,4,5-Tetrahydroazepino[4,3-b]indol-1(6H)-one as Multitarget-Directed Agents for Alzheimer & Disease. <i>ChemMedChem</i> , 2021 , 16, 589-598	3.7	2
53	First-in-Class Isonipecotamide-Based Thrombin and Cholinesterase Dual Inhibitors with Potential for Alzheimer Disease. <i>Molecules</i> , 2021 , 26,	4.8	1
52	Away from Flatness: Unprecedented Nitrogen-Bridged Cyclopenta[]indene Derivatives as Novel Anti-Alzheimer Multitarget Agents. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 340-353	5.7	3
51	Pharmacophore Modeling and 3D-QSAR Study of Indole and Isatin Derivatives as Antiamyloidogenic Agents Targeting Alzheimer Disease. <i>Molecules</i> , 2020 , 25,	4.8	1
50	Rational Redesign of Monoamine Oxidase A into a Dehydrogenase to Probe ROS in Cardiac Aging. <i>ACS Chemical Biology</i> , 2020 , 15, 1795-1800	4.9	7
49	Chiral Separation, X-ray Structure, and Biological Evaluation of a Potent and Reversible Dual Binding Site AChE Inhibitor. <i>ACS Medicinal Chemistry Letters</i> , 2020 , 11, 869-876	4.3	3
48	Scouting around 1,2,3,4-Tetrahydrochromeno[3,2-c]pyridin-10-ones for Single- and Multitarget Ligands Directed towards Relevant Alzheimer Targets. <i>ChemMedChem</i> , 2020 , 15, 1947-1955	3.7	2
47	Repositioning of Dantrolene as a Multitarget Agent for Neurodegenerative Diseases. <i>Proceedings</i> (mdpi), 2019 , 22, 7	0.3	
46	Investigating 1,2,3,4,5,6-hexahydroazepino[4,3-b]indole as scaffold of butyrylcholinesterase-selective inhibitors with additional neuroprotective activities for Alzheimer disease. <i>European Journal of Medicinal Chemistry</i> , 2019 , 177, 414-424	6.8	20
45	Design, biological evaluation and X-ray crystallography of nanomolar multifunctional ligands targeting simultaneously acetylcholinesterase and glycogen synthase kinase-3. <i>European Journal of Medicinal Chemistry</i> , 2019 , 168, 58-77	6.8	31
44	3-benzazecine-based cyclic allene derivatives as highly potent P-glycoprotein inhibitors overcoming doxorubicin multidrug resistance. <i>Future Medicinal Chemistry</i> , 2019 , 11, 2095-2106	4.1	5
43	A Prospective Repurposing of Dantrolene as a Multitarget Agent for Alzheimer's Disease. <i>Molecules</i> , 2019 , 24,	4.8	12
42	Chasing ChEs-MAO B Multi-Targeting 4-Aminomethyl-7-Benzyloxy-2-Chromen-2-ones. <i>Molecules</i> , 2019 , 24,	4.8	7
41	1,2,3,4-Tetrahydroisoquinoline/2H-chromen-2-one conjugates as nanomolar P-glycoprotein inhibitors: Molecular determinants for affinity and selectivity over multidrug resistance associated protein 1. European Journal of Medicinal Chemistry, 2019 , 161, 433-444	6.8	7
40	Investigating alkyl nitrates as nitric oxide releasing precursors of multitarget acetylcholinesterase-monoamine oxidase B inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2019 , 161, 292-309	6.8	28

(2015-2018)

39	Automated identification of structurally heterogeneous and patentable antiproliferative hits as potential tubulin inhibitors. <i>Chemical Biology and Drug Design</i> , 2018 , 92, 1161-1170	2.9	1
38	Structure-property relationship study of the HPLC enantioselective retention of neuroprotective 7-[(1-alkylpiperidin-3-yl)methoxy]coumarin derivatives on an amylose-based chiral stationary phase. <i>Journal of Separation Science</i> , 2018 , 41, 1376-1384	3.4	19
37	Coumarin: A Natural, Privileged and Versatile Scaffold for Bioactive Compounds. <i>Molecules</i> , 2018 , 23,	4.8	231
36	Insights into Structure-Activity Relationships of 3-Arylhydrazonoindolin-2-One Derivatives for Their Multitarget Activity on EAmyloid Aggregation and Neurotoxicity. <i>Molecules</i> , 2018 , 23,	4.8	12
35	4-Hydroxycoumarins as Michael donors in asymmetric routes to polycyclic coumarins (microreview). <i>Chemistry of Heterocyclic Compounds</i> , 2018 , 54, 394-396	1.4	5
34	A rational approach to elucidate human monoamine oxidase molecular selectivity. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 101, 90-99	5.1	24
33	Discovery of Potent Dual Binding Site Acetylcholinesterase Inhibitors via Homo- and Heterodimerization of Coumarin-Based Moieties. <i>ChemMedChem</i> , 2017 , 12, 1349-1358	3.7	18
32	Potent inhibitors of human LAT1 (SLC7A5) transporter based on dithiazole and dithiazine compounds for development of anticancer drugs. <i>Biochemical Pharmacology</i> , 2017 , 143, 39-52	6	47
31	Mannich base approach to 5-methoxyisatin 3-(4-isopropylphenyl)hydrazone: A water-soluble prodrug for a multitarget inhibition of cholinesterases, beta-amyloid fibrillization and oligomer-induced cytotoxicity. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 109, 381-388	5.1	22
30	Exploring Basic Tail Modifications of Coumarin-Based Dual Acetylcholinesterase-Monoamine Oxidase B Inhibitors: Identification of Water-Soluble, Brain-Permeant Neuroprotective Multitarget Agents. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 6791-806	8.3	63
29	Searching for Multi-Targeting Neurotherapeutics against Alzheimer's: Discovery of Potent AChE-MAO B Inhibitors through the Decoration of the 2H-Chromen-2-one Structural Motif. <i>Molecules</i> , 2016 , 21, 362	4.8	37
28	Mind the Gap! A Journey towards Computational Toxicology. <i>Molecular Informatics</i> , 2016 , 35, 294-308	3.8	20
27	8-Aminomethyl-7-hydroxy-4-methylcoumarins as Multitarget Leads for Alzheimer Disease. <i>ChemistrySelect</i> , 2016 , 1, 2742-2749	1.8	5
26	Structure-Based Design and Optimization of Multitarget-Directed 2H-Chromen-2-one Derivatives as Potent Inhibitors of Monoamine Oxidase B and Cholinesterases. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 5561-78	8.3	71
25	Multitarget-directed tricyclic pyridazinones as G protein-coupled receptor ligands and cholinesterase inhibitors. <i>ChemMedChem</i> , 2015 , 10, 1054-70	3.7	5
24	Multitarget Therapeutic Leads for Alzheimer's Disease: Quinolizidinyl Derivatives of Bi- and Tricyclic Systems as Dual Inhibitors of Cholinesterases and Amyloid (A) Aggregation. <i>ChemMedChem</i> , 2015 , 10, 1040-53	3.7	38
23	Discovery of new 7-substituted-4-imidazolylmethyl coumarins and 4Tsubstituted-2-imidazolyl acetophenones open analogues as potent and selective inhibitors of steroid-11Ehydroxylase. <i>European Journal of Medicinal Chemistry</i> , 2015 , 89, 106-14	6.8	20
22	In silico design of novel 2H-chromen-2-one derivatives as potent and selective MAO-B inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2015 , 89, 98-105	6.8	45

21	Discovery, biological evaluation, and structure-activity and -selectivity relationships of 6Tsubstituted (E)-2-(benzofuran-3(2H)-ylidene)-N-methylacetamides, a novel class of potent and selective monoamine oxidase inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013 , 56, 2651-64	8.3	42
20	Fine molecular tuning at position 4 of 2H-chromen-2-one derivatives in the search of potent and selective monoamine oxidase B inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2013 , 70, 723-39	6.8	31
19	Design, synthesis and biological evaluation of coumarin alkylamines as potent and selective dual binding site inhibitors of acetylcholinesterase. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 146-52	3.4	70
18	Toward a fragment-based approach to MMPs inhibitors: an expedite and efficient synthesis of N-hydroxylactams. <i>Tetrahedron Letters</i> , 2012 , 53, 4114-4116	2	8
17	Design, synthesis and biological evaluation of 5-hydroxy, 5-substituted-pyrimidine-2,4,6-triones as potent inhibitors of gelatinases MMP-2 and MMP-9. <i>European Journal of Medicinal Chemistry</i> , 2012 , 58, 368-76	6.8	32
16	New strategies in the chemotherapy of leukemia: eradicating cancer stem cells in chronic myeloid leukemia. <i>Current Cancer Drug Targets</i> , 2012 , 12, 571-96	2.8	10
15	Design, synthesis, and biological evaluation of imidazolyl derivatives of 4,7-disubstituted coumarins as aromatase inhibitors selective over 17-Ehydroxylase/C17-20 lyase. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 1613-25	8.3	63
14	Homodimeric bis-quaternary heterocyclic ammonium salts as potent acetyl- and butyrylcholinesterase inhibitors: a systematic investigation of the influence of linker and cationic heads over affinity and selectivity. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 2627-45	8.3	35
13	Quinolizidinyl derivatives of bi- and tricyclic systems as potent inhibitors of acetyl- and butyrylcholinesterase with potential in Alzheimer's disease. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 2170-84	6.8	53
12	Discovery of a Potent and Selective Hetero-Bivalent AChE Inhibitor via Bioisosteric Replacement. <i>Molecular Informatics</i> , 2011 , 30, 133-6	3.8	8
11	Targeting monoamine oxidases with multipotent ligands: an emerging strategy in the search of new drugs against neurodegenerative diseases. <i>Current Medicinal Chemistry</i> , 2011 , 18, 4568-87	4.3	66
10	BCR-ABL inhibitors in chronic myeloid leukemia: process chemistry and biochemical profile. <i>Current Medicinal Chemistry</i> , 2011 , 18, 2943-59	4.3	9
9	Screening of benzamidine-based thrombin inhibitors via a linear interaction energy in continuum electrostatics model. <i>Journal of Computer-Aided Molecular Design</i> , 2010 , 24, 117-29	4.2	6
8	Design, synthesis, and biological evaluation of coumarin derivatives tethered to an edrophonium-like fragment as highly potent and selective dual binding site acetylcholinesterase inhibitors. <i>ChemMedChem</i> , 2010 , 5, 1616-30	3.7	51
7	Solid phase synthesis of a molecular library of pyrimidines, pyrazoles, and isoxazoles with biological potential. <i>Tetrahedron Letters</i> , 2010 , 51, 1702-1705	2	14
6	Discovery of a novel class of potent coumarin monoamine oxidase B inhibitors: development and biopharmacological profiling of 7-[(3-chlorobenzyl)oxy]-4-[(methylamino)methyl]-2H-chromen-2-one methanesulfonate (NW-1772)	8.3	83
5	Homo- and hetero-bivalent edrophonium-like ammonium salts as highly potent, dual binding site AChE inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 7450-6	3.4	57
4	Solid-phase synthesis and insights into structure-activity relationships of safinamide analogues as potent and selective inhibitors of type B monoamine oxidase. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 4909-16	8.3	39

LIST OF PUBLICATIONS

3	Structures of human monoamine oxidase B complexes with selective noncovalent inhibitors: safinamide and coumarin analogs. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 5848-52	8.3	387
2	Synthesis of 5-Aroyldihydropyrimidinones via Liebeskind-Srogl Thiol Ester-Boronic Acid Cross-Couplings. <i>Synlett</i> , 2007 , 2007, 0043-0046	2.2	6
1	5-aroyl-3,4-dihydropyrimidin-2-one library generation via automated sequential and parallel microwave-assisted synthesis techniques. <i>ACS Combinatorial Science</i> , 2007 , 9, 415-21		60