

Bozena Boimska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4406730/bozena-boimska-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

544
papers

15,966
citations

61
h-index

99
g-index

570
ext. papers

18,418
ext. citations

4.7
avg, IF

2.31
L-index

#	Paper	IF	Citations
544	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
543	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
542	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
541	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
540	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
539	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
538	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
537	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
536	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
535	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
534	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
533	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
532	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb ⁻¹ of proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
531	Measurements of the $pp \rightarrow W\gamma$ and $pp \rightarrow Z\gamma$ cross sections at (\sqrt{s}) = 13 TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
530	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
529	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
528	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3

527	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
526	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
525	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
524	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	6
523	Development and validation of HERWIG γ tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4-2	1
522	Angular analysis of the decay $B^+ \rightarrow K^{*0} \mu^+ \nu_\mu$ in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
521	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4-2	5
520	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
519	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
518	Study of Drell-Yan dimuon production in proton-lead collisions at $(\sqrt{s_{\text{NN}}}) = 8.16$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
517	Measurements of the differential cross sections of the production of Z + jets and $\bar{\nu}_\tau$ jets and of Z boson emission collinear with a jet in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	
516	Measurement of the Z boson differential production cross section using its invisible decay mode ($Z \rightarrow \bar{\nu}_\mu \nu_\mu$) in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	
515	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4-2	5
514	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
513	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	5
512	Search for the lepton flavor violating decay $\tau \rightarrow \mu \nu_\tau \nu_\mu$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
511	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4-2	7
510	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	14

509	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
508	MUSIC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
507	Search for a heavy vector resonance decaying to a Υ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
506	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
505	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
504	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
503	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
502	Search for decays of the 125 GeV Higgs boson into a Z boson and a Υ meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
501	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
500	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
499	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
498	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
497	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
496	Search for new neutral Higgs bosons through the $(\text{H}) \rightarrow \text{ZA} \rightarrow \{\ell\}^+ \{\ell\}^- \overline{\text{b}} \text{b}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
495	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
494	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
493	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
492	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W\Upsilon$ and Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2

491	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
490	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
489	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
488	Evidence for $(W)W$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
487	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
486	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
485	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
484	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\bar{\nu}\nu$ and $e\bar{\nu}$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
483	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
482	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
481	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
480	A multi-dimensional search for new heavy resonances decaying to boosted τ, μ , or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
479	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
478	Measurement of differential cross sections and charge ratios for s -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
477	Measurement of $(\bar{t}t)$ normalised multi-differential cross sections in (pp) collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
476	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
475	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
474	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1

473	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
472	Investigation into the event-activity dependence of η (NS) relative production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	3
471	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
470	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
469	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	8
468	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	5
467	Measurement of properties of $(\mathrm{B})_{\mathrm{s}}^0$ decays and search for B^0 with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	10
466	Search for a light pseudoscalar Higgs boson in the boosted τ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	9
465	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
464	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	4
463	Measurement of the cross section for $(\overline{\mathrm{t}}\mathrm{t})$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
462	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	13
461	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	18
460	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
459	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4-2	2
458	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4-2	2
457	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	8
456	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	0

455	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
454	Search for charged Higgs bosons in the $H^{\pm} \rightarrow \tau^{\pm} \tau^{\pm}$ decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
453	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
452	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
451	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
450	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at (\sqrt{s}) = 13 TeV via Higgs boson decays to τ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
449	Search for the pair production of light top squarks in the $e\mu\chi$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
448	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
447	Search for supersymmetry in events with a photon, jets, τ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
446	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
445	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
444	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
443	Search for nonresonant Higgs boson pair production in the ($\text{b}\overline{\text{b}}\text{b}\overline{\text{b}}$) final state at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
442	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
441	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
440	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
439	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
438	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4

437	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $\sqrt{s} = 13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
436	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
435	Measurements of $(\overline{\text{t}})$ differential cross sections in proton-proton collisions at $(\sqrt{s}=13)$ TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
434	Search for $(\overline{\text{t}}\text{H})$ production in the (H) to $(\overline{\text{b}}\text{b})$ decay channel with leptonic $(\overline{\text{t}})$ decays in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
433	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $(\sqrt{s} = 13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
432	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
431	Search for resonant $(\overline{\text{t}})$ production in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
430	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
429	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
428	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
427	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
426	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
425	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
424	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
423	Inclusive search for supersymmetry in pp collisions at $(\sqrt{s}=13)$ TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
422	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
421	Search for excited leptons in final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
420	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15

4 ¹⁹	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
4 ¹⁸	Measurement of exclusive γ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
4 ¹⁷	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
4 ¹⁶	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
4 ¹⁵	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
4 ¹⁴	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
4 ¹³	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
4 ¹²	Search for supersymmetry using Higgs boson to diphoton decays at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
4 ¹¹	Measurements of differential Z boson production cross sections in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
4 ¹⁰	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
4 ⁰⁹	Study of the ($\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p}$) decay in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
4 ⁰⁸	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{q})q(\overline{q})$ final state in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
4 ⁰⁷	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
4 ⁰⁶	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
4 ⁰⁵	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
4 ⁰⁴	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
4 ⁰³	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
4 ⁰²	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6

401	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
400	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
399	Search for resonant and nonresonant Higgs boson pair production in the ($\mathbf{b}\overline{\mathbf{b}}\ell\ell$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
398	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
397	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
396	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
395	Measurement of the inclusive ($\mathbf{t}\overline{\mathbf{t}}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
394	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
393	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
392	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
391	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
390	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
389	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
388	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
387	Measurement of normalized differential ($\mathbf{t}\overline{\mathbf{t}}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
386	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
385	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
384	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

383	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	22
382	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4-2	20
381	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4-2	9
380	Measurements of the ($\text{pp} \rightarrow \text{ZZ}$) production cross section and the ($\text{Z} \rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13, \text{TeV}$) 2018 , 78, 1		3
379	Search for ($\text{t}\overline{\text{t}}\text{H}$) production in the all-jet final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
378	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
377	Measurement of the groomed jet mass in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
376	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
375	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
374	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
373	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
372	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
371	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	16
370	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
369	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\text{NN}}}=5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
368	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4-2	13
367	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
366	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37

365	Event shape variables measured using multijet final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
364	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
363	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	50
362	Search for $Z\bar{\nu}\nu$ resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
361	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
360	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9
359	Search for supersymmetry in events with a dilepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
358	Search for the decay of a Higgs boson in the $\bar{\nu}\nu$ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
357	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4-2	23
356	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4-2	19
355	Studies of η and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4-2	12
354	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $Z\bar{q}q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
353	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4-2	9
352	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\bar{\nu}$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
351	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4-2	19
350	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	4
349	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	15
348	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8

347	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	10
346	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4-2	5
345	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	29
344	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
343	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	42
342	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
341	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	20
340	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\nu\bar{\nu}\gamma\gamma$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
339	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	18
338	Search for beyond the standard model Higgs bosons decaying into a ($b\bar{b}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
337	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4-2	25
336	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4-2	37
335	Search for lepton flavour violating decays of the Higgs boson to $\tau\bar{\nu}_e$ and $e\bar{\nu}_\tau$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	19
334	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	23
333	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	12
332	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
331	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	16
330	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12

329	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
328	Search for a singly produced third-generation scalar leptoquark decaying to a μ lepton and a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
327	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
326	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
325	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
324	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
323	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
322	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
321	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
320	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
319	Search for electroweak production of charginos in final states with two μ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
318	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
317	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8 [Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
316	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
315	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
314	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
313	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
312	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14

311	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
310	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
309	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
308	Search for ($\overline{\mathrm{t}}\mathrm{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
307	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\mathrm{b}}\mathrm{b}$) or $\overline{\mathrm{t}}\mathrm{t}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
306	Observation of $Y(1S)$ pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
305	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
304	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
303	Measurement of the semileptonic ($\overline{\mathrm{t}}\mathrm{t}$) + $\overline{\mathrm{b}}\mathrm{b}$ production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
302	Measurements of the $pp \rightarrow W\overline{W}$ and $pp \rightarrow Z\overline{Z}$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
301	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
300	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
299	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
298	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
297	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
296	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
295	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
294	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8

293	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	74
292	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	19
291	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4-2	22
290	Measurement of electroweak-induced production of $W\gamma$ with two jets in pp collisions at (\sqrt{s} =8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
289	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
288	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	5
287	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	18
286	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	11
285	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	20
284	Search for top squark pair production in pp collisions at (\sqrt{s} =13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	25
283	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	12
282	Measurement of the ($\overline{t}t$) production cross section using events with one lepton and at least one jet in pp collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	14
281	Search for a heavy resonance decaying to a top quark and a vector-like top quark at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	4
280	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4-2	21
279	Search for top quark partners with charge 5/3 in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	3
278	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	21
277	Measurements of jet charge with dijet events in pp collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	10
276	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	10

275	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
274	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
273	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
272	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
271	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
270	Search for high-mass Z resonances in $e+e$ and $\mu+\mu$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
269	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
268	Search for CP violation in (\overline{t}) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
267	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
266	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
265	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
264	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
263	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
262	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
261	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
260	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
259	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
258	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8

257	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
256	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
255	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the e $\bar{\nu}$ channel in proton-proton collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
254	Search for new physics with the M _{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
253	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
252	Evidence for exclusive $\bar{\nu}W + W\bar{\nu}$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
251	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
250	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
249	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
248	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	11
247	Measurement of the mass of the top quark in decays with a J/ ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
246	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s} = 2.76, \text{text \{TeV\}}$). <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	17
245	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
244	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
243	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
242	Search for $W^{\pm} \rightarrow \tau b$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
241	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
240	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2

239	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
238	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
237	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
236	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
235	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
234	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
233	Search for heavy Majorana neutrinos in $e\bar{e}\mu\bar{\mu}$ jets and $e\bar{e}\tau\bar{\tau}$ jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
232	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
231	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
230	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
229	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
228	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
227	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
226	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
225	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
224	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
223	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
222	Production of deuterium, tritium, and He3 in central Pb + Pb collisions at 20A,30A,40A,80A, and 158A GeV at the CERN Super Proton Synchrotron. <i>Physical Review C</i> , 2016 , 94,	2.7	49

221	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
220	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
219	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
218	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
217	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
216	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
215	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
214	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
213	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
212	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow J/\psi \mu^+ \mu^-$ and $B \rightarrow J/\psi \mu^+ \mu^-$ and $(\mathrm{mathcal{B}}\left(\mathrm{mathcal{B}}_{\mathrm{c}}^{\pm} \rightarrow \mathrm{mathcal{J}}/\psi \pi^{\pm} \pi^{\pm} \right) / \mathrm{mathcal{B}}\left(\mathrm{mathcal{B}}_{\mathrm{c}}^{\pm} \rightarrow \mathrm{mathcal{J}}/\psi \pi^{\pm} \pi^{\mp} \right))$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13
211	Search for disappearing tracks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
210	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
209	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
208	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
207	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
206	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
205	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
204	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4

203	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
202	Measurement of event-by-event transverse momentum and multiplicity fluctuations using strongly intensive measures $[PT, N]$ and $[PT, N]$ in nucleus-nucleus collisions at the CERN Super Proton Synchrotron. <i>Physical Review C</i> , 2015 , 92,	2.7	10
201	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
200	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
199	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
198	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33
197	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
196	Search for a charged Higgs boson in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
195	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
194	Search for a light charged Higgs boson decaying to $(\overline{\text{charm}})$ in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33
193	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
192	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
191	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
190	Critical fluctuations of the proton density in A+A collisions at 158A GeV. <i>European Physical Journal C</i> , 2015 , 75, 1	4.2	25
189	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
188	Measurement of the $Z\bar{\nu}\nu$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
187	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4.2	41
186	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98

185	Measurements of the $[Formula: see text][Formula: see text]$ production cross sections in the $[Formula: see text]$ channel in proton-proton collisions at $[Formula: see text]$ and $[Formula: see text]$ and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4.2	25
184	Comparison of the $Z/\bar{\nu} + jets$ to $\bar{\nu} + jets$ cross sections in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	5
183	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
182	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	43
181	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
180	Measurement of associated $W + charm$ production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
179	Search for new physics in events with same-sign dileptons and jets in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
178	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(\sqrt{s_{\mathrm{NN}}} = 5.02)$ (,text {TeV}). <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	67
177	Measurement of WZ and ZZ production in pp collisions at $[Formula: see text]$ in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
176	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
175	Measurement of jet multiplicity distributions in $[Formula: see text]$ production in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
174	Study of double parton scattering using $W + 2$ -jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
173	Event activity dependence of $(Y)(nS)$ production in $(\sqrt{s_{NN}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
172	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
171	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101
170	Search for $W^? \rightarrow b$ decays in the lepton + jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23
169	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
168	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81

167	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
166	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
165	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
164	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74
163	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
162	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
161	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
160	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
159	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
158	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
157	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
156	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
155	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $(\sqrt{s}) = 8$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
154	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
153	Measurement of prompt J/ψ pair production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
152	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
151	Phase-space dependence of particle-ratio fluctuations in Pb + Pb collisions from 20A to 158A GeV beam energy. <i>Physical Review C</i> , 2014 , 89,	2.7	13
150	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45

149	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
148	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
147	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	32
146	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	144
145	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV 2014 , 2014, 1		3
144	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
143	Search for microscopic black holes in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	38
142	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
141	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	96
140	Study of exclusive two-photon production of W+W in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	56
139	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	261
138	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	35
137	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
136	Measurement of the (\overline{t}) production cross section in the all-jet final state in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
135	Measurement of the X(3872) production cross section via decays to $J/\psi \eta$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
134	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, 7$ TeV). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
133	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	15
132	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	33

131	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
130	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16
129	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15
128	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4.2	49
127	Measurement of the W-boson helicity in top-quark decays from ($\overline{\text{t}}\text{t}$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	25
126	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
125	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
124	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
123	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
122	Measurement of the ($\bar{\text{t}}\text{t}$) production cross section in the $\text{t}\bar{\text{t}}\text{jj}$ channel in pp collisions at ($\sqrt{s}=7$ mTeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
121	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
120	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ mTeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
119	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
118	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
117	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7$ mTeV) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
116	Measurement of the W+W cross section in pp collisions at ($\sqrt{s} = 7$ mTeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
115	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
114	Measurement of the ZZ production cross section and search for anomalous couplings in 2jj final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39

113	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or \bar{b} b-quark jets in 7 TeV pp collisions using the variable \cancel{E}_T . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
112	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
111	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
110	Measurement of differential top-quark-pair production cross sections in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
109	System-size dependence of particle-ratio fluctuations in Pb + Pb collisions at 158A GeV. <i>Physical Review C</i> , 2013 , 87,	2.7	7
108	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV 2013 , 2013, 1		2
107	Evidence for the onset of deconfinement and quest for the critical point by NA49 at the CERN SPS. <i>Physics of Atomic Nuclei</i> , 2012 , 75, 556-566	0.4	3
106	Study of high-p T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{\text{NN}}}=2.76\sim\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
105	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{\text{NN}}}= 2.76$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
104	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s} = 7;\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
103	Inclusive b-jet production in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
102	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
101	Suppression of non-prompt J/ψ and (Υ)(1S) in PbPb collisions at ($\sqrt{s_{\text{NN}}}= 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	184
100	Search for heavy bottom-like quarks in 4.9 fb^{-1} of pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
99	Measurement of the cross section for production of ($\bar{b} X$) decaying to muons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3
98	Measurement of the $Z/\bar{b} + b$ -jet cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
97	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7;\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	27
96	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s} = 7,\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	65

95	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	101
94	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	43
93	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	17
92	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
91	Measurement of the underlying event activity in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	11
90	Search for anomalous ($\overline{t}t$) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	57
89	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	155
88	Search for a fermiophobic Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
87	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	92
86	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{NN}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	73
85	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	64
84	Search for exclusive or semi-exclusive Υ production and observation of exclusive and semi-exclusive $e+e\Upsilon$ production in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
83	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	6
82	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	41
81	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	10
80	Search for resonant ($\overline{t}t$) production in lepton+jets events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	25
79	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
78	Measurement of the single-top-quark t-channel cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	70

77	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
76	Measurement of the top-quark mass in ($\text{t}\overline{\text{t}}$) events with lepton+jets final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
75	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	30
74	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s} = 0.9, 2.76, 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	133
73	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	111
72	Measurement of the top-quark mass in ($\text{t}\overline{\text{t}}$) events with dilepton final states in pp collisions at ($\sqrt{s}=7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	36
71	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ($\sqrt{s} = 7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
70	Measurement of the relative prompt production rate of $\text{t}\overline{\text{t}}$ and $\text{t}\overline{\text{t}}\text{Z}$ in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
69	Search for the standard model Higgs boson in the $\text{H} \rightarrow \text{ZZ} \rightarrow 4\ell$ channel in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
68	Search for the standard model Higgs boson in the $\text{H} \rightarrow \text{ZZ} \rightarrow 2\ell 2\nu$ decay channel in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
67	Search for ($\text{B}_s^0 \rightarrow \text{B}_s^0 \gamma$) and $\text{B}_0 \rightarrow \text{B}_0 \gamma$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
66	Search for a Higgs boson in the decay channel $\text{H} \rightarrow \text{ZZ}^* \rightarrow \text{q}\overline{\text{q}}$ in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	21
65	Search for microscopic black holes in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
64	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
63	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
62	Antideuteron and deuteron production in midcentral Pb+Pb collisions at 158A GeV. <i>Physical Review C</i> , 2012 , 85,	2.7	19
61	System-size and centrality dependence of charged kaon and pion production in nucleus-nucleus collisions at 40A GeV and 158A GeV beam energy. <i>Physical Review C</i> , 2012 , 86,	2.7	16
60	Search for the Critical Point of Strongly Interacting Matter at the CERN SPS. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2011 , 219-220, 102-110		1

59	$K^*(892)^0$ and $K_1^{*0}(892)^0$ production in central Pb + Pb, Si + Si, C + C, and inelastic p + p collisions at 158A GeV. <i>Physical Review C</i> , 2011 , 84,	2.7	22
58	Centrality dependence of proton and antiproton spectra in Pb+Pb collisions at 40A GeV and 158A GeV measured at the CERN Super Proton Synchrotron. <i>Physical Review C</i> , 2011 , 83,	2.7	54
57	Energy dependence of kaon-to-proton ratio fluctuations in central Pb+Pb collisions from $s_{NN}=6.3$ to 17.3 GeV. <i>Physical Review C</i> , 2011 , 83,	2.7	22
56	Proton- \bar{p} correlations in central Pb+Pb collisions at $s_{NN}=17.3$ GeV. <i>Physical Review C</i> , 2011 , 83,	2.7	6
55	Search for the QCD critical point in nuclear collisions at 158A GeV at the CERN Super Proton Synchrotron (SPS). <i>Physical Review C</i> , 2010 , 81,	2.7	28
54	Inclusive production of protons, anti-protons and neutrons in p+p collisions at 158 GeV/c beam momentum. <i>European Physical Journal C</i> , 2010 , 65, 9	4.2	67
53	Inclusive production of charged kaons in p+p collisions at 158 GeV/c beam momentum and a new evaluation of the energy dependence of kaon production up to collider energies. <i>European Physical Journal C</i> , 2010 , 68, 1-73	4.2	47
52	Three-dimensional two-pion source image from . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 685, 41-46	4.2	5
51	System-size dependence of \bar{p} and \bar{p} production in nucleus-nucleus collisions at 40A and 158A GeV measured at the CERN Super Proton Synchrotron. <i>Physical Review C</i> , 2009 , 80,	2.7	35
50	Energy dependence of particle ratio fluctuations in central Pb+Pb collisions from $s_{NN}=6.3$ to 17.3 GeV. <i>Physical Review C</i> , 2009 , 79,	2.7	59
49	Energy dependence of transverse momentum fluctuations in Pb+Pb collisions at the CERN Super Proton Synchrotron (SPS) at 20A to 158A GeV. <i>Physical Review C</i> , 2009 , 79,	2.7	48
48	Energy dependence of η meson production in central Pb+Pb collisions at $s_{NN}=6$ to 17 GeV. <i>Physical Review C</i> , 2008 , 78,	2.7	62
47	Energy dependence of multiplicity fluctuations in heavy ion collisions at 20A to 158A GeV. <i>Physical Review C</i> , 2008 , 78,	2.7	44
46	High transverse momentum hadron spectra at $s_{NN}=17.3$ GeV in Pb+Pb and p+p collisions. <i>Physical Review C</i> , 2008 , 77,	2.7	30
45	Energy dependence of \bar{p} and \bar{p} production in central Pb+Pb collisions at 20A,30A,40A,80A, and 158A GeV measured at the CERN Super Proton Synchrotron. <i>Physical Review C</i> , 2008 , 78,	2.7	93
44	Pion and kaon production in central Pb+Pb collisions at 20A and 30A GeV: Evidence for the onset of deconfinement. <i>Physical Review C</i> , 2008 , 77,	2.7	256
43	Bose-Einstein correlations of \bar{p} pairs in central Pb+Pb collisions at 20A,30A,40A,80A, and 158A GeV. <i>Physical Review C</i> , 2008 , 77,	2.7	48
42	Inclusive production of charged pions in p + C collisions at 158 GeV/c beam momentum. <i>European Physical Journal C</i> , 2007 , 49, 897-917	4.2	78

41	Elliptic flow of Hyperons in Pb+Pb collisions at 158A GeV. <i>Physical Review C</i> , 2007 , 75,	2.7	8
40	Rapidity and energy dependence of the electric charge correlations in A+A collisions from 20A to 158A GeV. <i>Physical Review C</i> , 2007 , 76,	2.7	15
39	Centrality and system size dependence of multiplicity fluctuations in nuclear collisions at 158A GeV. <i>Physical Review C</i> , 2007 , 75,	2.7	44
38	Upper limit of D0 production in central Pb-Pb collisions at 158A GeV. <i>Physical Review C</i> , 2006 , 73,	2.7	2
37	Energy and centrality dependence of p_{\perp} and p production and the \bar{p}/p ratio in Pb+Pb collisions between 20A GeV and 158A GeV. <i>Physical Review C</i> , 2006 , 73,	2.7	113
36	NA49 Collaboration. <i>Nuclear Physics A</i> , 2006 , 774, 943-944	1.3	3
35	Multiplicity fluctuations in nuclear collisions at 158AGeV. <i>Journal of Physics: Conference Series</i> , 2005 , 5, 74-85	0.3	23
34	System size and centrality dependence of the balance function in A+A collisions at $\sqrt{s_{NN}}=17.2$ GeV. <i>Physical Review C</i> , 2005 , 71,	2.7	25
33	System-size dependence of strangeness production in nucleus-nucleus collisions at $\sqrt{s_{NN}}=17.3$ GeV. <i>Physical Review Letters</i> , 2005 , 94, 052301	7.4	52
32	Omega- and Omega+ production in central Pb + Pb collisions at 40 and 158A GeV. <i>Physical Review Letters</i> , 2005 , 94, 192301	7.4	69
31	Strangeness from 20AGeV to 158AGeV. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004 , 30, S119-S128	5.1	40
30	Electric charge fluctuations in central Pb+Pb collisions at 20A,30A,40A,80A, and 158AGeV. <i>Physical Review C</i> , 2004 , 70,	2.7	44
29	Evidence for an exotic $S=-2$, $Q=-2$ baryon resonance in proton-proton collisions at the CERN SPS. <i>Physical Review Letters</i> , 2004 , 92, 042003	7.4	239
28	Lambda and lambda production in central Pb-Pb collisions at 40, 80, and 158A GeV. <i>Physical Review Letters</i> , 2004 , 93, 022302	7.4	87
27	Transverse momentum fluctuations in nuclear collisions at 158AGeV. <i>Physical Review C</i> , 2004 , 70,	2.7	82
26	Energy and centrality dependence of deuteron and proton production in Pb+Pb collisions at relativistic energies. <i>Physical Review C</i> , 2004 , 69,	2.7	105
25	Recent Results from the NA49 Experiment 2004 , 53-60		
24	Results on correlations and fluctuations from NA49. <i>Nuclear Physics A</i> , 2003 , 715, 55c-64c	1.3	26

23	Recent results on spectra and yields from NA49. <i>Nuclear Physics A</i> , 2003 , 715, 161c-170c	1.3	67
22	Energy dependence of Λ and $\bar{\Lambda}$ production at CERN-SPS energies. <i>Nuclear Physics A</i> , 2003 , 715, 453c-457c	1.3	33
21	Bose-Einstein correlations of charged kaons in central Pb+Pb collisions at Ebeam=158 GeV per nucleon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 557, 157-166	4.2	15
20	Directed and elliptic flow of charged pions and protons in Pb+Pb collisions at 40A and 158A GeV. <i>Physical Review C</i> , 2003 , 68,	2.7	254
19	Λ and $\bar{\Lambda}$ production in central Pb+Pb collisions at 158 GeV/c per nucleon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 538, 275-281	4.2	67
18	Lambda production in central Pb + Pb collisions at CERN-SPS energies. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2002 , 28, 1761-1768	2.9	29
17	Energy dependence of pion and kaon production in central Pb+Pb collisions. <i>Physical Review C</i> , 2002 , 66,	2.7	440
16	Correlations and fluctuations in Pb+Pb collisions. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2001 , 92, 7-15		3
15	Event-by-event fluctuations of the Kaon-to-Pion ratio in central Pb+Pb collisions at 158 GeV per nucleon. <i>Physical Review Letters</i> , 2001 , 86, 1965-9	7.4	75
14	Production of multi-strange hyperons and strange resonances in the NA49 experiment. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2001 , 27, 367-374	2.9	30
13	Deuteron production in central Pb+Pb collisions at 158A GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 486, 22-28	4.2	18
12	Production of mesons in p+p, p+Pb and central Pb+Pb collisions at Ebeam=158A GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000 , 491, 59-66	4.2	160
11	Event-by-event fluctuations of average transverse momentum in central Pb+Pb collisions at 158 GeV per nucleon. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 459, 679-686	4.2	135
10	Two-proton correlations from 158 A GeV Pb + Pb central collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 1999 , 467, 21-28	4.2	22
9	Hadron production in nuclear collisions from the NA49 experiment at 158GeV/c \perp A. <i>Nuclear Physics A</i> , 1999 , 661, 45-54	1.3	117
8	Centrality dependence of directed and elliptic flow at the SPS. <i>Nuclear Physics A</i> , 1999 , 661, 341-344	1.3	34
7	Baryon Stopping and Charged Particle Distributions in Central Pb+Pb Collisions at 158 GeV per Nucleon. <i>Physical Review Letters</i> , 1999 , 82, 2471-2475	7.4	220
6	Operation of high rate microstrip gas chambers. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1998 , 61, 264-269		5

5	Diamond over-coated microstrip gas chambers for high rate operation. <i>Nuclear Physics, Section B, Proceedings Supplements, 1998</i> , 61, 315-320		2
4	Study of ageing and gain limits of microstrip gas chambers at high rates. <i>Nuclear Physics, Section B, Proceedings Supplements, 1998</i> , 61, 498-503		11
3	Construction, test and operation in a high intensity beam of a small system of micro-strip gas chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998</i> , 403, 31-56	1.2	13
2	Progress with diamond over-coated microstrip gas chambers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998</i> , 404, 57-70	1.2	4
1	Operation of microstrip gas chambers manufactured on glass coated with high-resistivity diamond-like layers. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997</i> , 400, 9-16	1.2	2