
Jana Gliwa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4406909/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Suppressed competitive exclusion enabled the proliferation of Permian/Triassic boundary microbialites. Depositional Record, 2020, 6, 62-74.	1.7	38
2	Latest Permian carbonate carbon isotope variability traces heterogeneous organic carbon accumulation and authigenic carbonate formation. Climate of the Past, 2017, 13, 1635-1659.	3.4	18
3	Evolutionary and ecophenotypic controls on bivalve body size distributions following the end-Permian mass extinction. Global and Planetary Change, 2020, 185, 103088.	3.5	13
4	Aras Valley (northwest Iran): high-resolution stratigraphy of a continuous central Tethyan Permian–Triassic boundary section. Fossil Record, 2020, 23, 33-69.	1.4	12
5	Ostracods from the endâ€Permian mass extinction in the Aras Valley section (northâ€west Iran). Papers in Palaeontology, 2021, 7, 1003-1042.	1.5	11
6	Not herbs and forbs alone: pollenâ€based evidence for the presence of boreal trees and shrubs in Cisâ€Baikal (Eastern Siberia) derived from the Last Glacial Maximum sediment of Lake Ochaul. Journal of Quaternary Science, 2022, 37, 868-883.	2.1	10
7	Lateglacial–Holocene environments and human occupation in the Upper Lena region of Eastern Siberia derived from sedimentary and zooarchaeological data from Lake Ochaul. Quaternary International, 2022, 623, 139-158.	1.5	6
8	The morphospace of Late Permian coiled nautiloids. Lethaia, 2020, 53, 154-165.	1.4	3
9	Baghuk Mountain (Central Iran): high-resolution stratigraphy of a continuous Central Tethyan Permian–Triassic boundary section. Fossil Record, 2021, 24, 171-192.	1.4	3
10	The Permian–Triassic boundary section at Baghuk Mountain, Central Iran: carbonate microfacies and depositional environment. Palaeobiodiversity and Palaeoenvironments, 2022, 102, 331-350.	1.5	2