Maria A Pizzichetta

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4407563/maria-a-pizzichetta-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 3,118 22 55 h-index g-index citations papers 76 3,494 4.2 3.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
68	Health Care and Safety of Patients with Melanoma during the COVID-19 Pandemic in Italy <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 ,	4.6	O
67	Dermoscopic Findings in the Presurgical Evaluation of Basal Cell Carcinoma. A Prospective Study. <i>Dermatologic Surgery</i> , 2021 , 47, e37-e41	1.7	4
66	Tips for difficult to diagnose hypomelanotic melanomas on reflectance confocal microscopy. Journal of Dermatology, 2021 , 48, 1067-1072	1.6	O
65	Sclerodermiform basal cell carcinomas vs. other histotypes: analysis of specific demographic, clinical and dermatoscopic features. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 79-87	4.6	4
64	Dermoscopic features of face and scalp basal and squamous cell carcinomas according to clinical histopathologic characteristics and anatomical location. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e237-e239	4.6	O
63	Regression of nevi, vitiligo-like depigmentation and halo phenomenon may indicate response to immunotherapy and targeted therapy in melanoma. <i>Melanoma Research</i> , 2021 , 31, 582-585	3.3	2
62	Dermoscopic features of a primary scalp melanoma and its cutaneous metastases. <i>Italian Journal of Dermatology and Venereology</i> , 2021 , 156, 499-501	1.2	
61	The presence of eccentric hyperpigmentation should raise the suspicion of melanoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2802-2808	4.6	0
60	Clinical, pathological and dermoscopic phenotype of MITF p.E318K carrier cutaneous melanoma patients. <i>Journal of Translational Medicine</i> , 2020 , 18, 78	8.5	7
59	Insights into Genetic Susceptibility to Melanoma by Gene Panel Testing: Potential Pathogenic Variants in ACD, and. <i>Cancers</i> , 2020 , 12,	6.6	9
58	Total Body Photography and Sequential Digital Dermoscopy for Melanoma Diagnosis 2020 , 121-126		
57	Nivolumab-associated extragenital lichen sclerosus et atrophicus. <i>Clinical and Experimental Dermatology</i> , 2020 , 45, 350-352	1.8	2
56	The prevailing dermoscopic vascular pattern in melanoma is influenced by tumour thickness and pigmentation type. <i>British Journal of Dermatology</i> , 2020 , 182, 1049-1050	4	
55	Dermatoscopic features of thin (IImm Breslow thickness) vs. thick (>2Imm Breslow thickness) nodular melanoma and predictors of nodular melanoma versus nodular non-melanoma tumours: a multicentric collaborative study by the International Dermators Society. Journal of the European	4.6	3
54	Academy of Dermatology and Venereology, 2020 , 34, 2541-2547 MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 332-342	14.5	8
53	Safety Profiles and Pharmacovigilance Considerations for Recently Patented Anticancer Drugs: Cutaneous Melanoma. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2019 , 14, 203-225	2.6	0
52	Clinicopathological predictors of recurrence in nodular and superficial spreading cutaneous melanoma: a multivariate analysis of 214 cases. <i>Journal of Translational Medicine</i> , 2017 , 15, 227	8.5	8

(2009-2017)

51	Dermoscopic diagnosis of amelanotic/hypomelanotic melanoma. <i>British Journal of Dermatology</i> , 2017 , 177, 538-540	4	19
50	Pigmented nodular melanoma: the predictive value of dermoscopic features using multivariate analysis. <i>British Journal of Dermatology</i> , 2015 , 173, 106-14	4	26
49	Morphological features of naevoid melanoma: results of a multicentre study of the International Dermoscopy Society. <i>British Journal of Dermatology</i> , 2015 , 172, 961-7	4	13
48	Differences in clinicopathological features and distribution of risk factors in Italian melanoma patients. <i>Dermatology</i> , 2015 , 230, 256-62	4.4	6
47	Natural history of atypical and equivocal melanocytic lesions in children: an observational study of 19 cases. <i>Pediatric Dermatology</i> , 2014 , 31, 331-6	1.9	5
46	Negative pigment network and shiny white streaks: a dermoscopic-pathological correlation study. <i>American Journal of Dermatopathology</i> , 2014 , 36, 433-8	0.9	19
45	Dermoscopy of acral melanoma: a multicenter study on behalf of the international dermoscopy society. <i>Dermatology</i> , 2013 , 227, 373-80	4.4	17
44	Negative pigment network: an additional dermoscopic feature for the diagnosis of melanoma. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, 552-559	4.5	39
43	Dermoscopic evaluation of nodular melanoma. <i>JAMA Dermatology</i> , 2013 , 149, 699-709	5.1	79
42	BRAF and KIT somatic mutations are present in amelanotic melanoma. <i>Melanoma Research</i> , 2013 , 23, 414-9	3.3	18
41	Surgical management of suspicious melanocytic lesions in Italy. <i>Dermatology</i> , 2013 , 226 Suppl 1, 18-21	4.4	1
40	Management of small and intermediate congenital nevi: a nationwide survey in Italy. <i>Dermatology</i> , 2013 , 226 Suppl 1, 7-12	4.4	4
39	Impact of mole mapping in the Italian health system. <i>Dermatology</i> , 2013 , 226 Suppl 1, 13-7	4.4	2
38	Diagnostic services for melanoma in Italy. <i>Dermatology</i> , 2013 , 226 Suppl 1, 3-6	4.4	2
37	Familial and sporadic melanoma: different clinical and histopathological features in the Italian population - a multicentre epidemiological study - by GIPMe (Italian Multidisciplinary Group on Melanoma). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 194-9	4.6	10
36	Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 953-63	4.6	18
35	Pitfalls in the dermoscopic diagnosis of amelanotic melanoma. <i>Journal of the American Academy of Dermatology</i> , 2010 , 62, 893-4	4.5	10
34	Clinical and dermoscopic features of porokeratosis of Mibelli. <i>Archives of Dermatology</i> , 2009 , 145, 91-2		20

33	Role of the EGF +61A>G polymorphism in melanoma pathogenesis: an experience on a large series of Italian cases and controls. <i>BMC Dermatology</i> , 2009 , 9, 7	2.1	6
32	Clinical genetic testing for familial melanoma in Italy: a cooperative study. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 775-82	4.5	39
31	CDKN2A and MC1R analysis in amelanotic and pigmented melanoma. <i>Melanoma Research</i> , 2009 , 19, 142	2- 5 53	18
30	Dermoscopic evaluation of amelanotic and hypomelanotic melanoma. <i>Archives of Dermatology</i> , 2008 , 144, 1120-7		193
29	Dermoscopic features of difficult melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 91-9	1.7	24
28	Tamoxifen for the prevention of breast cancer: late results of the Italian Randomized Tamoxifen Prevention Trial among women with hysterectomy. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 727-37	9.7	187
27	Clinical and dermoscopic features of agminated blue nevus. Archives of Dermatology, 2007, 143, 1225-6		20
26	Dermoscopic Features of Difficult Melanoma. <i>Dermatologic Surgery</i> , 2007 , 33, 91-99	1.7	
25	Morphologic changes of acquired melanocytic nevi with eccentric foci of hyperpigmentation ("Bolognia sign") assessed by dermoscopy. <i>Archives of Dermatology</i> , 2006 , 142, 479-83		20
24	Regression of Atypical Nevus. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-1277	1.7	
24	Regression of Atypical Nevus. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-1277 Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-7	1.7	1
	Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 ,		1 45
23	Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-7 Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic	1.7	
23	Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-7 Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study. <i>British Journal of Dermatology</i> , 2006 , 155, 56-61 Effect of tamoxifen on venous thromboembolic events in a breast cancer prevention trial.	1.7	45
23	Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-7 Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study. <i>British Journal of Dermatology</i> , 2006 , 155, 56-61 Effect of tamoxifen on venous thromboembolic events in a breast cancer prevention trial. <i>Circulation</i> , 2005 , 111, 650-6 Diagnosis and categorization of acral melanocytic lesions using teledermoscopy. <i>Journal of</i>	1.7 4 16.7	45 113
23 22 21 20	Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-7 Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study. <i>British Journal of Dermatology</i> , 2006 , 155, 56-61 Effect of tamoxifen on venous thromboembolic events in a breast cancer prevention trial. <i>Circulation</i> , 2005 , 111, 650-6 Diagnosis and categorization of acral melanocytic lesions using teledermoscopy. <i>Journal of Telemedicine and Telecare</i> , 2004 , 10, 346-50	1.7 4 16.7	45 113 28
23 22 21 20	Regression of atypical nevus: an anecdotal dermoscopic observation. <i>Dermatologic Surgery</i> , 2006 , 32, 1274-7 Instrument-, age- and site-dependent variations of dermoscopic patterns of congenital melanocytic naevi: a multicentre study. <i>British Journal of Dermatology</i> , 2006 , 155, 56-61 Effect of tamoxifen on venous thromboembolic events in a breast cancer prevention trial. <i>Circulation</i> , 2005 , 111, 650-6 Diagnosis and categorization of acral melanocytic lesions using teledermoscopy. <i>Journal of Telemedicine and Telecare</i> , 2004 , 10, 346-50 Dermoscopy of Bowenß disease. <i>British Journal of Dermatology</i> , 2004 , 150, 1112-6 Amelanotic/hypomelanotic melanoma: clinical and dermoscopic features. <i>British Journal of</i>	1.7 4 16.7 6.8	45 113 28 178

LIST OF PUBLICATIONS

15	Italian randomized trial among women with hysterectomy: tamoxifen and hormone-dependent breast cancer in high-risk women. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 160-5	9.7	122
14	Dermoscopy of pigmented skin lesions: results of a consensus meeting via the Internet. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 679-93	4.5	882
13	Skin lesions in melanoma and Kaposiß sarcoma. Case 2. Dermoscopic features of metastases from cutaneous melanoma mimicking benign nevi and primary melanoma. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1412-5	2.2	6
12	Morphologic changes of a pigmented Spitz nevus assessed by dermoscopy. <i>Journal of the American Academy of Dermatology</i> , 2002 , 47, 137-9	4.5	82
11	Rationale for a study adding tamoxifen to HRT. European Journal of Cancer, 2002, 38 Suppl 6, S22-3	7.5	3
10	Interobserver agreement of the dermoscopic diagnosis of 129 small melanocytic skin lesions. <i>Tumori</i> , 2002 , 88, 234-8	1.7	3
9	Dermoscopic criteria for melanoma in situ are similar to those for early invasive melanoma. <i>Cancer</i> , 2001 , 91, 992-997	6.4	42
8	The ABCD rule of dermatoscopy does not apply to small melanocytic skin lesions. <i>Archives of Dermatology</i> , 2001 , 137, 1376-8		38
7	Teledermoscopyresults of a multicentre study on 43 pigmented skin lesions. <i>Journal of Telemedicine and Telecare</i> , 2000 , 6, 132-7	6.8	107
6	Low incidence of BRCA1 mutations among Italian families with breast and ovarian cancer. <i>International Journal of Cancer</i> , 1998 , 78, 581-6	7.5	22
5	CA 15.3 determination in patients with breast cancer: clinical utility for the detection of distant metastases. <i>European Journal of Cancer</i> , 1992 , 29A, 144-6	7.5	21
4	Long-term tolerability of fenretinide (4-HPR) in breast cancer patients. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 1127-31		78
3	Chest X-ray survey in the follow-up of breast cancer patients. <i>British Journal of Cancer</i> , 1989 , 60, 102-3	8.7	21
2	Tolerability of the synthetic retinoid Fenretinide (HPR). European Journal of Cancer & Clinical Oncology, 1989 , 25, 805-8		96
1	The synthetic retinoid fenretinide does not affect circulating hormone concentrations. <i>Breast Cancer Research and Treatment</i> , 1988 , 12, 315-6	4.4	1