

Won Seok Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4408121/publications.pdf>

Version: 2024-02-01

83
papers

922
citations

567281

15
h-index

526287

27
g-index

85
all docs

85
docs citations

85
times ranked

1154
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of a ZnO Nanostructure as the Anode Material Using RF Magnetron Sputtering System. <i>Nanomaterials</i> , 2022, 12, 215.	4.1	10
2	Growth Properties of Carbon Nanowalls on Nickel and Titanium Interlayers. <i>Molecules</i> , 2022, 27, 406.	3.8	4
3	Enhanced Electrochemical Properties of Non-stoichiometric Layered Perovskites, $\text{Sm}_{1-x}\text{BaCo}_2\text{O}_{5+d}$, for IT-SOFC Cathodes. <i>Frontiers in Chemistry</i> , 2021, 9, 633868.	3.6	4
4	Thermal Analysis of Energy Storage Capacity According to Thickness of Nickel/Chromium Alloy Layer. <i>Energies</i> , 2021, 14, 3217.	3.1	2
5	Pr- and Sm-Substituted Layered Perovskite Oxide Systems for IT-SOFC Cathodes. <i>Energies</i> , 2021, 14, 6739.	3.1	6
6	Characteristics of Functional Film Synthesized on the Cover Glass of Photovoltaic Modules. <i>Energies</i> , 2021, 14, 6671.	3.1	1
7	Preparation of Carbon Nanowall and Carbon Nanotube for Anode Material of Lithium-Ion Battery. <i>Molecules</i> , 2021, 26, 6950.	3.8	9
8	Low-temperature phase synthesis of $\text{V}_{1-x}\text{Ti}_x\text{O}_2$ oxide systems using Pt impregnation. <i>Applied Surface Science</i> , 2020, 508, 145280.	6.1	0
9	Electrical and Optical Properties of Al-Doped ZnO Transparent Conductive Oxide Films Prepared via Radio Frequency Magnetron Co-Sputtering System. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 6788-6791.	0.9	4
10	Innovative Method Using Adhesive Force for Surface Micromachining of Carbon Nanowall. <i>Nanomaterials</i> , 2020, 10, 1978.	4.1	4
11	Analysis of plasma-grown carbon oxide and reduced-carbon-oxide nanowalls. <i>RSC Advances</i> , 2020, 10, 9761-9767.	3.6	5
12	Wettability of CNW/ITO Micro Structure for Modification of Surface Hydrophilicity. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 142.	2.5	5
13	Implementation of Image Processing in Studying Contact Conditions of Overhead Contact Line-Pantograph at 400 km/h. <i>Journal of Electrical Engineering and Technology</i> , 2020, 15, 989-995.	2.0	6
14	Study of a Carbon Nanowall Synthesized on an MWCNT-Based Buffer Layer for Improvement of Electrical Properties. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 192.	2.5	3
15	Zinc-oxide-deposited Carbon Nanowalls for Acetone Sensing. <i>Thin Solid Films</i> , 2020, 700, 137887.	1.8	11
16	$\text{SmBa}_{1-x}\text{Ca}_x\text{Co}_2\text{O}_{5+d}$ Layered Perovskite Cathodes for Intermediate Temperature-operating Solid Oxide Fuel Cells. <i>Frontiers in Chemistry</i> , 2020, 8, 628813.	3.6	8
17	Growing Properties of Carbon Nanowalls According to the Hydrogen Gas Ratio. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 6835-6838.	0.9	0
18	Functional Coating to Improve the Anti-Pollution Characteristics for the Cover Glass of Photovoltaic Module. <i>Journal of Nanoscience and Nanotechnology</i> , 2019, 19, 1804-1808.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Development of an anti-pollution coating process technology for the application of an on-site PV module. <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 332-336.	2.8	1
20	Adhesion-Increased Carbon Nanowalls for the Electrodes of Energy Storage Systems. <i>Energies</i> , 2019, 12, 4759.	3.1	10
21	Electrochemical properties of electrospinning-fabricated layered perovskite used in cathode materials for a low temperature-operating solid oxide fuel cell. <i>Thin Solid Films</i> , 2018, 660, 663-671.	1.8	6
22	Synthesis and electrochemical properties of layered perovskite substituted with heterogeneous lanthanides for intermediate temperature-operating solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 11378-11385.	7.1	9
23	A Study on the Annealing Ambient Effect on the Anti-Pollution Characteristics of Functional Film for PV Modules. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 2285.	2.5	0
24	Structural and Electrical Characteristics of Carbon Nanowalls Synthesized on the Polyimide Film. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 6309-6311.	0.9	3
25	The Thickness Effect of the Functional Film for the Fabrication of Photovoltaic Module. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 6393-6397.	0.9	1
26	Development and Performance Analysis of Carbon Nanowall-Based Mass Sensor. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 6552-6554.	0.9	5
27	Improvement of Electrical Properties of Carbon Nanowall by the Deposition of Thin Film. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 6026-6028.	0.9	7
28	Characterization Analysis According to Growth Temperature of Carbon Nanowall on Metal Coated Substrate for Electrode Application of Energy Storage. <i>Materials Science Forum</i> , 2017, 904, 115-119.	0.3	0
29	Electrochemical properties and durability of in-situ composite cathodes with $\text{SmBa}_{0.5}\text{Sr}_{0.5}\text{Co}_2\text{O}_5+\text{I}^{\prime}$ for metal supported solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1212-1220.	7.1	13
30	Characterization of Layered Perovskite Nanofibers using Electrospinning for Cathode Materials of Low Temperature-operating Solid Oxide Fuel Cell. <i>New & Renewable Energy</i> , 2017, 13, 50-58.	0.4	6
31	Optical Properties of Functional Nano Thin Film Synthesized on Glass Substrate. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 3160-3163.	0.9	0
32	Effect of Annealing Temperature of the Functional Nano Thin Films Synthesized on a Ceramic Substrate. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 3289-3292.	0.9	1
33	Annealing Temperature Effect on the Hydrophilic Coating Film for the Cover Glass of the PV Module. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 11692-11696.	0.9	1
34	Implantable Bladder Sensors: A Methodological Review. <i>International Neurourology Journal</i> , 2015, 19, 133-141.	1.2	42
35	Anti-reflection coating of Cerium oxide on a plastic substrate. <i>Journal of the Korean Physical Society</i> , 2015, 66, 252-255.	0.7	2
36	Synthesis of Carbon Nanowalls by Microwave PECVD for Battery Electrode. <i>Transactions on Electrical and Electronic Materials</i> , 2015, 16, 198-200.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Growth properties of carbon nanowalls on glass substrates by a microwave plasma-enhanced chemical vapor deposition. Japanese Journal of Applied Physics, 2014, 53, 05FD09.	1.5	6
38	Growth Control of Carbon Nanotubes Using by Anodic Aluminum Oxide Nano Templates. Journal of Nanoscience and Nanotechnology, 2014, 14, 3872-3875.	0.9	1
39	Growth of Carbon Nanowalls on Metal-Coated Substrates via Microwave Plasma Enhanced Chemical Vapor Deposition. Journal of Nanoscience and Nanotechnology, 2014, 14, 9174-9177.	0.9	3
40	Fabrication of Metal-Coated Carbon Nanowalls Synthesized by Microwave Plasma Enhanced Chemical Vapor Deposition. Journal of Nanoscience and Nanotechnology, 2014, 14, 9189-9193.	0.9	2
41	Thermal stability of hydrogen-doped AZO thin films for photovoltaic applications. Materials Research Bulletin, 2014, 58, 126-131.	5.2	10
42	Increase in the DSSC efficiency when using metal-coated carbon nanowall counter electrodes. Journal of the Korean Physical Society, 2014, 65, 281-285.	0.7	3
43	Post-plasma treatment of a carbon nanowall for use as a counter electrode in a dye-sensitized solar cell. Journal of the Korean Physical Society, 2014, 65, 291-296.	0.7	6
44	Substrate temperature effect on the growth of carbon nanowalls synthesized via microwave PECVD. Materials Research Bulletin, 2014, 58, 112-116.	5.2	21
45	Role of the buffer solution in the chemical deposition of CdS films for CIGS solar cell applications. Journal of the Korean Physical Society, 2014, 64, 1566-1571.	0.7	0
46	Analysis of Percentage of Arcing between Pantograph and Overhead Contact Line as a Function of Duration of Arc. Transactions of the Korean Institute of Electrical Engineers, 2014, 63, 855-859.	0.1	6
47	Investigation of X-ray photoelectron spectroscopy and electrical conductivity properties of the layered perovskite LnBaCo2O5+d (Ln = Pr, Nd, Sm, and Gd) for IT-SOFC. Electronic Materials Letters, 2013, 9, 463-465.	2.2	24
48	Characterization of a novel super-hydrophilic coating film as a function of different spin coating speeds. Journal of the Korean Physical Society, 2013, 63, 246-250.	0.7	6
49	A study on the properties of microcrystalline and nanocrystalline diamond films synthesized by using a microwave PECVD method. Journal of the Korean Physical Society, 2013, 63, 1051-1054.	0.7	2
50	Influence of Various Plasma Treatment on the Properties of Carbon Nanotubes for Composite Applications. Journal of Nanoscience and Nanotechnology, 2012, 12, 1507-1512.	0.9	5
51	Tribological properties of a-C:W film deposited by radio frequency magnetron Co-sputtering method. Thin Solid Films, 2012, 521, 107-111.	1.8	7
52	Friction force microscopy study of annealed diamond-like carbon film. Materials Research Bulletin, 2012, 47, 2780-2783.	5.2	7
53	Tribological properties of metal doped a-C film by RF magnetron sputtering method. Materials Research Bulletin, 2012, 47, 2784-2787.	5.2	10
54	Structural and optical properties of a radio frequency magnetron-sputtered ZnO thin film with different growth angles. Nanoscale Research Letters, 2012, 7, 55.	5.7	11

#	ARTICLE	IF	CITATIONS
55	Properties of diamond films with various thicknesses synthesized by using the microwave PECVD method. Journal of the Korean Physical Society, 2012, 60, 2063-2066.	0.7	2
56	Study on the Resonant HF DC/DC Converter for the Weight Reduction of the Auxiliary Power Supply of MAGLEV. Communications in Computer and Information Science, 2012, , 254-260.	0.5	1
57	Influence of different plasma treatments on electrical and optical properties on sputtered AZO and ITO films. Journal of Crystal Growth, 2011, 326, 50-57.	1.5	27
58	Substrate temperature effect on the SiC passivation layer synthesized by an RF magnetron sputtering method. Thin Solid Films, 2011, 519, 6654-6657.	1.8	32
59	Etching characteristics and mechanisms of SiC thin films in inductively-coupled HBr-Ar, N ₂ , O ₂ plasmas. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2011, 29, .	2.1	9
60	Growth of Metal-Free Carbon Nanotubes on Glass Substrate with an Amorphous Carbon Catalyst Layer. Journal of Nanoscience and Nanotechnology, 2011, 11, 11032-11036.	0.9	1
61	Direct Growth of Carbon Nanotubes with a Catalyst of Nickel Nanoparticle-coated Alumina Powders. Journal of the Korean Physical Society, 2011, 58, 112-115.	0.7	12
62	The effect of annealing on Al-doped ZnO films deposited by RF magnetron sputtering method for transparent electrodes. Thin Solid Films, 2010, 518, 2941-2944.	1.8	68
63	Metal-free CNTs grown on glass substrate by microwave PECVD. Current Applied Physics, 2010, 10, S447-S450.	2.4	9
64	Comparative study of CdTe thin film solar cells with wet and dry CdCl ₂ treatment process. , 2010, , .		0
65	Growth of metal-free carbon nanotubes with amorphous carbon catalyst layer on glass substrates by microwave plasma enhanced chemical vapor deposition. , 2010, , .		0
66	Structural, electrical, and optical properties of antimony-doped tin oxide films prepared at room temperature by radio frequency magnetron sputtering for transparent electrodes. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2009, 27, 996-1000.	2.1	19
67	Selective assembly of DNA using DLC film as passivation layer for the application to nano-device. Diamond and Related Materials, 2009, 18, 1015-1018.	3.9	5
68	Electrical properties of Pb(Zr,Ti)O ₃ films prepared on ITO glass. Microelectronic Engineering, 2008, 85, 2456-2458.	2.4	8
69	The effect of annealing on the properties of diamond-like carbon protective antireflection coatings. Renewable Energy, 2008, 33, 226-231.	8.9	34
70	Effect of H ₂ and O ₂ plasma etching treatment on the surface of diamond-like carbon thin film. Applied Surface Science, 2008, 254, 7925-7928.	6.1	67
71	Diamond-like carbon protective anti-reflection coating for Si solar cell. Materials Letters, 2008, 62, 577-580.	2.6	70
72	Synthesis and characterization of SnO ₂ :Sb film by dc magnetron sputtering method for applications to transparent electrodes. Physica Scripta, 2007, T129, 312-315.	2.5	24

#	ARTICLE	IF	CITATIONS
73	An examination of trace surface on diamond-like carbon film after ball-on disk measurement. Thin Solid Films, 2007, 515, 7560-7565.	1.8	7
74	High performance GOI MISFET with nickel germanide source/ drain using new graded Ge condensation method. , 2006, , .		0
75	Effect of hydrogen plasma pretreatment on growth of carbon nanotubes by MPECVD. Materials Science and Engineering C, 2006, 26, 1211-1214.	7.3	45
76	Growth of carbon nanotubes on glass substrate by MPECVD. Materials Science and Engineering C, 2006, 26, 1215-1218.	7.3	13
77	The effect of RF power on tribological properties of the diamond-like carbon films. Thin Solid Films, 2005, 475, 287-290.	1.8	27
78	The effect of cerium doping in barium zirconate titanate thin films deposited by rf magnetron sputtering system. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2004, 109, 146-151.	3.5	32
79	Characterization of diamond-like carbon thin films prepared by a microwave plasma enhanced chemical vapor deposition method. Surface and Coatings Technology, 2004, 180-181, 254-258.	4.8	14
80	The effect of annealing on the 0.5% Ce-doped Ba(ZrxTi1-x)O3 (BZT) thin films deposited by RF magnetron sputtering system. Materials Science in Semiconductor Processing, 2002, 5, 211-214.	4.0	13
81	Characterization of Ba(Zr0.2Ti0.8)O3 thin films deposited by RF-magnetron sputtering. Journal of Crystal Growth, 2002, 237-239, 438-442.	1.5	53
82	Anti-pollution Film for PV Modules installed at Railway Systems. Journal of Electrical Engineering and Technology, 0, , 1.	2.0	0
83	Adhesion and Stability Increased Carbon Nanowall for the Application to Lithium-Ion Batteries. Journal of Electrical Engineering and Technology, 0, , .	2.0	0