

Stefanie Woolridge Benoit

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4408189/publications.pdf>

Version: 2024-02-01

43
papers

3,064
citations

430442

18
h-index

301761

39
g-index

44
all docs

44
docs citations

44
times ranked

6297
citing authors

#	ARTICLE	IF	CITATIONS
1	Hematologic, biochemical and immune biomarker abnormalities associated with severe illness and mortality in coronavirus disease 2019 (COVID-19): a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1021-1028.	1.4	1,400
2	Lactate dehydrogenase levels predict coronavirus disease 2019 (COVID-19) severity and mortality: A pooled analysis. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1722-1726.	0.7	409
3	Hyperinflammation and derangement of renin-angiotensin-aldosterone system in COVID-19: A novel hypothesis for clinically suspected hypercoagulopathy and microvascular immunothrombosis. <i>Clinica Chimica Acta</i> , 2020, 507, 167-173.	0.5	301
4	Laboratory abnormalities in children with mild and severe coronavirus disease 2019 (COVID-19): A pooled analysis and review. <i>Clinical Biochemistry</i> , 2020, 81, 1-8.	0.8	119
5	Complement blockade for TA-TMA: lessons learned from large pediatric cohort treated with eculizumab. <i>Blood</i> , 2020, 135, 1049-1057.	0.6	103
6	Alpha 1 Antitrypsin is an Inhibitor of the SARS-CoV-2â€œPriming Protease TMPRSS2. <i>Pathogens and Immunity</i> , 2021, 6, 55-74.	1.4	73
7	Red Blood Cell Distribution Width (RDW) Predicts COVID-19 Severity: A Prospective, Observational Study from the Cincinnati SARS-CoV-2 Emergency Department Cohort. <i>Diagnostics</i> , 2020, 10, 618.	1.3	61
8	Cystatin C as a biomarker of chronic kidney disease: latest developments. <i>Expert Review of Molecular Diagnostics</i> , 2020, 20, 1019-1026.	1.5	59
9	ADAMTS13 activity to von Willebrand factor antigen ratio predicts acute kidney injury in patients with COVID-19: Evidence of SARS-CoV-2 induced secondary thrombotic microangiopathy. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 129-136.	0.7	49
10	Letter to the Editor - Circulating plasma levels of angiotensin II and aldosterone in patients with coronavirus disease 2019 (COVID-19): A preliminary report. <i>Progress in Cardiovascular Diseases</i> , 2020, 63, 702-703.	1.6	42
11	The anti-inflammatory cytokine response characterized by elevated interleukin-10 is a stronger predictor of severe disease and poor outcomes than the pro-inflammatory cytokine response in coronavirus disease 2019 (COVID-19). <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 599-607.	1.4	36
12	Acute kidney injury: emerging pharmacotherapies in current clinical trials. <i>Pediatric Nephrology</i> , 2018, 33, 779-787.	0.9	34
13	Coronavirus disease 2019 is associated with low circulating plasma levels of angiotensin 1 and angiotensin 1,7. <i>Journal of Medical Virology</i> , 2021, 93, 678-680.	2.5	31
14	A novel strategy for identifying early acute kidney injury in pediatric hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1453-1461.	1.3	28
15	Complement levels at admission as a reflection of coronavirus disease 2019 (COVID-19) severity state. <i>Journal of Medical Virology</i> , 2021, 93, 5515-5522.	2.5	27
16	Validation of the Corona-Score for rapid identification of SARS-CoV-2 infections in patients seeking emergency department care in the United States. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, e311-e313.	1.4	25
17	Circulating Plasminogen Concentration at Admission in Patients with Coronavirus Disease 2019 (COVID-19). <i>Seminars in Thrombosis and Hemostasis</i> , 2020, 46, 859-862.	1.5	22
18	Reduction in Nephrotoxic Antimicrobial Exposure Decreases Associated Acute Kidney Injury in Pediatric Hematopoietic Stem Cell Transplant Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1654-1658.	2.0	20

#	ARTICLE	IF	CITATIONS
19	Circulating Levels of Tissue Plasminogen Activator and Plasminogen Activator Inhibitor-1 Are Independent Predictors of Coronavirus Disease 2019 Severity: A Prospective, Observational Study. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 451-455.	1.5	19
20	Early prediction of COVID-19-associated acute kidney injury: Are serum NGAL and serum Cystatin C levels better than serum creatinine?. <i>Clinical Biochemistry</i> , 2022, 102, 1-8.	0.8	19
21	Anemia and COVID-19: A prospective perspective. <i>Journal of Medical Virology</i> , 2021, 93, 708-711.	2.5	17
22	Circulating level of Angiopoietin-2 is associated with acute kidney injury in coronavirus disease 2019 (COVID-19). <i>Angiogenesis</i> , 2021, 24, 403-406.	3.7	15
23	Cell-Free DNA, Neutrophil extracellular traps (NETs), and Endothelial Injury in Coronavirus Disease 2019 (COVID-19) Associated Acute Kidney Injury. <i>Mediators of Inflammation</i> , 2022, 2022, 1-8.	1.4	14
24	Impact of Pretransplantation Renal Dysfunction on Outcomes after Allogeneic Hematopoietic Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 410-422.	0.6	13
25	Transplantation-Associated Thrombotic Microangiopathy Risk Stratification: Is There a Window of Opportunity to Improve Outcomes?. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 392.e1-392.e9.	0.6	11
26	Cytokeratin 18 cell death assays as biomarkers for quantification of apoptosis and necrosis in COVID-19: a prospective, observational study. <i>Journal of Clinical Pathology</i> , 2022, 75, 410-415.	1.0	10
27	False negative RT-PCR or false positive serological testing in SARS-CoV-2 diagnostics? Navigating between Scylla and Charybdis to prevent misclassification bias in COVID-19 clinical investigations. <i>Diagnosis</i> , 2020, 7, 405-407.	1.2	10
28	The role of lipoprotein(a) in coronavirus disease 2019 (COVID-19) with relation to development of severe acute kidney injury. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, , 1.	1.0	10
29	Alterations in the lipid profile associate with a dysregulated inflammatory, prothrombotic, anti-fibrinolytic state and development of severe acute kidney injury in coronavirus disease 2019 (COVID-19): A study from Cincinnati, USA. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 863-868.	1.8	8
30	Serum ACE activity and plasma ACE concentration in patients with SARS-CoV-2 infection. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 272-275.	0.6	7
31	Multiparametric quantitative renal MRI in children and young adults: comparison between healthy individuals and patients with chronic kidney disease. <i>Abdominal Radiology</i> , 2022, 47, 1840-1852.	1.0	7
32	A case of treatment-resistant membranous nephropathy associated with graft versus host disease successfully treated with daratumumab. <i>Pediatric Transplantation</i> , 2022, 26, e14263.	0.5	6
33	GFR Estimation After Cystatin C Reference Material Change. <i>Kidney International Reports</i> , 2021, 6, 429-436.	0.4	5
34	Complement Levels at Admission Reflecting Progression to Severe Acute Kidney Injury (AKI) in Coronavirus Disease 2019 (COVID-19): A Multicenter Prospective Cohort Study. <i>Frontiers in Medicine</i> , 2022, 9, 796109.	1.2	5
35	The Predictive Value of Serum ACE2 and TMPRSS2 Concentrations in Patients with COVID-19: A Prospective Pilot Study. <i>Journal of Personalized Medicine</i> , 2022, 12, 622.	1.1	4
36	Bladder urine oxygen partial pressure monitoring: Could it be a tool for early detection of acute kidney injury?. <i>Egyptian Journal of Anaesthesia</i> , 2021, 37, 43-49.	0.2	3

#	ARTICLE	IF	CITATIONS
37	Case Report: Atypical HUS Presenting With Acute Rhabdomyolysis Highlights the Need for Individualized Eculizumab Dosing. <i>Frontiers in Pediatrics</i> , 2022, 10, 841051.	0.9	3
38	Tolerance of dinutuximab therapy for treatment of high-risk neuroblastoma in two patients with end-stage renal disease on dialysis. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28852.	0.8	2
39	False-Positive Rates in Pediatric SARS-CoV-2 Serology Testing. <i>American Journal of Clinical Pathology</i> , 2021, , .	0.4	1
40	Anti-Endothelial Cell Antibodies are not frequently elevated in hospitalized patients with COVID-19.. <i>Acta Biomedica</i> , 2022, 93, e2022026.	0.2	1
41	Difficult decision: What should we do when a VAD-supported child experiences a severe stroke?. <i>Pediatric Transplantation</i> , 2015, 19, 139-143.	0.5	0
42	Combined Cytokine Scores Assessed at Emergency Department Presentation Predicts COVID-19 Critical Illness. <i>Acta Biomedica</i> , 2021, 92, e2021248.	0.2	0
43	Anti-Endothelial Cell Antibodies are not frequently elevated in hospitalized patients with COVID-19.. <i>Acta Biomedica</i> , 2022, 93, e2022043.	0.2	0