

Teng Jiang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4408886/teng-jiang-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

9,627
citations

42
h-index

97
g-index

142
ext. papers

11,384
ext. citations

5
avg. IF

5.62
L-index

#	Paper	IF	Citations
132	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
131	The prevalence of neuropsychiatric symptoms in Alzheimer's disease: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 190, 264-271	6.6	378
130	Efficacy and safety of donepezil, galantamine, rivastigmine, and memantine for the treatment of Alzheimer's disease: a systematic review and meta-analysis. <i>Journal of Alzheimers Disease</i> , 2014 , 41, 615-631	4.3	274
129	Meta-analysis of modifiable risk factors for Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 1299-306	5.5	244
128	Autophagy in aging and neurodegenerative diseases: implications for pathogenesis and therapy. <i>Neurobiology of Aging</i> , 2014 , 35, 941-57	5.6	178
127	Acute metformin preconditioning confers neuroprotection against focal cerebral ischaemia by pre-activation of AMPK-dependent autophagy. <i>British Journal of Pharmacology</i> , 2014 , 171, 3146-57	8.6	176
126	Upregulation of TREM2 ameliorates neuropathology and rescues spatial cognitive impairment in a transgenic mouse model of Alzheimer's disease. <i>Neuropsychopharmacology</i> , 2014 , 39, 2949-62	8.7	168
125	Efficacy and safety of cholinesterase inhibitors and memantine in cognitive impairment in Parkinson's disease, Parkinson's disease dementia, and dementia with Lewy bodies: systematic review with meta-analysis and trial sequential analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 135-43	5.5	164
124	Circulating miR-125b as a biomarker of Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 52-6	3.2	147
123	Genome-wide serum microRNA expression profiling identifies serum biomarkers for Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2014 , 40, 1017-27	4.3	147
122	Risk factors for predicting progression from mild cognitive impairment to Alzheimer's disease: a systematic review and meta-analysis of cohort studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 476-84	5.5	141
121	Epidemiology and etiology of Alzheimer's disease: from genetic to non-genetic factors. <i>Current Alzheimer Research</i> , 2013 , 10, 852-67	3	137
120	Temsirolimus promotes autophagic clearance of amyloid- β and provides protective effects in cellular and animal models of Alzheimer's disease. <i>Pharmacological Research</i> , 2014 , 81, 54-63	10.2	129
119	Efficacy and adverse effects of ginkgo biloba for cognitive impairment and dementia: a systematic review and meta-analysis. <i>Journal of Alzheimers Disease</i> , 2015 , 43, 589-603	4.3	127
118	Dietary Patterns and Risk of Dementia: a Systematic Review and Meta-Analysis of Cohort Studies. <i>Molecular Neurobiology</i> , 2016 , 53, 6144-6154	6.2	120
117	The Role of Cdk5 in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 4328-42	6.2	117
116	Suppressing inflammation by inhibiting the NF- κ B pathway contributes to the neuroprotective effect of angiotensin-(1-7) in rats with permanent cerebral ischaemia. <i>British Journal of Pharmacology</i> , 2012 , 167, 1520-32	8.6	107

115	NLRP1 inflammasome is activated in patients with medial temporal lobe epilepsy and contributes to neuronal pyroptosis in amygdala kindling-induced rat model. <i>Journal of Neuroinflammation</i> , 2015 , 12, 18	10.1	101
114	TREM2 modifies microglial phenotype and provides neuroprotection in P301S tau transgenic mice. <i>Neuropharmacology</i> , 2016 , 105, 196-206	5.5	99
113	Circulating microRNAs are promising novel biomarkers for drug-resistant epilepsy. <i>Scientific Reports</i> , 2015 , 5, 10201	4.9	98
112	ACE2-Ang-(1-7)-Mas Axis in Brain: A Potential Target for Prevention and Treatment of Ischemic Stroke. <i>Current Neuropharmacology</i> , 2013 , 11, 209-17	7.6	91
111	Temsirolimus attenuates tauopathy in vitro and in vivo by targeting tau hyperphosphorylation and autophagic clearance. <i>Neuropharmacology</i> , 2014 , 85, 121-30	5.5	90
110	TREM2 in Alzheimer's disease. <i>Molecular Neurobiology</i> , 2013 , 48, 180-5	6.2	89
109	Genome-wide circulating microRNA expression profiling indicates biomarkers for epilepsy. <i>Scientific Reports</i> , 2015 , 5, 9522	4.9	86
108	Ischemic preconditioning provides neuroprotection by induction of AMP-activated protein kinase-dependent autophagy in a rat model of ischemic stroke. <i>Molecular Neurobiology</i> , 2015 , 51, 220-9	6.2	78
107	Angiotensin-(1-7) modulates renin-angiotensin system associated with reducing oxidative stress and attenuating neuronal apoptosis in the brain of hypertensive rats. <i>Pharmacological Research</i> , 2013 , 67, 84-93	10.2	71
106	Serum Iron, Zinc, and Copper Levels in Patients with Alzheimer's Disease: A Replication Study and Meta-Analyses. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 565-81	4.3	70
105	Triggering receptor expressed on myeloid cells 2 knockdown exacerbates aging-related neuroinflammation and cognitive deficiency in senescence-accelerated mouse prone 8 mice. <i>Neurobiology of Aging</i> , 2014 , 35, 1243-51	5.6	69
104	CD33 in Alzheimer's disease. <i>Molecular Neurobiology</i> , 2014 , 49, 529-35	6.2	65
103	Angiotensin-(1-7) induces cerebral ischaemic tolerance by promoting brain angiogenesis in a Mas/eNOS-dependent pathway. <i>British Journal of Pharmacology</i> , 2014 , 171, 4222-32	8.6	65
102	Magnetic Resonance Spectroscopy in Alzheimer's Disease: Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 1049-70	4.3	63
101	Silencing of TREM2 exacerbates tau pathology, neurodegenerative changes, and spatial learning deficits in P301S tau transgenic mice. <i>Neurobiology of Aging</i> , 2015 , 36, 3176-3186	5.6	60
100	Novel disease-modifying therapies for Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2012 , 31, 475-93	4.3	58
99	Inhibition of the NLRP3 inflammasome provides neuroprotection in rats following amygdala kindling-induced status epilepticus. <i>Journal of Neuroinflammation</i> , 2014 , 11, 212	10.1	55
98	Inhibition of endoplasmic reticulum stress-activated IRE1-TRAF2-caspase-12 apoptotic pathway is involved in the neuroprotective effects of telmisartan in the rotenone rat model of Parkinson's disease. <i>European Journal of Pharmacology</i> , 2016 , 776, 106-15	5.3	53

97	A rare coding variant in TREM2 increases risk for Alzheimer's disease in Han Chinese. <i>Neurobiology of Aging</i> , 2016 , 42, 217.e1-3	5.6	53
96	The expression of angiotensin-converting enzyme 2-angiotensin-(1-7)-Mas receptor axis are upregulated after acute cerebral ischemic stroke in rats. <i>Neuropeptides</i> , 2013 , 47, 289-95	3.3	52
95	Triggering receptor expressed on myeloid cells 2 variant is rare in late-onset Alzheimer's disease in Han Chinese individuals. <i>Neurobiology of Aging</i> , 2014 , 35, 937.e1-3	5.6	50
94	Angiotensin-(1-7) is Reduced and Inversely Correlates with Tau Hyperphosphorylation in Animal Models of Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 2489-97	6.2	49
93	PM2.5 exposure aggravates oligomeric amyloid beta-induced neuronal injury and promotes NLRP3 inflammasome activation in an in vitro model of Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2018 , 15, 132	10.1	47
92	Rate of early onset Alzheimer's disease: a systematic review and meta-analysis. <i>Annals of Translational Medicine</i> , 2015 , 3, 38	3.2	47
91	Genetics of Vascular Dementia: Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 611-29	4.3	45
90	Genome-wide microRNA expression profiles in hippocampus of rats with chronic temporal lobe epilepsy. <i>Scientific Reports</i> , 2014 , 4, 4734	4.9	42
89	TREM1 facilitates microglial phagocytosis of amyloid beta. <i>Acta Neuropathologica</i> , 2016 , 132, 667-683	14.3	42
88	CR1 in Alzheimer's disease. <i>Molecular Neurobiology</i> , 2015 , 51, 753-65	6.2	39
87	Microglia in Alzheimer's disease. <i>BioMed Research International</i> , 2014 , 2014, 437483	3	38
86	Multiple Effect of APOE Genotype on Clinical and Neuroimaging Biomarkers Across Alzheimer's Disease Spectrum. <i>Molecular Neurobiology</i> , 2016 , 53, 4539-47	6.2	35
85	Effect of CLU genetic variants on cerebrospinal fluid and neuroimaging markers in healthy, mild cognitive impairment and Alzheimer's disease cohorts. <i>Scientific Reports</i> , 2016 , 6, 26027	4.9	32
84	Angiotensin-(1-7) inhibits autophagy in the brain of spontaneously hypertensive rats. <i>Pharmacological Research</i> , 2013 , 71, 61-8	10.2	32
83	Association between NME8 locus polymorphism and cognitive decline, cerebrospinal fluid and neuroimaging biomarkers in Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e114777	3.7	31
82	TREM2 Overexpression has No Improvement on Neuropathology and Cognitive Impairment in Aging APP ^{swe} /PS1 ^{dE9} Mice. <i>Molecular Neurobiology</i> , 2017 , 54, 855-865	6.2	28
81	TREM2 Ameliorates Neuronal Tau Pathology Through Suppression of Microglial Inflammatory Response. <i>Inflammation</i> , 2018 , 41, 811-823	5.1	28
80	Genetic variation in BIN1 gene and Alzheimer's disease risk in Han Chinese individuals. <i>Neurobiology of Aging</i> , 2014 , 35, 1781.e1-8	5.6	28

79	Association of IL-12A and IL-12B polymorphisms with Alzheimer's disease susceptibility in a Han Chinese population. <i>Journal of Neuroimmunology</i> , 2014 , 274, 180-4	3.5	27
78	Meta-analysis of peripheral blood apolipoprotein E levels in Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e89041	3.4	27
77	Angiotensin AT2 receptor stimulation inhibits activation of NADPH oxidase and ameliorates oxidative stress in rotenone model of Parkinson's disease in CATH.a cells. <i>Neurotoxicology and Teratology</i> , 2015 , 47, 16-24	3.9	26
76	Bridging Integrator 1 (BIN1) Genotypes Mediate Alzheimer's Disease Risk by Altering Neuronal Degeneration. <i>Journal of Alzheimer's Disease</i> , 2016 , 52, 179-90	4.3	26
75	AVE0991, a nonpeptide analogue of Ang-(1-7), attenuates aging-related neuroinflammation. <i>Aging</i> , 2018 , 10, 645-657	5.6	25
74	Plasma Angiotensin-(1-7) is a Potential Biomarker for Alzheimer's Disease. <i>Current Neurovascular Research</i> , 2016 , 13, 96-9	1.8	25
73	Physiotherapy intervention in Alzheimer's disease: systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 163-74	4.3	24
72	Application of next-generation sequencing technologies in Neurology. <i>Annals of Translational Medicine</i> , 2014 , 2, 125	3.2	23
71	The association of neutrophil to lymphocyte ratio, platelet to lymphocyte ratio, and lymphocyte to monocyte ratio with post-thrombolysis early neurological outcomes in patients with acute ischemic stroke. <i>Journal of Neuroinflammation</i> , 2021 , 18, 51	10.1	23
70	PGRN Is Associated with Late-Onset Alzheimer's Disease: a Case-Control Replication Study and Meta-analysis. <i>Molecular Neurobiology</i> , 2017 , 54, 1187-1195	6.2	22
69	Toward precision medicine in neurological diseases. <i>Annals of Translational Medicine</i> , 2016 , 4, 104	3.2	22
68	Activation of Autophagy Contributes to the Angiotensin II-Triggered Apoptosis in a Dopaminergic Neuronal Cell Line. <i>Molecular Neurobiology</i> , 2016 , 53, 2911-2919	6.2	20
67	Angiotensin II triggers apoptosis via enhancement of NADPH oxidase-dependent oxidative stress in a dopaminergic neuronal cell line. <i>Neurochemical Research</i> , 2015 , 40, 854-63	4.6	20
66	Genetic variation in PICALM and Alzheimer's disease risk in Han Chinese. <i>Neurobiology of Aging</i> , 2014 , 35, 934.e1-3	5.6	20
65	Arrestins as potential therapeutic targets for Alzheimer's disease. <i>Molecular Neurobiology</i> , 2013 , 48, 812-8	6.2	20
64	Effect of EPHA1 genetic variation on cerebrospinal fluid and neuroimaging biomarkers in healthy, mild cognitive impairment and Alzheimer's disease cohorts. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 115-23	4.3	19
63	Association of Parkinson's Disease GWAS-Linked Loci with Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2017 , 54, 308-318	6.2	18
62	Genetic Association of HLA Gene Variants with MRI Brain Structure in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017 , 54, 3195-3204	6.2	18

61	Mitochondrial-dependent mechanisms are involved in angiotensin II-induced apoptosis in dopaminergic neurons. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016 , 17,	3	18
60	TREM2 p.H157Y Variant and the Risk of Alzheimer's Disease: A Meta-Analysis Involving 14,510 Subjects. <i>Current Neurovascular Research</i> , 2016 , 13, 318-320	1.8	18
59	Genome-wide association studies in neurology. <i>Annals of Translational Medicine</i> , 2014 , 2, 124	3.2	18
58	Symptomatic Intracranial Hemorrhage After Mechanical Thrombectomy in Chinese Ischemic Stroke Patients: The ASIAN Score. <i>Stroke</i> , 2020 , 51, 2690-2696	6.7	17
57	Activation of double-stranded RNA-dependent protein kinase inhibits proliferation of pancreatic β cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 443, 814-20	3.4	16
56	Multimodal Voxel-Based Meta-Analysis of White Matter Abnormalities in Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2015 , 47, 495-507	4.3	16
55	Independent Correlation of Serum Homocysteine with Cerebral Microbleeds in Patients with Acute Ischemic Stroke due to Large-Artery Atherosclerosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 2746-2751	2.8	16
54	Effect of CR1 Genetic Variants on Cerebrospinal Fluid and Neuroimaging Biomarkers in Healthy, Mild Cognitive Impairment and Alzheimer's Disease Cohorts. <i>Molecular Neurobiology</i> , 2017 , 54, 551-562	6.2	15
53	GWAS-Linked Loci and Neuroimaging Measures in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017 , 54, 146-153	6.2	15
52	Common Variants in PLD3 and Correlation to Amyloid-Related Phenotypes in Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2015 , 46, 491-5	4.3	15
51	The Impact of UNC5C Genetic Variations on Neuroimaging in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 6759-6767	6.2	14
50	Decreased expression of CD33 in peripheral mononuclear cells of Alzheimer's disease patients. <i>Neuroscience Letters</i> , 2014 , 563, 51-4	3.3	14
49	Association of Single-Nucleotide Polymorphism in ANK1 with Late-Onset Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2016 , 53, 6476-6481	6.2	13
48	ACE2 activator diminazene aceturate ameliorates Alzheimer's disease-like neuropathology and rescues cognitive impairment in SAMP8 mice. <i>Aging</i> , 2020 , 12, 14819-14829	5.6	13
47	The genetic variation of ARRB2 is associated with late-onset Alzheimer's disease in Han Chinese. <i>Current Alzheimer Research</i> , 2014 , 11, 408-12	3	13
46	ZCWPW1 is associated with late-onset Alzheimer's disease in Han Chinese: a replication study and meta-analyses. <i>Oncotarget</i> , 2016 , 7, 20305-11	3.3	13
45	Impacts of CD33 Genetic Variations on the Atrophy Rates of Hippocampus and Parahippocampal Gyrus in Normal Aging and Mild Cognitive Impairment. <i>Molecular Neurobiology</i> , 2017 , 54, 1111-1118	6.2	12
44	Soluble TREM1 concentrations are increased and positively correlated with total tau levels in the plasma of patients with Alzheimer's disease. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1801-1805	4.8	12

43	Body fluid biomarkers in Alzheimer's disease. <i>Annals of Translational Medicine</i> , 2015 , 3, 70	3.2	12
42	Effects of HLA-DRB1/DQB1 Genetic Variants on Neuroimaging in Healthy, Mild Cognitive Impairment, and Alzheimer's Disease Cohorts. <i>Molecular Neurobiology</i> , 2017 , 54, 3181-3188	6.2	11
41	Low triglyceride to high-density lipoprotein cholesterol ratio predicts hemorrhagic transformation in large atherosclerotic infarction of acute ischemic stroke. <i>Aging</i> , 2019 , 11, 1589-1601	5.6	11
40	Common variant in PTK2B is associated with late-onset Alzheimer's disease: A replication study and meta-analyses. <i>Neuroscience Letters</i> , 2016 , 621, 83-87	3.3	11
39	Neutrophil-lymphocyte ratio predicts post-thrombolysis early neurological deterioration in acute ischemic stroke patients. <i>Brain and Behavior</i> , 2019 , 9, e01426	3.4	10
38	Impact of Common Variations in PLD3 on Neuroimaging Phenotypes in Non-demented Elders. <i>Molecular Neurobiology</i> , 2016 , 53, 4343-51	6.2	10
37	Association of LRRTM3 polymorphisms with late-onset Alzheimer's disease in Han Chinese. <i>Experimental Gerontology</i> , 2014 , 52, 18-22	4.5	10
36	Application of the IWG-2 Diagnostic Criteria for Alzheimer's Disease to the ADNI. <i>Journal of Alzheimers Disease</i> , 2016 , 51, 227-36	4.3	10
35	Distinct neurological disorders with C9orf72 mutations: genetics, pathogenesis, and therapy. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 66, 127-42	9	10
34	A Missense Variant in TREML2 Reduces Risk of Alzheimer's Disease in a Han Chinese Population. <i>Molecular Neurobiology</i> , 2017 , 54, 977-982	6.2	9
33	Azilsartan ameliorates apoptosis of dopaminergic neurons and rescues characteristic parkinsonian behaviors in a rat model of Parkinson's disease. <i>Oncotarget</i> , 2017 , 8, 24099-24109	3.3	9
32	Association of HMGR polymorphism with late-onset Alzheimer's disease in Han Chinese. <i>Oncotarget</i> , 2016 , 7, 22746-51	3.3	9
31	MEF2C rs190982 polymorphism with late-onset Alzheimer's disease in Han Chinese: A replication study and meta-analyses. <i>Oncotarget</i> , 2016 , 7, 39136-39142	3.3	9
30	Synergistic Inhibition of Drug-Resistant Colon Cancer Growth with PI3K/mTOR Dual Inhibitor BEZ235 and Nano-Emulsioned Paclitaxel via Reducing Multidrug Resistance and Promoting Apoptosis. <i>International Journal of Nanomedicine</i> , 2021 , 16, 2173-2186	7.3	9
29	The impact of PICALM genetic variations on reserve capacity of posterior cingulate in AD continuum. <i>Scientific Reports</i> , 2016 , 6, 24480	4.9	9
28	Admission blood cell counts are predictive of stroke-associated infection in acute ischemic stroke patients treated with endovascular therapy. <i>Neurological Sciences</i> , 2021 , 42, 2397-2409	3.5	9
27	Involvement of angiotensin-(1-7) in the neuroprotection of captopril against focal cerebral ischemia. <i>Neuroscience Letters</i> , 2018 , 687, 16-21	3.3	9
26	SORL1 Is Associated with the Risk of Late-Onset Alzheimer's Disease: a Replication Study and Meta-Analyses. <i>Molecular Neurobiology</i> , 2017 , 54, 1725-1732	6.2	7

25	HLA-A2 Alleles Mediate Alzheimer's Disease by Altering Hippocampal Volume. <i>Molecular Neurobiology</i> , 2017 , 54, 2469-2476	6.2	7
24	A COACHS Nomogram to Predict the Probability of Three-Month Unfavorable Outcome after Acute Ischemic Stroke in Chinese Patients. <i>Cerebrovascular Diseases</i> , 2019 , 47, 80-87	3.2	7
23	rs11098403 polymorphism near NDST3 is associated with a reduced risk of schizophrenia in a Han Chinese population. <i>Neuroscience Letters</i> , 2014 , 581, 42-5	3.3	7
22	TREM2 and the Progression of Alzheimer's Disease. <i>Current Neurovascular Research</i> , 2017 , 14, 177-183	1.8	6
21	Cerebral Microinfarcts and Dementia: A Systematic Review and Metaanalysis. <i>Current Alzheimer Research</i> , 2017 , 14, 802-808	3	6
20	Dihydroergotoxine mesylate for the treatment of sialorrhea in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019 , 58, 70-73	3.6	5
19	MFN2 ameliorates cell apoptosis in a cellular model of Parkinson's disease induced by rotenone. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 3680-3685	2.1	5
18	TSNARE1 polymorphisms are associated with schizophrenia susceptibility in Han Chinese. <i>Journal of Neural Transmission</i> , 2015 , 122, 929-32	4.3	4
17	The Role of TREML2 in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020 , 76, 799-806	4.3	4
16	Association study of the PLXNA4 gene with the risk of Alzheimer's disease. <i>Annals of Translational Medicine</i> , 2016 , 4, 108	3.2	4
15	NLRP3 Inflammasome: A Potential Therapeutic Target in Fine Particulate Matter-Induced Neuroinflammation in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020 , 77, 923-934	4.3	4
14	The association between high-sensitivity C-reactive protein at admission and progressive motor deficits in patients with penetrating artery infarctions. <i>BMC Neurology</i> , 2019 , 19, 346	3.1	4
13	Angiotensin IV suppresses inflammation in the brains of rats with chronic cerebral hypoperfusion. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2018 , 19, 1470320318799587	3	4
12	Angiotensin-(1-7) Analogue AVE0991 Modulates Astrocyte-Mediated Neuroinflammation via lncRNA SNHG14/miR-223-3p/NLRP3 Pathway and Offers Neuroprotection in a Transgenic Mouse Model of Alzheimer's Disease.. <i>Journal of Inflammation Research</i> , 2021 , 14, 7007-7019	4.8	4
11	Association of DISC1 Polymorphisms with Late-Onset Alzheimer's Disease in Northern Han Chinese. <i>Molecular Neurobiology</i> , 2017 , 54, 2922-2927	6.2	3
10	A TREML2 missense variant influences specific hippocampal subfield volumes in cognitively normal elderly subjects. <i>Brain and Behavior</i> , 2020 , 10, e01573	3.4	3
9	Effect of HMGCR genetic variation on neuroimaging biomarkers in healthy, mild cognitive impairment and Alzheimer's disease cohorts. <i>Oncotarget</i> , 2016 , 7, 13319-27	3.3	3
8	Common Polymorphisms Within QPCT Gene Are Associated with the Susceptibility of Schizophrenia in a Han Chinese Population. <i>Molecular Neurobiology</i> , 2016 , 53, 6362-6366	6.2	3

7	External Validation of START nomogram to predict 3-Month unfavorable outcome in Chinese acute stroke patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 1618-1622	2.8	2
6	FLAIR vascular hyperintensity predicts early neurological deterioration in patients with acute ischemic stroke receiving endovascular thrombectomy.. <i>Neurological Sciences</i> , 2022 , 1	3.5	1
5	A non-peptidic MAS1 agonist AVE0991 alleviates hippocampal synaptic degeneration in rats with chronic cerebral hypoperfusion. <i>Current Neurovascular Research</i> , 2021 ,	1.8	1
4	Endovascular treatment of acute ischemic stroke due to anterior circulation large vessel occlusion beyond 6 hours: a real-world study in China. <i>BMC Neurology</i> , 2021 , 21, 92	3.1	1
3	Dual Antiplatelet Therapy in Patients With Minor Stroke Receiving Intravenous Thrombolysis.. <i>Frontiers in Neurology</i> , 2022 , 13, 819896	4.1	0
2	Clinical significance of stroke nurse in patients with acute ischemic stroke receiving intravenous thrombolysis. <i>BMC Neurology</i> , 2021 , 21, 359	3.1	0
1	Clinical value of Young Stroke Questionnaire. <i>European Journal of Neurology</i> , 2021 , 28, e97	6	