

Teng Jiang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4408886/teng-jiang-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

9,627
citations

42
h-index

97
g-index

142
ext. papers

11,384
ext. citations

5
avg. IF

5.62
L-index

#	Paper	IF	Citations
132	FLAIR vascular hyperintensity predicts early neurological deterioration in patients with acute ischemic stroke receiving endovascular thrombectomy.. <i>Neurological Sciences</i> , 2022 , 1	3.5	1
131	Dual Antiplatelet Therapy in Patients With Minor Stroke Receiving Intravenous Thrombolysis.. <i>Frontiers in Neurology</i> , 2022 , 13, 819896	4.1	0
130	A non-peptidic MAS1 agonist AVE0991 alleviates hippocampal synaptic degeneration in rats with chronic cerebral hypoperfusion. <i>Current Neurovascular Research</i> , 2021 ,	1.8	1
129	Synergistic Inhibition of Drug-Resistant Colon Cancer Growth with PI3K/mTOR Dual Inhibitor BEZ235 and Nano-Emulsioned Paclitaxel via Reducing Multidrug Resistance and Promoting Apoptosis. <i>International Journal of Nanomedicine</i> , 2021 , 16, 2173-2186	7.3	9
128	Admission blood cell counts are predictive of stroke-associated infection in acute ischemic stroke patients treated with endovascular therapy. <i>Neurological Sciences</i> , 2021 , 42, 2397-2409	3.5	9
127	The association of neutrophil to lymphocyte ratio, platelet to lymphocyte ratio, and lymphocyte to monocyte ratio with post-thrombolysis early neurological outcomes in patients with acute ischemic stroke. <i>Journal of Neuroinflammation</i> , 2021 , 18, 51	10.1	23
126	Endovascular treatment of acute ischemic stroke due to anterior circulation large vessel occlusion beyond 6 hours: a real-world study in China. <i>BMC Neurology</i> , 2021 , 21, 92	3.1	1
125	Clinical value of Young Stroke Questionnaire. <i>European Journal of Neurology</i> , 2021 , 28, e97	6	
124	Clinical significance of stroke nurse in patients with acute ischemic stroke receiving intravenous thrombolysis. <i>BMC Neurology</i> , 2021 , 21, 359	3.1	0
123	Angiotensin-(1-7) Analogue AVE0991 Modulates Astrocyte-Mediated Neuroinflammation via lncRNA SNHG14/miR-223-3p/NLRP3 Pathway and Offers Neuroprotection in a Transgenic Mouse Model of Alzheimer's Disease.. <i>Journal of Inflammation Research</i> , 2021 , 14, 7007-7019	4.8	4
122	The Role of TREML2 in Alzheimer's Disease. <i>Journal of Alzheimerts Disease</i> , 2020 , 76, 799-806	4.3	4
121	A TREML2 missense variant influences specific hippocampal subfield volumes in cognitively normal elderly subjects. <i>Brain and Behavior</i> , 2020 , 10, e01573	3.4	3
120	ACE2 activator diminazene aceturate ameliorates Alzheimer's disease-like neuropathology and rescues cognitive impairment in SAMP8 mice. <i>Aging</i> , 2020 , 12, 14819-14829	5.6	13
119	Symptomatic Intracranial Hemorrhage After Mechanical Thrombectomy in Chinese Ischemic Stroke Patients: The ASIAN Score. <i>Stroke</i> , 2020 , 51, 2690-2696	6.7	17
118	NLRP3 Inflammasome: A Potential Therapeutic Target in Fine Particulate Matter-Induced Neuroinflammation in Alzheimer's Disease. <i>Journal of Alzheimerts Disease</i> , 2020 , 77, 923-934	4.3	4
117	Neutrophil-lymphocyte ratio predicts post-thrombolysis early neurological deterioration in acute ischemic stroke patients. <i>Brain and Behavior</i> , 2019 , 9, e01426	3.4	10
116	Soluble TREM1 concentrations are increased and positively correlated with total tau levels in the plasma of patients with Alzheimer's disease. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 1801-1805	4.8	12

115	Low triglyceride to high-density lipoprotein cholesterol ratio predicts hemorrhagic transformation in large atherosclerotic infarction of acute ischemic stroke. <i>Aging</i> , 2019 , 11, 1589-1601	5.6	11
114	A COACHS Nomogram to Predict the Probability of Three-Month Unfavorable Outcome after Acute Ischemic Stroke in Chinese Patients. <i>Cerebrovascular Diseases</i> , 2019 , 47, 80-87	3.2	7
113	External Validation of START nomogram to predict 3-Month unfavorable outcome in Chinese acute stroke patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 1618-1622	2.8	2
112	The association between high-sensitivity C-reactive protein at admission and progressive motor deficits in patients with penetrating artery infarctions. <i>BMC Neurology</i> , 2019 , 19, 346	3.1	4
111	Dihydroergotoxine mesylate for the treatment of sialorrhea in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019 , 58, 70-73	3.6	5
110	TREM2 Ameliorates Neuronal Tau Pathology Through Suppression of Microglial Inflammatory Response. <i>Inflammation</i> , 2018 , 41, 811-823	5.1	28
109	PM2.5 exposure aggravates oligomeric amyloid beta-induced neuronal injury and promotes NLRP3 inflammasome activation in an in vitro model of Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2018 , 15, 132	10.1	47
108	AVE0991, a nonpeptide analogue of Ang-(1-7), attenuates aging-related neuroinflammation. <i>Aging</i> , 2018 , 10, 645-657	5.6	25
107	MFN2 ameliorates cell apoptosis in a cellular model of Parkinson's disease induced by rotenone. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 3680-3685	2.1	5
106	Involvement of angiotensin-(1-7) in the neuroprotection of captopril against focal cerebral ischemia. <i>Neuroscience Letters</i> , 2018 , 687, 16-21	3.3	9
105	Angiotensin IV suppresses inflammation in the brains of rats with chronic cerebral hypoperfusion. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2018 , 19, 1470320318799587	3	4
104	Association of Parkinson's Disease GWAS-Linked Loci with Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2017 , 54, 308-318	6.2	18
103	TREM2 Overexpression has No Improvement on Neuropathology and Cognitive Impairment in Aging APP ^{swe} /PS1 ^{dE9} Mice. <i>Molecular Neurobiology</i> , 2017 , 54, 855-865	6.2	28
102	A Missense Variant in TREML2 Reduces Risk of Alzheimer's Disease in a Han Chinese Population. <i>Molecular Neurobiology</i> , 2017 , 54, 977-982	6.2	9
101	Effect of CR1 Genetic Variants on Cerebrospinal Fluid and Neuroimaging Biomarkers in Healthy, Mild Cognitive Impairment and Alzheimer's Disease Cohorts. <i>Molecular Neurobiology</i> , 2017 , 54, 551-562	6.2	15
100	Impacts of CD33 Genetic Variations on the Atrophy Rates of Hippocampus and Parahippocampal Gyrus in Normal Aging and Mild Cognitive Impairment. <i>Molecular Neurobiology</i> , 2017 , 54, 1111-1118	6.2	12
99	GWAS-Linked Loci and Neuroimaging Measures in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017 , 54, 146-153	6.2	15
98	PGRN Is Associated with Late-Onset Alzheimer's Disease: a Case-Control Replication Study and Meta-analysis. <i>Molecular Neurobiology</i> , 2017 , 54, 1187-1195	6.2	22

97	SORL1 Is Associated with the Risk of Late-Onset Alzheimer's Disease: a Replication Study and Meta-Analyses. <i>Molecular Neurobiology</i> , 2017 , 54, 1725-1732	6.2	7
96	HLA-A2 Alleles Mediate Alzheimer's Disease by Altering Hippocampal Volume. <i>Molecular Neurobiology</i> , 2017 , 54, 2469-2476	6.2	7
95	Association of DISC1 Polymorphisms with Late-Onset Alzheimer's Disease in Northern Han Chinese. <i>Molecular Neurobiology</i> , 2017 , 54, 2922-2927	6.2	3
94	Genetic Association of HLA Gene Variants with MRI Brain Structure in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2017 , 54, 3195-3204	6.2	18
93	Effects of HLA-DRB1/DQB1 Genetic Variants on Neuroimaging in Healthy, Mild Cognitive Impairment, and Alzheimer's Disease Cohorts. <i>Molecular Neurobiology</i> , 2017 , 54, 3181-3188	6.2	11
92	Azilsartan ameliorates apoptosis of dopaminergic neurons and rescues characteristic parkinsonian behaviors in a rat model of Parkinson's disease. <i>Oncotarget</i> , 2017 , 8, 24099-24109	3.3	9
91	TREM2 and the Progression of Alzheimer's Disease. <i>Current Neurovascular Research</i> , 2017 , 14, 177-183	1.8	6
90	Cerebral Microinfarcts and Dementia: A Systematic Review and Metaanalysis. <i>Current Alzheimer Research</i> , 2017 , 14, 802-808	3	6
89	Multiple Effect of APOE Genotype on Clinical and Neuroimaging Biomarkers Across Alzheimer's Disease Spectrum. <i>Molecular Neurobiology</i> , 2016 , 53, 4539-47	6.2	35
88	Activation of Autophagy Contributes to the Angiotensin II-Triggered Apoptosis in a Dopaminergic Neuronal Cell Line. <i>Molecular Neurobiology</i> , 2016 , 53, 2911-2919	6.2	20
87	Mitochondrial-dependent mechanisms are involved in angiotensin II-induced apoptosis in dopaminergic neurons. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016 , 17,	3	18
86	Effect of CLU genetic variants on cerebrospinal fluid and neuroimaging markers in healthy, mild cognitive impairment and Alzheimer's disease cohorts. <i>Scientific Reports</i> , 2016 , 6, 26027	4.9	32
85	Angiotensin-(1-7) is Reduced and Inversely Correlates with Tau Hyperphosphorylation in Animal Models of Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 2489-97	6.2	49
84	Risk factors for predicting progression from mild cognitive impairment to Alzheimer's disease: a systematic review and meta-analysis of cohort studies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 476-84	5.5	141
83	Association of Single-Nucleotide Polymorphism in ANK1 with Late-Onset Alzheimer's Disease in Han Chinese. <i>Molecular Neurobiology</i> , 2016 , 53, 6476-6481	6.2	13
82	The Impact of UNC5C Genetic Variations on Neuroimaging in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 6759-6767	6.2	14
81	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
80	TREM2 modifies microglial phenotype and provides neuroprotection in P301S tau transgenic mice. <i>Neuropharmacology</i> , 2016 , 105, 196-206	5.5	99

79	Inhibition of endoplasmic reticulum stress-activated IRE1-TRAF2-caspase-12 apoptotic pathway is involved in the neuroprotective effects of telmisartan in the rotenone rat model of Parkinson's disease. <i>European Journal of Pharmacology</i> , 2016 , 776, 106-15	5.3	53
78	Dietary Patterns and Risk of Dementia: a Systematic Review and Meta-Analysis of Cohort Studies. <i>Molecular Neurobiology</i> , 2016 , 53, 6144-6154	6.2	120
77	The Role of Cdk5 in Alzheimer's Disease. <i>Molecular Neurobiology</i> , 2016 , 53, 4328-42	6.2	117
76	Impact of Common Variations in PLD3 on Neuroimaging Phenotypes in Non-demented Elders. <i>Molecular Neurobiology</i> , 2016 , 53, 4343-51	6.2	10
75	The prevalence of neuropsychiatric symptoms in Alzheimer's disease: Systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 190, 264-271	6.6	378
74	Effect of HMGR genetic variation on neuroimaging biomarkers in healthy, mild cognitive impairment and Alzheimer's disease cohorts. <i>Oncotarget</i> , 2016 , 7, 13319-27	3.3	3
73	Association of HMGR polymorphism with late-onset Alzheimer's disease in Han Chinese. <i>Oncotarget</i> , 2016 , 7, 22746-51	3.3	9
72	MEF2C rs190982 polymorphism with late-onset Alzheimer's disease in Han Chinese: A replication study and meta-analyses. <i>Oncotarget</i> , 2016 , 7, 39136-39142	3.3	9
71	Association study of the PLXNA4 gene with the risk of Alzheimer's disease. <i>Annals of Translational Medicine</i> , 2016 , 4, 108	3.2	4
70	Toward precision medicine in neurological diseases. <i>Annals of Translational Medicine</i> , 2016 , 4, 104	3.2	22
69	Plasma Angiotensin-(1-7) is a Potential Biomarker for Alzheimer's Disease. <i>Current Neurovascular Research</i> , 2016 , 13, 96-9	1.8	25
68	TREM2 p.H157Y Variant and the Risk of Alzheimer's Disease: A Meta-Analysis Involving 14,510 Subjects. <i>Current Neurovascular Research</i> , 2016 , 13, 318-320	1.8	18
67	ZCWPW1 is associated with late-onset Alzheimer's disease in Han Chinese: a replication study and meta-analyses. <i>Oncotarget</i> , 2016 , 7, 20305-11	3.3	13
66	Application of the IWG-2 Diagnostic Criteria for Alzheimer's Disease to the ADNI. <i>Journal of Alzheimers Disease</i> , 2016 , 51, 227-36	4.3	10
65	Bridging Integrator 1 (BIN1) Genotypes Mediate Alzheimer's Disease Risk by Altering Neuronal Degeneration. <i>Journal of Alzheimers Disease</i> , 2016 , 52, 179-90	4.3	26
64	The impact of PICALM genetic variations on reserve capacity of posterior cingulate in AD continuum. <i>Scientific Reports</i> , 2016 , 6, 24480	4.9	9
63	A rare coding variant in TREM2 increases risk for Alzheimer's disease in Han Chinese. <i>Neurobiology of Aging</i> , 2016 , 42, 217.e1-3	5.6	53
62	Common Polymorphisms Within QPCT Gene Are Associated with the Susceptibility of Schizophrenia in a Han Chinese Population. <i>Molecular Neurobiology</i> , 2016 , 53, 6362-6366	6.2	3

61	Common variant in PTK2B is associated with late-onset Alzheimer's disease: A replication study and meta-analyses. <i>Neuroscience Letters</i> , 2016 , 621, 83-87	3.3	11
60	Distinct neurological disorders with C9orf72 mutations: genetics, pathogenesis, and therapy. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 66, 127-42	9	10
59	Independent Correlation of Serum Homocysteine with Cerebral Microbleeds in Patients with Acute Ischemic Stroke due to Large-Artery Atherosclerosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 2746-2751	2.8	16
58	TREM1 facilitates microglial phagocytosis of amyloid beta. <i>Acta Neuropathologica</i> , 2016 , 132, 667-683	14.3	42
57	NLRP1 inflammasome is activated in patients with medial temporal lobe epilepsy and contributes to neuronal pyroptosis in amygdala kindling-induced rat model. <i>Journal of Neuroinflammation</i> , 2015 , 12, 18	10.1	101
56	TSNARE1 polymorphisms are associated with schizophrenia susceptibility in Han Chinese. <i>Journal of Neural Transmission</i> , 2015 , 122, 929-32	4.3	4
55	Angiotensin II triggers apoptosis via enhancement of NADPH oxidase-dependent oxidative stress in a dopaminergic neuronal cell line. <i>Neurochemical Research</i> , 2015 , 40, 854-63	4.6	20
54	Genetics of Vascular Dementia: Systematic Review and Meta-Analysis. <i>Journal of Alzheimers Disease</i> , 2015 , 46, 611-29	4.3	45
53	Silencing of TREM2 exacerbates tau pathology, neurodegenerative changes, and spatial learning deficits in P301S tau transgenic mice. <i>Neurobiology of Aging</i> , 2015 , 36, 3176-3186	5.6	60
52	Meta-analysis of modifiable risk factors for Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 1299-306	5.5	244
51	Angiotensin AT2 receptor stimulation inhibits activation of NADPH oxidase and ameliorates oxidative stress in rotenone model of Parkinson's disease in CATH.a cells. <i>Neurotoxicology and Teratology</i> , 2015 , 47, 16-24	3.9	26
50	Efficacy and safety of cholinesterase inhibitors and memantine in cognitive impairment in Parkinson's disease, Parkinson's disease dementia, and dementia with Lewy bodies: systematic review with meta-analysis and trial sequential analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 125-32	5.5	164
49	Physiotherapy intervention in Alzheimer's disease: systematic review and meta-analysis. <i>Journal of Alzheimers Disease</i> , 2015 , 44, 163-74	4.3	24
48	CR1 in Alzheimer's disease. <i>Molecular Neurobiology</i> , 2015 , 51, 753-65	6.2	39
47	Ischemic preconditioning provides neuroprotection by induction of AMP-activated protein kinase-dependent autophagy in a rat model of ischemic stroke. <i>Molecular Neurobiology</i> , 2015 , 51, 220-9	6.2	78
46	Efficacy and adverse effects of ginkgo biloba for cognitive impairment and dementia: a systematic review and meta-analysis. <i>Journal of Alzheimers Disease</i> , 2015 , 43, 589-603	4.3	127
45	Serum Iron, Zinc, and Copper Levels in Patients with Alzheimer's Disease: A Replication Study and Meta-Analyses. <i>Journal of Alzheimers Disease</i> , 2015 , 47, 565-81	4.3	70
44	Common Variants in PLD3 and Correlation to Amyloid-Related Phenotypes in Alzheimer's Disease. <i>Journal of Alzheimers Disease</i> , 2015 , 46, 491-5	4.3	15

43	Magnetic Resonance Spectroscopy in Alzheimer's Disease: Systematic Review and Meta-Analysis. <i>Journal of Alzheimerts Disease</i> , 2015 , 46, 1049-70	4.3	63
42	Multimodal Voxel-Based Meta-Analysis of White Matter Abnormalities in Alzheimer's Disease. <i>Journal of Alzheimerts Disease</i> , 2015 , 47, 495-507	4.3	16
41	Effect of EPHA1 genetic variation on cerebrospinal fluid and neuroimaging biomarkers in healthy, mild cognitive impairment and Alzheimer's disease cohorts. <i>Journal of Alzheimerts Disease</i> , 2015 , 44, 115-23	4.3	19
40	Genome-wide circulating microRNA expression profiling indicates biomarkers for epilepsy. <i>Scientific Reports</i> , 2015 , 5, 9522	4.9	86
39	Circulating microRNAs are promising novel biomarkers for drug-resistant epilepsy. <i>Scientific Reports</i> , 2015 , 5, 10201	4.9	98
38	Rate of early onset Alzheimer's disease: a systematic review and meta-analysis. <i>Annals of Translational Medicine</i> , 2015 , 3, 38	3.2	47
37	Body fluid biomarkers in Alzheimer's disease. <i>Annals of Translational Medicine</i> , 2015 , 3, 70	3.2	12
36	Circulating miR-125b as a biomarker of Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 52-6	3.2	147
35	Efficacy and safety of donepezil, galantamine, rivastigmine, and memantine for the treatment of Alzheimer's disease: a systematic review and meta-analysis. <i>Journal of Alzheimerts Disease</i> , 2014 , 41, 615-31	4.3	274
34	CD33 in Alzheimer's disease. <i>Molecular Neurobiology</i> , 2014 , 49, 529-35	6.2	65
33	Autophagy in aging and neurodegenerative diseases: implications for pathogenesis and therapy. <i>Neurobiology of Aging</i> , 2014 , 35, 941-57	5.6	178
32	Genetic variation in BIN1 gene and Alzheimer's disease risk in Han Chinese individuals. <i>Neurobiology of Aging</i> , 2014 , 35, 1781.e1-8	5.6	28
31	Angiotensin-(1-7) induces cerebral ischaemic tolerance by promoting brain angiogenesis in a Mas/eNOS-dependent pathway. <i>British Journal of Pharmacology</i> , 2014 , 171, 4222-32	8.6	65
30	Acute metformin preconditioning confers neuroprotection against focal cerebral ischaemia by pre-activation of AMPK-dependent autophagy. <i>British Journal of Pharmacology</i> , 2014 , 171, 3146-57	8.6	176
29	Genome-wide serum microRNA expression profiling identifies serum biomarkers for Alzheimer's disease. <i>Journal of Alzheimerts Disease</i> , 2014 , 40, 1017-27	4.3	147
28	rs11098403 polymorphism near NDST3 is associated with a reduced risk of schizophrenia in a Han Chinese population. <i>Neuroscience Letters</i> , 2014 , 581, 42-5	3.3	7
27	Association of IL-12A and IL-12B polymorphisms with Alzheimer's disease susceptibility in a Han Chinese population. <i>Journal of Neuroimmunology</i> , 2014 , 274, 180-4	3.5	27
26	Upregulation of TREM2 ameliorates neuropathology and rescues spatial cognitive impairment in a transgenic mouse model of Alzheimer's disease. <i>Neuropsychopharmacology</i> , 2014 , 39, 2949-62	8.7	168

25	Genetic variation in PICALM and Alzheimer's disease risk in Han Chinese. <i>Neurobiology of Aging</i> , 2014 , 35, 934.e1-3	5.6	20
24	Temsirolimus promotes autophagic clearance of amyloid- β and provides protective effects in cellular and animal models of Alzheimer's disease. <i>Pharmacological Research</i> , 2014 , 81, 54-63	10.2	129
23	Triggering receptor expressed on myeloid cells 2 knockdown exacerbates aging-related neuroinflammation and cognitive deficiency in senescence-accelerated mouse prone 8 mice. <i>Neurobiology of Aging</i> , 2014 , 35, 1243-51	5.6	69
22	Activation of double-stranded RNA-dependent protein kinase inhibits proliferation of pancreatic β cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 443, 814-20	3.4	16
21	Decreased expression of CD33 in peripheral mononuclear cells of Alzheimer's disease patients. <i>Neuroscience Letters</i> , 2014 , 563, 51-4	3.3	14
20	Association of LRRTM3 polymorphisms with late-onset Alzheimer's disease in Han Chinese. <i>Experimental Gerontology</i> , 2014 , 52, 18-22	4.5	10
19	Temsirolimus attenuates tauopathy in vitro and in vivo by targeting tau hyperphosphorylation and autophagic clearance. <i>Neuropharmacology</i> , 2014 , 85, 121-30	5.5	90
18	Genome-wide microRNA expression profiles in hippocampus of rats with chronic temporal lobe epilepsy. <i>Scientific Reports</i> , 2014 , 4, 4734	4.9	42
17	Association between NME8 locus polymorphism and cognitive decline, cerebrospinal fluid and neuroimaging biomarkers in Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e114777	3.7	31
16	Inhibition of the NLRP3 inflammasome provides neuroprotection in rats following amygdala kindling-induced status epilepticus. <i>Journal of Neuroinflammation</i> , 2014 , 11, 212	10.1	55
15	Microglia in Alzheimer's disease. <i>BioMed Research International</i> , 2014 , 2014, 437483	3	38
14	Triggering receptor expressed on myeloid cells 2 variant is rare in late-onset Alzheimer's disease in Han Chinese individuals. <i>Neurobiology of Aging</i> , 2014 , 35, 937.e1-3	5.6	50
13	Meta-analysis of peripheral blood apolipoprotein E levels in Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e89641	9.7	27
12	The genetic variation of ARRB2 is associated with late-onset Alzheimer's disease in Han Chinese. <i>Current Alzheimer Research</i> , 2014 , 11, 408-12	3	13
11	Application of next-generation sequencing technologies in Neurology. <i>Annals of Translational Medicine</i> , 2014 , 2, 125	3.2	23
10	Genome-wide association studies in neurology. <i>Annals of Translational Medicine</i> , 2014 , 2, 124	3.2	18
9	β Arrestins as potential therapeutic targets for Alzheimer's disease. <i>Molecular Neurobiology</i> , 2013 , 48, 812-8	6.2	20
8	The expression of angiotensin-converting enzyme 2-angiotensin-(1-7)-Mas receptor axis are upregulated after acute cerebral ischemic stroke in rats. <i>Neuropeptides</i> , 2013 , 47, 289-95	3.3	52

7	TREM2 in Alzheimer's disease. <i>Molecular Neurobiology</i> , 2013 , 48, 180-5	6.2	89
6	Angiotensin-(1-7) inhibits autophagy in the brain of spontaneously hypertensive rats. <i>Pharmacological Research</i> , 2013 , 71, 61-8	10.2	32
5	Angiotensin-(1-7) modulates renin-angiotensin system associated with reducing oxidative stress and attenuating neuronal apoptosis in the brain of hypertensive rats. <i>Pharmacological Research</i> , 2013 , 67, 84-93	10.2	71
4	Epidemiology and etiology of Alzheimer's disease: from genetic to non-genetic factors. <i>Current Alzheimer Research</i> , 2013 , 10, 852-67	3	137
3	ACE2-Ang-(1-7)-Mas Axis in Brain: A Potential Target for Prevention and Treatment of Ischemic Stroke. <i>Current Neuropharmacology</i> , 2013 , 11, 209-17	7.6	91
2	Suppressing inflammation by inhibiting the NF- κ B pathway contributes to the neuroprotective effect of angiotensin-(1-7) in rats with permanent cerebral ischaemia. <i>British Journal of Pharmacology</i> , 2012 , 167, 1520-32	8.6	107
1	Novel disease-modifying therapies for Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2012 , 31, 475-83	4.3	58