

Haeryoung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4409467/publications.pdf>

Version: 2024-02-01

184
papers

5,547
citations

109137

35
h-index

110170

64
g-index

199
all docs

199
docs citations

199
times ranked

8239
citing authors

#	ARTICLE	IF	CITATIONS
1	Usefulness of Liquid-Based Cytology in Diagnosing Biliary Tract Cancer Compared to Conventional Smear and Forceps Biopsy. <i>Digestive Diseases and Sciences</i> , 2023, 68, 274-283.	1.1	2
2	Four-Tier Pathologic Tumor Regression Grading System Predicts the Clinical Outcome in Patients Who Undergo Surgical Resection for Locally Advanced Pancreatic Cancer after Neoadjuvant Chemotherapy. <i>Gut and Liver</i> , 2022, 16, 129-137.	1.4	2
3	LI-RADS Tumor in Vein at CT and Hepatobiliary MRI. <i>Radiology</i> , 2022, 302, 107-115.	3.6	13
4	Magnetic Resonance Elastography Versus Transient Elastography in the Prediction of Complications After Resection for Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2022, 276, e466-e473.	2.1	10
5	Noninvasive assessment of hepatic steatosis using a pathologic reference standard: comparison of CT, MRI, and US-based techniques. <i>Ultrasonography</i> , 2022, 41, 344-354.	1.0	15
6	Genetic, Clinicopathological, and Radiological Features of Intrahepatic Cholangiocarcinoma with Ductal Plate Malformation Pattern. <i>Gut and Liver</i> , 2022, 16, 613-624.	1.4	6
7	Oncologic outcomes according to the location and status of resection margin in pancreas head cancer: role of radiation therapy in R1 resection. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 10.	0.4	3
8	Prognosis in primary mucinous ovarian carcinoma: focusing on the five pathological findings indicating metastatic mucinous carcinoma to the ovary. <i>Journal of Gynecologic Oncology</i> , 2022, 33, .	1.0	4
9	Diagnostic Accuracy of CT for Evaluating Circumferential Resection Margin Status in Resectable or Borderline Resectable Pancreatic Head Cancer: A Prospective Study Using Axially Sliced Surgical Pathologic Correlation. <i>Korean Journal of Radiology</i> , 2022, 23, .	1.5	1
10	Diagnostic Performance of Spin-Echo Echo-Planar Imaging Magnetic Resonance Elastography in 3T System for Noninvasive Assessment of Hepatic Fibrosis. <i>Korean Journal of Radiology</i> , 2022, 23, 180.	1.5	4
11	Performance of LI-RADS Version 2018 on CT for Determining Eligibility for Liver Transplant According to Milan Criteria in Patients at High Risk for Hepatocellular Carcinoma. <i>American Journal of Roentgenology</i> , 2022, 219, 86-96.	1.0	7
12	Establishment of Patient-Derived Pancreatic Cancer Organoids from Endoscopic Ultrasound-Guided Fine-Needle Aspiration Biopsies. <i>Gut and Liver</i> , 2022, 16, 625-636.	1.4	6
13	Liver Graft Failure after Plastic Stent Removal of an Anastomotic Biliary Stricture. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2022, 79, 217-221.	0.2	0
14	Quantitative Assessment of Fatty Liver using Ultrasound with Normalized Local Variance Technique. <i>Ultraschall in Der Medizin</i> , 2021, 42, 599-606.	0.8	9
15	Accuracy of Two-Dimensional Shear Wave Elastography and Attenuation Imaging for Evaluation of Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 797-805.e7.	2.4	86
16	Association between spleen volume and the post-hepatectomy liver failure and overall survival of patients with hepatocellular carcinoma after resection. <i>European Radiology</i> , 2021, 31, 2461-2471.	2.3	20
17	Phase II Study of Avelumab in Patients with Advanced Hepatocellular Carcinoma Previously Treated with Sorafenib. <i>Clinical Cancer Research</i> , 2021, 27, 713-718.	3.2	27
18	T2 gallbladder cancer shows substantial survival variation between continents and this is not due to histopathologic criteria or pathologic sampling differences. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 875-884.	1.4	10

#	ARTICLE	IF	CITATIONS
19	2D shear wave elastography is better than transient elastography in predicting post-hepatectomy complication after resection. <i>European Radiology</i> , 2021, 31, 5802-5811.	2.3	6
20	A Clinically Applicable 24-Protein Model for Classifying Risk Subgroups in Pancreatic Ductal Adenocarcinomas using Multiple Reaction Monitoring-Mass Spectrometry. <i>Clinical Cancer Research</i> , 2021, 27, 3370-3382.	3.2	11
21	Short-term therapy with anti-ICAM-1 monoclonal antibody induced long-term liver allograft survival in nonhuman primates. <i>American Journal of Transplantation</i> , 2021, 21, 2978-2991.	2.6	2
22	Multiple hepatocyte nuclear factor 1A (HNF1A)-inactivated hepatocellular adenomas arising in a background of congenital hepatic fibrosis. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 154-158.	0.4	3
23	Preoperative assessment of the resectability of pancreatic ductal adenocarcinoma on CT according to the NCCN Guidelines focusing on SMA/SMV branch invasion. <i>European Radiology</i> , 2021, 31, 6889-6897.	2.3	14
24	Pathological predictive factors for late recurrence of hepatocellular carcinoma in chronic liver disease. <i>Liver International</i> , 2021, 41, 1662-1674.	1.9	3
25	The Clinicopathological Significance of YAP/TAZ Expression in Hepatocellular Carcinoma with Relation to Hypoxia and Stemness. <i>Pathology and Oncology Research</i> , 2021, 27, 604600.	0.9	8
26	Hepatic fibrosis grading with extracellular volume fraction from iodine mapping in spectral liver CT. <i>European Journal of Radiology</i> , 2021, 137, 109604.	1.2	17
27	Biopsy or cytology for diagnosing hepatic focal lesions?. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 278-280.	4.5	1
28	Radio-pathologic correlation of biphenotypic primary liver cancer (combined hepatocellular) liver MRI. <i>European Radiology</i> , 2021, 31, 9479-9488.	2.3	8
29	Comparison of Clinical Outcomes of Borderline Resectable Pancreatic Cancer According to the Neoadjuvant Chemo-Regimens: Gemcitabine versus FOLFIRINOX. <i>Gut and Liver</i> , 2021, 15, 466-475.	1.4	11
30	Hepatocellular adenomas: recent updates. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 171-180.	0.4	11
31	Evaluation of LI-RADS Version 2018 Treatment Response Algorithm for Hepatocellular Carcinoma in Liver Transplant Candidates: Intraindividual Comparison between CT and Hepatobiliary Agent-enhanced MRI. <i>Radiology</i> , 2021, 299, 336-345.	3.6	13
32	Tailored adjuvant gemcitabine versus 5-fluorouracil/folinic acid based on hENT1 immunohistochemical staining in resected pancreatic ductal adenocarcinoma: A biomarker stratified prospective trial. <i>Pancreatology</i> , 2021, 21, 796-804.	0.5	2
33	CT Characterization of Aggressive Macrotrabecular-Massive Hepatocellular Carcinoma: A Step Forward to Personalized Medicine. <i>Radiology</i> , 2021, 300, 230-232.	3.6	6
34	KASL clinical practice guidelines: Management of nonalcoholic fatty liver disease. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 363-401.	4.5	152
35	Gadoxetate-enhanced MRI Features of Proliferative Hepatocellular Carcinoma Are Prognostic after Surgery. <i>Radiology</i> , 2021, 300, 572-582.	3.6	45
36	Prognostic significance of viable tumor size measurement in hepatocellular carcinomas after preoperative locoregional treatment. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 338-348.	0.4	3

#	ARTICLE	IF	CITATIONS
37	The Effects of PPAR Agonists on Atherosclerosis and Nonalcoholic Fatty Liver Disease in ApoE ^{-/-} /FXR ^{-/-} Mice. <i>Endocrinology and Metabolism</i> , 2021, 36, 1243-1253.	1.3	11
38	Clinicopathologic analysis of intraductal papillary neoplasm of bile duct: Korean multicenter cohort study. <i>Hpb</i> , 2020, 22, 1139-1148.	0.1	27
39	Comparison of liquid-based cytology with conventional smear cytology for EUS-guided FNA of solid pancreatic masses: a prospective randomized noninferiority study. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 837-846.e1.	0.5	23
40	Risk of Liver Cirrhosis and Hepatocellular Carcinoma after Fontan Operation: A Need for Surveillance. <i>Cancers</i> , 2020, 12, 1805.	1.7	23
41	Contrast-enhanced US with Sulfur Hexafluoride and Perfluorobutane for the Diagnosis of Hepatocellular Carcinoma in Individuals with High Risk. <i>Radiology</i> , 2020, 297, 108-116.	3.6	32
42	The Clinicopathological and Prognostic Significance of Nrf2 and Keap1 Expression in Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 2128.	1.7	12
43	Survival benefit of adjuvant chemoradiotherapy for positive or close resection margin after curative resection of pancreatic adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2020, 46, 2122-2130.	0.5	2
44	Marker Identification of the Grade of Dysplasia of Intraductal Papillary Mucinous Neoplasm in Pancreatic Cyst Fluid by Quantitative Proteomic Profiling. <i>Cancers</i> , 2020, 12, 2383.	1.7	9
45	Clinico-Radio-Pathological and Molecular Features of Hepatocellular Carcinomas with Keratin 19 Expression. <i>Liver Cancer</i> , 2020, 9, 663-681.	4.2	27
46	Radiologic-Pathologic Correlation of Hepatobiliary Phase Hypointense Nodules without Arterial Phase Hyperenhancement at Gadoteric Acid-enhanced MRI: A Multicenter Study. <i>Radiology</i> , 2020, 296, 335-345.	3.6	42
47	Prognostic perspectives of PD-L1 combined with tumor-infiltrating lymphocytes, Epstein-Barr virus, and microsatellite instability in gastric carcinomas. <i>Diagnostic Pathology</i> , 2020, 15, 69.	0.9	25
48	Clinicopathological characteristics of intraductal papillary neoplasm of the bile duct: a Japan-Korea collaborative study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 581-597.	1.4	37
49	Prognostic impact of concurrent nonalcoholic fatty liver disease in patients with chronic hepatitis B-related hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1960-1968.	1.4	13
50	Differential and prognostic MRI features of gallbladder neuroendocrine tumors and adenocarcinomas. <i>European Radiology</i> , 2020, 30, 2890-2901.	2.3	13
51	Pancreatic acinar cell carcinomas and mixed acinar-neuroendocrine carcinomas are more clinically aggressive than grade 1 pancreatic neuroendocrine tumours. <i>Pathology</i> , 2020, 52, 336-347.	0.3	14
52	Histopathological Variants of Hepatocellular Carcinomas: an Update According to the 5th Edition of the WHO Classification of Digestive System Tumors. <i>Journal of Liver Cancer</i> , 2020, 20, 17-24.	0.3	30
53	Two-Dimensional-Shear Wave Elastography with a Propagation Map: Prospective Evaluation of Liver Fibrosis Using Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2020, 21, 1317.	1.5	12
54	Combined Hepatocellular-Cholangiocarcinoma: Changes in the 2019 World Health Organization Histological Classification System and Potential Impact on Imaging-Based Diagnosis. <i>Korean Journal of Radiology</i> , 2020, 21, 1115.	1.5	24

#	ARTICLE	IF	CITATIONS
55	Pancreatic High-Grade Neuroendocrine Neoplasms in the Korean Population: A Multicenter Study. <i>Cancer Research and Treatment</i> , 2020, 52, 263-276.	1.3	19
56	Higher Tumor Cellularity in Resected Pancreatic Ductal Adenocarcinoma Is a Negative Prognostic Indicator. <i>Gut and Liver</i> , 2020, 14, 521-528.	1.4	6
57	Pathologic interpretation of endoscopic ultrasound-guided fine needle aspiration cytology/biopsy for pancreatic lesions. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 367-377.	0.4	5
58	Shear-Wave Dispersion Slope from US Shear-Wave Elastography: Detection of Allograft Damage after Liver Transplantation. <i>Radiology</i> , 2019, 293, 327-333.	3.6	60
59	Assessment of hepatic steatosis by using attenuation imaging: a quantitative, easy-to-perform ultrasound technique. <i>European Radiology</i> , 2019, 29, 6499-6507.	2.3	104
60	Programmed cell death ligand-1 (PD-L1) expression in extrahepatic biliary tract cancers: a comparative study using 22C3, SP263 and E1L3N anti-PD-L1 antibodies. <i>Histopathology</i> , 2019, 75, 526-536.	1.6	17
61	Diagnostic performance of a point shear wave elastography (pSWE) for hepatic fibrosis in patients with autoimmune liver disease. <i>PLoS ONE</i> , 2019, 14, e0212771.	1.1	20
62	Quantitative contrast-enhanced US helps differentiating neoplastic vs non-neoplastic gallbladder polyps. <i>European Radiology</i> , 2019, 29, 3772-3781.	2.3	24
63	Quantitative Evaluation of Hepatic Steatosis Using Normalized Local Variance in a Rat Model: Comparison with Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2019, 20, 1399.	1.5	8
64	Cytomorphological Features of Hyperchromatic Crowded Groups in Liquid-Based Cervicovaginal Cytology: A Single Institutional Experience. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 393-398.	0.4	3
65	Liquid-Based Cytology Features of Papillary Squamotransitional Cell Carcinoma of the Uterine Cervix. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 341-344.	0.4	1
66	A statement by the Japan-Korea expert pathologists for future clinicopathological and molecular analyses toward consensus building of intraductal papillary neoplasm of the bile duct through several opinions at the present stage. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018, 25, 181-187.	1.4	85
67	Hepatic iron overload in the portal tract predicts poor survival in hepatocellular carcinoma after curative resection. <i>Liver International</i> , 2018, 38, 903-914.	1.9	9
68	Donor Specific Antibody Negative Antibody-Mediated Rejection after ABO Incompatible Liver Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2018, 32, 108.	0.2	0
69	Hippo-mediated suppression of IRS2/AKT signaling prevents hepatic steatosis and liver cancer. <i>Journal of Clinical Investigation</i> , 2018, 128, 1010-1025.	3.9	133
70	Human equilibrative nucleoside transporter 1 (hENT1) expression as a predictive biomarker for gemcitabine chemotherapy in biliary tract cancer. <i>PLoS ONE</i> , 2018, 13, e0209104.	1.1	13
71	It is necessary to exam bottom and top slide smears of EUS-FNA for pancreatic cancer. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 553-558.	0.6	1
72	Living-donor liver transplantation for giant hepatic hemangioma with diffuse hemangiomatosis in an adult: a case report. <i>Clinical and Molecular Hepatology</i> , 2018, 24, 163-168.	4.5	20

#	ARTICLE	IF	CITATIONS
73	The Clinicopathological and Prognostic Significance of the Gross Classification of Hepatocellular Carcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 85-92.	0.4	25
74	Combined Hepatocellular Carcinoma and Neuroendocrine Carcinoma with Ectopic Secretion of Parathyroid Hormone: A Case Report and Review of the Literature. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 232-237.	0.4	17
75	Coexistence of <i>Ureaplasma</i> and chorioamnionitis is associated with prolonged mechanical ventilation. <i>Pediatrics International</i> , 2017, 59, 34-40.	0.2	3
76	Association of Remnant Liver Ischemia With Early Recurrence and Poor Survival After Liver Resection in Patients With Hepatocellular Carcinoma. <i>JAMA Surgery</i> , 2017, 152, 386.	2.2	71
77	Undifferentiated embryonal sarcoma of the liver in a child: A whole exome sequencing analysis. <i>Digestive and Liver Disease</i> , 2017, 49, 944-946.	0.4	4
78	Prognostic value of p21-activated kinase 4 in resected pancreatic cancer. <i>Apmis</i> , 2017, 125, 699-707.	0.9	12
79	Tumour epithelial and stromal characteristics of hepatocellular carcinomas with abundant fibrous stroma: fibrolamellar versus scirrhous hepatocellular carcinoma. <i>Histopathology</i> , 2017, 71, 217-226.	1.6	29
80	The prognostic significance of cancer-associated fibroblasts in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771840.	0.8	39
81	F-18 fluorodeoxyglucose positron emission tomography for differential diagnosis and prognosis prediction of vascular tumors. <i>Oncology Letters</i> , 2017, 14, 665-672.	0.8	16
82	Expression Patterns of Nrf2 and Keap1 in Ovarian Cancer Cells and their Prognostic Role in Disease Recurrence and Patient Survival. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 412-419.	1.2	22
83	Plugged percutaneous biopsy of the liver in living-donor liver transplantation recipients suspected to have graft rejection. <i>Acta Radiologica</i> , 2017, 58, 771-777.	0.5	6
84	Efficacy of the multidisciplinary tumor board conference in gynecologic oncology. <i>Medicine (United States)</i> , 2017, 96, 107-112.	0.4	25
85	IL2RG, identified as overexpressed by RNA-seq profiling of pancreatic intraepithelial neoplasia, mediates pancreatic cancer growth. <i>Oncotarget</i> , 2017, 8, 83370-83383.	0.8	14
86	Histopathological evaluation of liver fibrosis and cirrhosis regression. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 302-307.	4.5	90
87	Progressive Enrichment of Stemness Features and Tumor Stromal Alterations in Multistep Hepatocarcinogenesis. <i>PLoS ONE</i> , 2017, 12, e0170465.	1.1	12
88	Tumor stroma with senescence-associated secretory phenotype in steatohepatic hepatocellular carcinoma. <i>PLoS ONE</i> , 2017, 12, e0171922.	1.1	32
89	Limited detection of small ($\leq 10\text{ mm}$) colorectal liver metastasis at preoperative CT in patients undergoing liver resection. <i>PLoS ONE</i> , 2017, 12, e0189797.	1.1	16
90	The General Rules for the Study of Primary Liver Cancer. <i>Journal of Liver Cancer</i> , 2017, 17, 19-44.	0.3	28

#	ARTICLE	IF	CITATIONS
91	Combination immunohistochemistry for SMAD4 and Runt-related transcription factor 3 may identify a favorable prognostic subgroup of pancreatic ductal adenocarcinomas. <i>Oncotarget</i> , 2017, 8, 76699-76711.	0.8	2
92	Increased expression of stemness markers and altered tumor stroma in hepatocellular carcinoma under TACE-induced hypoxia: A biopsy and resection matched study. <i>Oncotarget</i> , 2017, 8, 99359-99371.	0.8	20
93	Identifying Rational Candidates for Immunotherapy Targeting PD-1/PD-L1 in Cervical Cancer. <i>Anticancer Research</i> , 2017, 37, 5087-5094.	0.5	15
94	Glucagon-Like Peptide-1 Receptor Expression in Normal and Neoplastic Human Pancreatic Tissues. <i>Pancreas</i> , 2016, 45, 613-619.	0.5	1
95	Expression profile and prognostic value of glypican-3 in postoperative South Korean hepatocellular carcinoma patients. <i>Apmis</i> , 2016, 124, 208-215.	0.9	15
96	Hemophagocytic lymphohistiocytosis associated with SFTS virus infection. <i>Medicine (United States)</i> , 2016, 95, e4476.	0.4	20
97	Poor outcome of hepatocellular carcinoma with stemness marker under hypoxia: resistance to transarterial chemoembolization. <i>Modern Pathology</i> , 2016, 29, 1038-1049.	2.9	52
98	Determining the extent of cholecystectomy using intraoperative specimen ultrasonography in patients with suspected early gallbladder cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4229-4238.	1.3	10
99	Laparoscopic left lateral sectionectomy in patients with histologically confirmed cirrhosis. <i>Surgical Oncology</i> , 2016, 25, 132-138.	0.8	16
100	Changes in Noninvasive Liver Fibrosis Indices and Spleen Size During Chemotherapy. <i>Medicine (United States)</i> , 2016, 95, e4476.	0.45	23
101	Transforming acidic coiled-coil-containing protein 3 (TACC3) overexpression in hepatocellular carcinomas is associated with stemness and epithelial-mesenchymal transition-related marker expression and a poor prognosis. <i>Tumor Biology</i> , 2016, 37, 393-403.	0.8	10
102	Presence of pancreatic intraepithelial neoplasia-3 in a background of chronic pancreatitis in pancreatic cancer patients. <i>Cancer Science</i> , 2015, 106, 1408-1413.	1.7	9
103	High Expression of MicroRNA-196a Indicates Poor Prognosis in Resected Pancreatic Neuroendocrine Tumor. <i>Medicine (United States)</i> , 2015, 94, e2224.	0.4	57
104	Cancer Stem Cells in Primary Liver Cancers: Pathological Concepts and Imaging Findings. <i>Korean Journal of Radiology</i> , 2015, 16, 50.	1.5	37
105	Neonatal Morbidities Associated with Histologic Chorioamnionitis Defined Based on the Site and Extent of Inflammation in Very Low Birth Weight Infants. <i>Journal of Korean Medical Science</i> , 2015, 30, 1476.	1.1	25
106	Prevalence and outcomes of extrahepatic primary malignancy associated with Hepatocellular Carcinoma in a Korean population. <i>BMC Cancer</i> , 2015, 15, 146.	1.1	6
107	Loss of Liver Fatty Acid Binding Protein Expression in Hepatocellular Carcinomas is Associated with a Decreased Recurrence-Free Survival. <i>Journal of Liver Cancer</i> , 2015, 15, 30-35.	0.3	1
108	Budd-Chiari syndrome with multiple large regenerative nodules. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 89.	4.5	15

#	ARTICLE	IF	CITATIONS
109	Sarcomatoid cholangiocarcinoma with osteoclast-like giant cells associated with hepatolithiasis: A case report. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 309.	4.5	23
110	SALL4 Expression in Hepatocellular Carcinomas Is Associated with EpCAM-Positivity and a Poor Prognosis. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 373-381.	0.4	24
111	Ataxia-Telangiectasia and RAD3-Related and Ataxia-Telangiectasia-Mutated Proteins in Epithelial Ovarian Carcinoma: Their Expression and Clinical Significance. <i>Anticancer Research</i> , 2015, 35, 3909-16.	0.5	5
112	Sinusoidal obstruction syndrome after oxaliplatin-based chemotherapy. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 81.	4.5	23
113	Intrahepatic cholangiocarcinoma arising in Caroli's disease. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 402.	4.5	21
114	Hepatocellular Carcinomas Expressing β -Stemness'-Related Markers: Clinicopathological Characteristics. <i>Digestive Diseases</i> , 2014, 32, 778-785.	0.8	53
115	Quantitative Assessment of Pancreatic Fat by Using Unenhanced CT: Pathologic Correlation and Clinical Implications. <i>Radiology</i> , 2014, 271, 104-112.	3.6	139
116	CD24 and S100A4 Expression in Resectable Pancreatic Cancers With Earlier Disease Recurrence and Poor Survival. <i>Pancreas</i> , 2014, 43, 380-388.	0.5	32
117	Expression Profiles of Epithelial-Mesenchymal Transition-Associated Proteins in Epithelial Ovarian Carcinoma. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	9
118	Having Pancreatic Cancer with Tumoral Loss of ATM and Normal TP53 Protein Expression Is Associated with a Poorer Prognosis. <i>Clinical Cancer Research</i> , 2014, 20, 1865-1872.	3.2	81
119	Differentiation Between Hepatocellular Carcinoma and Colorectal Cancer Liver Metastases on High-Resolution Magic Angle Spinning Spectroscopy: Preliminary Study. <i>Applied Magnetic Resonance</i> , 2014, 45, 19-35.	0.6	0
120	Association of overexpression of hexokinase II with chemoresistance in epithelial ovarian cancer. <i>Clinical and Experimental Medicine</i> , 2014, 14, 345-353.	1.9	79
121	Role of biopsy sampling for diagnosis of early and progressed hepatocellular carcinoma. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2014, 28, 813-829.	1.0	18
122	Differences in pancreatic volume, fat content, and fat density measured by multidetector-row computed tomography according to the duration of diabetes. <i>Acta Diabetologica</i> , 2014, 51, 739-748.	1.2	76
123	Epigenetic silencing of EYA2 in pancreatic adenocarcinomas promotes tumor growth. <i>Oncotarget</i> , 2014, 5, 2575-2587.	0.8	29
124	Intrahepatic cholangiocarcinoma with predominant ductal plate malformation pattern. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 214.	4.5	14
125	Telomere length, TERT and shelterin complex proteins in hepatocellular carcinomas expressing β -stemness-related markers. <i>Journal of Hepatology</i> , 2013, 59, 746-752.	1.8	57
126	Serum miR-1290 as a Marker of Pancreatic Cancer Response. <i>Clinical Cancer Research</i> , 2013, 19, 5252-5253.	3.2	12

#	ARTICLE	IF	CITATIONS
127	Prognostic Significance of Perineural Invasion in Cervical Cancer. <i>International Journal of Gynecological Pathology</i> , 2013, 32, 228-233.	0.9	27
128	MicroRNA Array Analysis Finds Elevated Serum miR-1290 Accurately Distinguishes Patients with Low-Stage Pancreatic Cancer from Healthy and Disease Controls. <i>Clinical Cancer Research</i> , 2013, 19, 3600-3610.	3.2	279
129	Liquid-Based Cytology of Villoglandular Adenocarcinoma of the Cervix: A Report of 3 Cases. <i>Korean Journal of Pathology</i> , 2012, 46, 215.	1.2	8
130	Expression of Caveolin-1, Caveolin-2 and Caveolin-3 in Thyroid Cancer and Stroma. <i>Pathobiology</i> , 2012, 79, 1-10.	1.9	20
131	Overexpression of epithelial-mesenchymal transition-related markers according to cell dedifferentiation: clinical implications as an independent predictor of poor prognosis in cholangiocarcinoma. <i>Human Pathology</i> , 2012, 43, 2360-2370.	1.1	29
132	Postoperative Prognostic Predictors of Pancreatic Ductal Adenocarcinoma: Clinical Analysis and Immunoprofile on Tissue Microarrays. <i>Annals of Surgical Oncology</i> , 2012, 19, 2664-2672.	0.7	18
133	Preoperative Cholangitis and Metastatic Lymph Node Have a Negative Impact on Survival After Resection of Extrahepatic Bile Duct Cancer. <i>World Journal of Surgery</i> , 2012, 36, 1842-1847.	0.8	22
134	Breast cancer resistance protein expression is associated with early recurrence and decreased survival in resectable pancreatic cancer patients. <i>Pathology International</i> , 2012, 62, 167-175.	0.6	45
135	Chemotherapy-Associated Hepatopathy in Korean Colorectal Cancer Liver Metastasis Patients: Oxaliplatin-Based Chemotherapy and Sinusoidal Injury. <i>Korean Journal of Pathology</i> , 2012, 46, 22.	1.2	16
136	A Case of Adenocarcinoma in situ of the Distal Common Bile Duct Diagnosed by Percutaneous Transhepatic Cholangioscopy. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 211.	0.7	3
137	Prognostic value of biomarkers related to drug resistance in patients with advanced epithelial ovarian cancer. <i>Anticancer Research</i> , 2012, 32, 589-94.	0.5	6
138	Aberrant CpG island hypermethylation in dysplastic nodules and early HCC of hepatitis B virus-related human multistep hepatocarcinogenesis. <i>Journal of Hepatology</i> , 2011, 54, 939-947.	1.8	152
139	Biomarker analysis in patients with advanced gastric cancer treated with S-1 plus cisplatin chemotherapy: orotate phosphoribosyltransferase expression is associated with treatment outcomes. <i>Medical Oncology</i> , 2011, 28, 991-998.	1.2	15
140	Hypoxia-related protein expression and its clinicopathologic implication in carcinoma of unknown primary. <i>Tumor Biology</i> , 2011, 32, 893-904.	0.8	15
141	The ratio of intra-tumoral regulatory T cells (Foxp3+)/helper T cells (CD4+) is a prognostic factor and associated with recurrence pattern in gastric cardia cancer. <i>Journal of Surgical Oncology</i> , 2011, 104, 728-733.	0.8	43
142	Case report: A case of light chain deposition disease involving liver and stomach with chronic hepatitis C virus infection and hepatocellular carcinoma. <i>Journal of Medical Virology</i> , 2011, 83, 810-814.	2.5	7
143	Human hepatocellular carcinomas with stemness-related marker expression: keratin 19 expression and a poor prognosis. <i>Hepatology</i> , 2011, 54, 1707-1717.	3.6	291
144	IgG4-related sclerosing cholangitis: liver biopsy findings. <i>The Korean Journal of Hepatology</i> , 2011, 17, 76.	1.5	1

#	ARTICLE	IF	CITATIONS
145	Coinfection of hepatitis A virus genotype IA and IIIA complicated with autoimmune hemolytic anemia, prolonged cholestasis, and false-positive immunoglobulin M anti-hepatitis E virus: a case report. <i>The Korean Journal of Hepatology</i> , 2011, 17, 323.	1.5	8
146	Pre-operative factors that can predict neoplastic polypoid lesions of the gallbladder. <i>World Journal of Gastroenterology</i> , 2011, 17, 2216.	1.4	72
147	Increased Urinary Lipocalin-2 Reflects Matrix Metalloproteinase-9 Activity in Chronic Hepatitis C with Hepatic Fibrosis. <i>Tohoku Journal of Experimental Medicine</i> , 2010, 222, 319-327.	0.5	21
148	Strong cytoplasmic expression of COX2 at the invasive fronts of gallbladder cancer is associated with a poor prognosis. <i>Journal of Clinical Pathology</i> , 2010, 63, 1048-1053.	1.0	23
149	Epithelial Displacement Into the Lymphovascular Space Can Be Seen in Breast Core Needle Biopsy Specimens. <i>American Journal of Clinical Pathology</i> , 2010, 133, 781-787.	0.4	28
150	Follicular dendritic cell sarcoma with immature T-cell proliferation. <i>Human Pathology</i> , 2010, 41, 129-133.	1.1	41
151	Massive hepatic necrosis with large regenerative nodules. <i>The Korean Journal of Hepatology</i> , 2010, 16, 334.	1.5	3
152	A case of clear cell carcinoma arising from the endometriosis of the paraovarian cyst. <i>Journal of Gynecologic Oncology</i> , 2009, 20, 60.	1.0	4
153	Hepatic Iron, Serum Ferritin, <i>HFE</i> Mutation, and Hepatic Fibrosis in Chronic Hepatitis C. <i>Intervirology</i> , 2009, 52, 239-246.	1.2	13
154	Metastatic Adrenocortical Carcinoma Treated with Sunitinib: A Case Report. <i>Japanese Journal of Clinical Oncology</i> , 2009, 39, 183-185.	0.6	29
155	Obstructive Colitis Proximal to Obstructive Colorectal Carcinoma. <i>Asian Journal of Surgery</i> , 2009, 32, 26-32.	0.2	13
156	Large liver cell change in hepatitis B virus-related liver cirrhosis. <i>Hepatology</i> , 2009, 50, 752-762.	3.6	68
157	Clinical and Histological Features of Nonalcoholic Fatty Liver Disease in Children. <i>Digestive Diseases and Sciences</i> , 2009, 54, 2225-2230.	1.1	56
158	Extramedullary peritoneal hematopoiesis combined with tuberculosis in a patient with primary myelofibrosis. <i>Medical Oncology</i> , 2009, 26, 238-241.	1.2	6
159	Cathepsin B is a target of Hedgehog signaling in pancreatic cancer. <i>Cancer Letters</i> , 2009, 273, 266-272.	3.2	22
160	Expression of vascular endothelial growth factor-A and its receptor-1 in a luteal endometrium in patients with repeated in vitro fertilization failure. <i>Fertility and Sterility</i> , 2009, 91, 528-534.	0.5	15
161	Expressions of glucose transporter Types 1 and 3 and hexokinase-II in diffuse large B-cell lymphoma and other B-cell non-Hodgkin's lymphomas. <i>Nuclear Medicine and Biology</i> , 2009, 36, 191-197.	0.3	33
162	Relationship Between FDG Uptake and Expressions of Glucose Transporter Type 1, Type 3, and Hexokinase-II in Reed-Sternberg Cells of Hodgkin Lymphoma. <i>Oncology Research</i> , 2009, 17, 331-337.	0.6	27

#	ARTICLE	IF	CITATIONS
163	A Case of Acute Q Fever with Severe Acute Cholestatic Hepatitis. <i>Gut and Liver</i> , 2009, 3, 141-144.	1.4	15
164	High telomerase activity and long telomeres in advanced hepatocellular carcinomas with poor prognosis. <i>Laboratory Investigation</i> , 2008, 88, 144-152.	1.7	84
165	Predictive Value of Liver Cell Dysplasia for Development of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 738-743.	1.1	30
166	Radiological Findings in a Case of Multiple Focal Nodular Hyperplasia Associated with Portal Vein Atresia and Portopulmonary Hypertension. <i>Korean Journal of Radiology</i> , 2008, 9, 386.	1.5	2
167	Breast Cancer from the Excisional Scar of a Benign Mass. <i>Korean Journal of Radiology</i> , 2007, 8, 254.	1.5	3
168	HPV integration begins in the tonsillar crypt and leads to the alteration of p16, EGFR and c-myc during tumor formation. <i>International Journal of Cancer</i> , 2007, 120, 1418-1425.	2.3	190
169	Telomere shortening and inactivation of cell cycle checkpoints characterize human hepatocarcinogenesis. <i>Hepatology</i> , 2007, 45, 968-976.	3.6	133
170	Breast lesions with imaging-histologic discordance during US-guided 14G automated core biopsy: can the directional vacuum-assisted removal replace the surgical excision? Initial findings. <i>European Radiology</i> , 2007, 17, 2376-2383.	2.3	40
171	Angioimmunoblastic T-Cell Lymphoma Mimicking Crohn's Disease. <i>Digestive Diseases and Sciences</i> , 2007, 52, 2743-2747.	1.1	6
172	Castleman Disease Presenting with Jaundice: A Case with the Multicentric Hyaline Vascular Variant. <i>Korean Journal of Internal Medicine</i> , 2007, 22, 113.	0.7	26
173	A simple inflation method for frozen diagnosis of lung tissue. <i>FASEB Journal</i> , 2007, 21, A775.	0.2	0
174	DNA methyltransferase expression and DNA methylation in human hepatocellular carcinoma and their clinicopathological correlation. <i>International Journal of Molecular Medicine</i> , 2007, 20, 65-73.	1.8	148
175	Comparative Proteomics of Pulmonary Tumors with Neuroendocrine Differentiation. <i>Journal of Proteome Research</i> , 2006, 5, 643-650.	1.8	19
176	Columnar cell lesions of the breast: Mammographic and US features. <i>European Journal of Radiology</i> , 2006, 60, 264-269.	1.2	24
177	Expression of androgen receptors and inhibin/activin alpha and betaA subunits in breast apocrine lesions. <i>Apmis</i> , 2006, 114, 352-358.	0.9	10
178	Induction of cell apoptosis in non-small cell lung cancer cells by cyclin A1 small interfering RNA. <i>Cancer Science</i> , 2006, 97, 1082-1092.	1.7	16
179	Human papillomavirus type 59 identified in a verrucous cyst of the flank. <i>European Journal of Dermatology</i> , 2006, 16, 254-7.	0.3	8
180	Correlation of KIT and platelet-derived growth factor receptor β mutations with gene activation and expression profiles in gastrointestinal stromal tumors. <i>Oncogene</i> , 2005, 24, 1066-1074.	2.6	82

#	ARTICLE	IF	CITATIONS
181	Recurrent Secondary Pneumothorax Caused by Bronchiolitis Obliterans Due to Chronic Graft Versus Host Disease in a Patient with Chronic Myelogenous Leukemia after Allogenic Bone Marrow Transplantation. Tuberculosis and Respiratory Diseases, 2004, 57, 183.	0.7	1
182	Renal cell carcinoma in South Korea: A multicenter study. Human Pathology, 2004, 35, 1556-1563.	1.1	52
183	Primary liver carcinoma of intermediate (hepatocyteâ€“cholangiocyte) phenotype. Journal of Hepatology, 2004, 40, 298-304.	1.8	199
184	Radiographic Findings of Primary B-Cell Lymphoma of the Stomach: Low-Grade Versus High-Grade Malignancy in Relation to the Mucosa-Associated Lymphoid Tissue Concept. American Journal of Roentgenology, 2002, 179, 1297-1304.	1.0	37