

# Haeryoung Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4409467/publications.pdf>

Version: 2024-02-01

184  
papers

5,547  
citations

109321

35  
h-index

110387

64  
g-index

199  
all docs

199  
docs citations

199  
times ranked

8239  
citing authors

#	ARTICLE	IF	CITATIONS
1	Usefulness of Liquid-Based Cytology in Diagnosing Biliary Tract Cancer Compared to Conventional Smear and Forceps Biopsy. Digestive Diseases and Sciences, 2023, 68, 274-283.	2.3	2
2	Four-Tier Pathologic Tumor Regression Grading System Predicts the Clinical Outcome in Patients Who Undergo Surgical Resection for Locally Advanced Pancreatic Cancer after Neoadjuvant Chemotherapy. Gut and Liver, 2022, 16, 129-137.	2.9	2
3	LI-RADS Tumor in Vein at CT and Hepatobiliary MRI. Radiology, 2022, 302, 107-115.	7.3	13
4	Magnetic Resonance Elastography Versus Transient Elastography in the Prediction of Complications After Resection for Hepatocellular Carcinoma. Annals of Surgery, 2022, 276, e466-e473.	4.2	10
5	Noninvasive assessment of hepatic steatosis using a pathologic reference standard: comparison of CT, MRI, and US-based techniques. Ultrasonography, 2022, 41, 344-354.	2.3	15
6	Genetic, Clinicopathological, and Radiological Features of Intrahepatic Cholangiocarcinoma with Ductal Plate Malformation Pattern. Gut and Liver, 2022, 16, 613-624.	2.9	6
7	Oncologic outcomes according to the location and status of resection margin in pancreas head cancer: role of radiation therapy in R1 resection. Annals of Surgical Treatment and Research, 2022, 102, 10.	1.0	3
8	Prognosis in primary mucinous ovarian carcinoma: focusing on the five pathological findings indicating metastatic mucinous carcinoma to the ovary. Journal of Gynecologic Oncology, 2022, 33, .	2.2	4
9	Diagnostic Accuracy of CT for Evaluating Circumferential Resection Margin Status in Resectable or Borderline Resectable Pancreatic Head Cancer: A Prospective Study Using Axially Sliced Surgical Pathologic Correlation. Korean Journal of Radiology, 2022, 23, .	3.4	1
10	Diagnostic Performance of Spin-Echo Echo-Planar Imaging Magnetic Resonance Elastography in 3T System for Noninvasive Assessment of Hepatic Fibrosis. Korean Journal of Radiology, 2022, 23, 180.	3.4	4
11	Performance of LI-RADS Version 2018 on CT for Determining Eligibility for Liver Transplant According to Milan Criteria in Patients at High Risk for Hepatocellular Carcinoma. American Journal of Roentgenology, 2022, 219, 86-96.	2.2	7
12	Establishment of Patient-Derived Pancreatic Cancer Organoids from Endoscopic Ultrasound-Guided Fine-Needle Aspiration Biopsies. Gut and Liver, 2022, 16, 625-636.	2.9	6
13	Liver Graft Failure after Plastic Stent Removal of an Anastomotic Biliary Stricture. Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The, 2022, 79, 217-221.	0.4	0
14	Quantitative Assessment of Fatty Liver using Ultrasound withÂNormalized Local Variance Technique. Ultraschall in Der Medizin, 2021, 42, 599-606.	1.5	9
15	Accuracy of Two-Dimensional Shear Wave Elastography and Attenuation Imaging for Evaluation of Patients With Nonalcoholic Steatohepatitis. Clinical Gastroenterology and Hepatology, 2021, 19, 797-805.e7.	4.4	86
16	Association between spleen volume and the post-hepatectomy liver failure and overall survival of patients with hepatocellular carcinoma after resection. European Radiology, 2021, 31, 2461-2471.	4.5	20
17	Phase II Study of Avelumab in Patients with Advanced Hepatocellular Carcinoma Previously Treated with Sorafenib. Clinical Cancer Research, 2021, 27, 713-718.	7.0	27
18	T2 gallbladder cancer shows substantial survival variation between continents and this is not due to histopathologic criteria or pathologic sampling differences. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 478, 875-884.	2.8	10

#	ARTICLE	IF	CITATIONS
19	2D shear wave elastography is better than transient elastography in predicting post-hepatectomy complication after resection. <i>European Radiology</i> , 2021, 31, 5802-5811.	4.5	6
20	A Clinically Applicable 24-Protein Model for Classifying Risk Subgroups in Pancreatic Ductal Adenocarcinomas using Multiple Reaction Monitoring-Mass Spectrometry. <i>Clinical Cancer Research</i> , 2021, 27, 3370-3382.	7.0	11
21	Short-term therapy with anti-ICAM-1 monoclonal antibody induced long-term liver allograft survival in nonhuman primates. <i>American Journal of Transplantation</i> , 2021, 21, 2978-2991.	4.7	2
22	Multiple hepatocyte nuclear factor 1A (HNF1A)-inactivated hepatocellular adenomas arising in a background of congenital hepatic fibrosis. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 154-158.	1.1	3
23	Preoperative assessment of the resectability of pancreatic ductal adenocarcinoma on CT according to the NCCN Guidelines focusing on SMA/SMV branch invasion. <i>European Radiology</i> , 2021, 31, 6889-6897.	4.5	14
24	Pathological predictive factors for late recurrence of hepatocellular carcinoma in chronic liver disease. <i>Liver International</i> , 2021, 41, 1662-1674.	3.9	3
25	The Clinicopathological Significance of YAP/TAZ Expression in Hepatocellular Carcinoma with Relation to Hypoxia and Stemness. <i>Pathology and Oncology Research</i> , 2021, 27, 604600.	1.9	8
26	Hepatic fibrosis grading with extracellular volume fraction from iodine mapping in spectral liver CT. <i>European Journal of Radiology</i> , 2021, 137, 109604.	2.6	17
27	Biopsy or cytology for diagnosing hepatic focal lesions?. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 278-280.	8.9	1
28	Radio-pathologic correlation of biphenotypic primary liver cancer (combined hepatocellular) liver MRI. <i>European Radiology</i> , 2021, 31, 9479-9488.	4.5	8
29	Comparison of Clinical Outcomes of Borderline Resectable Pancreatic Cancer According to the Neoadjuvant Chemo-Regimens: Gemcitabine versus FOLFIRINOX. <i>Gut and Liver</i> , 2021, 15, 466-475.	2.9	11
30	Hepatocellular adenomas: recent updates. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 171-180.	1.1	11
31	Evaluation of LI-RADS Version 2018 Treatment Response Algorithm for Hepatocellular Carcinoma in Liver Transplant Candidates: Intraindividual Comparison between CT and Hepatobiliary Agent-enhanced MRI. <i>Radiology</i> , 2021, 299, 336-345.	7.3	13
32	Tailored adjuvant gemcitabine versus 5-fluorouracil/folinic acid based on hENT1 immunohistochemical staining in resected pancreatic ductal adenocarcinoma: A biomarker stratified prospective trial. <i>Pancreatology</i> , 2021, 21, 796-804.	1.1	2
33	CT Characterization of Aggressive Macrotrabecular-Massive Hepatocellular Carcinoma: A Step Forward to Personalized Medicine. <i>Radiology</i> , 2021, 300, 230-232.	7.3	6
34	KASL clinical practice guidelines: Management of nonalcoholic fatty liver disease. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 363-401.	8.9	152
35	Gadoxetate-enhanced MRI Features of Proliferative Hepatocellular Carcinoma Are Prognostic after Surgery. <i>Radiology</i> , 2021, 300, 572-582.	7.3	45
36	Prognostic significance of viable tumor size measurement in hepatocellular carcinomas after preoperative locoregional treatment. <i>Journal of Pathology and Translational Medicine</i> , 2021, 55, 338-348.	1.1	3

#	ARTICLE	IF	CITATIONS
37	The Effects of PPAR Agonists on Atherosclerosis and Nonalcoholic Fatty Liver Disease in ApoE <sup>-/-</sup> /FXR <sup>-/-</sup> Mice. <i>Endocrinology and Metabolism</i> , 2021, 36, 1243-1253.	3.0	11
38	Clinicopathologic analysis of intraductal papillary neoplasm of bile duct: Korean multicenter cohort study. <i>Hpb</i> , 2020, 22, 1139-1148.	0.3	27
39	Comparison of liquid-based cytology with conventional smear cytology for EUS-guided FNA of solid pancreatic masses: a prospective randomized noninferiority study. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 837-846.e1.	1.0	23
40	Risk of Liver Cirrhosis and Hepatocellular Carcinoma after Fontan Operation: A Need for Surveillance. <i>Cancers</i> , 2020, 12, 1805.	3.7	23
41	Contrast-enhanced US with Sulfur Hexafluoride and Perfluorobutane for the Diagnosis of Hepatocellular Carcinoma in Individuals with High Risk. <i>Radiology</i> , 2020, 297, 108-116.	7.3	32
42	The Clinicopathological and Prognostic Significance of Nrf2 and Keap1 Expression in Hepatocellular Carcinoma. <i>Cancers</i> , 2020, 12, 2128.	3.7	12
43	Survival benefit of adjuvant chemoradiotherapy for positive or close resection margin after curative resection of pancreatic adenocarcinoma. <i>European Journal of Surgical Oncology</i> , 2020, 46, 2122-2130.	1.0	2
44	Marker Identification of the Grade of Dysplasia of Intraductal Papillary Mucinous Neoplasm in Pancreatic Cyst Fluid by Quantitative Proteomic Profiling. <i>Cancers</i> , 2020, 12, 2383.	3.7	9
45	Clinico-Radio-Pathological and Molecular Features of Hepatocellular Carcinomas with Keratin 19 Expression. <i>Liver Cancer</i> , 2020, 9, 663-681.	7.7	27
46	Radiologic-Pathologic Correlation of Hepatobiliary Phase Hypointense Nodules without Arterial Phase Hyperenhancement at Gadoteric Acid-enhanced MRI: A Multicenter Study. <i>Radiology</i> , 2020, 296, 335-345.	7.3	42
47	Prognostic perspectives of PD-L1 combined with tumor-infiltrating lymphocytes, Epstein-Barr virus, and microsatellite instability in gastric carcinomas. <i>Diagnostic Pathology</i> , 2020, 15, 69.	2.0	25
48	Clinicopathological characteristics of intraductal papillary neoplasm of the bile duct: a Japan-Korea collaborative study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 581-597.	2.6	37
49	Prognostic impact of concurrent nonalcoholic fatty liver disease in patients with chronic hepatitis B-related hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1960-1968.	2.8	13
50	Differential and prognostic MRI features of gallbladder neuroendocrine tumors and adenocarcinomas. <i>European Radiology</i> , 2020, 30, 2890-2901.	4.5	13
51	Pancreatic acinar cell carcinomas and mixed acinar-neuroendocrine carcinomas are more clinically aggressive than grade 1 pancreatic neuroendocrine tumours. <i>Pathology</i> , 2020, 52, 336-347.	0.6	14
52	Histopathological Variants of Hepatocellular Carcinomas: an Update According to the 5th Edition of the WHO Classification of Digestive System Tumors. <i>Journal of Liver Cancer</i> , 2020, 20, 17-24.	1.1	30
53	Two-Dimensional-Shear Wave Elastography with a Propagation Map: Prospective Evaluation of Liver Fibrosis Using Histopathology as the Reference Standard. <i>Korean Journal of Radiology</i> , 2020, 21, 1317.	3.4	12
54	Combined Hepatocellular-Cholangiocarcinoma: Changes in the 2019 World Health Organization Histological Classification System and Potential Impact on Imaging-Based Diagnosis. <i>Korean Journal of Radiology</i> , 2020, 21, 1115.	3.4	24

#	ARTICLE	IF	CITATIONS
55	Pancreatic High-Grade Neuroendocrine Neoplasms in the Korean Population: A Multicenter Study. Cancer Research and Treatment, 2020, 52, 263-276.	3.0	19
56	Higher Tumor Cellularity in Resected Pancreatic Ductal Adenocarcinoma Is a Negative Prognostic Indicator. Gut and Liver, 2020, 14, 521-528.	2.9	6
57	Pathologic interpretation of endoscopic ultrasound-guided fine needle aspiration cytology/biopsy for pancreatic lesions. Journal of Pathology and Translational Medicine, 2020, 54, 367-377.	1.1	5
58	Shear-Wave Dispersion Slope from US Shear-Wave Elastography: Detection of Allograft Damage after Liver Transplantation. Radiology, 2019, 293, 327-333.	7.3	60
59	Assessment of hepatic steatosis by using attenuation imaging: a quantitative, easy-to-perform ultrasound technique. European Radiology, 2019, 29, 6499-6507.	4.5	104
60	Programmed cell death ligand-1 (PD-L1) expression in extrahepatic biliary tract cancers: a comparative study using 22C3, SP263 and E1L3N anti-PD-L1 antibodies. Histopathology, 2019, 75, 526-536.	2.9	17
61	Diagnostic performance of a point shear wave elastography (pSWE) for hepatic fibrosis in patients with autoimmune liver disease. PLoS ONE, 2019, 14, e0212771.	2.5	20
62	Quantitative contrast-enhanced US helps differentiating neoplastic vs non-neoplastic gallbladder polyps. European Radiology, 2019, 29, 3772-3781.	4.5	24
63	Quantitative Evaluation of Hepatic Steatosis Using Normalized Local Variance in a Rat Model: Comparison with Histopathology as the Reference Standard. Korean Journal of Radiology, 2019, 20, 1399.	3.4	8
64	Cytomorphological Features of Hyperchromatic Crowded Groups in Liquid-Based Cervicovaginal Cytology: A Single Institutional Experience. Journal of Pathology and Translational Medicine, 2019, 53, 393-398.	1.1	3
65	Liquid-Based Cytology Features of Papillary Squamotransitional Cell Carcinoma of the Uterine Cervix. Journal of Pathology and Translational Medicine, 2019, 53, 341-344.	1.1	1
66	A statement by the Japan-Korea expert pathologists for future clinicopathological and molecular analyses toward consensus building of intraductal papillary neoplasm of the bile duct through several opinions at the present stage. Journal of Hepato-Biliary-Pancreatic Sciences, 2018, 25, 181-187.	2.6	85
67	Hepatic iron overload in the portal tract predicts poor survival in hepatocellular carcinoma after curative resection. Liver International, 2018, 38, 903-914.	3.9	9
68	Donor Specific Antibody Negative Antibody-Mediated Rejection after ABO Incompatible Liver Transplantation. The Journal of the Korean Society for Transplantation, 2018, 32, 108.	0.2	0
69	Hippo-mediated suppression of IRS2/AKT signaling prevents hepatic steatosis and liver cancer. Journal of Clinical Investigation, 2018, 128, 1010-1025.	8.2	133
70	Human equilibrative nucleoside transporter 1 (hENT1) expression as a predictive biomarker for gemcitabine chemotherapy in biliary tract cancer. PLoS ONE, 2018, 13, e0209104.	2.5	13
71	It is necessary to exam bottom and top slide smears of EUS-FNA for pancreatic cancer. Hepatobiliary and Pancreatic Diseases International, 2018, 17, 553-558.	1.3	1
72	Living-donor liver transplantation for giant hepatic hemangioma with diffuse hemangiomatosis in an adult: a case report. Clinical and Molecular Hepatology, 2018, 24, 163-168.	8.9	20

#	ARTICLE	IF	CITATIONS
73	The Clinicopathological and Prognostic Significance of the Gross Classification of Hepatocellular Carcinoma. Journal of Pathology and Translational Medicine, 2018, 52, 85-92.	1.1	25
74	Combined Hepatocellular Carcinoma and Neuroendocrine Carcinoma with Ectopic Secretion of Parathyroid Hormone: A Case Report and Review of the Literature. Journal of Pathology and Translational Medicine, 2018, 52, 232-237.	1.1	17
75	Coexistence of <i>Ureaplasma</i> and chorioamnionitis is associated with prolonged mechanical ventilation. Pediatrics International, 2017, 59, 34-40.	0.5	3
76	Association of Remnant Liver Ischemia With Early Recurrence and Poor Survival After Liver Resection in Patients With Hepatocellular Carcinoma. JAMA Surgery, 2017, 152, 386.	4.3	71
77	Undifferentiated embryonal sarcoma of the liver in a child: A whole exome sequencing analysis. Digestive and Liver Disease, 2017, 49, 944-946.	0.9	4
78	Prognostic value of p21-activated kinase 4 in resected pancreatic cancer. Apmis, 2017, 125, 699-707.	2.0	12
79	Tumour epithelial and stromal characteristics of hepatocellular carcinomas with abundant fibrous stroma: fibrolamellar versus scirrhous hepatocellular carcinoma. Histopathology, 2017, 71, 217-226.	2.9	29
80	The prognostic significance of cancer-associated fibroblasts in pancreatic ductal adenocarcinoma. Tumor Biology, 2017, 39, 101042831771840.	1.8	39
81	F-18 fluorodeoxyglucose positron emission tomography for differential diagnosis and prognosis prediction of vascular tumors. Oncology Letters, 2017, 14, 665-672.	1.8	16
82	Expression Patterns of Nrf2 and Keap1 in Ovarian Cancer Cells and their Prognostic Role in Disease Recurrence and Patient Survival. International Journal of Gynecological Cancer, 2017, 27, 412-419.	2.5	22
83	Plugged percutaneous biopsy of the liver in living-donor liver transplantation recipients suspected to have graft rejection. Acta Radiologica, 2017, 58, 771-777.	1.1	6
84	Efficacy of the multidisciplinary tumor board conference in gynecologic oncology. Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	25
85	IL2RG, identified as overexpressed by RNA-seq profiling of pancreatic intraepithelial neoplasia, mediates pancreatic cancer growth. Oncotarget, 2017, 8, 83370-83383.	1.8	14
86	Histopathological evaluation of liver fibrosis and cirrhosis regression. Clinical and Molecular Hepatology, 2017, 23, 302-307.	8.9	90
87	Progressive Enrichment of Stemness Features and Tumor Stromal Alterations in Multistep Hepatocarcinogenesis. PLoS ONE, 2017, 12, e0170465.	2.5	12
88	Tumor stroma with senescence-associated secretory phenotype in steatohepatic hepatocellular carcinoma. PLoS ONE, 2017, 12, e0171922.	2.5	32
89	Limited detection of small (≤ 10 mm) colorectal liver metastasis at preoperative CT in patients undergoing liver resection. PLoS ONE, 2017, 12, e0189797.	2.5	16
90	The General Rules for the Study of Primary Liver Cancer. Journal of Liver Cancer, 2017, 17, 19-44.	1.1	28

#	ARTICLE	IF	CITATIONS
91	Combination immunohistochemistry for SMAD4 and Runt-related transcription factor 3 may identify a favorable prognostic subgroup of pancreatic ductal adenocarcinomas. <i>Oncotarget</i> , 2017, 8, 76699-76711.	1.8	2
92	Increased expression of stemness markers and altered tumor stroma in hepatocellular carcinoma under TACE-induced hypoxia: A biopsy and resection matched study. <i>Oncotarget</i> , 2017, 8, 99359-99371.	1.8	20
93	Identifying Rational Candidates for Immunotherapy Targeting PD-1/PD-L1 in Cervical Cancer. <i>Anticancer Research</i> , 2017, 37, 5087-5094.	1.1	15
94	Glucagon-Like Peptide-1 Receptor Expression in Normal and Neoplastic Human Pancreatic Tissues. <i>Pancreas</i> , 2016, 45, 613-619.	1.1	1
95	Expression profile and prognostic value of glypican-3 in postoperative South Korean hepatocellular carcinoma patients. <i>Apmis</i> , 2016, 124, 208-215.	2.0	15
96	Hemophagocytic lymphohistiocytosis associated with SFTS virus infection. <i>Medicine (United States)</i> , 2016, 95, e4476.	1.0	20
97	Poor outcome of hepatocellular carcinoma with stemness marker under hypoxia: resistance to transarterial chemoembolization. <i>Modern Pathology</i> , 2016, 29, 1038-1049.	5.5	52
98	Determining the extent of cholecystectomy using intraoperative specimen ultrasonography in patients with suspected early gallbladder cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4229-4238.	2.4	10
99	Laparoscopic left lateral sectionectomy in patients with histologically confirmed cirrhosis. <i>Surgical Oncology</i> , 2016, 25, 132-138.	1.6	16
100	Changes in Noninvasive Liver Fibrosis Indices and Spleen Size During Chemotherapy. <i>Medicine (United States)</i> , 2016, 95, e4476.	1.0	23
101	Transforming acidic coiled-coil-containing protein 3 (TACC3) overexpression in hepatocellular carcinomas is associated with stemness and epithelial-mesenchymal transition-related marker expression and a poor prognosis. <i>Tumor Biology</i> , 2016, 37, 393-403.	1.8	10
102	Presence of pancreatic intraepithelial neoplasia-3 in a background of chronic pancreatitis in pancreatic cancer patients. <i>Cancer Science</i> , 2015, 106, 1408-1413.	3.9	9
103	High Expression of MicroRNA-196a Indicates Poor Prognosis in Resected Pancreatic Neuroendocrine Tumor. <i>Medicine (United States)</i> , 2015, 94, e2224.	1.0	57
104	Cancer Stem Cells in Primary Liver Cancers: Pathological Concepts and Imaging Findings. <i>Korean Journal of Radiology</i> , 2015, 16, 50.	3.4	37
105	Neonatal Morbidities Associated with Histologic Chorioamnionitis Defined Based on the Site and Extent of Inflammation in Very Low Birth Weight Infants. <i>Journal of Korean Medical Science</i> , 2015, 30, 1476.	2.5	25
106	Prevalence and outcomes of extrahepatic primary malignancy associated with Hepatocellular Carcinoma in a Korean population. <i>BMC Cancer</i> , 2015, 15, 146.	2.6	6
107	Loss of Liver Fatty Acid Binding Protein Expression in Hepatocellular Carcinomas is Associated with a Decreased Recurrence-Free Survival. <i>Journal of Liver Cancer</i> , 2015, 15, 30-35.	1.1	1
108	Budd-Chiari syndrome with multiple large regenerative nodules. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 89.	8.9	15

#	ARTICLE	IF	CITATIONS
109	Sarcomatoid cholangiocarcinoma with osteoclast-like giant cells associated with hepatolithiasis: A case report. <i>Clinical and Molecular Hepatology</i> , 2015, 21, 309.	8.9	23
110	SALL4 Expression in Hepatocellular Carcinomas Is Associated with EpCAM-Positivity and a Poor Prognosis. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 373-381.	1.1	24
111	Ataxia-Telangiectasia and RAD3-Related and Ataxia-Telangiectasia-Mutated Proteins in Epithelial Ovarian Carcinoma: Their Expression and Clinical Significance. <i>Anticancer Research</i> , 2015, 35, 3909-16.	1.1	5
112	Sinusoidal obstruction syndrome after oxaliplatin-based chemotherapy. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 81.	8.9	23
113	Intrahepatic cholangiocarcinoma arising in Caroli's disease. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 402.	8.9	21
114	Hepatocellular Carcinomas Expressing "Stemness"-Related Markers: Clinicopathological Characteristics. <i>Digestive Diseases</i> , 2014, 32, 778-785.	1.9	53
115	Quantitative Assessment of Pancreatic Fat by Using Unenhanced CT: Pathologic Correlation and Clinical Implications. <i>Radiology</i> , 2014, 271, 104-112.	7.3	139
116	CD24 and S100A4 Expression in Resectable Pancreatic Cancers With Earlier Disease Recurrence and Poor Survival. <i>Pancreas</i> , 2014, 43, 380-388.	1.1	32
117	Expression Profiles of Epithelial-Mesenchymal Transition-Associated Proteins in Epithelial Ovarian Carcinoma. <i>BioMed Research International</i> , 2014, 2014, 1-6.	1.9	9
118	Having Pancreatic Cancer with Tumoral Loss of ATM and Normal TP53 Protein Expression Is Associated with a Poorer Prognosis. <i>Clinical Cancer Research</i> , 2014, 20, 1865-1872.	7.0	81
119	Differentiation Between Hepatocellular Carcinoma and Colorectal Cancer Liver Metastases on High-Resolution Magic Angle Spinning Spectroscopy: Preliminary Study. <i>Applied Magnetic Resonance</i> , 2014, 45, 19-35.	1.2	0
120	Association of overexpression of hexokinase II with chemoresistance in epithelial ovarian cancer. <i>Clinical and Experimental Medicine</i> , 2014, 14, 345-353.	3.6	79
121	Role of biopsy sampling for diagnosis of early and progressed hepatocellular carcinoma. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2014, 28, 813-829.	2.4	18
122	Differences in pancreatic volume, fat content, and fat density measured by multidetector-row computed tomography according to the duration of diabetes. <i>Acta Diabetologica</i> , 2014, 51, 739-748.	2.5	76
123	Epigenetic silencing of EYA2 in pancreatic adenocarcinomas promotes tumor growth. <i>Oncotarget</i> , 2014, 5, 2575-2587.	1.8	29
124	Intrahepatic cholangiocarcinoma with predominant ductal plate malformation pattern. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 214.	8.9	14
125	Telomere length, TERT and shelterin complex proteins in hepatocellular carcinomas expressing "stemness"-related markers. <i>Journal of Hepatology</i> , 2013, 59, 746-752.	3.7	57
126	Serum miR-1290 as a Marker of Pancreatic Cancer "Response. <i>Clinical Cancer Research</i> , 2013, 19, 5252-5253.	7.0	12

#	ARTICLE	IF	CITATIONS
127	Prognostic Significance of Perineural Invasion in Cervical Cancer. International Journal of Gynecological Pathology, 2013, 32, 228-233.	1.4	27
128	MicroRNA Array Analysis Finds Elevated Serum miR-1290 Accurately Distinguishes Patients with Low-Stage Pancreatic Cancer from Healthy and Disease Controls. Clinical Cancer Research, 2013, 19, 3600-3610.	7.0	279
129	Liquid-Based Cytology of Villoglandular Adenocarcinoma of the Cervix: A Report of 3 Cases. Korean Journal of Pathology, 2012, 46, 215.	1.3	8
130	Expression of Caveolin-1, Caveolin-2 and Caveolin-3 in Thyroid Cancer and Stroma. Pathobiology, 2012, 79, 1-10.	3.8	20
131	Overexpression of epithelial-mesenchymal transition-related markers according to cell dedifferentiation: clinical implications as an independent predictor of poor prognosis in cholangiocarcinoma. Human Pathology, 2012, 43, 2360-2370.	2.0	29
132	Postoperative Prognostic Predictors of Pancreatic Ductal Adenocarcinoma: Clinical Analysis and Immunoprofile on Tissue Microarrays. Annals of Surgical Oncology, 2012, 19, 2664-2672.	1.5	18
133	Preoperative Cholangitis and Metastatic Lymph Node Have a Negative Impact on Survival After Resection of Extrahepatic Bile Duct Cancer. World Journal of Surgery, 2012, 36, 1842-1847.	1.6	22
134	Breast cancer resistance protein expression is associated with early recurrence and decreased survival in resectable pancreatic cancer patients. Pathology International, 2012, 62, 167-175.	1.3	45
135	Chemotherapy-Associated Hepatopathy in Korean Colorectal Cancer Liver Metastasis Patients: Oxaliplatin-Based Chemotherapy and Sinusoidal Injury. Korean Journal of Pathology, 2012, 46, 22.	1.3	16
136	A Case of Adenocarcinoma in situ of the Distal Common Bile Duct Diagnosed by Percutaneous Transhepatic Cholangioscopy. Korean Journal of Internal Medicine, 2012, 27, 211.	1.7	3
137	Prognostic value of biomarkers related to drug resistance in patients with advanced epithelial ovarian cancer. Anticancer Research, 2012, 32, 589-94.	1.1	6
138	Aberrant CpG island hypermethylation in dysplastic nodules and early HCC of hepatitis B virus-related human multistep hepatocarcinogenesis. Journal of Hepatology, 2011, 54, 939-947.	3.7	152
139	Biomarker analysis in patients with advanced gastric cancer treated with S-1 plus cisplatin chemotherapy: orotate phosphoribosyltransferase expression is associated with treatment outcomes. Medical Oncology, 2011, 28, 991-998.	2.5	15
140	Hypoxia-related protein expression and its clinicopathologic implication in carcinoma of unknown primary. Tumor Biology, 2011, 32, 893-904.	1.8	15
141	The ratio of intra-tumoral regulatory T cells (Foxp3+)/helper T cells (CD4+) is a prognostic factor and associated with recurrence pattern in gastric cardia cancer. Journal of Surgical Oncology, 2011, 104, 728-733.	1.7	43
142	Case report: A case of light chain deposition disease involving liver and stomach with chronic hepatitis C virus infection and hepatocellular carcinoma. Journal of Medical Virology, 2011, 83, 810-814.	5.0	7
143	Human hepatocellular carcinomas with stemness-related marker expression: keratin 19 expression and a poor prognosis. Hepatology, 2011, 54, 1707-1717.	7.3	291
144	IgG4-related sclerosing cholangitis: liver biopsy findings. The Korean Journal of Hepatology, 2011, 17, 76.	1.5	1

#	ARTICLE	IF	CITATIONS
145	Coinfection of hepatitis A virus genotype IA and IIIA complicated with autoimmune hemolytic anemia, prolonged cholestasis, and false-positive immunoglobulin M anti-hepatitis E virus: a case report. The Korean Journal of Hepatology, 2011, 17, 323.	1.5	8
146	Pre-operative factors that can predict neoplastic polypoid lesions of the gallbladder. World Journal of Gastroenterology, 2011, 17, 2216.	3.3	72
147	Increased Urinary Lipocalin-2 Reflects Matrix Metalloproteinase-9 Activity in Chronic Hepatitis C with Hepatic Fibrosis. Tohoku Journal of Experimental Medicine, 2010, 222, 319-327.	1.2	21
148	Strong cytoplasmic expression of COX2 at the invasive fronts of gallbladder cancer is associated with a poor prognosis. Journal of Clinical Pathology, 2010, 63, 1048-1053.	2.0	23
149	Epithelial Displacement Into the Lymphovascular Space Can Be Seen in Breast Core Needle Biopsy Specimens. American Journal of Clinical Pathology, 2010, 133, 781-787.	0.7	28
150	Follicular dendritic cell sarcoma with immature T-cell proliferation. Human Pathology, 2010, 41, 129-133.	2.0	41
151	Massive hepatic necrosis with large regenerative nodules. The Korean Journal of Hepatology, 2010, 16, 334.	1.5	3
152	A case of clear cell carcinoma arising from the endometriosis of the paraovarian cyst. Journal of Gynecologic Oncology, 2009, 20, 60.	2.2	4
153	Hepatic Iron, Serum Ferritin, <i>HFE</i> Mutation, and Hepatic Fibrosis in Chronic Hepatitis C. Intervirology, 2009, 52, 239-246.	2.8	13
154	Metastatic Adrenocortical Carcinoma Treated with Sunitinib: A Case Report. Japanese Journal of Clinical Oncology, 2009, 39, 183-185.	1.3	29
155	Obstructive Colitis Proximal to Obstructive Colorectal Carcinoma. Asian Journal of Surgery, 2009, 32, 26-32.	0.4	13
156	Large liver cell change in hepatitis B virus-related liver cirrhosis. Hepatology, 2009, 50, 752-762.	7.3	68
157	Clinical and Histological Features of Nonalcoholic Fatty Liver Disease in Children. Digestive Diseases and Sciences, 2009, 54, 2225-2230.	2.3	56
158	Extramedullary peritoneal hematopoiesis combined with tuberculosis in a patient with primary myelofibrosis. Medical Oncology, 2009, 26, 238-241.	2.5	6
159	Cathepsin B is a target of Hedgehog signaling in pancreatic cancer. Cancer Letters, 2009, 273, 266-272.	7.2	22
160	Expression of vascular endothelial growth factor-A and its receptor-1 in a luteal endometrium in patients with repeated in vitro fertilization failure. Fertility and Sterility, 2009, 91, 528-534.	1.0	15
161	Expressions of glucose transporter Types 1 and 3 and hexokinase-II in diffuse large B-cell lymphoma and other B-cell non-Hodgkin's lymphomas. Nuclear Medicine and Biology, 2009, 36, 191-197.	0.6	33
162	Relationship Between FDG Uptake and Expressions of Glucose Transporter Type 1, Type 3, and Hexokinase-II in Reed-Sternberg Cells of Hodgkin Lymphoma. Oncology Research, 2009, 17, 331-337.	1.5	27

#	ARTICLE	IF	CITATIONS
163	A Case of Acute Q Fever with Severe Acute Cholestatic Hepatitis. Gut and Liver, 2009, 3, 141-144.	2.9	15
164	High telomerase activity and long telomeres in advanced hepatocellular carcinomas with poor prognosis. Laboratory Investigation, 2008, 88, 144-152.	3.7	84
165	Predictive Value of Liver Cell Dysplasia for Development of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. Journal of Clinical Gastroenterology, 2008, 42, 738-743.	2.2	30
166	Radiological Findings in a Case of Multiple Focal Nodular Hyperplasia Associated with Portal Vein Atresia and Portopulmonary Hypertension. Korean Journal of Radiology, 2008, 9, 386.	3.4	2
167	Breast Cancer from the Excisional Scar of a Benign Mass. Korean Journal of Radiology, 2007, 8, 254.	3.4	3
168	HPV integration begins in the tonsillar crypt and leads to the alteration of p16, EGFR and c-myc during tumor formation. International Journal of Cancer, 2007, 120, 1418-1425.	5.1	190
169	Telomere shortening and inactivation of cell cycle checkpoints characterize human hepatocarcinogenesis. Hepatology, 2007, 45, 968-976.	7.3	133
170	Breast lesions with imaging-histologic discordance during US-guided 14G automated core biopsy: can the directional vacuum-assisted removal replace the surgical excision? Initial findings. European Radiology, 2007, 17, 2376-2383.	4.5	40
171	Angioimmunoblastic T-Cell Lymphoma Mimicking Crohn's Disease. Digestive Diseases and Sciences, 2007, 52, 2743-2747.	2.3	6
172	Castleman Disease Presenting with Jaundice: A Case with the Multicentric Hyaline Vascular Variant. Korean Journal of Internal Medicine, 2007, 22, 113.	1.7	26
173	A simple inflation method for frozen diagnosis of lung tissue. FASEB Journal, 2007, 21, A775.	0.5	0
174	DNA methyltransferase expression and DNA methylation in human hepatocellular carcinoma and their clinicopathological correlation. International Journal of Molecular Medicine, 2007, 20, 65-73.	4.0	148
175	Comparative Proteomics of Pulmonary Tumors with Neuroendocrine Differentiation. Journal of Proteome Research, 2006, 5, 643-650.	3.7	19
176	Columnar cell lesions of the breast: Mammographic and US features. European Journal of Radiology, 2006, 60, 264-269.	2.6	24
177	Expression of androgen receptors and inhibin/activin alpha and betaA subunits in breast apocrine lesions. Apmis, 2006, 114, 352-358.	2.0	10
178	Induction of cell apoptosis in non-small cell lung cancer cells by cyclin A1 small interfering RNA. Cancer Science, 2006, 97, 1082-1092.	3.9	16
179	Human papillomavirus type 59 identified in a verrucous cyst of the flank. European Journal of Dermatology, 2006, 16, 254-7.	0.6	8
180	Correlation of KIT and platelet-derived growth factor receptor $\beta$ mutations with gene activation and expression profiles in gastrointestinal stromal tumors. Oncogene, 2005, 24, 1066-1074.	5.9	82

#	ARTICLE	IF	CITATIONS
181	Recurrent Secondary Pneumothorax Caused by Bronchiolitis Obliterans Due to Chronic Graft Versus Host Disease in a Patient with Chronic Myelogenous Leukemia after Allogenic Bone Marrow Transplantation. Tuberculosis and Respiratory Diseases, 2004, 57, 183.	1.8	1
182	Renal cell carcinoma in South Korea: A multicenter study. Human Pathology, 2004, 35, 1556-1563.	2.0	52
183	Primary liver carcinoma of intermediate (hepatocyteâ€“cholangiocyte) phenotype. Journal of Hepatology, 2004, 40, 298-304.	3.7	199
184	Radiographic Findings of Primary B-Cell Lymphoma of the Stomach: Low-Grade Versus High-Grade Malignancy in Relation to the Mucosa-Associated Lymphoid Tissue Concept. American Journal of Roentgenology, 2002, 179, 1297-1304.	2.2	37