

Jin-Ho Seo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4409810/publications.pdf>

Version: 2024-02-01

96
papers

3,636
citations

117453

34
h-index

155451

55
g-index

98
all docs

98
docs citations

98
times ranked

3474
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Genome-edited <i>Saccharomyces cerevisiae</i> strains for improving quality, safety, and flavor of fermented foods. <i>Food Microbiology</i> , 2022, 104, 103971. | 2.1 | 9 |
| 2 | A Species-Specific qPCR Method for Enumeration of <i>Lactobacillus sanfranciscensis</i> , <i>Lactobacillus brevis</i> , and <i>Lactobacillus curvatus</i> During Cocultivation in Sourdough. <i>Food Analytical Methods</i> , 2021, 14, 750-760. | 1.3 | 7 |
| 3 | Metabolic engineering of non-pathogenic microorganisms for 2,3-butanediol production. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 5751-5767. | 1.7 | 14 |
| 4 | Selective production of retinol by engineered <i>Saccharomyces cerevisiae</i> through expression of retinol dehydrogenase. <i>Biotechnology and Bioengineering</i> , 2021, , . | 1.7 | 9 |
| 5 | Improved production of 3-hydroxypropionic acid in engineered <i>Escherichia coli</i> by rebalancing heterologous and endogenous synthetic pathways. <i>Bioresource Technology</i> , 2020, 299, 122600. | 4.8 | 15 |
| 6 | High-level Î²-carotene production from xylose by engineered <i>Saccharomyces cerevisiae</i> without overexpression of a truncated <i>HMG1</i> (<i>tHMG1</i>). <i>Biotechnology and Bioengineering</i> , 2020, 117, 3522-3532. | 1.7 | 30 |
| 7 | Evaluation of 2,3-Butanediol Production from Red Seaweed <i>Gelidium amansii</i> Hydrolysates Using Engineered <i>Saccharomyces cerevisiae</i> . <i>Journal of Microbiology and Biotechnology</i> , 2020, 30, 1912-1918. | 0.9 | 2 |
| 8 | Deletion of glycerol-3-phosphate dehydrogenase genes improved 2,3-butanediol production by reducing glycerol production in pyruvate decarboxylase-deficient <i>Saccharomyces cerevisiae</i> . <i>Journal of Biotechnology</i> , 2019, 304, 31-37. | 1.9 | 20 |
| 9 | Production of 2,3-butanediol from glucose and cassava hydrolysates by metabolically engineered industrial polyploid <i>Saccharomyces cerevisiae</i> . <i>Biotechnology for Biofuels</i> , 2019, 12, 204. | 6.2 | 54 |
| 10 | Enhanced production of 2,3-fucosyllactose from fucose by elimination of rhamnose isomerase and arabinose isomerase in engineered <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2019, 116, 2412-2417. | 1.7 | 39 |
| 11 | <i>Edgeworthia papyrifera</i> Regulates Osteoblast and Osteoclast Differentiation In Vitro and Exhibits Anti-osteoporosis Activity in Animal Models of Osteoporosis. <i>Planta Medica</i> , 2019, 85, 766-773. | 0.7 | 2 |
| 12 | Overexpression of Endogenous Xylose Reductase Enhanced Xylitol Productivity at 40°C by Thermotolerant Yeast <i>Kluyveromyces marxianus</i> . <i>Applied Biochemistry and Biotechnology</i> , 2019, 189, 459-470. | 1.4 | 7 |
| 13 | Enhanced production of 3-hydroxypropionic acid from glucose and xylose by alleviation of metabolic congestion due to glycerol flux in engineered <i>Escherichia coli</i> . <i>Bioresource Technology</i> , 2019, 285, 121320. | 4.8 | 19 |
| 14 | Production of 3-fucosyllactose in Engineered <i>Escherichia coli</i> with Î±-1,3-fucosyltransferase from <i>Helicobacter pylori</i> . <i>Biotechnology Journal</i> , 2019, 14, e1800498. | 1.8 | 23 |
| 15 | 2-Fucose production by engineered <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2019, 116, 904-911. | 1.7 | 13 |
| 16 | Production of biofuels and chemicals from xylose using native and engineered yeast strains. <i>Biotechnology Advances</i> , 2019, 37, 271-283. | 6.0 | 98 |
| 17 | Suitability of <i>Lactobacillus plantarum</i> SPC-SNU 72-2 as a Probiotic Starter for Sourdough Fermentation. <i>Journal of Microbiology and Biotechnology</i> , 2019, 29, 1729-1738. | 0.9 | 17 |
| 18 | Isolation of lactic acid bacteria starters from Jeung-pyun for sourdough fermentation. <i>Food Science and Biotechnology</i> , 2018, 27, 73-78. | 1.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Elimination of biosynthetic pathways for l-valine and l-isoleucine in mitochondria enhances isobutanol production in engineered <i>Saccharomyces cerevisiae</i> . <i>Bioresource Technology</i> , 2018, 268, 271-277. | 4.8 | 14 |
| 20 | Engineering of α -1,3-fucosyltransferases for production of 3-fucosyllactose in <i>Escherichia coli</i> . <i>Metabolic Engineering</i> , 2018, 48, 269-278. | 3.6 | 37 |
| 21 | Anti-melanogenic activity of schaftoside in <i>Rhizoma Arisaematis</i> by increasing autophagy in B16F1 cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 503, 309-315. | 1.0 | 26 |
| 22 | Enhanced ethanol fermentation by engineered <i>Saccharomyces cerevisiae</i> strains with high spermidine contents. <i>Bioprocess and Biosystems Engineering</i> , 2017, 40, 683-691. | 1.7 | 13 |
| 23 | Intracellular metabolite profiling of <i>Saccharomyces cerevisiae</i> evolved under furfural. <i>Microbial Biotechnology</i> , 2017, 10, 395-404. | 2.0 | 25 |
| 24 | High production of 2,3-butanediol from glycerol without 1,3-propanediol formation by <i>Raoultella ornithinolytica</i> B6. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 2821-2830. | 1.7 | 26 |
| 25 | Metabolic engineering of <i>Saccharomyces cerevisiae</i> for 2,3-butanediol production. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 2241-2250. | 1.7 | 47 |
| 26 | Construction of efficient xylose-fermenting <i>Saccharomyces cerevisiae</i> through a synthetic isozyme system of xylose reductase from <i>Scheffersomyces stipitis</i> . <i>Bioresource Technology</i> , 2017, 241, 88-94. | 4.8 | 22 |
| 27 | Metabolic engineering of <i>Saccharomyces cerevisiae</i> for production of spermidine under optimal culture conditions. <i>Enzyme and Microbial Technology</i> , 2017, 101, 30-35. | 1.6 | 19 |
| 28 | Improved production of α -2-fucosyllactose in engineered <i>Escherichia coli</i> by expressing putative α -1,2-fucosyltransferase, WcfB from <i>Bacteroides fragilis</i> . <i>Journal of Biotechnology</i> , 2017, 257, 192-198. | 1.9 | 47 |
| 29 | Bioethanol production from cellulosic hydrolysates by engineered industrial <i>Saccharomyces cerevisiae</i> . <i>Bioresource Technology</i> , 2017, 228, 355-361. | 4.8 | 62 |
| 30 | One-pot synthesis of GDP-l-fucose by a four-enzyme cascade expressed in <i>Lactococcus lactis</i> . <i>Journal of Biotechnology</i> , 2017, 264, 1-7. | 1.9 | 9 |
| 31 | Enhanced production of 2,3-butanediol from xylose by combinatorial engineering of xylose metabolic pathway and cofactor regeneration in pyruvate decarboxylase-deficient <i>Saccharomyces cerevisiae</i> . <i>Bioresource Technology</i> , 2017, 245, 1551-1557. | 4.8 | 46 |
| 32 | The first bacterial α -1,6-endoglucanase from <i>Saccharophagus degradans</i> 2-40T for the hydrolysis of pustulan and laminarin. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 197-204. | 1.7 | 15 |
| 33 | Co-expression of two heterologous lactate dehydrogenases genes in <i>Kluyveromyces marxianus</i> for l-lactic acid production. <i>Journal of Biotechnology</i> , 2017, 241, 81-86. | 1.9 | 25 |
| 34 | Elucidation of ethanol tolerance mechanisms in <i>Saccharomyces cerevisiae</i> by global metabolite profiling. <i>Biotechnology Journal</i> , 2016, 11, 1221-1229. | 1.8 | 26 |
| 35 | Enhanced production of 2,3-butanediol by engineered <i>Saccharomyces cerevisiae</i> through fine-tuning of pyruvate decarboxylase and NADH oxidase activities. <i>Biotechnology for Biofuels</i> , 2016, 9, 265. | 6.2 | 48 |
| 36 | Affinity improvement by fine tuning of single-chain variable fragment against aflatoxin B1. <i>Food Chemistry</i> , 2016, 209, 312-317. | 4.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Enhanced production of 2,3-butanediol in pyruvate decarboxylase-deficient <i>Saccharomyces cerevisiae</i> through optimizing ratio of glucose/galactose. <i>Biotechnology Journal</i> , 2016, 11, 1424-1432. | 1.8 | 18 |
| 38 | Metabolic engineering of <i>Escherichia coli</i> to produce 2-fucosyllactose via salvage pathway of guanosine 5-diphosphate (GDP) to fucose. <i>Biotechnology and Bioengineering</i> , 2016, 113, 2443-2452. | 1.7 | 73 |
| 39 | Editorial overview: Food biotechnology: Critical gap filler in the nexus of food, energy, and waste for a prosperous future. <i>Current Opinion in Biotechnology</i> , 2016, 37, iv-vii. | 3.3 | 1 |
| 40 | Molecular cloning and expression of <i>Enterobacter aerogenes</i> α -acetolactate decarboxylase in pyruvate decarboxylase-deficient <i>Saccharomyces cerevisiae</i> for efficient 2,3-butanediol production. <i>Process Biochemistry</i> , 2016, 51, 170-176. | 1.8 | 17 |
| 41 | Recent advances in biological production of sugar alcohols. <i>Current Opinion in Biotechnology</i> , 2016, 37, 105-113. | 3.3 | 109 |
| 42 | High Production of 2,3-Butanediol (2,3-BD) by <i>Raoultella ornithinolytica</i> B6 via Optimizing Fermentation Conditions and Overexpressing 2,3-BD Synthesis Genes. <i>PLoS ONE</i> , 2016, 11, e0165076. | 1.1 | 9 |
| 43 | Fatty acid hydration activity of a recombinant <i>Escherichia coli</i> -based biocatalyst is improved through targeting the oleate hydratase into the periplasm. <i>Biotechnology Journal</i> , 2015, 10, 1887-1893. | 1.8 | 11 |
| 44 | Dual utilization of NADPH and NADH cofactors enhances xylitol production in engineered <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Journal</i> , 2015, 10, 1935-1943. | 1.8 | 49 |
| 45 | Affinity maturation of single-chain variable fragment specific for aflatoxin B1 using yeast surface display. <i>Food Chemistry</i> , 2015, 188, 604-611. | 4.2 | 23 |
| 46 | Mimicking the Fenton reaction-induced wood decay by fungi for pretreatment of lignocellulose. <i>Bioresource Technology</i> , 2015, 179, 467-472. | 4.8 | 75 |
| 47 | Development of species-specific PCR primers and polyphasic characterization of <i>Lactobacillus sanfranciscensis</i> isolated from Korean sourdough. <i>International Journal of Food Microbiology</i> , 2015, 200, 80-86. | 2.1 | 20 |
| 48 | Enhanced tolerance of <i>Saccharomyces cerevisiae</i> to multiple lignocellulose-derived inhibitors through modulation of spermidine contents. <i>Metabolic Engineering</i> , 2015, 29, 46-55. | 3.6 | 77 |
| 49 | Application of repeated aspartate tags to improving extracellular production of <i>Escherichia coli</i> l-asparaginase isozyme II. <i>Enzyme and Microbial Technology</i> , 2015, 79-80, 49-54. | 1.6 | 22 |
| 50 | Enhanced production of 2-fucosyllactose in engineered <i>Escherichia coli</i> BL21star(DE3) by modulation of lactose metabolism and fucosyltransferase. <i>Journal of Biotechnology</i> , 2015, 210, 107-115. | 1.9 | 87 |
| 51 | Expression of <i>Lactococcus lactis</i> NADH oxidase increases 2,3-butanediol production in Pdc-deficient <i>Saccharomyces cerevisiae</i> . <i>Bioresource Technology</i> , 2015, 191, 512-519. | 4.8 | 52 |
| 52 | Evolutionary engineering of <i>Saccharomyces cerevisiae</i> for efficient conversion of red algal biosugars to bioethanol. <i>Bioresource Technology</i> , 2015, 191, 445-451. | 4.8 | 29 |
| 53 | BIX-01294-induced autophagy regulates elongation of primary cilia. <i>Biochemical and Biophysical Research Communications</i> , 2015, 460, 428-433. | 1.0 | 14 |
| 54 | Combination of high solids loading pretreatment and ethanol fermentation of whole slurry of pretreated rice straw to obtain high ethanol titers and yields. <i>Bioresource Technology</i> , 2015, 198, 861-866. | 4.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Simultaneous conversion of glucose and xylose to 3-hydroxypropionic acid in engineered <i>Escherichia coli</i> by modulation of sugar transport and glycerol synthesis. <i>Bioresource Technology</i> , 2015, 198, 709-716. | 4.8 | 42 |
| 56 | Molecular cloning and expression of fungal cellobiose transporters and β -glucosidases conferring efficient cellobiose fermentation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biotechnology</i> , 2014, 169, 34-41. | 1.9 | 28 |
| 57 | Enhanced production of 3-hydroxypropionic acid from glycerol by modulation of glycerol metabolism in recombinant <i>Escherichia coli</i> . <i>Bioresource Technology</i> , 2014, 156, 170-175. | 4.8 | 80 |
| 58 | 2,3-Butanediol production from cellobiose by engineered <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 5757-5764. | 1.7 | 38 |
| 59 | Production of 2,3-butanediol from xylose by engineered <i>Saccharomyces cerevisiae</i> . <i>Journal of Biotechnology</i> , 2014, 192, 376-382. | 1.9 | 67 |
| 60 | A biosynthetic pathway for hexanoic acid production in <i>Kluyveromyces marxianus</i> . <i>Journal of Biotechnology</i> , 2014, 182-183, 30-36. | 1.9 | 56 |
| 61 | One-pot pretreatment, saccharification and ethanol fermentation of lignocellulose based on acid-base mixture pretreatment. <i>RSC Advances</i> , 2014, 4, 55318-55327. | 1.7 | 26 |
| 62 | Simultaneous integration of multiple genes into the <i>Kluyveromyces marxianus</i> chromosome. <i>Journal of Biotechnology</i> , 2013, 167, 323-325. | 1.9 | 17 |
| 63 | Characterization of <i>Saccharomyces cerevisiae</i> promoters for heterologous gene expression in <i>Kluyveromyces marxianus</i> . <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 2029-2041. | 1.7 | 45 |
| 64 | Production of 2,3-butanediol by engineered <i>Saccharomyces cerevisiae</i> . <i>Bioresource Technology</i> , 2013, 146, 274-281. | 4.8 | 103 |
| 65 | Biotechnology for a healthy and green world. <i>Journal of Biotechnology</i> , 2013, 168, 119. | 1.9 | 0 |
| 66 | Biosynthesis of 3-hydroxypropionic acid from glycerol in recombinant <i>Escherichia coli</i> expressing <i>Lactobacillus brevis</i> dhaB and dhaR gene clusters and <i>E. coli</i> K-12 aldH. <i>Bioresource Technology</i> , 2013, 135, 432-439. | 4.8 | 47 |
| 67 | Strain engineering of <i>Saccharomyces cerevisiae</i> for enhanced xylose metabolism. <i>Biotechnology Advances</i> , 2013, 31, 851-861. | 6.0 | 206 |
| 68 | Isobutanol production in engineered <i>Saccharomyces cerevisiae</i> by overexpression of 2-ketoisovalerate decarboxylase and valine biosynthetic enzymes. <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 1467-1475. | 1.7 | 86 |
| 69 | Whole cell biosynthesis of a functional oligosaccharide, α -2-fucosyllactose, using engineered <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2012, 11, 48. | 1.9 | 99 |
| 70 | Effects of overexpression of acetaldehyde dehydrogenase 6 and acetyl-CoA synthetase 1 on xylitol production in recombinant <i>Saccharomyces cerevisiae</i> . <i>Biocatalysis and Agricultural Biotechnology</i> , 2012, 1, 15-19. | 1.5 | 25 |
| 71 | Effects of deletion of glycerol-3-phosphate dehydrogenase and glutamate dehydrogenase genes on glycerol and ethanol metabolism in recombinant <i>Saccharomyces cerevisiae</i> . <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 49-54. | 1.7 | 16 |
| 72 | Engineered <i>Saccharomyces cerevisiae</i> capable of simultaneous cellobiose and xylose fermentation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 504-509. | 3.3 | 445 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Enhanced production of GDP-l-fucose by overexpression of NADPH regenerator in recombinant <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2011, 91, 967-976. | 1.7 | 51 |
| 74 | Characterisation of monoclonal antibody against aflatoxin B1 produced in hybridoma 2C12 and its single-chain variable fragment expressed in recombinant <i>Escherichia coli</i> . <i>Food Chemistry</i> , 2011, 126, 1316-1323. | 4.2 | 40 |
| 75 | Molecular cloning of the genes for GDP-mannose 4, 6-dehydratase and GDP-l-fucose synthetase from <i>Bacteroides thetaiotaomicron</i> . <i>Food Science and Biotechnology</i> , 2010, 19, 849-855. | 1.2 | 4 |
| 76 | Molecular cloning and biochemical characterization of a novel erythrose reductase from <i>Candida magnoliae</i> JH110. <i>Microbial Cell Factories</i> , 2010, 9, 43. | 1.9 | 32 |
| 77 | Lactate increases coenzyme Q10 production by <i>Agrobacterium tumefaciens</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 887-890. | 1.7 | 12 |
| 78 | Dual modulation of glucose 6-phosphate metabolism to increase NADPH-dependent xylitol production in recombinant <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2007, 47, 37-42. | 1.8 | 32 |
| 79 | Effects of temperature shift strategies on human preproinsulin production in the fed-batch fermentation of recombinant <i>Escherichia coli</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2007, 12, 556-561. | 1.4 | 18 |
| 80 | Elevation of glucose 6-phosphate dehydrogenase activity increases xylitol production in recombinant <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2006, 43, 86-89. | 1.8 | 53 |
| 81 | Expression and purification of ubiquitin-specific protease (UBP1) of <i>Saccharomyces cerevisiae</i> in recombinant <i>Escherichia coli</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2005, 10, 599-602. | 1.4 | 14 |
| 82 | Selection of optimum expression system for production of kringle fragment of human apolipoprotein(a) in <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2004, 9, 523-527. | 1.4 | 7 |
| 83 | Scale-up of erythritol production by an osmophilic mutant of <i>Candida magnoliae</i> . <i>Biotechnology Letters</i> , 2003, 25, 2103-2105. | 1.1 | 64 |
| 84 | Expression of <i>Azotobacter vinelandii</i> soluble transhydrogenase perturbs xylose reductase-mediated conversion of xylose to xylitol by recombinant <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2003, 26, 251-256. | 1.8 | 16 |
| 85 | Flow cytometric analysis of human lysozyme production in recombinant <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2002, 7, 52-55. | 1.4 | 2 |
| 86 | Expression of <i>Bacillus macerans</i> cyclodextrin glucanotransferase gene in <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Letters</i> , 2001, 23, 727-730. | 1.1 | 12 |
| 87 | Characterization of two-substrate fermentation processes for xylitol production using recombinant <i>Saccharomyces cerevisiae</i> containing xylose reductase gene. <i>Process Biochemistry</i> , 2000, 35, 1199-1203. | 1.8 | 56 |
| 88 | Production of xylitol in cell recycle fermentations of <i>Candida tropicalis</i> . <i>Biotechnology Letters</i> , 2000, 22, 1625-1628. | 1.1 | 35 |
| 89 | A parametric study on ethanol production from xylose by <i>Pichia stipitis</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2000, 5, 27-31. | 1.4 | 23 |
| 90 | Production of erythritol from glucose by an osmophilic mutant of <i>Candida magnoliae</i> . <i>Biotechnology Letters</i> , 1999, 21, 887-890. | 1.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Microencapsulation of recombinant <i>Saccharomyces cerevisiae</i> cells with invertase activity in liquid-core alginate capsules. , 1996, 51, 157-162. | | 60 |
| 92 | Effects of medium composition on hirudin production in recombinant <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Letters</i> , 1996, 18, 1129-1132. | 1.1 | 8 |
| 93 | Microencapsulation of recombinant <i>Saccharomyces cerevisiae</i> cells with invertase activity in liquid-core alginate capsules. , 1996, 51, 157. | | 2 |
| 94 | Selective utilization of fructose to glucose by <i>Candida magnoliae</i> , an erythritol producer. <i>Applied Biochemistry and Biotechnology</i> , 1996, 131, 870-879. | 1.4 | 2 |
| 95 | Effects of temperature and cycloheximide on secretion of cloned invertase from recombinant <i>Saccharomyces cerevisiae</i> . <i>Biotechnology and Bioengineering</i> , 1995, 46, 627-630. | 1.7 | 6 |
| 96 | Production of hirudin by recombinant <i>Saccharomyces cerevisiae</i> in a membrane-recycle fermentor. <i>Biotechnology Letters</i> , 1995, 17, 1031-1036. | 1.1 | 12 |