

Christina D Buesching

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4410265/publications.pdf>

Version: 2024-02-01

108
papers

2,748
citations

212478

28
h-index

286692

43
g-index

112
all docs

112
docs citations

112
times ranked

2798
citing authors

#	ARTICLE	IF	CITATIONS
1	Early-life seasonal, weather and social effects on telomere length in a wild mammal. <i>Molecular Ecology</i> , 2022, 31, 5993-6007.	2.0	15
2	Preserving identity in capture-mark-recapture studies: increasing the accuracy of minimum number alive (MNA) estimates by incorporating inter-census trapping efficiency variation. <i>Mammalian Biology</i> , 2022, 102, 567-580.	0.8	6
3	Failing badger protection. <i>Oryx</i> , 2022, 56, 170-170.	0.5	0
4	Adverse weather during <i>in utero</i> development is linked to higher rates of later-life herpesvirus reactivation in adult European badgers, <i>Meles meles</i> . <i>Royal Society Open Science</i> , 2022, 9, 211749.	1.1	1
5	Mustelidae Cognition. , 2022, , 4471-4483.		0
6	E-commerce promotes trade in invasive turtles in China. <i>Oryx</i> , 2021, 55, 352-355.	0.5	12
7	A non-invasive method to assess the reproductive status of the European badger (<i>Meles meles</i>) from urinary sex-steroid metabolites. <i>General and Comparative Endocrinology</i> , 2021, 301, 113655.	0.8	6
8	Estimation of environmental, genetic and parental age at conception effects on telomere length in a wild mammal. <i>Journal of Evolutionary Biology</i> , 2021, 34, 296-308.	0.8	21
9	Understanding wildlife crime in China: Socio-demographic profiling and motivation of offenders. <i>PLoS ONE</i> , 2021, 16, e0246081.	1.1	18
10	Prosecution records reveal pangolin trading networks in China, 2014-2019. <i>Zoological Research</i> , 2021, 42, 666-670.	0.9	4
11	Patterns of Genital Tract Mustelid Gammaherpesvirus 1 (Musghv-1) Reactivation Are Linked to Stressors in European Badgers (<i>Meles Meles</i>). <i>Biomolecules</i> , 2021, 11, 716.	1.8	5
12	Seed dispersers shape the pulp nutrients of fleshy-fruited plants. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210817.	1.2	12
13	Animal sales from Wuhan wet markets immediately prior to the COVID-19 pandemic. <i>Scientific Reports</i> , 2021, 11, 11898.	1.6	98
14	Alternative reproductive strategies provide a flexible mechanism for assuring mating success in the European badgers (<i>Meles meles</i>): An investigation from hormonal measures. <i>General and Comparative Endocrinology</i> , 2021, 310, 113823.	0.8	8
15	A fat chance of survival: Body condition provides life-history dependent buffering of environmental change in a wild mammal population. <i>Climate Change Ecology</i> , 2021, 2, 100022.	0.9	12
16	Stress-Related Herpesvirus Reactivation in Badgers Can Result in <i>Clostridium</i> Proliferation. <i>EcoHealth</i> , 2021, 18, 440-450.	0.9	2
17	Functional adaptation rather than ecogeographical rules determine body-size metrics along a thermal cline with elevation in the Chinese pygmy dormouse (<i>Typhlomys cinereus</i>). <i>Journal of Thermal Biology</i> , 2020, 88, 102510.	1.1	7
18	Effects of Mustelid gammaherpesvirus 1 (MusGHV-1) Reactivation in European Badger (<i>Meles meles</i>) Genital Tracts on Reproductive Fitness. <i>Pathogens</i> , 2020, 9, 769.	1.2	9

#	ARTICLE	IF	CITATIONS
19	Social effects on age-related and sex-specific immune cell profiles in a wild mammal. <i>Biology Letters</i> , 2020, 16, 20200234.	1.0	10
20	Negative density-dependent parasitism in a group-living carnivore. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20202655.	1.2	14
21	Genetic evidence further elucidates the history and extent of badger introductions from Great Britain into Ireland. <i>Royal Society Open Science</i> , 2020, 7, 200288.	1.1	9
22	Male European badger churrs: insights into call function and motivational basis. <i>Mammalian Biology</i> , 2020, 100, 429-438.	0.8	1
23	Reproductive and Somatic Senescence in the European Badger (<i>Meles meles</i>): Evidence from Lifetime Sex-Steroid Profiles. <i>Zoology</i> , 2020, 141, 125803.	0.6	16
24	Social and Reproductive Behavior of Captive Malayan Tapirs™ (<i>Tapirus indicus</i>): Interactions with Maternal Experience and Environmental Conditions. <i>Scientific Reports</i> , 2020, 10, 4117.	1.6	2
25	Effects of regional economics on the online sale of protected parrots and turtles in China. <i>Conservation Science and Practice</i> , 2020, 2, e161.	0.9	14
26	China: clamp down on violations of wildlife trade ban. <i>Nature</i> , 2020, 578, 217-217.	13.7	12
27	What lies beneath? Population dynamics conceal pace-of-life and sex ratio variation, with implications for resilience to environmental change. <i>Global Change Biology</i> , 2020, 26, 3307-3324.	4.2	20
28	China's online parrot trade: Generation length and body mass determine sales volume via price. <i>Global Ecology and Conservation</i> , 2020, 23, e01047.	1.0	11
29	Spatio-temporal partitioning facilitates mesocarnivore sympatry in the Stara Planina Mountains, Bulgaria. <i>Zoology</i> , 2020, 141, 125801.	0.6	17
30	Encoded Information Within Urine Influences Behavioural Responses Among European Badgers (<i>Meles</i>)	0.0	28
31	The Social Function of Latrines: A Hypothesis-Driven Research Approach. , 2019, , 94-103.		43
32	Push and pull factors driving movement in a social mammal: context dependent behavioral plasticity at the landscape scale. <i>Environmental Epigenetics</i> , 2019, 65, 517-525.	0.9	14
33	Knowing Me, Knowing You: Anal Gland Secretion of European Badgers (<i>Meles meles</i>) Codes for Individuality, Sex and Social Group Membership. <i>Journal of Chemical Ecology</i> , 2019, 45, 823-837.	0.9	18
34	Human disturbance affects latrine-use patterns of raccoon dogs. <i>Journal of Wildlife Management</i> , 2019, 83, 728-736.	0.7	10
35	Individual variation in early-life telomere length and survival in a wild mammal. <i>Molecular Ecology</i> , 2019, 28, 4152-4165.	2.0	54
36	Testing cellular phone-enhanced GPS tracking technology for urban carnivores. <i>Animal Biotelemetry</i> , 2019, 7, .	0.8	4

#	ARTICLE	IF	CITATIONS
37	Extrinsic factors affecting cub development contribute to sexual size dimorphism in the European badger (<i>Meles meles</i>). <i>Zoology</i> , 2019, 135, 125688.	0.6	7
38	Heterochrony of puberty in the European badger (<i>Meles meles</i>) can be explained by growth rate and group-size: Evidence for two endocrinological phenotypes. <i>PLoS ONE</i> , 2019, 14, e0203910.	1.1	25
39	Badger setts provide thermal refugia, buffering changeable surface weather conditions. <i>Journal of Thermal Biology</i> , 2018, 74, 226-233.	1.1	13
40	GENITAL TRACT SCREENING FINDS WIDESPREAD INFECTION WITH MUSTELID GAMMAHERPESVIRUS 1 IN THE EUROPEAN BADGER (<i>MELES MELES</i>). <i>Journal of Wildlife Diseases</i> , 2018, 54, 133.	0.3	12
41	Normalizing Gasâ€Chromatographyâ€Mass Spectrometry Data: Method Choice can Alter Biological Inference. <i>BioEssays</i> , 2018, 40, e1700210.	1.2	32
42	Linking plasma sex steroid hormone levels to the condition of external genitalia in European badgers (<i>Meles meles</i>): A critical evaluation of traditional field methodology. <i>Mammalian Biology</i> , 2018, 93, 97-108.	0.8	10
43	In situ behavioral plasticity as compensation for weather variability: implications for future climate change. <i>Climatic Change</i> , 2018, 149, 457-471.	1.7	16
44	Effects of Weather Conditions on Oxidative Stress, Oxidative Damage, and Antioxidant Capacity in a Wild-Living Mammal, the European Badger (<i>Meles meles</i>). <i>Physiological and Biochemical Zoology</i> , 2018, 91, 987-1004.	0.6	11
45	Roads disrupt rodent scatter-hoarding seed-dispersal services: implication for forest regeneration. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 34, 102-108.	1.1	10
46	Communication amongst the musteloids: signs, signals, and cues. , 2018, , .		3
47	Mustelidae Cognition. , 2018, , 1-14.		28
48	Unjustified killing of badgers in Kyushu. <i>Nature</i> , 2017, 544, 161-161.	13.7	9
49	Involving Citizen Scientists in Biodiversity Observation. , 2017, , 211-237.		32
50	Badger macrophages fail to produce nitric oxide, a key anti-mycobacterial effector molecule. <i>Scientific Reports</i> , 2017, 7, 45470.	1.6	11
51	An activeâ€radioâ€frequencyâ€identification system capable of identifying coâ€locations and socialâ€structure: Validation with a wild freeâ€ranging animal. <i>Methods in Ecology and Evolution</i> , 2017, 8, 1822-1831.	2.2	22
52	Discrimination behavior mediates foraging quality versus quantity trade-offs: nut choice in wild rodents. <i>Behavioral Ecology</i> , 2017, 28, 607-616.	1.0	8
53	No Compensatory Relationship between the Innate and Adaptive Immune System in Wild-Living European Badgers. <i>PLoS ONE</i> , 2016, 11, e0163773.	1.1	8
54	Latrine marking patterns of badgers (<i>Meles meles</i>) with respect to population density and range size. <i>Ecosphere</i> , 2016, 7, e01328.	1.0	18

#	ARTICLE	IF	CITATIONS
55	Revised Taxonomic Binomials Jeopardize Protective Wildlife Legislation. <i>Conservation Letters</i> , 2016, 9, 313-315.	2.8	30
56	Rescued wildlife in China remains at risk. <i>Science</i> , 2016, 353, 999-999.	6.0	9
57	Coding of Group Odor in the Subcaudal Gland Secretion of the European Badger <i>Meles meles</i> : Chemical Composition and Pouch Microbiota. , 2016, , 45-62.		38
58	<sc>MHC</sc> class IIa assortative mate choice in European badgers (<i>Meles meles</i>). <i>Molecular Ecology</i> , 2015, 24, 3138-3150.	2.0	40
59	Avoiding verisimilitude when modelling ecological responses to climate change: the influence of weather conditions on trapping efficiency in European badgers (<i>Meles meles</i>). <i>Global Change Biology</i> , 2015, 21, 3575-3585.	4.2	22
60	Evolution and function of fossoriality in the Carnivora: implications for group-living. <i>Frontiers in Ecology and Evolution</i> , 2015, 3, .	1.1	20
61	Will Trespassers Be Prosecuted or Assessed According to Their Merits? A Consilient Interpretation of Territoriality in a Group-Living Carnivore, the European Badger (<i>Meles meles</i>). <i>PLoS ONE</i> , 2015, 10, e0132432.	1.1	25
62	The illegal exploitation of hog badgers (<i>Arctonyx collaris</i>) in China: genetic evidence exposes regional population impacts. <i>Conservation Genetics Resources</i> , 2015, 7, 697-704.	0.4	7
63	A new Magneto-inductive tracking technique to uncover subterranean activity: what do animals do underground?. <i>Methods in Ecology and Evolution</i> , 2015, 6, 510-520.	2.2	27
64	Hog badger (<i>Arctonyx collaris</i>) latrine use in relation to food abundance: evidence of the scarce factor paradox. <i>Ecosphere</i> , 2015, 6, 1-12.	1.0	14
65	Private possession drives illegal wildlife trade in China. <i>Frontiers in Ecology and the Environment</i> , 2015, 13, 353-354.	1.9	13
66	Seasonal dietary shifts and food resource exploitation by the hog badger (<i>Arctonyx collaris</i>) in a Chinese subtropical forest. <i>European Journal of Wildlife Research</i> , 2015, 61, 125-133.	0.7	22
67	Badgers in the rural landscapeâ€”conservation paragon or farmland pariah? Lessons from the Wytham Badger Project. , 2015, , 65-95.		19
68	Analysis on Population Level Reveals Trappability of Wild Rodents Is Determined by Previous Trap Occupant. <i>PLoS ONE</i> , 2015, 10, e0145006.	1.1	7
69	Heterozygosityâ€”fitness correlations in a wild mammal population: accounting for parental and environmental effects. <i>Ecology and Evolution</i> , 2014, 4, 2594-2609.	0.8	33
70	How dear are deer volunteers: the efficiency of monitoring deer using teams of volunteers to conduct pellet group counts. <i>Oryx</i> , 2014, 48, 593-601.	0.5	16
71	Climate and the Individual: Inter-Annual Variation in the Autumnal Activity of the European Badger (<i>Meles meles</i>). <i>PLoS ONE</i> , 2014, 9, e83156.	1.1	43
72	Neighbouringâ€”group composition and withinâ€”group relatedness drive extraâ€”group paternity rate in the European badger (<i>Meles meles</i>). <i>Journal of Evolutionary Biology</i> , 2014, 27, 2191-2203.	0.8	43

#	ARTICLE	IF	CITATIONS
73	Balancing the benefits of ecotourism and development: The effects of visitor trail-use on mammals in a Protected Area in rapidly developing China. <i>Biological Conservation</i> , 2013, 165, 18-24.	1.9	51
74	An example of life history antecedence in the European badger (<i>Meles meles</i>): rapid development of juvenile antioxidant capacity, from plasma vitamin E analogue. <i>Ethology Ecology and Evolution</i> , 2013, 25, 330-350.	0.6	8
75	A Multi-Metric Approach to Investigate the Effects of Weather Conditions on the Demographic of a Terrestrial Mammal, the European Badger (<i>Meles meles</i>). <i>PLoS ONE</i> , 2013, 8, e68116.	1.1	31
76	Woodland Recovery after Suppression of Deer: Cascade effects for Small Mammals, Wood Mice (<i>Apodemus sylvaticus</i>) and Bank Voles (<i>Myodes glareolus</i>). <i>PLoS ONE</i> , 2012, 7, e31404.	1.1	23
77	Molecular characterization of the microbial communities in the subcaudal gland secretion of the European badger (<i>Meles meles</i>). <i>FEMS Microbiology Ecology</i> , 2012, 81, 648-659.	1.3	38
78	Female teat size is a reliable indicator of annual breeding success in European badgers: Genetic validation. <i>Mammalian Biology</i> , 2011, 76, 716-721.	0.8	10
79	Evidence for a Role of the Host-Specific Flea (<i>Paraceras melis</i>) in the Transmission of <i>Trypanosoma (Megatrypanum) pestanai</i> to the European Badger. <i>PLoS ONE</i> , 2011, 6, e16977.	1.1	26
80	Biogeographical variation in the diet of Holarctic martens (genus <i>Martes</i> , Mammalia: Carnivora: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4	1.4	102
81	Mouthing off about developmental stress: Individuality of palate marking in the European badger and its relationship with juvenile parasitoses. <i>Journal of Zoology</i> , 2011, 283, 52-62.	0.8	2
82	Testing the effects of deer grazing on two woodland rodents, bankvoles and woodmice. <i>Basic and Applied Ecology</i> , 2011, 12, 207-214.	1.2	28
83	Contrasting Sociality in Two Widespread, Generalist, Mustelid Genera, <i>Meles</i> and <i>Martes</i> . <i>Mammal Study</i> , 2011, 36, 169-188.	0.2	36
84	Diet of an opportunistically frugivorous carnivore, <i>Martes flavigula</i> , in subtropical forest. <i>Journal of Mammalogy</i> , 2011, 92, 611-619.	0.6	32
85	Are badgers "Under The Weather"? Direct and indirect impacts of climate variation on European badger (<i>Meles meles</i>) population dynamics. <i>Global Change Biology</i> , 2010, 16, 2913-2922.	4.2	26
86	Variations in Badger (<i>Meles meles</i>) Sett Microclimate: Differential Cub Survival between Main and Subsidiary Setts, with Implications for Artificial Sett Construction. <i>International Journal of Ecology</i> , 2010, 2010, 1-10.	0.3	22
87	Seasonal and inter-individual variation in testosterone levels in badgers <i>Meles meles</i> : evidence for the existence of two endocrinological phenotypes. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2009, 195, 865-871.	0.7	25
88	An Analysis of Eurasian Badger (<i>Meles meles</i>) Population Dynamics: Implications for Regulatory Mechanisms. <i>Journal of Mammalogy</i> , 2009, 90, 1392-1403.	0.6	62
89	Coordinated Latrine Use by European Badgers, <i>Meles meles</i> : Potential Consequences for Territory Defense. <i>Journal of Mammalogy</i> , 2009, 90, 1188-1198.	0.6	35
90	Reasons for arboreality in wood mice <i>Apodemus sylvaticus</i> and Bank voles <i>Myodes glareolus</i> . <i>Mammalian Biology</i> , 2008, 73, 318-324.	0.8	48

#	ARTICLE	IF	CITATIONS
91	Male-biased Movement in a High-density Population of the Eurasian Badger (<i>Meles meles</i>). <i>Journal of Mammalogy</i> , 2008, 89, 1077-1086.	0.6	63
92	The social integration of European badger (<i>Meles meles</i>) cubs into their natal group. <i>Behaviour</i> , 2006, 143, 683-700.	0.4	32
93	High rectal temperature indicates an increased risk of unexpected recovery in anaesthetized badgers. <i>Veterinary Anaesthesia and Analgesia</i> , 2005, 32, 48-52.	0.3	10
94	The use and assessment of ketamine+medetomidine+butorphanol combinations for field anaesthesia in wild European badgers (<i>Meles meles</i>). <i>Veterinary Anaesthesia and Analgesia</i> , 2005, 32, 367-372.	0.3	31
95	The function of facial masks in "midguild" carnivores. <i>Oikos</i> , 2005, 108, 623-633.	1.2	34
96	First report of <i>Cheyletiella parasitovorax</i> infestation in the Eurasian badger (<i>Meles meles</i>). <i>Journal of Parasitology</i> , 2005, 135, 542-543.	0.2	2
97	The distribution of Eurasian badger, <i>Meles meles</i> , setts in a high-density area: field observations contradict the sett dispersion hypothesis. <i>Oikos</i> , 2004, 106, 295-307.	1.2	70
98	Variations in scent-marking behaviour of European badgers <i>Meles meles</i> in the vicinity of their setts. <i>Acta Theriologica</i> , 2004, 49, 235-246.	1.1	24
99	Encounters between two sympatric carnivores: red foxes (<i>Vulpes vulpes</i>) and European badgers (<i>Meles meles</i>). <i>Journal of Animal Ecology</i> , 2004, 73, 495-502.	0.8	14
100	Validating mammal monitoring methods and assessing the performance of volunteers in wildlife conservation. <i>Biological Conservation</i> , 2003, 113, 189-197.	1.9	170
101	The Social Function of Allo-marking in the European Badger (<i>Meles meles</i>). <i>Behaviour</i> , 2003, 140, 965-980.	0.4	57
102	Variations in colour and volume of the subcaudal gland secretion of badgers (<i>Meles meles</i>) in relation to sex, season and individual-specific parameters. <i>Mammalian Biology</i> , 2002, 67, 147-156.	0.8	25
103	No Evidence of Social Hierarchy amongst Feeding Badgers, <i>Meles meles</i> . <i>Ethology</i> , 2002, 108, 613-628.	0.5	28
104	Gas-chromatographic analyses of the subcaudal gland secretion of the European badger (<i>Meles meles</i>) part II: time-related variation in the individual-specific composition. <i>Journal of Chemical Ecology</i> , 2002, 28, 57-69.	0.9	46
105	Gas-chromatographic analyses of the subcaudal gland secretion of the European badger (<i>Meles meles</i>) part I: chemical differences related to individual parameters. <i>Journal of Chemical Ecology</i> , 2002, 28, 41-56.	0.9	77
106	Scent-Marking Behaviour of the European Badger (<i>Meles Meles</i>): Resource Defence or Individual Advertisement?. <i>Behaviour</i> , 2001, 138, 321-327.		22
107	Multimodal Oestrus Advertisement in a Small Nocturnal Prosimian, <i>Microcebus murinus</i> . <i>Folia Primatologica</i> , 1998, 69, 295-308.	0.3	80
108	Fear of the human super predator far exceeds the fear of large carnivores in a model mesocarnivore. <i>Behavioral Ecology</i> , 2000, 11, 117-124.	1.0	50