
Byuk Sung Ko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4412495/publications.pdf Version: 2024-02-01



RVUK SUNG KO

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Risk factors for venous thromboembolism after carbon monoxide poisoning: A nationwide populationâ€based study. Hong Kong Journal of Emergency Medicine, 2023, 30, 79-86. | 0.6 | 0 |
| 2 | Association between Initial Serum Cholesterol Levels and Outcomes of Patients Hospitalized after Out-of-Hospital Cardiac Arrest: A Retrospective Multicenter Registry Study. Journal of Personalized Medicine, 2022, 12, 233. | 2.5 | 2 |
| 3 | Relationship between time of emergency department admission and adherence to the Surviving Sepsis Campaign bundle in patients with septic shock. Critical Care, 2022, 26, 43. | 5.8 | 9 |
| 4 | Initial creatine kinase level as predictor for delayed neuropsychiatric sequelae associated with acute carbon monoxide poisoning. American Journal of Emergency Medicine, 2021, 43, 195-199. | 1.6 | 13 |
| 5 | The effect of BMI on COVID-19 outcomes among older patients in South Korea: a nationwide retrospective cohort study*. Annals of Medicine, 2021, 53, 1293-1302. | 3.8 | 11 |
| 6 | Driving-PASS: A Driving Performance Assessment System for Stroke Drivers Using Deep Features. IEEE Access, 2021, 9, 21627-21641. | 4.2 | 4 |
| 7 | Impact of 1-Hour Bundle Achievement in Septic Shock. Journal of Clinical Medicine, 2021, 10, 527. | 2.4 | 5 |
| 8 | Effect of rapid fluid administration on the prognosis of septic shock patients with isolated hyperlactatemia: A prospective multicenter observational study. Journal of Critical Care, 2021, 66, 154-159. | 2.2 | 1 |
| 9 | Evaluation of the proper chest compression depth for neonatal resuscitation using computed tomography. Medicine (United States), 2021, 100, e26122. | 1.0 | Ο |
| 10 | Association between the body mass index and outcomes of patients resuscitated from out-of-hospital cardiac arrest: a prospective multicentre registry study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 24. | 2.6 | 12 |
| 11 | Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. American Journal of Medicine, 2020, 133, 485-491.e4. | 1.5 | 19 |
| 12 | Risk of Venous Thromboembolism After CarbonÂMonoxide Poisoning: A Nationwide Population-Based Study. Annals of Emergency Medicine, 2020, 75, 587-596. | 0.6 | 12 |
| 13 | Prediction of Adverse Events in Stable Non-Variceal Gastrointestinal Bleeding Using Machine Learning. Journal of Clinical Medicine, 2020, 9, 2603. | 2.4 | 12 |
| 14 | In reply:. Annals of Emergency Medicine, 2020, 75, 782-783. | 0.6 | 0 |
| 15 | Diagnostic performance and optimal cut-off values of cardiac biomarkers for predicting cardiac injury in carbon monoxide poisoning. Clinical and Experimental Emergency Medicine, 2020, 7, 183-189. | 1.6 | 4 |
| 16 | Association of inferior vena cava diameter ratio measured on computed tomography scans with the outcome of patients with septic shock. Medicine (United States), 2020, 99, e22880. | 1.0 | 7 |
| 17 | Lactate normalization within 6 hours of bundle therapy and 24 hours of delayed achievement were associated with 28-day mortality in septic shock patients. PLoS ONE, 2019, 14, e0217857. | 2.5 | 8 |
| 18 | Effect of High-dose Antithrombin Supplementation in Patients with Septic Shock and Disseminated Intravascular Coagulation. Scientific Reports, 2019, 9, 16626. | 3.3 | 6 |

Βγυκ Sung Ko

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparison of risk scores and shock index in hemodynamically stable patients presenting to the emergency department with nonvariceal upper gastrointestinal bleeding. European Journal of Gastroenterology and Hepatology, 2019, 31, 781-785. | 1.6 | 9 |
| 20 | Early Risk Score for Predicting Hypotension in Normotensive Patients with Non-Variceal Upper Gastrointestinal Bleeding. Journal of Clinical Medicine, 2019, 8, 37. | 2.4 | 6 |
| 21 | Risk Factors and Causes of Short-Term Mortality after Emergency Department Discharge in Older Patients: Using Nationwide Health Insurance Claims Data. Annals of Geriatric Medicine and Research, 2019, 23, 133-140. | 1.8 | 6 |
| 22 | Prognosis of patients excluded by the definition of septic shock based on their lactate levels after initial fluid resuscitation: a prospective multi-center observational study. Critical Care, 2018, 22, 47. | 5.8 | 23 |
| 23 | Cardiac arrest associated with pneumorrhachis and pneumocephalus after epidural analgesia: twoÂcase reports. Journal of Medical Case Reports, 2018, 12, 387. | 0.8 | 12 |
| 24 | Muscle Mass Depletion Associated with Poor Outcome of Sepsis in the Emergency Department. Annals of Nutrition and Metabolism, 2018, 72, 336-344. | 1.9 | 17 |
| 25 | Pulmonary thromboembolism after carbon monoxide poisoning. American Journal of Emergency Medicine, 2018, 36, 1717.e3-1717.e7. | 1.6 | 7 |
| 26 | The Role of Post-Resuscitation ElectrocardiogramÂin Patients WithÂST-SegmentÂChanges in the ImmediateÂPost-Cardiac Arrest Period. JACC: Cardiovascular Interventions, 2017, 10, 451-459. | 2.9 | 37 |
| 27 | Quick sequential organ failure assessment compared to systemic inflammatory response syndrome for predicting sepsis in emergency department. Journal of Critical Care, 2017, 42, 12-17. | 2.2 | 51 |
| 28 | Usefulness of procalcitonin level as an outcome predictor of adult bacterial meningitis. Internal and Emergency Medicine, 2017, 12, 1003-1009. | 2.0 | 3 |
| 29 | Should adrenaline be used in patients with hemodynamically stable anaphylaxis? Incident case control study nested within a retrospective cohort study. Scientific Reports, 2016, 6, 20168. | 3.3 | 19 |
| 30 | Predicting the Occurrence of Hypotension in Stable Patients With Nonvariceal Upper Gastrointestinal Bleeding. Critical Care Medicine, 2015, 43, 2409-2415. | 0.9 | 19 |
| 31 | Impact of time to antibiotics on outcomes of chemotherapy-induced febrile neutropenia. Supportive Care in Cancer, 2015, 23, 2799-2804. | 2.2 | 24 |
| 32 | Prevalence and outcomes of endotracheal intubation–related cardiac arrest in the ED. American Journal of Emergency Medicine, 2015, 33, 1642-1645. | 1.6 | 14 |
| 33 | Biphasic reactions in patients with anaphylaxis treated withÂcorticosteroids. Annals of Allergy, Asthma and Immunology, 2015, 115, 312-316. | 1.0 | 30 |
| 34 | Early failure of noninvasive ventilation in chronic obstructive pulmonary disease with acute hypercapnic respiratory failure. Internal and Emergency Medicine, 2015, 10, 855-860. | 2.0 | 22 |
| 35 | Factors Associated with the Occurrence of Cardiac Arrest after Emergency Tracheal Intubation in the Emergency Department. PLoS ONE, 2014, 9, e112779. | 2.5 | 61 |
| 36 | Association of inferior vena cava diameter ratio with outcomes in patients with gastrointestinal bleeding. Clinical and Experimental Emergency Medicine, 0, , . | 1.6 | 0 |