Michele Grieco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4412776/publications.pdf

Version: 2024-02-01

758635 887659 1,620 19 12 17 h-index citations g-index papers 19 19 19 1881 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	PTC is a novel rearranged form of the ret proto-oncogene and is frequently detected in vivo in human thyroid papillary carcinomas. Cell, 1990, 60, 557-563.	13.5	905
2	Nuclear Factor-κB Contributes to Anaplastic Thyroid Carcinomas through Up-Regulation of miR-146a. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1421-1430.	1.8	108
3	Early hematopoietic zinc finger protein (EHZF), the human homolog to mouse Evi3, is highly expressed in primitive human hematopoietic cells. Blood, 2004, 103, 2062-2070.	0.6	91
4	RAS mutations in human cancers: Roles in precision medicine. Seminars in Cancer Biology, 2019, 59, 23-35.	4.3	85
5	Beta- and gamma-catenin expression in thyroid carcinomas. , 1998, 185, 267-272.		59
6	Kirsten Ras* oncogene: Significance of its discovery in human cancer research. Oncotarget, 2016, 7, 46717-46733.	0.8	57
7	Molecular defects in thyroid carcinomas: Role of the RET oncogene in thyroid neoplastic transformation. European Journal of Endocrinology, 1995, 133, 513-522.	1.9	56
8	H4(D10S170), a gene frequently rearranged with RET in papillary thyroid carcinomas: functional characterization. Oncogene, 2004, 23, 109-121.	2.6	56
9	Early hematopoietic zinc finger protein—zinc finger protein 521: A candidate regulator of diverse immature cells. International Journal of Biochemistry and Cell Biology, 2008, 40, 848-854.	1.2	55
10	Zinc finger protein 521 antagonizes early B-cell factor 1 and modulates the B-lymphoid differentiation of primary hematopoietic progenitors. Cell Cycle, 2011, 10, 2129-2139.	1.3	55
11	Thyrotropin receptor gene expression in oncogene-transfected rat thyroid cells: Correlation between transformation, loss of thyrotropin-dependent growth, and loss of thyrotropin receptor gene expression. Biochemical and Biophysical Research Communications, 1990, 173, 172-178.	1.0	41
12	Early Hematopoietic Zinc Finger Protein Prevents Tumor Cell Recognition by Natural Killer Cells. Journal of Immunology, 2009, 182, 4529-4537.	0.4	16
13	Ruta graveolens water extract inhibits cell-cell network formation in human umbilical endothelial cells via MEK-ERK1/2 pathway. Experimental Cell Research, 2018, 364, 50-58.	1.2	16
14	FUCA1 is induced by wild-type p53 and expressed at different levels in thyroid cancers depending on p53 status. International Journal of Oncology, 2017, 50, 2043-2048.	1.4	10
15	Analysis of cadherin/catenin complexes in transformed thyroid epithelial cells: Modulation by beta 1 integrin subunit. European Journal of Cell Biology, 2000, 79, 583-593.	1.6	7
16	Monoclonal Antibodies Against NIH 3T3 Cells Transformed by Human Thyroid Carcinoma DNA. Hybridoma, 1988, 7, 7-18.	0.9	1
17	The PTC oncogene is able to dedifferentiate a rat thyroid epithelial cell line in culture. Rendiconti Lincei, 1992, 3, 257-267.	1.0	1
18	Activation of the ret oncogene in human thyroid carcinomas. Rendiconti Lincei, 1993, 4, 367-375.	1.0	1

ARTICLE IF CITATIONS

19 <title>Laser-assisted biotechnology: the biologist point of view</title>.,1998,,. 0