

Margaret L Eng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4415172/margaret-l-eng-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

370
citations

11
h-index

19
g-index

22
ext. papers

457
ext. citations

6.7
avg, IF

4.06
L-index

#	Paper	IF	Citations
22	Characterizing imidacloprid and metabolites in songbird blood with applications for diagnosing field exposures. <i>Science of the Total Environment</i> , 2021 , 760, 143409	10.2	4
21	Incubation temperature and PCB-126 exposure interactively impair shorebird embryo and post-hatch development. <i>Environmental Research</i> , 2020 , 188, 109779	7.9	0
20	Continuous exposure to mercury during embryogenesis and chick development affects later survival and reproduction of zebra finch (<i>Taeniopygia guttata</i>). <i>Ecotoxicology</i> , 2020 , 29, 1117-1127	2.9	5
19	A neonicotinoid insecticide reduces fueling and delays migration in songbirds. <i>Science</i> , 2019 , 365, 1177-1180	35.9	80
18	In ovo exposure to brominated flame retardants Part I: Assessment of effects of TBBPA-BDBPE on survival, morphometric and physiological endpoints in zebra finches. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 179, 104-110	7	2
17	In ovo exposure to brominated flame retardants Part II: Assessment of effects of TBBPA-BDBPE and BTBPE on hatching success, morphometric and physiological endpoints in American kestrels. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 179, 151-159	7	10
16	Ecologically-relevant exposure to methylmercury during early development does not affect adult phenotype in zebra finches (<i>Taeniopygia guttata</i>). <i>Ecotoxicology</i> , 2018 , 27, 259-266	2.9	5
15	Part-per-trillion LC-MS/MS determination of neonicotinoids in small volumes of songbird plasma. <i>Science of the Total Environment</i> , 2018 , 644, 1080-1087	10.2	21
14	Embryonic exposure to environmentally relevant concentrations of a brominated flame retardant reduces the size of song-control nuclei in a songbird. <i>Developmental Neurobiology</i> , 2018 , 78, 799	3.2	2
13	In ovo tris(2-butoxyethyl) phosphate concentrations significantly decrease in late incubation after a single exposure via injection, with no evidence of effects on hatching success or latent effects on growth or reproduction in zebra finches. <i>Environmental Toxicology and Chemistry</i> , 2017 , 36, 83-88	3.8	4
12	Assessment of neuroanatomical and behavioural effects of in ovo methylmercury exposure in zebra finches (<i>Taeniopygia guttata</i>). <i>NeuroToxicology</i> , 2017 , 59, 33-39	4.4	11
11	Catbirds are the New Chickens: High Sensitivity to a Dioxin-like Compound in a Wildlife Species. <i>Environmental Science & Technology</i> , 2017 , 51, 5252-5258	10.3	5
10	Imidacloprid and chlorpyrifos insecticides impair migratory ability in a seed-eating songbird. <i>Scientific Reports</i> , 2017 , 7, 15176	4.9	85
9	Acute embryotoxic effects but no long-term reproductive effects of in ovo methylmercury exposure in zebra finches (<i>Taeniopygia guttata</i>). <i>Environmental Toxicology and Chemistry</i> , 2016 , 35, 1534-1540	3.8	13
8	The Flame-Retardant Tris(1,3-dichloro-2-propyl) Phosphate Represses Androgen Signaling in Human Prostate Cancer Cell Lines. <i>Journal of Biochemical and Molecular Toxicology</i> , 2016 , 30, 249-57	3.4	6
7	Assessment of concentrations and effects of organohalogen contaminants in a terrestrial passerine, the European starling. <i>Science of the Total Environment</i> , 2014 , 473-474, 589-96	10.2	15
6	An assessment of the developmental toxicity of BDE-99 in the European starling using an integrated laboratory and field approach. <i>Ecotoxicology</i> , 2014 , 23, 1505-16	2.9	15

5	Amino acid sequence of the AhR1 ligand-binding domain predicts avian sensitivity to dioxin like compounds: in vivo verification in European starlings. <i>Environmental Toxicology and Chemistry</i> , 2014 , 33, 2753-8	3.8	6
4	Developmental exposure to a brominated flame retardant: an assessment of effects on physiology, growth, and reproduction in a songbird, the zebra finch. <i>Environmental Pollution</i> , 2013 , 178, 343-9	9.3	20
3	Individual variation in body burden, lipid status, and reproductive investment is related to maternal transfer of a brominated diphenyl ether (BDE-99) to eggs in the zebra finch. <i>Environmental Toxicology and Chemistry</i> , 2013 , 32, 345-52	3.8	14
2	Early exposure to 2,2,4,4,5-pentabromodiphenyl ether (BDE-99) affects mating behavior of zebra finches. <i>Toxicological Sciences</i> , 2012 , 127, 269-76	4.4	33
1	Influence of forest management on pre- and post-fledging productivity of a Neotropical migratory songbird in a highly fragmented landscape. <i>Canadian Journal of Forest Research</i> , 2011 , 41, 2009-2019	1.9	14