

# Hannu Kokki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/441582/publications.pdf>

Version: 2024-02-01

176  
papers

4,749  
citations

101384

36  
h-index

128067

60  
g-index

177  
all docs

177  
docs citations

177  
times ranked

3328  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pain after Cardiac Surgery. <i>Anesthesiology</i> , 2006, 105, 794-800.	1.3	783
2	Nonsteroidal Anti-Inflammatory Drugs for Postoperative Pain. <i>Paediatric Drugs</i> , 2003, 5, 103-123.	1.3	146
3	Cerebrospinal fluid insulin-like growth factors IGF-1 and IGF-2 in infantile autism. <i>Developmental Medicine and Child Neurology</i> , 2006, 48, 751.	1.1	111
4	Paracetamol (Acetaminophen) Penetrates Readily Into the Cerebrospinal Fluid of Children After Intravenous Administration. <i>Pediatrics</i> , 2007, 119, 766-771.	1.0	109
5	Parents' perceptions and use of analgesics at home after children's day surgery. <i>Paediatric Anaesthesia</i> , 2003, 13, 132-140.	0.6	101
6	S(+)-Ketamine as an Analgesic Adjunct Reduces Opioid Consumption After Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2004, 99, 1295-1301.	1.1	94
7	Comparison of intravenous ketorolac with morphine for postoperative pain in children. <i>Clinical Pharmacology and Therapeutics</i> , 1992, 52, 436-443.	2.3	87
8	Spinal blocks. <i>Paediatric Anaesthesia</i> , 2012, 22, 56-64.	0.6	75
9	Comparison of pre- and postoperative administration of ketoprofen for analgesia after tonsillectomy in children. <i>Paediatric Anaesthesia</i> , 2002, 12, 162-167.	0.6	70
10	Postdural puncture headache is not an age-related symptom in children: a prospective, open-randomized, parallel group study comparing a22-gauge Quincke with a 22-gauge Whitacre needle. <i>Paediatric Anaesthesia</i> , 1999, 9, 429-434.	0.6	68
11	Propacetamol as Adjunctive Treatment for Postoperative Pain After Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2002, 95, 813-819.	1.1	68
12	Updated Clinical Pharmacokinetics and Pharmacodynamics of Oxycodone. <i>Clinical Pharmacokinetics</i> , 2019, 58, 705-725.	1.6	66
13	Pharmacokinetics of Oxycodone After Intravenous, Buccal, Intramuscular and Gastric Administration in Children. <i>Clinical Pharmacokinetics</i> , 2004, 43, 613-622.	1.6	63
14	Acetaminophen is Highly Effective in Pain Treatment After Endoscopic Sinus Surgery. <i>Laryngoscope</i> , 2006, 116, 2125-2128.	1.1	60
15	Needle design does not affect the success rate of spinal anaesthesia or the incidence of postpuncture complications in children. <i>Acta Anaesthesiologica Scandinavica</i> , 2000, 44, 210-213.	0.7	59
16	MicroRNA Profiling of Pericardial Fluid Samples from Patients with Heart Failure. <i>PLoS ONE</i> , 2015, 10, e0119646.	1.1	59
17	Prediction of human CNS pharmacokinetics using a physiologically-based pharmacokinetic modeling approach. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 112, 168-179.	1.9	59
18	NRF2 regulates endothelial glycolysis and proliferation with miR-93 and mediates the effects of oxidized phospholipids on endothelial activation. <i>Nucleic Acids Research</i> , 2018, 46, 1124-1138.	6.5	55

#	ARTICLE	IF	CITATIONS
19	Ibuprofen in the treatment of postoperative pain in small children. A randomized double-blind placebo controlled parallel group study. <i>Acta Anaesthesiologica Scandinavica</i> , 1994, 38, 467-472.	0.7	53
20	Oxycodone vs Placebo in Children With Undifferentiated Abdominal Pain. <i>JAMA Pediatrics</i> , 2005, 159, 320.	3.6	52
21	Celecoxib and ketoprofen for pain management during tonsillectomy: A placebo-controlled clinical trial. <i>Otolaryngology - Head and Neck Surgery</i> , 2005, 132, 287-294.	1.1	51
22	Spinal anaesthesia for paediatric day-case surgery: a double-blind, randomized, parallel group, prospective comparison of isobaric and hyperbaric bupivacaine. <i>British Journal of Anaesthesia</i> , 1998, 81, 502-506.	1.5	50
23	Central nervous system penetration of oxycodone after intravenous and epidural administration. <i>British Journal of Anaesthesia</i> , 2014, 112, 133-140.	1.5	49
24	Postdural puncture headache and transient neurologic symptoms in children after spinal anaesthesia using cutting and pencil point paediatric spinal needles. <i>Acta Anaesthesiologica Scandinavica</i> , 1998, 42, 1076-1082.	0.7	47
25	Oxycodone for the treatment of postoperative pain. <i>Expert Opinion on Pharmacotherapy</i> , 2012, 13, 1045-1058.	0.9	47
26	Comparison of 25 G and 29 G Quincke spinal needles in paediatric day case surgery. A prospective randomized study of the puncture characteristics, success rate and postoperative complaints. <i>Paediatric Anaesthesia</i> , 1996, 6, 115-119.	0.6	46
27	Peroperative treatment with i.v. ketoprofen reduces pain and vomiting in children after strabismus surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 1999, 43, 13-18.	0.7	44
28	Ketoprofen and Fentanyl for Pain After Uvulopalatopharyngoplasty and Tonsillectomy. <i>Laryngoscope</i> , 1999, 109, 1950-1954.	1.1	44
29	Remifentanyl Infusion Does Not Induce Opioid Tolerance After Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008, 22, 225-229.	0.6	44
30	Six-year outcome after non-surgical versus surgical treatment of acute primary patellar dislocation in adolescents: a prospective randomized trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 6-11.	2.3	42
31	Population Pharmacokinetics of Oxycodone in Children 6 Months to 7 Years Old. <i>Journal of Clinical Pharmacology</i> , 2006, 46, 433-442.	1.0	41
32	Levobupivacaine for Pediatric Spinal Anesthesia. <i>Anesthesia and Analgesia</i> , 2004, 98, 64-67.	1.1	40
33	Prescribing for off-label use and unauthorized medicines in three paediatric wards in Finland, the status before and after the European Union Paediatric Regulation. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 144-153.	0.7	40
34	Analgesic Concentrations of Oxycodone – A Prospective Clinical PK/PD Study in Patients with Laparoscopic Cholecystectomy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 110, 469-475.	1.2	39
35	I.v. intraoperative ketoprofen in small children during adenoidectomy: a dose-finding study. <i>British Journal of Anaesthesia</i> , 1998, 81, 870-874.	1.5	38
36	Comparison of Oxycodone Pharmacokinetics after Buccal and Sublingual Administration in Children. <i>Clinical Pharmacokinetics</i> , 2006, 45, 745-754.	1.6	38

#	ARTICLE	IF	CITATIONS
37	Cerebrospinal Fluid Distribution of Ibuprofen After Intravenous Administration in Children. <i>Pediatrics</i> , 2007, 120, e1002-e1008.	1.0	38
38	Pain and activity disturbance after paediatric day case adenoidectomy. <i>Paediatric Anaesthesia</i> , 1997, 7, 227-231.	0.6	37
39	Laparoscopic Surgery: A Narrative Review of Pharmacotherapy in Pain Management. <i>Drugs</i> , 2015, 75, 1867-1889.	4.9	37
40	I.V. ketoprofen for analgesia after tonsillectomy: comparison of pre- and post-operative administration. <i>British Journal of Anaesthesia</i> , 2001, 86, 377-381.	1.5	36
41	High success rate and low incidence of headache and neurological symptoms with two spinal needle designs in children*. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 1367-1372.	0.7	34
42	Epidural blood patches are effective for postdural puncture headache in pediatrics â€“ a 10â€“year experience. <i>Paediatric Anaesthesia</i> , 2012, 22, 1205-1210.	0.6	34
43	Ketoprofen Pharmacokinetics, Efficacy, and Tolerability in Pediatric Patients. <i>Paediatric Drugs</i> , 2010, 12, 313-329.	1.3	33
44	The Effect of Intravenous Ketoprofen on Postoperative Epidural Sufentanil Analgesia in Children. <i>Anesthesia and Analgesia</i> , 1999, 88, 1036-1041.	1.1	31
45	Recovery after paediatric daycase herniotomy performed under spinal anaesthesia. <i>Paediatric Anaesthesia</i> , 2000, 10, 413-417.	0.6	31
46	The influence of timing on the effectiveness of epidural blood patches in parturients. <i>International Journal of Obstetric Anesthesia</i> , 2013, 22, 303-309.	0.2	31
47	Isobaric Ropivacaine 5 mg/mL for Spinal Anesthesia in Children. <i>Anesthesia and Analgesia</i> , 2005, 100, 66-70.	1.1	30
48	Recovery after cataract surgery. <i>Acta Ophthalmologica</i> , 2016, 94, 1-34.	0.6	29
49	Comparison of spinal anaesthesia with epidural anaesthesia in paediatric surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 1995, 39, 896-900.	0.7	28
50	Prolonged-release Oxycodone/Naloxone in Postoperative Pain Management: From a Randomized Clinical Trial to Usual Clinical Practice. <i>Journal of International Medical Research</i> , 2012, 40, 1775-1793.	0.4	28
51	Ketorolac, diclofenac and ketoprofen are equally efficacious for pain relief after total hip replacement surgery. <i>British Journal of Anaesthesia</i> , 1998, 81, 369-372.	1.5	27
52	Stability of sufentanil and levobupivacaine solutions and a mixture in a 0.9% sodium chloride infusion stored in polypropylene syringes. <i>European Journal of Pharmaceutical Sciences</i> , 2003, 19, 31-36.	1.9	27
53	Comparison of epidural pain treatment with sufentanil-ropivacaine infusion with and without epinephrine in children. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 647-653.	0.7	26
54	Propacetamol as Adjunctive Treatment for Postoperative Pain After Cardiac Surgery. <i>Anesthesia and Analgesia</i> , 2002, 95, 813-819.	1.1	25

#	ARTICLE	IF	CITATIONS
55	Does coronary artery bypass surgery affect metoprolol bioavailability. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 471-478.	0.8	25
56	Metabolic effects of a low-pressure tourniquet system compared with a high-pressure tourniquet system in arthroscopic anterior crucial ligament reconstruction. <i>Acta Anaesthesiologica Scandinavica</i> , 1998, 42, 418-424.	0.7	24
57	Current management of pediatric postoperative pain. <i>Expert Review of Neurotherapeutics</i> , 2004, 4, 295-306.	1.4	24
58	Etoricoxib for pain management during thyroid surgery—a prospective, placebo-controlled study. <i>Otolaryngology - Head and Neck Surgery</i> , 2008, 138, 92-97.	1.1	24
59	Absorption of different oral dosage forms of oxycodone in the elderly: a cross-over clinical trial in patients undergoing cystoscopy. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1357-1363.	0.8	24
60	Maturation of oxycodone pharmacokinetics in neonates and infants: Oxycodone and its metabolites in plasma and urine. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 791-800.	1.1	24
61	NRF2 is a key regulator of endothelial microRNA expression under proatherogenic stimuli. <i>Cardiovascular Research</i> , 2021, 117, 1339-1357.	1.8	24
62	Intravenous ketoprofen and epidural sufentanil analgesia in children after combined spinal-epidural anaesthesia. <i>Acta Anaesthesiologica Scandinavica</i> , 1999, 43, 775-779.	0.7	23
63	The feasibility of pain treatment at home after adenoidectomy with ketoprofen tablets in small children. <i>Paediatric Anaesthesia</i> , 2000, 10, 531-535.	0.6	23
64	Pharmacokinetics of a 24-hour intravenous ketoprofen infusion in children. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 194-198.	0.7	23
65	Intravenous Oxycodone for Pain Relief in the First Stage of Labour — Maternal Pharmacokinetics and Neonatal Exposure. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 111, 182-188.	1.2	23
66	Fentanyl Pharmacokinetics in Pregnant Sheep after Intravenous and Transdermal Administration to the Ewe. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 117, 156-163.	1.2	23
67	Training of medical staff positively influences postoperative pain management at home in children. <i>International Journal of Clinical Pharmacy</i> , 1999, 21, 168-172.	1.4	22
68	Comparison of intravenous and oral ketoprofen for postoperative pain after adenoidectomy in children. <i>British Journal of Anaesthesia</i> , 2000, 85, 224-227.	1.5	22
69	Diclofenac readily penetrates the cerebrospinal fluid in children. <i>British Journal of Clinical Pharmacology</i> , 2008, 65, 879-884.	1.1	22
70	The Analgesic Concentration of Oxycodone with Co-administration of Paracetamol — A Dose-Finding Study in Adult Patients Undergoing Laparoscopic Cholecystectomy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 111, 391-395.	1.2	21
71	Pain management after adenoidectomy with ketoprofen: comparison of rectal and intravenous routes. <i>British Journal of Anaesthesia</i> , 2000, 85, 836-840.	1.5	20
72	Hyperbaric bupivacaine for spinal anaesthesia in 7-18 yr old children: comparison of bupivacaine 5 mg ml <sup>-1</sup> in 0.9% and 8% glucose solutions. <i>British Journal of Anaesthesia</i> , 2000, 84, 59-62.	1.5	20

#	ARTICLE	IF	CITATIONS
73	Postoperative Behavioral Changes in Children After Adenoidectomy. <i>JAMA Otolaryngology</i> , 2002, 128, 1159.	1.5	20
74	Resilience in children and their parents enduring pediatric medical traumatic stress. <i>Paediatric Anaesthesia</i> , 2019, 29, 218-225.	0.6	20
75	Review of clinical practice guidelines on the use of procalcitonin in infections. <i>Infectious Diseases</i> , 2020, 52, 227-234.	1.4	20
76	Pharmacokinetics of Intravenous and Rectal Ketoprofen in Young Children. <i>Clinical Pharmacokinetics</i> , 2003, 42, 373-379.	1.6	19
77	Does 1 or 2 mg paracetamol added to ketoprofen enhance analgesia in adult tonsillectomy patients?. <i>Acta Anaesthesiologica Scandinavica</i> , 2009, 53, 1200-1206.	0.7	19
78	Beta-adrenergic antagonists during general anesthesia reduced postoperative pain: a systematic review and a meta-analysis of randomized controlled trials. <i>Journal of Anesthesia</i> , 2015, 29, 934-943.	0.7	17
79	Does the Rectus Sheath Block Analgesia Reduce the Inflammatory Response Biomarkers' IL-1ra, IL-6, IL-8, IL-10 and IL-1 $\beta$ Concentrations Following Surgery? A Randomized Clinical Trial of Patients with Cancer and Benign Disease. <i>Anticancer Research</i> , 2016, 36, 3005-11.	0.5	17
80	Pharmacokinetics of Ketoprofen Syrup in Small Children. <i>Journal of Clinical Pharmacology</i> , 2000, 40, 354-359.	1.0	16
81	Pharmacokinetics of ketoprofen following oral and intramuscular administration in young children. <i>European Journal of Clinical Pharmacology</i> , 2001, 57, 643-647.	0.8	16
82	Nimesulide versus Ibuprofen for Postoperative Tonsillectomy Pain. <i>Clinical Drug Investigation</i> , 2003, 23, 651-660.	1.1	16
83	Metabolism of Oxycodone in Human Hepatocytes from Different Age Groups and Prediction of Hepatic Plasma Clearance. <i>Frontiers in Pharmacology</i> , 2011, 2, 87.	1.6	16
84	Minilaparotomy cholecystectomy with ultrasonic dissection versus conventional laparoscopic cholecystectomy: a randomized multicenter study. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1317-1323.	0.6	16
85	Cytotoxicity of Oxycodone and Morphine in Human Neuroblastoma and Mouse Motoneuronal Cells: A Comparative Approach. <i>Drugs in R and D</i> , 2016, 16, 155-163.	1.1	16
86	Diffusion of ketoprofen into the cerebrospinal fluid of young children. <i>Paediatric Anaesthesia</i> , 2002, 12, 313-316.	0.6	15
87	Pain Intensity after Laseruvulopalatoplasty and Tonsillectomy. <i>Otolaryngology - Head and Neck Surgery</i> , 2003, 128, 273-279.	1.1	15
88	A Prospective, Randomized Study Comparing Minilaparotomy and Laparoscopic Cholecystectomy as a Day-Surgery Procedure: 5-Year Outcome. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 827-832.	1.3	15
89	The use of epidural analgesia for intrapartum pain relief in publicly funded healthcare. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 291-297.	0.7	15
90	Improvement in the quality of life following cholecystectomy: a randomized multicenter study of health status (RAND-36) in patients with laparoscopic cholecystectomy versus minilaparotomy cholecystectomy. <i>Quality of Life Research</i> , 2017, 26, 665-671.	1.5	15

#	ARTICLE	IF	CITATIONS
91	Maturation of Oxycodone Pharmacokinetics in Neonates and Infants: a Population Pharmacokinetic Model of Three Clinical Trials. <i>Pharmaceutical Research</i> , 2017, 34, 1125-1133.	1.7	15
92	A prospective, randomized, open label, controlled study investigating the efficiency and safety of 3 different methods of rectus sheath block analgesia following midline laparotomy. <i>Medicine (United States)</i> , 2017, 96, 1010-1016.	0.4	10
93	Procalcitonin; a feasible biomarker for severe bacterial infections in Obstetrics and Gynecology?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 505-506.	1.3	15
94	A Dose-Finding Study of Dexketoprofen in Patients Undergoing Laparoscopic Cholecystectomy: A Randomized Clinical Trial on Effects on the Analgesic Concentration of Oxycodone. <i>Drugs in R and D</i> , 2015, 15, 319-328.	1.1	14
95	Effects of knee flexion and extension on the tibial tuberosity-trochlear groove (TT-TG) distance in adolescents. <i>Journal of Experimental Orthopaedics</i> , 2018, 5, 31.	0.8	14
96	Analgesic efficacy and pharmacokinetics of epidural oxycodone in pain management after gynaecological laparoscopy: A randomised, double blind, active control, double-blind, dummy clinical comparison with intravenous administration. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1798-1807.	1.1	14
97	Severe gastro-oesophageal reflux necessitating fundoplication after percutaneous endoscopic and open gastrotomy in children. <i>Langenbeck's Archives of Surgery</i> , 2013, 398, 703-707.	0.8	13
98	Opioid-Induced Bowel Dysfunction in Patients Undergoing Spine Surgery: Comparison of Oxycodone and Oxycodone-Naloxone Treatment. <i>Advances in Therapy</i> , 2017, 34, 236-251.	1.3	13
99	Kuopio birth cohort - design of a Finnish joint research effort for identification of environmental and lifestyle risk factors for the wellbeing of the mother and the newborn child. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 381.	0.9	13
100	The effects of a hospital staff training program on the treatment practices of postoperative pain in children under 8 years. <i>International Journal of Clinical Pharmacy</i> , 1998, 20, 66-72.	1.4	12
101	Perioperative intravenous ketoprofen neither prolongs operation time nor delays discharge after adenoidectomy in children. <i>Paediatric Anaesthesia</i> , 2001, 11, 59-64.	0.6	12
102	Ketoprofen versus Paracetamol (Acetaminophen) or Ibuprofen in the Management of Fever. <i>Clinical Drug Investigation</i> , 2010, 30, 375-386.	1.1	12
103	Ketoprofen for Add-On Pain Treatment to Paracetamol after Strabismus Surgery in Children. <i>Clinical Drug Investigation</i> , 2004, 24, 237-244.	1.1	11
104	Inflammatory response to surgical trauma in patients with minilaparotomy cholecystectomy versus laparoscopic cholecystectomy: a randomised multicentre study. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 739-744.	0.6	11
105	The analgesic efficacy and pharmacokinetics of epidural oxycodone after gynaecological laparotomy: a randomized, double-blind, double-blind, dummy comparison with intravenous administration. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2088-2096.	1.1	11
106	Low Cerebrospinal Fluid Amyloid-Beta Concentration Is Associated with Poorer Delayed Memory Recall in Women. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 303-312.	0.6	10
107	Sufentanil sublingual formulation for the treatment of acute, moderate to severe postoperative pain in adult patients. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 101-111.	1.4	10
108	An up-to-date overview of sublingual sufentanil for the treatment of moderate to severe pain. <i>Expert Opinion on Pharmacotherapy</i> , 2020, 21, 1407-1418.	0.9	10



#	ARTICLE	IF	CITATIONS
109	Physiologically based pharmacokinetic modelling of oxycodone drug-drug interactions. <i>Biopharmaceutics and Drug Disposition</i> , 2020, 41, 72-88.	1.1	10
110	Pregnancy, puerperium and perinatal constipation – an observational hybrid survey on pregnant and postpartum women and their age-matched non-pregnant controls. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1057-1064.	1.1	10
111	Design and development of poly-L/D-lactide copolymer and barium titanate nanoparticle 3D composite scaffolds using breath figure method for tissue engineering applications. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 199, 111530.	2.5	10
112	Normobaric hypoxia training in military aviation and subsequent hypoxia symptom recognition. <i>Ergonomics</i> , 2021, 64, 545-552.	1.1	10
113	Intravenous dexketoprofen induces less injection pain than racemic ketoprofen. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015, 40, 431-435.	0.7	9
114	A randomized multicenter study of minilaparotomy cholecystectomy versus laparoscopic cholecystectomy with ultrasonic dissection in both groups. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 354-359.	0.6	9
115	Subtle Cognitive Impairment and Alzheimer's Disease-Type Pathological Changes in Cerebrospinal Fluid are Common Among Neurologically Healthy Subjects. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 165-174.	1.2	9
116	Population pharmacokinetics of oxycodone: Premature neonates to adults. <i>Paediatric Anaesthesia</i> , 2021, 31, 1332-1339.	0.6	9
117	No difference between bupivacaine in 0.9% and 8% glucose for spinal anaesthesia in small children. <i>Acta Anaesthesiologica Scandinavica</i> , 2000, 44, 548-551.	0.7	8
118	Dose-Finding Studies of Ketoprofen in the Management of Fever in Children. <i>Clinical Drug Investigation</i> , 2010, 30, 251-258.	1.1	8
119	Postdural puncture headache and epidural blood patch use in elderly patients. <i>Journal of Clinical Anesthesia</i> , 2015, 27, 574-578.	0.7	8
120	Health-related quality of life after cataract surgery with the phacoemulsification technique and intraocular lens implantation. <i>Acta Ophthalmologica</i> , 2016, 94, 21-25.	0.6	8
121	The plasma 8-OHdG levels and oxidative stress following cholecystectomy: a randomised multicentre study of patients with minilaparotomy cholecystectomy versus laparoscopic cholecystectomy. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1507-1511.	0.6	8
122	The Cerebrospinal Fluid Distribution of Postoperatively Administered Dexketoprofen and Etoricoxib and Their Effect on Pain and Inflammatory Markers in Patients Undergoing Hip Arthroplasty. <i>Clinical Drug Investigation</i> , 2016, 36, 545-555.	1.1	8
123	Life satisfaction and pain interference in spine surgery patients before and after surgery: comparison between on-opioid and opioid-naïve patients. <i>Quality of Life Research</i> , 2018, 27, 3013-3020.	1.5	8
124	Regular tramadol use does not affect the propofol dose requirement for induction of anaesthesia. <i>European Journal of Anaesthesiology</i> , 2007, 24, 776-781.	0.7	7
125	Population pharmacometrics in support of analgesics studies. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 143-156.	0.7	7
126	Brain derived neurotrophic factor and serotonin transporter binding as markers of clinical response to fluoxetine therapy in children with autism. <i>Journal of Pediatric Neurology</i> , 2015, 09, 001-008.	0.0	7



#	ARTICLE	IF	CITATIONS
127	Foetal Fentanyl Exposure and Ion Trapping after Intravenous and Transdermal Administration to the Ewe. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 195-198.	1.2	7
128	Plasma Catalase in Relation to Pain Following Midline Laparotomy: A Prospective Study of Patients with Benign Diseases and Patients with Cancer. <i>Anticancer Research</i> , 2018, 38, 6479-6484.	0.5	7
129	Oxycodone pharmacokinetics and fetal exposure after intravenous or epidural administration to the ewe. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1200-1205.	1.3	7
130	Oxycodone target concentration dosing for acute pain in children. <i>Paediatric Anaesthesia</i> , 2021, 31, 1325-1331.	0.6	7
131	A prospective, randomized multicenter study comparing conventional laparoscopic cholecystectomy versus minilaparotomy cholecystectomy with ultrasonic dissection as day surgery procedure—1-year outcome. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 1336-1342.	0.6	6
132	Central Nervous System Penetration of the Opioid Oxycodone. , 2016, , 457-466.		6
133	ACTH Treatment of Infantile Spasms: Low-Moderate- Versus High-Dose, Natural Versus Synthetic ACTH—A Retrospective Cohort Study. <i>Pediatric Neurology</i> , 2020, 111, 46-50.	1.0	6
134	Pharmacokinetics of buprenorphine in pregnant sheep after intravenous injection. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00726.	1.1	6
135	Oxycodone concentrations in the central nervous system and cerebrospinal fluid after epidural administration to the pregnant ewe. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 125, 430-438.	1.2	5
136	Population pharmacokinetics of oxycodone in plasma and cerebrospinal fluid after epidural and intravenous administration. <i>Expert Opinion on Drug Delivery</i> , 2019, 16, 649-656.	2.4	5
137	Rectus Sheath Block (RSB) Analgesia Could Enhance Significantly the Patient Satisfaction Following Midline Laparotomy in Benign Disease and in Cancer: A Prospective Study With Special Reference to Nitrosative Stress Marker Nitrotyrosine (NT) Plasma Concentrations. <i>Anticancer Research</i> , 2019, 39, 1383-1389.	0.5	5
138	Brief Pain Inventory (BPI) Health Survey After Midline Laparotomy With the Rectus Sheath Block (RSB) Analgesia: A Randomised Trial of Patients With Cancer and Benign Disease. <i>Anticancer Research</i> , 2019, 39, 6751-6757.	0.5	5
139	Implementation of a 23-h surgery model in a tertiary care hospital: a safe and feasible model with high patient satisfaction. <i>BJS Open</i> , 2020, 4, 391-399.	0.7	5
140	Oxycodone for pain management in the latent phase of labour — A pragmatic trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 685-690.	0.7	5
141	Nurses' perceptions of automated dispensing cabinets — an observational study and an online survey. <i>BMC Nursing</i> , 2020, 19, 27.	0.9	5
142	Resilience and health-related quality of life in patients with pulmonary diseases receiving ambulatory oxygen therapy. <i>BMC Pulmonary Medicine</i> , 2021, 21, 144.	0.8	5
143	Levobupivacaine for Spinal Anesthesia in Children: Cerebrospinal Fluid Aspiration Before the Injection Does not Affect the Spread or Duration of the Sensory Block. <i>Anesthesiology and Pain Medicine</i> , 2016, 6, e33815.	0.5	5
144	Tourniquet-induced enmg changes in arthroscopic anterior cruciate ligament reconstruction. A comparison of low and high-pressure tourniquet systems. <i>Annales Chirurgiae Et Gynaecologiae</i> , 2000, 89, 313-7.	0.2	5

#	ARTICLE	IF	CITATIONS
145	Pharmacokinetics of intranasal fentanyl in parturient. <i>British Journal of Anaesthesia</i> , 2015, 115, 635-636.	1.5	4
146	How do different extracorporeal circulation systems affect metoprolol bioavailability in coronary artery bypass surgery patients. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 785-792.	0.8	4
147	The Rectus Sheath Block (RSB) Analgesia Following Laparotomy Could Affect Malondialdehyde (MDA) Concentrations in Benign Disease and Cancer. <i>Anticancer Research</i> , 2020, 40, 253-259.	0.5	4
148	Bioavailability of oxycodone by mouth in coronary artery bypass surgery patients – a randomized trial. <i>Journal of Drug Assessment</i> , 2020, 9, 117-128.	1.1	4
149	Intranasal Fentanyl for Intervention-Associated Breakthrough Pain After Cardiac Surgery. <i>Clinical Pharmacokinetics</i> , 2021, 60, 907-919.	1.6	4
150	MATERNAL AND FETAL BUPRENORPHINE PHARMACOKINETICS IN PREGNANT SHEEP DURING TRANSDERMAL PATCH DOSING. <i>European Journal of Pharmaceutical Sciences</i> , 2021, 165, 105936.	1.9	4
151	Does Rectus Sheath Block Analgesia Alter Levels of the Oxidative Stress Biomarker Glutathione Peroxidase: A Randomised Trial of Patients with Cancer and Benign Disease. <i>Anticancer Research</i> , 2017, 37, 897-902.	0.5	4
152	The impact of age and sex adjusted body mass index (ISO-BMI) in obese versus non-obese children and adolescents with cholecystectomy. <i>In Vivo</i> , 2014, 28, 615-9.	0.6	4
153	CSF nerve growth factor ( $\beta$ -NGF) is increased but CSF insulin-like growth factor-(IGF-1) is normal in children with tuberous sclerosis and infantile spasms. <i>European Journal of Paediatric Neurology</i> , 2019, 23, 191-196.	0.7	3
154	Interpleural bupivacaine and intravenous oxycodone for pain treatment after thoracotomy in children. <i>Journal of Opioid Management</i> , 2006, 2, 290-294.	0.2	3
155	Does Post-Surgery Placement of Rectus Sheath Block Analgesia Alter the Oxidative Stress Biomarker 8-OHdG Concentrations: A Randomised Trial of Patients with Cancer and Benign Disease. <i>Cancer Genomics and Proteomics</i> , 2016, 13, 239-44.	1.0	3
156	Ergonomics and skin and respiratory tract reactions related to antibiotic reconstitution among nurses and ward pharmacists. <i>Drugs and Therapy Perspectives</i> , 2016, 32, 351-356.	0.3	2
157	The usage of procalcitonin in Finland. <i>Acta Anaesthesiologica Scandinavica</i> , 2018, 62, 1092-1097.	0.7	2
158	The impact of postpartum depressive symptoms on self-reported infant health and analgesic consumption at the age of 12 months: A prospective cohort study. <i>Journal of Psychiatric Research</i> , 2021, 136, 388-397.	1.5	2
159	Stability of Sufentanil in a Syringe Pump under Simulated Epidural Infusion. <i>International Journal of Pharmaceutical Compounding</i> , 1998, 2, 466-8.	0.0	2
160	Epidural Oxycodone for Acute Pain. <i>Pharmaceuticals</i> , 2022, 15, 643.	1.7	2
161	Consumption and Distribution of Propofol in Anaesthesia and Intensive Care Use in Finland. <i>Clinical Drug Investigation</i> , 2003, 23, 21-26.	1.1	1
162	Absorption of ibuprofen orodispersible tablets in early postoperative phase – a pharmacokinetic study. <i>Current Medical Research and Opinion</i> , 2018, 34, 683-688.	0.9	1

#	ARTICLE	IF	CITATIONS
163	Psychiatric Symptoms, Posttraumatic Growth, and Life Satisfaction Among Parents of Seriously Ill Infants: A Prospective Case-Controlled Study. <i>Journal of Clinical Psychology in Medical Settings</i> , 2022, 29, 453-465.	0.8	1
164	Nonobstetric surgery during pregnancy in Finland during a 21-year period: A register-based study. , 0, , .		1
165	S152 IMPAIRED CLEARANCE AND UNALTERED BIOAVAILABILITY OF THREE ORAL OXYCODONE FORMULATIONS IN ELDERLY PATIENTS. <i>European Journal of Pain Supplements</i> , 2011, 5, 211.	0.0	0
166	Commentaries on "Diclofenac for acute pain in children". <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011, 6, 208-211.	2.0	0
167	P3198: Age Correlates With Memory Test Results in a Cohort of Subjects With No Subjective Memory Complaint. <i>Alzheimer's and Dementia</i> , 2016, 12, P899.	0.4	0
168	Author's Reply to Parsons: "Cytotoxicity of Oxycodone and Morphine in Human Neuroblastoma and Mouse Motoneuronal Cells: A Comparative Approach". <i>Drugs in R and D</i> , 2016, 16, 287-288.	1.1	0
169	Novel renal markers for the assessment of renal integrity in patients undergoing knee arthroplasty " a pilot study. <i>Journal of Experimental Orthopaedics</i> , 2018, 5, 40.	0.8	0
170	Response to "The role of procalcitonin in the diagnosis and management of infections in the field of obstetrics and gynecology". <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1407-1408.	1.3	0
171	Response to the letter to the editor by Dr. Yasar and Babaoglu on the recent publication of Kokki et al. on the pharmacokinetics of metoprolol bioavailability in coronary artery bypass surgery patients. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1097-1097.	0.8	0
172	Plasma oxycodone and its metabolites concentrations in labouring women and their newborns. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-2-32.	0.0	0
173	Menthol gel for the management of neuropathic pain after hand surgery - a case report. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO2-2-17.	0.0	0
174	TRPM8 receptor and menthol in pain management. , 2022, , 239-251.		0
175	Linking analgesia, epidural oxycodone, pain, and laparoscopy. , 2022, , 421-432.		0
176	Patient functional recovery after a 23-h surgery " a prospective, follow-up study. <i>Langenbeck's Archives of Surgery</i> , 2022, , 1.	0.8	0