Alexander Chizhov

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4416282/alexander-chizhov-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100	1,337	18	33
papers	citations	h-index	g-index
107	1,574 ext. citations	3	4.22
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
100	Noteldentification of 5,7-diacetamido-3,5,7,9-tetradeoxy-d-glycero-l-manno-non-2-ulosonic acid (di-N-acetyl-8-epipseudaminic acid) in the capsular polysaccharide of Acinetobacter baumannii Res546 <i>Carbohydrate Research</i> , 2022 , 513, 108531	2.9	O
99	Capsule-Targeting Depolymerases Derived from Prophage Regions <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
98	The K139 capsular polysaccharide produced by Acinetobacter baumannii MAR17-1041 belongs to a group of related structures including K14, K37 and K116. <i>International Journal of Biological Macromolecules</i> , 2021 , 193, 2297-2297	7.9	1
97	Structure of the capsular polysaccharide of Acinetobacter baumannii MAR 55 B 6. <i>Russian Chemical Bulletin</i> , 2021 , 70, 592-599	1.7	2
96	Novel Myovirus TaPaz Encoding Two Tailspike Depolymerases: Characterization and Host-Recognition Strategy. <i>Viruses</i> , 2021 , 13,	6.2	5
95	K106 and K112: Two Structurally and Genetically Related 6-Deoxy-l-talose-Containing Capsular Polysaccharides. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
94	4-(3-Methoxyphenyl)-5-(2-thienylmethyl)-2,4-dihydro-3H-1,2,4-triazole-3-selone: Synthesis, structural characteristics and reactions. <i>Journal of Molecular Structure</i> , 2021 , 1227, 129537	3.4	1
93	4-Phenyl-5-(2-Thienylmethyl)-2,4-Dihydro-3H-1,2,4-Triazole-3-Selone and 3,3@i[4-Phenyl-5-(2-Thienylmethyl)-4H-1,2,4-Triazolyl] Diselenide: Synthesis, Structures, and Biocidal Properties. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2021 , 47, 32-	1.6 -42	0
92	The K26 capsular polysaccharide from Acinetobacter baumannii KZ-1098: Structure and cleavage by a specific phage depolymerase. <i>International Journal of Biological Macromolecules</i> , 2021 , 191, 182-191	7.9	3
91	Unusual Outcome of Glycosylation: Hydrogen-Bond Mediated Control of Stereoselectivity by N-Trifluoroacetyl Group?. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 4146-4160	3.2	2
90	Mechanisms of Acinetobacter baumannii Capsular Polysaccharide Cleavage by Phage Depolymerases. <i>Biochemistry (Moscow)</i> , 2020 , 85, 567-574	2.9	16
89	Azidation of Partially Protected Carbohydrate Derivatives: Efficient Suppression of Acyl Migration. <i>Synlett</i> , 2020 , 31, 1491-1496	2.2	1
88	Structural investigation and comparative cytotoxic activity of water-soluble polysaccharides from fruit bodies of the medicinal fungus quinine conk. <i>Phytochemistry</i> , 2020 , 175, 112313	4	6
87	Synthesis of (3R,10R)- and (3S,10S)-Diastereomers of 3,10-Dimethylspermine. <i>Russian Journal of Bioorganic Chemistry</i> , 2020 , 46, 1061-1066	1	
86	A New Example of Rearrangement Observed in the Tandem Mass Spectra of Oligosaccharides. Journal of Analytical Chemistry, 2020 , 75, 1842-1845	1.1	1
85	Polyphenol components of the knotwood extracts of Salix capreal <i>Russian Chemical Bulletin</i> , 2020 , 69, 2390-2395	1.7	2
84	Specific Interaction of Novel Phages Encoding Tailspike Depolymerases with Corresponding Capsular Types. <i>Journal of Virology</i> , 2020 ,	6.6	14

83	Components of the extracts of the knot wood of Dalbergia Sissoo Linn. and their antioxidant activity. <i>Russian Chemical Bulletin</i> , 2019 , 68, 1756-1762	1.7	5
82	Janus glycosides of next generation: Synthesis of 4-(3-chloropropoxy)phenyl and 4-(3-azidopropoxy)phenyl glycosides. <i>Carbohydrate Research</i> , 2019 , 471, 95-104	2.9	6
81	Structure and Function of the Branched Receptor-Binding Complex of Bacteriophage CBA120. Journal of Molecular Biology, 2019 , 431, 3718-3739	6.5	28
80	Gas-Phase Fragmentation of Cyclic Oligosaccharides in Tandem Mass Spectrometry. <i>Molecules</i> , 2019 , 24,	4.8	7
79	Chemical constituents of the extracts of the knotwood of Pinus roxburghii Sarg. and their antioxidant activity. <i>Russian Chemical Bulletin</i> , 2019 , 68, 2298-2306	1.7	4
78	Unforeseen Possibilities To Investigate the Regulation of Polyamine Metabolism Revealed by Novel C-Methylated Spermine Derivatives. <i>Journal of Medicinal Chemistry</i> , 2019 , 62, 11335-11347	8.3	5
77	Isomeric Effects in Collisionally-induced Dissociation of [(1-6)-linked Cyclic Tetrasaccharides of the Glcp2GlcpN2 Composition. <i>Journal of Analytical Chemistry</i> , 2019 , 74, 1320-1324	1.1	0
76	Gas-phase fragmentation studies of cyclic oligo-E(1-6)-D-glucosamines by electrospray ionization mass spectrometry using a hybrid high-resolution mass spectrometer. <i>Russian Chemical Bulletin</i> , 2018 , 67, 144-149	1.7	3
75	Arabinofuranose 1,2,5-orthobenzoate as a single precursor of linear (1005)-linked oligoarabinofuranosides. <i>Carbohydrate Research</i> , 2018 , 456, 35-44	2.9	8
74	Structure elucidation of the O-specific polysaccharide by NMR spectroscopy and selective cleavage and genetic characterization of the O-antigen of Escherichia albertii O5. <i>Carbohydrate Research</i> , 2018 , 457, 25-31	2.9	10
73	Structure of the O-polysaccharide of Escherichia coli O60. Russian Chemical Bulletin, 2018, 67, 2131-213	4 1.7	2
72	Atom- and Step-Economical Ruthenium-Catalyzed Synthesis of Esters from Aldehydes or Ketones and Carboxylic Acids. <i>Organic Letters</i> , 2018 , 20, 7856-7859	6.2	7
71	Synthesis of androsteno[17,16-d]pyrazoles and androsteno[17,16-d]-2?-pyrazolines with pyrazolo[3,4-d]pyrimidine fragments. <i>Russian Chemical Bulletin</i> , 2018 , 67, 1088-1099	1.7	
70	Application of a Janus aglycon with dual function in benzyl-free synthesis of spacer-armed oligosaccharide fragments of polysaccharides from rhizobacterium Azospirillum brasilense sp7. <i>Carbohydrate Research</i> , 2018 , 464, 28-43	2.9	8
69	Structure characterization of the mannofucogalactan isolated from fruit bodies of Quinine conk Fomitopsis officinalis. <i>Carbohydrate Polymers</i> , 2018 , 199, 161-169	10.3	6
68	A Novel Glycosyl Donor with a Triisopropylsilyl Nonparticipating Group in Benzyl-Free Stereoselective 1,2-cis-Galactosylation. <i>Synlett</i> , 2017 , 28, 1608-1613	2.2	12
67	Reduction and diazotization of ethyl 7-amino-3-tert-butyl-4-oxo-4,6-dihydropyrazolo[5,1-c][1,2,4]triazine-8-carboxylate. <i>Russian Journal of Organic Chemistry</i> , 2017 , 53, 577-581	0.7	9
66	Gas-Phase Fragmentation Studies of Biotinylated, Hexaethylene Glycol®pacered OligosaccharidesMolecular ProbesDsing Electrospray Mass Spectrometry on a Hybrid High-Resolution Mass Spectrometer. <i>Journal of Analytical Chemistry</i> , 2017 , 72, 1312-1321	1.1	

65	Stereoselective sialylation with O-trifluoroacetylated thiosialosides: hydrogen bonding involved?. <i>Carbohydrate Research</i> , 2017 , 451, 12-28	2.9	11
64	Methylsulfanyl-Stabilized Rotamers of Cobalt Bis(dicarbollide). European Journal of Inorganic Chemistry, 2017 , 2017, 4444-4451	2.3	24
63	An efficient multigram-scale synthesis of 4-(Ethloroalkoxy)phenols. <i>Russian Chemical Bulletin</i> , 2017 , 66, 304-312	1.7	8
62	Bimodal concentration-dependent reactivity pattern of a glycosyl donor: Is the solution structure involved?. <i>Carbohydrate Research</i> , 2017 , 437, 28-35	2.9	19
61	Gas-phase fragmentation studies of biotinylated oligomannuronopyranosides under conditions of collisionally activated dissociation. <i>Russian Chemical Bulletin</i> , 2017 , 66, 1686-1690	1.7	O
60	A comparison of electrospray tandem mass spectra of some sialic acid derivatives: Ion trap and high resolution QqToF mass spectrometers. <i>Journal of Analytical Chemistry</i> , 2016 , 71, 1392-1396	1.1	1
59	Polysaccharides of algae 68. Sulfated polysaccharides from the Kamchatka brown alga Laminaria bongardiana. <i>Russian Chemical Bulletin</i> , 2016 , 65, 2729-2736	1.7	8
58	Rapid synthesis of linear homologous oligoarabinofuranosides related to mycobacterial lipoarabinomannan and a neoglycoconjugate thereof. <i>Carbohydrate Research</i> , 2016 , 431, 25-32	2.9	17
57	Modification of the length and structure of the linker of N(6)-benzyladenosine modulates its selective antiviral activity against enterovirus 71. <i>European Journal of Medicinal Chemistry</i> , 2016 , 111, 84-94	6.8	19
56	Synthesis of 3-aminopropyl glycosides of linear E(1 -13)-D-glucooligosaccharides. <i>Carbohydrate Research</i> , 2016 , 419, 8-17	2.9	22
55	1,6-Bis[(benzyloxy)methyl]uracil derivatives-Novel antivirals with activity against HIV-1 and influenza H1N1 virus. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 2476-85	3.4	5
54	Structure of the II-fucopyranosyl phosphate-containing O-specific polysaccharide of Escherichia coli O84. <i>International Journal of Biological Macromolecules</i> , 2016 , 88, 578-85	7.9	2
53	Solvolysis with trifluoroacetic acid: an efficient method for selective cleavage of polysaccharides. <i>Mendeleev Communications</i> , 2016 , 26, 279-281	1.9	11
52	Novel Benzyl-Free Glycosyl Donors for Highly Stereoselective 1,2-cis-Fucosylation. <i>Synlett</i> , 2015 , 26, 23	26 <u>72</u> 27	71 ₂₀
51	Toward the discovery of dual HCMV-VZV inhibitors: Synthesis, structure activity relationship analysis, and cytotoxicity studies of long chained 2-uracil-3-yl-N-(4-phenoxyphenyl)acetamides. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 7035-44	3.4	5
50	Structure of the O-polysaccharide of Providencia alcalifaciens O2 containing ascarylose and N-(L-alanyl)-D-glucosamine. <i>Carbohydrate Research</i> , 2015 , 401, 11-5	2.9	O
49	High-resolution mass spectra of biotinylated, HEG-spacered molecular probes with oligosaccharide fragments of the capsular polysaccharides from Streptococcus pneumoniae. <i>Mendeleev Communications</i> , 2015 , 25, 457-459	1.9	8
48	High-resolution electrospray mass spectra of hexaethylene glycol connected biotinylated HNK-1 antigenic trisaccharide molecular probe and its non-sulfated analogue. <i>Carbohydrate Research</i> , 2015 , 417, 15-8	2.9	5

(2013-2015)

47	How sensitive and accurate are routine NMR and MS measurements?. <i>Mendeleev Communications</i> , 2015 , 25, 454-456	1.9	84
46	Synthesis of a disaccharide of phenolic glycolipid from Mycobacterium leprae (PGL-I) and its conjugates with bovine serum albumin. <i>Russian Chemical Bulletin</i> , 2015 , 64, 1142-1148	1.7	12
45	Synthesis of hexasaccharide fragment of lipoarabonomannan from Mycobacteria: advantages of the benzyl-free approach. <i>Russian Chemical Bulletin</i> , 2015 , 64, 1149-1162	1.7	13
44	Electrospray ionization mass spectra of derivatives of 2-phenylthio-N-trifluoroacetylneuraminic acid. <i>Journal of Analytical Chemistry</i> , 2015 , 70, 1664-1670	1.1	1
43	Scaffold hopping: exploration of acetanilide-containing uracil analogues as potential NNRTIs. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 1069-81	3.4	11
42	Structure of the O-polysaccharide from the lipopolysaccharide of Providencia alcalifaciens O33. <i>Carbohydrate Research</i> , 2014 , 390, 67-70	2.9	3
41	Synthesis of 3,6-di-O-methyl-Ed-glucopyranose conjugates. Russian Chemical Bulletin, 2014 , 63, 501-506	1.7	10
40	Chemical structure and biological activity of a highly branched (1 -ҧ̂,1 -ҧ̂)-Ю-glucan from Isochrysis galbana. <i>Carbohydrate Polymers</i> , 2014 , 111, 139-48	10.3	55
39	The use of O-trifluoroacetyl protection and profound influence of the nature of glycosyl acceptor in benzyl-free arabinofuranosylation. <i>Carbohydrate Research</i> , 2014 , 396, 25-36	2.9	25
38	New 5-modified 2?-deoxyuridine derivatives: synthesis and antituberculosis activity. <i>Russian Chemical Bulletin</i> , 2014 , 63, 1197-1200	1.7	2
37	4-(2-Chloroethoxy)phenol-terminated oligomerization of 3-O-benzoyl-Ed-arabinofuranose 1,2,5-orthobenzoate. <i>Russian Chemical Bulletin</i> , 2014 , 63, 497-500	1.7	12
36	New Development in the Solid-State Isotope Exchange with Spillover Hydrogen in Organic Compounds. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 16878-16884	3.8	7
35	Chiral Ionic Liquid/ESI-MS Methodology as an Efficient Tool for the Study of Transformations of Supported Organocatalysts. <i>Topics in Catalysis</i> , 2013 , 56, 923-932	2.3	6
34	Structure-activity evaluation of new uracil-based non-nucleoside inhibitors of HIV reverse transcriptase. <i>MedChemComm</i> , 2013 , 4, 1443	5	10
33	Diorganyl dichalcogenides with intramolecular coordination interactions: the synthesis and structure of bis(4,6-dimethylpyrimidin-2-yl) diselenide. <i>Russian Chemical Bulletin</i> , 2013 , 62, 2462-2466	1.7	1
32	A highly facile approach to the synthesis of novel 2-(3-benzyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-1-yl)-N-phenylacetamides. <i>Tetrahedron Letters</i> , 2013 , 54, 576-578	2	8
31	Stereochemistry of intramolecular cyclization of tetra-E(1-6)-D-glucosamines and related tetrasaccharides: the role of the conformational stereocontrol and the neighboring group participation. <i>Carbohydrate Research</i> , 2013 , 381, 161-78	2.9	18
30	Diorganyl ditellurides with intramolecular coordination bonds: synthesis and structure of bis(4,6-dimethylpyrimidin-2-yl) ditelluride. <i>Russian Chemical Bulletin</i> , 2013 , 62, 1877-1881	1.7	1

29	Chiral Primary Amine Tagged to Ionic Group as Reusable Organocatalyst for Asymmetric Michael Reactions of C-Nucleophiles with #Unsaturated Ketones. <i>Advanced Synthesis and Catalysis</i> , 2012 , 354, 3078-3086	5.6	22
28	1,3-Benzothiazole-2-selenenyl chloride in the synthesis of 2,3-dihydrobenzo[d][1,3]selenazolo[2,3-b][1,3]thiazolium-4 derivatives. <i>Russian Chemical Bulletin</i> , 2012 , 61, 678-679	1.7	1
27	Synthesis and molecular recognition studies of the HNK-1 trisaccharide and related oligosaccharides. The specificity of monoclonal anti-HNK-1 antibodies as assessed by surface plasmon resonance and STD NMR. <i>Journal of the American Chemical Society</i> , 2012 , 134, 426-35	16.4	70
26	Mass spectra of dalargin, a biologically active hexapeptide. <i>Journal of Analytical Chemistry</i> , 2012 , 67, 1096-1097	1.1	
25	Synthesis of (5S*,4aS*,7aS*)-5-hydroxyhexahydro-cyclopenta[c]pyran-3(1H)-one. <i>Russian Chemical Bulletin</i> , 2011 , 60, 2331-2335	1.7	3
24	Conjugates of polyhedral boron compounds with carbohydrates 8. Synthesis and properties of nido-ortho-carborane glycoconjugates containing one to three Elactosylamine residues. <i>Russian Chemical Bulletin</i> , 2011 , 60, 2359-2364	1.7	12
23	gem-dichloro(alkyl)cyclopropanes in reactions with NOCl[2SO3: Synthesis of alkyl-5-chloroisoxazoles. <i>Russian Chemical Bulletin</i> , 2011 , 60, 328-333	1.7	13
22	Myxomycetes in forest parks of Moscow, Moscow region, and some areas of the Kaluga region. <i>Moscow University Biological Sciences Bulletin</i> , 2010 , 65, 116-118	0.5	
21	Conjugated oxidation of thiols and amines in the presence of copper complexes. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2010 , 101, 267-278	1.6	9
20	Conjugates of polyhedral boron compounds with carbohydrates 7. Hydrolytic stability of closo-ortho-carborane glycoconjugates containing from one to three Elactosylamine and Ed-galactopyranosylamine residues; estimation of their galectin-binding efficiency with galectin	1.7	3
19	Synthesis, NMR, and Conformational Studies of Cyclic Oligo-(1-6)-ED-Glucosamines. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 2465-2475	3.2	31
18	Mechanistic insight into organic and catalytic reactions by joint studies using mass spectrometry and NMR spectroscopy. <i>Mendeleev Communications</i> , 2010 , 20, 125-131	1.9	156
17	The synthesis, structure, and electron density distribution in crystals of 4,5-dihydroxyimidazolidine-2-thiones. <i>Russian Chemical Bulletin</i> , 2009 , 58, 1353-1360	1.7	5
16	Direct synthesis of N-acylpyrrolidines from tetrahydrofuran and nitriles of aliphatic and aromatic acids on zeolite catalysts under supercritical conditions. <i>Petroleum Chemistry</i> , 2009 , 49, 94-98	1.1	1
15	Tandem ESI mass spectrometry of 11⊞and 11⊞4-[N,N-bis(2-chloroethyl)amino]phenyl}acetates of the estrane steroids. <i>Russian Chemical Bulletin</i> , 2008 , 57, 95-98	1.7	О
14	Kinetics and mechanism of hexafluoropropylene telomerization and polymerization in the presence of perfluoroethyl iodide at high pressures. <i>Doklady Physical Chemistry</i> , 2007 , 416, 250-252	0.8	
13	Polyalkoxybenzenes from plant raw materials 1. Isolation of polyalkoxybenzenes from CO2 extracts of Umbelliferae plant seeds. <i>Russian Chemical Bulletin</i> , 2007 , 56, 2448-2455	1.7	27
12	Branching of the galacturonan backbone of comaruman, a pectin from the marsh cinquefoil Comarum palustre L. <i>Biochemistry (Moscow)</i> , 2006 , 71, 538-42	2.9	20

LIST OF PUBLICATIONS

11	Structural studies of arabinogalactan and pectin from Silene vulgaris (M.) G. Callus. <i>Biochemistry</i> (Moscow), 2006 , 71, 644-51	2.9	5
10	Addition of tetrachloromethane to oct-1-ene initiated by amino alcohols. <i>Russian Chemical Bulletin</i> , 2006 , 55, 1624-1630	1.7	3
9	Structural studies on pectin from marsh cinquefoil Comarum palustre L. <i>Biochemistry (Moscow)</i> , 2005 , 70, 867-77	2.9	14
8	Cross-coupling of polychloroarenes with phenylboronic acid and organozinc compounds catalyzed by palladium complexes. <i>Russian Chemical Bulletin</i> , 2005 , 54, 970-974	1.7	7
7	A comparative study of the specificity of fucoidanases of marine microorganisms and invertebrates. <i>Doklady Biochemistry and Biophysics</i> , 2004 , 396, 187-9	0.8	4
6	Solid-state chlorodecarboxylation of mono- and dicarboxylic acids with the Pb(OAc)4-MCl system. <i>Russian Chemical Bulletin</i> , 2004 , 53, 2200-2204	1.7	1
5	Structure of silenan, a pectic polysaccharide from Campion Silene vulgaris (Moench) Garcke. <i>Biochemistry (Moscow)</i> , 2003 , 68, 1360-8	2.9	11
4	Water-soluble polysaccharides of some far-eastern brown seaweeds. Distribution, structure, and their dependence on the developmental conditions. <i>Journal of Experimental Marine Biology and Ecology</i> , 2003 , 294, 1-13	2.1	159
3	Structure of tanacetan, a pectic polysaccharide from tansy Tanacetum vulgare L. <i>Biochemistry</i> (Moscow), 2002 , 67, 1371-6	2.9	12
2	Structural analysis of laminarans by MALDI and FAB mass spectrometry. <i>Carbohydrate Research</i> , 1998 , 310, 203-210	2.9	78
1	Identification of 4-sulfaminobutanoic acid in urine of a patient with nonketotic hyperglycinemia. <i>Russian Chemical Bulletin</i> , 1996 , 45, 1252-1253	1.7	