

Catherine H Mercer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4416573/catherine-h-mercero-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

224
papers

7,080
citations

41
h-index

78
g-index

257
ext. papers

8,180
ext. citations

5.5
avg, IF

5.39
L-index

#	Paper	IF	Citations
224	Initial impacts of the COVID-19 pandemic on sexual and reproductive health service use and unmet need in Britain: findings from a quasi-representative survey (Natsal-COVID).. <i>Lancet Public Health, The</i> , 2022 , 7, e36-e47	22.4	3
223	Intimate physical contact between people from different households during the COVID-19 pandemic: a mixed-methods study from a large, quasi-representative survey (Natsal-COVID).. <i>BMJ Open</i> , 2022 , 12, e055284	3	2
222	Initial Impacts of COVID-19 on Sex Life and Relationship Quality in Steady Relationships in Britain: Findings from a Large, Quasi-representative Survey (Natsal-COVID).. <i>Journal of Sex Research</i> , 2022 , 1-12	4	2
221	Feasibility and acceptability of a whole-school social-marketing intervention to prevent unintended teenage pregnancies and promote sexual health: evidence for progression from a pilot to a phase III randomised trial in English secondary schools.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 52	1.9	0
220	Impacts of COVID-19 on sexual behaviour in Britain: findings from a large, quasi-representative survey (Natsal-COVID).. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	5
219	Online Sexual Partner Seeking as a Social Practice: Qualitative Evidence from the 4 British National Survey of Sexual Attitudes and Lifestyles (Natsal-4). <i>Journal of Sex Research</i> , 2021 , 1-11	4	
218	The Positive Choices trial: study protocol for a Phase-III RCT trial of a whole-school social marketing intervention to promote sexual health and reduce health inequalities. <i>Trials</i> , 2021 , 22, 818	2.8	
217	Salivary Testosterone and Sexual Function and Behavior in Men and Women: Findings from the Third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Journal of Sex Research</i> , 2021 , 1-15	4	1
216	Development of an international sexual and reproductive health survey instrument: results from a pilot WHO/HRP consultative Delphi process. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	4
215	Going beyond 'regular and casual': development of a classification of sexual partner types to enhance partner notification for STIs. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	4
214	The association between use of chemsex drugs and HIV clinic attendance among gay and bisexual men living with HIV in London. <i>HIV Medicine</i> , 2021 , 22, 641-649	2.7	1
213	Performance of a tool to identify different types of self-reported sexual risk among women attending a contraception and sexual health clinic: results of a cross-sectional survey. <i>BMJ Sexual and Reproductive Health</i> , 2021 , 47, 117-128	1.9	
212	A school-based social-marketing intervention to promote sexual health in English secondary schools: the Positive Choices pilot cluster RCT. <i>Public Health Research</i> , 2021 , 9, 1-190	1.7	4
211	How does the sexual, physical and mental health of young adults not in education, employment or training (NEET) compare to workers and students?. <i>BMC Public Health</i> , 2021 , 21, 412	4.1	1
210	Methodology of Natsal-COVID Wave 1: a large, quasi-representative survey with qualitative follow-up measuring the impact of COVID-19 on sexual and reproductive health in Britain.. <i>Wellcome Open Research</i> , 2021 , 6, 209	4.8	3
209	'Stay at home' exploring the impact of the COVID-19 public health response on sexual behaviour and health service use among men who have sex with men: findings from a large online survey in the UK. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	1
208	Cognitive testing of a survey instrument to assess sexual practices, behaviours, and health outcomes: a multi-country study protocol.. <i>Reproductive Health</i> , 2021 , 18, 249	3.5	

207	Choice of antibiotics for prophylaxis of bacterial STIs among individuals currently self-sourcing. <i>Sexually Transmitted Infections</i> , 2021 ,	2.8	1
206	Ethnic variations in sexual partnerships and mixing, and their association with STI diagnosis: findings from a cross-sectional biobehavioural survey of attendees of sexual health clinics across England. <i>Sexually Transmitted Infections</i> , 2020 , 96, 283-292	2.8	4
205	Trends in Frequency of Sexual Activity and Number of Sexual Partners Among Adults Aged 18 to 44 Years in the US, 2000-2018. <i>JAMA Network Open</i> , 2020 , 3, e203833	10.4	34
204	Accelerated partner therapy (APT) partner notification for people with : protocol for the Limiting Undetected Sexually Transmitted infections to RedUce Morbidity (LUSTRUM) APT cross-over cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e034806	3	6
203	A qualitative study of attitudes towards, typologies, and drivers of concurrent partnerships among people of black Caribbean ethnicity in England and their implications for STI prevention. <i>BMC Public Health</i> , 2020 , 20, 188	4.1	4
202	The association between region of birth and sexually transmitted infections among people of black Caribbean ethnicity attending sexual health services in England, 2015. <i>PLoS ONE</i> , 2020 , 15, e0228654	3.7	1
201	Antimicrobial resistance in sampled from the British general population. <i>Sexually Transmitted Infections</i> , 2020 , 96, 464-468	2.8	6
200	Characteristics and sexual health service use of MSM engaging in chemsex: results from a large online survey in England. <i>Sexually Transmitted Infections</i> , 2020 , 96, 590-595	2.8	14
199	Gini coefficients for measuring the distribution of sexually transmitted infections among individuals with different levels of sexual activity. <i>PeerJ</i> , 2020 , 8, e8434	3.1	1
198	Latent class analysis of sexual health markers among men and women participating in a British probability sample survey. <i>BMC Public Health</i> , 2020 , 20, 14	4.1	2
197	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. <i>BMC Public Health</i> , 2020 , 20, 1736	4.1	2
196	Navigating new sexual partnerships in midlife: a socioecological perspective on factors shaping STI risk perceptions and practices. <i>Sexually Transmitted Infections</i> , 2020 , 96, 238-245	2.8	4
195	Effect of weighting for sampling and non-response on estimates of STI prevalence in the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Sexually Transmitted Infections</i> , 2020 , 96, 481-484	2.8	1
194	Association of HIV status with sexual function in women aged 45-60 in England: results from two national surveys. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 286-295	2.2	5
193	Pathways to, and use of, sexual healthcare among Black Caribbean sexual health clinic attendees in England: evidence from cross-sectional bio-behavioural surveys. <i>BMC Health Services Research</i> , 2019 , 19, 668	2.9	2
192	Association between knowledge, risk behaviours, and testing for sexually transmitted infections among men who have sex with men: findings from a large online survey in the United Kingdom. <i>HIV Medicine</i> , 2019 , 20, 523-533	2.7	6
191	Assessing local chlamydia screening performance by combining survey and administrative data to account for differences in local population characteristics. <i>Scientific Reports</i> , 2019 , 9, 7070	4.9	
190	Help-Seeking for Sexual Difficulties and the Potential Role of Interactive Digital Interventions: Findings From the Third British National Survey of Sexual Attitudes and Lifestyles. <i>Journal of Sex Research</i> , 2019 , 56, 937-946	4	8

189	Has Chlamydia trachomatis prevalence in young women in England, Scotland and Wales changed? Evidence from national probability surveys. <i>Epidemiology and Infection</i> , 2019 , 147, e107	4.3	4
188	Epidemiology of genital warts in the British population: implications for HPV vaccination programmes. <i>Sexually Transmitted Infections</i> , 2019 , 95, 386-390	2.8	9
187	Why Do Men Report More Opposite-Sex Sexual Partners Than Women? Analysis of the Gender Discrepancy in a British National Probability Survey. <i>Journal of Sex Research</i> , 2019 , 56, 1-8	4	34
186	Partnered Intimate Activities in Early Adolescence-Findings From the UK Millennium Cohort Study. <i>Journal of Adolescent Health</i> , 2019 , 65, 397-404	5.8	1
185	Sexual risk reduction interventions for patients attending sexual health clinics: a mixed-methods feasibility study. <i>Health Technology Assessment</i> , 2019 , 23, 1-122	4.4	6
184	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-136	4.4	5
183	Prevalence and types of sexual inactivity in Britain: analyses of national cross-sectional probability survey data. <i>BMJ Open</i> , 2019 , 9, e030708	3	6
182	Help-seeking for genitourinary symptoms: a mixed methods study from Britain's Third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>BMJ Open</i> , 2019 , 9, e030612	3	0
181	Engage with the next wave of Britain's National Survey of Sexual Attitudes and Lifestyles. <i>BMJ, The</i> , 2019 , 366, l4721	5.9	1
180	Sexual mixing in opposite-sex partnerships in Britain and its implications for STI risk: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>International Journal of Epidemiology</i> , 2019 , 48, 228-242	7.8	4
179	Awareness of and attitudes to sexually transmissible infections among gay men and other men who have sex with men in England: a qualitative study. <i>Sexual Health</i> , 2019 , 16, 18-24	2	13
178	Age difference between heterosexual partners in Britain: Implications for the spread of Chlamydia trachomatis. <i>Epidemics</i> , 2018 , 24, 60-66	5.1	1
177	Where do women and men in Britain obtain contraception? Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>BMJ Sexual and Reproductive Health</i> , 2018 , 44, 16-26	1.9	13
176	Sexual health clinic attendance and non-attendance in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Sexually Transmitted Infections</i> , 2018 , 94, 268-276	2.8	14
175	Using the eSexual Health Clinic to access chlamydia treatment and care via the internet: a qualitative interview study. <i>Sexually Transmitted Infections</i> , 2018 , 94, 241-247	2.8	6
174	Study protocol for the optimisation, feasibility testing and pilot cluster randomised trial of Positive Choices: a school-based social marketing intervention to promote sexual health, prevent unintended teenage pregnancies and address health inequalities in England. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 102	1.9	7
173	Deriving a clinical prediction rule to target sexual healthcare to women attending British General Practices. <i>Preventive Medicine</i> , 2018 , 112, 185-192	4.3	2
172	Sexual identity, attraction and behaviour in Britain: The implications of using different dimensions of sexual orientation to estimate the size of sexual minority populations and inform public health interventions. <i>PLoS ONE</i> , 2018 , 13, e0189607	3.7	57

171	The Acceptability and Feasibility of Implementing a Bio-Behavioral Enhanced Surveillance Tool for Sexually Transmitted Infections in England: Mixed-Methods Study. <i>JMIR Public Health and Surveillance</i> , 2018 , 4, e52	11.4	9
170	Places and people: the perceptions of men who have sex with men concerning STI testing: a qualitative study. <i>Sexually Transmitted Infections</i> , 2018 , 94, 46-50	2.8	11
169	Predicting STI Diagnoses Amongst MSM and Young People Attending Sexual Health Clinics in England: Triage Algorithm Development and Validation Using Routine Clinical Data. <i>EClinicalMedicine</i> , 2018 , 4-5, 43-51	11.3	5
168	Sexual behaviours and sexual health outcomes among young adults with limiting disabilities: findings from third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>BMJ Open</i> , 2018 , 8, e019219	3	9
167	Understanding the burden of bacterial sexually transmitted infections and <i>Trichomonas vaginalis</i> among black Caribbeans in the United Kingdom: Findings from a systematic review. <i>PLoS ONE</i> , 2018 , 13, e0208315	3.7	5
166	Association of Timing of Sexual Partnerships and Perceptions of Partners' Concurrency With Reporting of Sexually Transmitted Infection Diagnosis. <i>JAMA Network Open</i> , 2018 , 1, e185957	10.4	2
165	Capturing sexual contact patterns in modelling the spread of sexually transmitted infections: Evidence using Natsal-3. <i>PLoS ONE</i> , 2018 , 13, e0206501	3.7	7
164	Household structure and its association with sexual risk behaviours and sexual health outcomes: evidence from a British probability sample survey. <i>BMJ Open</i> , 2018 , 8, e024255	3	6
163	STI Risk Perception in the British Population and How It Relates to Sexual Behaviour and STI Healthcare Use: Findings From a Cross-sectional Survey (Natsal-3). <i>EClinicalMedicine</i> , 2018 , 2-3, 29-36	11.3	14
162	Is "Sexual Competence" at First Heterosexual Intercourse Associated With Subsequent Sexual Health Status?. <i>Journal of Sex Research</i> , 2017 , 54, 91-104	4	28
161	Can psychosocial and socio-demographic questions help identify sexual risk among heterosexually-active women of reproductive age? Evidence from Britain's third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>BMC Public Health</i> , 2017 , 17, 5	4.1	16
160	Painful sex (dyspareunia) in women: prevalence and associated factors in a British population probability survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1689-1697	3.7	31
159	Human papillomavirus (HPV) in young women in Britain: Population-based evidence of the effectiveness of the bivalent immunisation programme and burden of quadrivalent and 9-valent vaccine types. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 3, 36-41	4.6	13
158	Patterns of chlamydia testing in different settings and implications for wider STI diagnosis and care: a probability sample survey of the British population. <i>Sexually Transmitted Infections</i> , 2017 , 93, 276-283	2.8	8
157	Finding sexual partners online: prevalence and associations with sexual behaviour, STI diagnoses and other sexual health outcomes in the British population. <i>Sexually Transmitted Infections</i> , 2017 , 93, 572-582	2.8	24
156	Talking about homosexuality: lessons learned from 1949. <i>Sexually Transmitted Infections</i> , 2017 , 93, 347	2.8	
155	Ethnic variations in sexual behaviours and sexual health markers: findings from the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Lancet Public Health</i> , 2017 , 2, e458-e472	22.4	19
154	Reported reasons for breakdown of marriage and cohabitation in Britain: Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>PLoS ONE</i> , 2017 , 12, e0174129	3.7	9

153	Understanding differences in conception and abortion rates among under-20 year olds in Britain and France: Examining the contribution of social disadvantage. <i>PLoS ONE</i> , 2017 , 12, e0186412	3.7	4
152	Understanding sexual healthcare seeking behaviour: why a broader research perspective is needed. <i>BMC Health Services Research</i> , 2017 , 17, 462	2.9	8
151	What factors are associated with reporting lacking interest in sex and how do these vary by gender? Findings from the third British national survey of sexual attitudes and lifestyles. <i>BMJ Open</i> , 2017 , 7, e016942	3.9	33
150	Should we screen for the sexually-transmitted infection <i>Mycoplasma genitalium</i> ? Evidence synthesis using a transmission-dynamic model. <i>Scientific Reports</i> , 2017 , 7, 16162	4.9	23
149	Heterosexual Practices Among Young People in Britain: Evidence From Three National Surveys of Sexual Attitudes and Lifestyles. <i>Journal of Adolescent Health</i> , 2017 , 61, 694-702	5.8	34
148	How can we objectively categorise partnership type? A novel classification of population survey data to inform epidemiological research and clinical practice. <i>Sexually Transmitted Infections</i> , 2017 , 93, 129-136	2.8	8
147	Illicit drug use and its association with key sexual risk behaviours and outcomes: Findings from Britain's third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>PLoS ONE</i> , 2017 , 12, e0177922	3.7	18
146	REACH: a mixed-methods study to investigate the measurement, prediction and improvement of retention and engagement in outpatient HIV care. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-160	1.5	8
145	Medicated sex in Britain: evidence from the third National Survey of Sexual Attitudes and Lifestyles. <i>Sexually Transmitted Infections</i> , 2016 , 92, 32-8	2.8	12
144	Salivary Testosterone Levels and Health Status in Men and Women in the British General Population: Findings from the Third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3939-3951	5.6	22
143	Sexual Function in 16- to 21-Year-Olds in Britain. <i>Journal of Adolescent Health</i> , 2016 , 59, 422-8	5.8	18
142	Actual and preferred contraceptive sources among young people: findings from the British National Survey of Sexual Attitudes and Lifestyles. <i>BMJ Open</i> , 2016 , 6, e011966	3	8
141	P039 Using psychosocial and socio-demographic correlates of sexual risk among women in Britain, to target services in primary care: Evidence from Natsal-3. <i>Sexually Transmitted Infections</i> , 2016 , 92, A32.2-A32	2.8	
140	Are depression and poor sexual health neglected comorbidities? Evidence from a population sample. <i>BMJ Open</i> , 2016 , 6, e010521	3	19
139	O010 Use and perceptions of the Online Chlamydia Pathway (OCP): findings from qualitative interviews among people treated for chlamydia. <i>Sexually Transmitted Infections</i> , 2016 , 92, A4.2-A5	2.8	1
138	Investigating the relationship between substance use and sexual behaviour in young people in Britain: findings from a national probability survey. <i>BMJ Open</i> , 2016 , 6, e011961	3	19
137	O029 Sexual function problems in British 16-21 year olds: Cause for concern?. <i>Sexually Transmitted Infections</i> , 2016 , 92, A11.2-A11	2.8	
136	The health and well-being of men who have sex with men (MSM) in Britain: Evidence from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>BMC Public Health</i> , 2016 , 16, 525	4.1	70

135	How social representations of sexually transmitted infections influence experiences of genito-urinary symptoms and care-seeking in Britain: mixed methods study protocol. <i>BMC Public Health</i> , 2016 , 16, 548	4.1	7
134	Examining the role of socioeconomic deprivation in ethnic differences in sexually transmitted infection diagnosis rates in England: evidence from surveillance data. <i>Epidemiology and Infection</i> , 2016 , 144, 3253-3262	4.3	15
133	Forming new sex partnerships while overseas: findings from the third British National Survey of Sexual Attitudes & Lifestyles (Natsal-3). <i>Sexually Transmitted Infections</i> , 2016 , 92, 415-23	2.8	13
132	Changes in conceptions in women younger than 18 years and the circumstances of young mothers in England in 2000-12: an observational study. <i>Lancet, The</i> , 2016 , 388, 586-95	4.0	32
131	Is chlamydia screening and testing in Britain reaching young adults at risk of infection? Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Sexually Transmitted Infections</i> , 2016 , 92, 218-27	2.8	26
130	HIV testing, risk perception, and behaviour in the British population. <i>Aids</i> , 2016 , 30, 943-52	3.5	41
129	Estimating the Prevalence of Sexual Function Problems: The Impact of Morbidity Criteria. <i>Journal of Sex Research</i> , 2016 , 53, 955-967	4	60
128	Use of the Internet for Sexual Health Among Sexually Experienced Persons Aged 16 to 44 Years: Evidence from a Nationally Representative Survey of the British Population. <i>Journal of Medical Internet Research</i> , 2016 , 18, e14	7.6	20
127	The Ballseye programme: a mixed-methods programme of research in traditional sexual health and alternative community settings to improve the sexual health of men in the UK. <i>Programme Grants for Applied Research</i> , 2016 , 4, 1-142	1.5	5
126	Trends in the use of emergency contraception in Britain: evidence from the second and third National Surveys of Sexual Attitudes and Lifestyles. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1600-7	3.7	17
125	Men who have sex with men in Great Britain: comparing methods and estimates from probability and convenience sample surveys. <i>Sexually Transmitted Infections</i> , 2016 , 92, 455-63	2.8	53
124	Exploring the costs and outcomes of sexually transmitted infection (STI) screening interventions targeting men in football club settings: preliminary cost-consequence analysis of the SPORTSMART pilot randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2015 , 91, 100-5	2.8	3
123	The prevalence of, and factors associated with, paying for sex among men resident in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Sexually Transmitted Infections</i> , 2015 , 91, 116-23	2.8	24
122	High-Risk Human Papillomavirus (HPV) Infection and Cervical Cancer Prevention in Britain: Evidence of Differential Uptake of Interventions from a Probability Survey. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 842-53	4	19
121	P65 Sexual behaviour in the time period between being tested for chlamydia and receiving test result and treatment. <i>Sexually Transmitted Infections</i> , 2015 , 91, A37.1-A37	2.8	1
120	Patterns of sexual mixing with respect to social, health and sexual characteristics among heterosexual couples in England: analyses of probability sample survey data. <i>Epidemiology and Infection</i> , 2015 , 143, 1500-10	4.3	15
119	The Natsal-SF Measure of Sexual Function: Comparison of Three Scoring Methods. <i>Journal of Sex Research</i> , 2015 , 52, 640-6	4	14
118	Epidemiology of <i>Mycoplasma genitalium</i> in British men and women aged 16-44 years: evidence from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>International Journal of Epidemiology</i> , 2015 , 44, 1982-94	7.8	88

117	Examining the potential public health benefit of offering STI testing to men in amateur football clubs: evidence from cross-sectional surveys. <i>BMC Public Health</i> , 2015 , 15, 676	4.1	3
116	Targeting sexual health services in primary care: A systematic review of the psychosocial correlates of adverse sexual health outcomes reported in probability surveys of women of reproductive age. <i>Preventive Medicine</i> , 2015 , 81, 345-56	4.3	15
115	P59 A systematic review of associations between substance use and sexual risk behaviour, stis and unplanned pregnancy in women. <i>Sexually Transmitted Infections</i> , 2015 , 91, A35.1-A35	2.8	
114	P60 Associations between substance use and sexual risk behaviour among women aged 16-44 years: evidence from Britain's third national survey of sexual attitudes and lifestyles (NATSAL-3). <i>Sexually Transmitted Infections</i> , 2015 , 91, A35.2-A35	2.8	
113	P186.1 Does chlamydia testing in general practice mean missed opportunities for the diagnosis of other stis?: a comparison of the population tested in general practice versus sexual health clinics in Britain. <i>Sexually Transmitted Infections</i> , 2015 , 91, A77.2-A77	2.8	
112	O6 Measuring the impact of socio-economic deprivation on rates of sexually transmitted infection (STI) diagnoses among black caribbeans in England. <i>Sexually Transmitted Infections</i> , 2015 , 91, A2.3-A2	2.8	
111	O8 The sexual health and well-being of men who have sex with men (MSM): evidence from Britain's national surveys of sexual attitudes and lifestyles (NATSAL). <i>Sexually Transmitted Infections</i> , 2015 , 91, A3.2-A3	2.8	5
110	Patterns and trends in sources of information about sex among young people in Britain: evidence from three National Surveys of Sexual Attitudes and Lifestyles. <i>BMJ Open</i> , 2015 , 5, e007834	3	50
109	Associations between source of information about sex and sexual health outcomes in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>BMJ Open</i> , 2015 , 5, e007837	3	30
108	P08.13 What can probability surveys tell us about changes in chlamydia prevalence in Britain? evidence from the national surveys of sexual attitudes and lifestyles (natsal). <i>Sexually Transmitted Infections</i> , 2015 , 91, A136.2-A137	2.8	
107	O11.2 Overcoming the ambiguity of sexual partnership type: a novel categorisation using data from Britain's 3rd national survey of sexual attitudes and lifestyles (natsal-3). <i>Sexually Transmitted Infections</i> , 2015 , 91, A49.1-A49	2.8	
106	P04.23 Mind the gap! biological and behavioural concurrency and their potential for sti transmission in the British population. <i>Sexually Transmitted Infections</i> , 2015 , 91, A104.1-A104	2.8	
105	P09.11 Should we screen for mycoplasma genitalium? evidence synthesis using a transmission-dynamic model. <i>Sexually Transmitted Infections</i> , 2015 , 91, A151.2-A152	2.8	
104	P223 Understanding the greater burden of STIS among black caribbeans in the UK: evidence from a systematic review. <i>Sexually Transmitted Infections</i> , 2015 , 91, A90.1-A90	2.8	
103	Examining the association between male circumcision and sexual function: evidence from a British probability survey. <i>Aids</i> , 2015 , 29, 1411-6	3.5	18
102	Male Circumcision and STI Acquisition in Britain: Evidence from a National Probability Sample Survey. <i>PLoS ONE</i> , 2015 , 10, e0130396	3.7	13
101	P11.02 Representing men who have sex with men (msm) in Britain: evidence from comparative analyses of the latest convenience and probability surveys. <i>Sexually Transmitted Infections</i> , 2015 , 91, A174.1-A174	2.8	
100	Diagnosis and treatment of chlamydia and gonorrhoea in general practice in England 2000-2011: a population-based study using data from the UK Clinical Practice Research Datalink. <i>BMJ Open</i> , 2015 , 5, e007776	3	27

99	The SPORTSMART study: a pilot randomised controlled trial of sexually transmitted infection screening interventions targeting men in football club settings. <i>Sexually Transmitted Infections</i> , 2015 , 91, 106-10	2.8	6
98	Developing and testing accelerated partner therapy for partner notification for people with genital Chlamydia trachomatis diagnosed in primary care: a pilot randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2015 , 91, 548-54	2.8	16
97	Asking about Sex in General Health Surveys: Comparing the Methods and Findings of the 2010 Health Survey for England with Those of the Third National Survey of Sexual Attitudes and Lifestyles. <i>PLoS ONE</i> , 2015 , 10, e0135203	3.7	6
96	Sexual behaviour. <i>Medicine</i> , 2014 , 42, 291-293	0.6	7
95	Consistency in reporting sensitive sexual behaviours in Britain: change in reporting bias in the second and third National Surveys of Sexual Attitudes and Lifestyles (Natsal-2 and Natsal-3). <i>Sexually Transmitted Infections</i> , 2014 , 90, 90-3	2.8	14
94	Methodology of the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Sexually Transmitted Infections</i> , 2014 , 90, 84-9	2.8	124
93	Discrepancies in Natsal--authors' reply. <i>Lancet, The</i> , 2014 , 383, 866	4.0	
92	Nonprobability Web surveys to measure sexual behaviors and attitudes in the general population: a comparison with a probability sample interview survey. <i>Journal of Medical Internet Research</i> , 2014 , 16, e276	7.6	41
91	Prevalence, risk factors, and uptake of interventions for sexually transmitted infections in Britain: findings from the National Surveys of Sexual Attitudes and Lifestyles (Natsal). <i>Lancet, The</i> , 2013 , 382, 1795-806	4.0	252
90	Sexual function in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Lancet, The</i> , 2013 , 382, 1817-29	4.0	311
89	Changes in sexual attitudes and lifestyles in Britain through the life course and over time: findings from the National Surveys of Sexual Attitudes and Lifestyles (Natsal). <i>Lancet, The</i> , 2013 , 382, 1781-94	4.0	486
88	Lifetime prevalence, associated factors, and circumstances of non-volitional sex in women and men in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Lancet, The</i> , 2013 , 382, 1845-55	4.0	89
87	O13.6 Focusing the Delivery of the English National Chlamydia Screening Programme: Exploring Opportunities to Expand Testing Within Local Services. <i>Sexually Transmitted Infections</i> , 2013 , 89, A52.2-A52.2.8	2.8	
86	Improving questions on sexual partnerships: lessons learned from cognitive interviews for Britain's third National Survey of Sexual Attitudes and Lifestyles ("Natsal-3"). <i>Archives of Sexual Behavior</i> , 2013 , 42, 173-85	3.5	20
85	The prevalence of unplanned pregnancy and associated factors in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Lancet, The</i> , 2013 , 382, 1807-16	4.0	264
84	Associations between health and sexual lifestyles in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). <i>Lancet, The</i> , 2013 , 382, 1830-44	4.0	122
83	Serial monogamy and biologic concurrency: measurement of the gaps between sexual partners to inform targeted strategies. <i>American Journal of Epidemiology</i> , 2013 , 178, 249-59	3.8	21
82	Who reports absence of sexual attraction in Britain? Evidence from national probability surveys. <i>Psychology and Sexuality</i> , 2013 , 4, 121-135	1.3	44

81	O20.5 Patterns of Sexual and Social Mixing Among Heterosexual Couples Living Together in England: Analyses of a Probability Sample Survey. <i>Sexually Transmitted Infections</i> , 2013 , 89, A66.1-A66	2.8	
80	Not so different after all? Comparing patients attending general practice-based locally enhanced services for sexual health with patients attending genitourinary medicine. <i>International Journal of STD and AIDS</i> , 2013 , 24, 106-11	1.4	2
79	Barriers and opportunities for evidence-based health service planning: the example of developing a Decision Analytic Model to plan services for sexually transmitted infections in the UK. <i>BMC Health Services Research</i> , 2012 , 12, 202	2.9	3
78	OP74 Measuring Sexual Behaviour Comes of Age: A Comparison of Outcomes in the 2010 Health Survey for England with the National Survey of Sexual Attitudes and Lifestyles. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, A29.1-A29	5.1	
77	Epidemiology of, and behavioural risk factors for, sexually transmitted human papillomavirus infection in men and women in Britain. <i>Sexually Transmitted Infections</i> , 2012 , 88, 212-7	2.8	54
76	The importance of distinguishing between black Caribbeans and Africans in understanding sexual risk and care-seeking behaviours for sexually transmitted infections: evidence from a large survey of people attending genitourinary medicine clinics in England. <i>Journal of Public Health</i> , 2012 , 34, 411-20	3.5	12
75	Where do young men want to access STI screening? A stratified random probability sample survey of young men in Great Britain. <i>Sexually Transmitted Infections</i> , 2012 , 88, 427-32	2.8	21
74	Building the bypass--implications of improved access to sexual healthcare: evidence from surveys of patients attending contrasting genitourinary medicine clinics across England in 2004/2005 and 2009. <i>Sexually Transmitted Infections</i> , 2012 , 88, 9-15	2.8	12
73	Can we improve partner notification rates through expedited partner therapy in the UK? Findings from an exploratory trial of Accelerated Partner Therapy (APT). <i>Sexually Transmitted Infections</i> , 2012 , 88, 21-6	2.8	29
72	Testing for sexually transmitted infections in a population-based sexual health survey: development of an acceptable ethical approach. <i>Journal of Medical Ethics</i> , 2012 , 38, 380-2	2.5	11
71	P111 A user centred approach to the design of point-of-care and self-test mobile phone diagnostics for sexually transmitted infections (STIs). <i>Sexually Transmitted Infections</i> , 2012 , 88, A47.1-A47	2.8	
70	P195 Asking about sex in general health surveys: it can be done! Comparing data collected by the 2010 Health Survey for England with Natsal. <i>Sexually Transmitted Infections</i> , 2012 , 88, A74.3-A75	2.8	1
69	P2-S4.02 Don't look at your patients, look at their partners: Characteristics of sexual partnerships reported by people attending GUM clinics in England. <i>Sexually Transmitted Infections</i> , 2011 , 87, A241-A242	2.8	
68	O2-S1.02 Is concurrency the new serial monogamy? Evidence from a large survey of people attending contrasting genitourinary medicine (GUM) clinics in England. <i>Sexually Transmitted Infections</i> , 2011 , 87, A54-A54	2.8	1
67	P1-S1.35 Declining positivity among 15-24-year-olds screened for chlamydia in England - a sign of falling prevalence or a symptom of changing uptake?. <i>Sexually Transmitted Infections</i> , 2011 , 87, A113-A114	2.8	
66	Estimating the likely public health impact of partner notification for a clinical service: an evidence-based algorithm. <i>American Journal of Public Health</i> , 2011 , 101, 2117-23	5.1	11
65	Scripting sexual function: a qualitative investigation. <i>Sociology of Health and Illness</i> , 2011 , 33, 540-53	3	20
64	Rationale and development of a survey tool for describing and auditing the composition of, and flows between, specialist and community clinical services for sexually transmitted infections. <i>BMC Health Services Research</i> , 2011 , 11, 30	2.9	9

63	Cochrane Review: Interactive computer-based interventions for sexual health promotion. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011 , 6, 2192-2268		3
62	Commentary on Interactive computer-based interventions for sexual health promotion with a response from the review authors. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2011 , 6, 2271-2274 ^O		
61	Sexual risk behaviours and sexual health outcomes among heterosexual black Caribbeans: comparing sexually transmitted infection clinic attendees and national probability survey respondents. <i>International Journal of STD and AIDS</i> , 2011 , 22, 85-90	1.4	10
60	Attitudes and first heterosexual experiences among Indians and Pakistanis in Britain: evidence from a national probability survey. <i>International Journal of STD and AIDS</i> , 2011 , 22, 131-9	1.4	7
59	Who is being tested by the English National Chlamydia Screening Programme? A comparison with national probability survey data. <i>Sexually Transmitted Infections</i> , 2011 , 87, 306-11	2.8	26
58	Alcohol misuse, sexual risk behaviour and adverse sexual health outcomes: evidence from Britain's national probability sexual behaviour surveys. <i>Journal of Public Health</i> , 2011 , 33, 262-71	3.5	41
57	The need for innovative sexually transmitted infection screening initiatives for young men: evidence from genitourinary medicine clinics across England. <i>International Journal of STD and AIDS</i> , 2011 , 22, 600-3	1.4	1
56	Addressing sexual health needs: a comparison of a one-stop shop with separate genitourinary medicine and family planning services. <i>Journal of Family Planning and Reproductive Health Care</i> , 2010 , 36, 202-9		5
55	How and why do South Asians attend GUM clinics? Evidence from contrasting GUM clinics across England. <i>Sexually Transmitted Infections</i> , 2010 , 86, 366-70	2.8	10
54	Interactive computer-based interventions for sexual health promotion. <i>The Cochrane Library</i> , 2010 , CD006483	3.2	112
53	Management of first-episode pelvic inflammatory disease in primary care: results from a large UK primary care database. <i>British Journal of General Practice</i> , 2010 , 60, e395-406	1.6	10
52	Management of epididymo-orchitis in primary care: results from a large UK primary care database. <i>British Journal of General Practice</i> , 2010 , 60, e407-22	1.6	39
51	Testing for sexually transmitted infections in general practice: cross-sectional study. <i>BMC Public Health</i> , 2010 , 10, 667	4.1	14
50	Who has sex with whom? Characteristics of heterosexual partnerships reported in a national probability survey and implications for STI risk. <i>International Journal of Epidemiology</i> , 2009 , 38, 206-14	7.8	59
49	Behaviourally bisexual men as a bridge population for HIV and sexually transmitted infections? Evidence from a national probability survey. <i>International Journal of STD and AIDS</i> , 2009 , 20, 87-94	1.4	42
48	Under one roof? A population-based survey of patient use and preference for sexual health services. <i>Primary Health Care Research and Development</i> , 2009 , 10, 223	1.6	5
47	The sexual attitudes and lifestyles of London's Eastern Europeans (SALLEE Project): design and methods. <i>BMC Public Health</i> , 2009 , 9, 399	4.1	11
46	Prevalence of low sexual desire among women in Britain: associated factors. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2434-44	1.1	20

45	Use of contraceptive services in Britain: findings from the second National Survey of Sexual Attitudes and Lifestyles (Natsal-2). <i>Journal of Family Planning and Reproductive Health Care</i> , 2009 , 35, 9-14		13
44	Recent heterosexual partnerships and patterns of condom use: a weighted analysis. <i>Epidemiology</i> , 2009 , 20, 44-51	3.1	12
43	Estimates of human immunodeficiency virus prevalence and proportion diagnosed based on Bayesian multiparameter synthesis of surveillance data. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2008 , 171, 541-580	2.1	57
42	Prevalence of masturbation and associated factors in a British national probability survey. <i>Archives of Sexual Behavior</i> , 2008 , 37, 266-78	3.5	109
41	Men who have sex with men in Great Britain: comparison of a self-selected internet sample with a national probability sample. <i>Sexually Transmitted Infections</i> , 2007 , 83, 200-5; discussion 205	2.8	72
40	How much do delayed healthcare seeking, delayed care provision, and diversion from primary care contribute to the transmission of STIs?. <i>Sexually Transmitted Infections</i> , 2007 , 83, 400-5	2.8	48
39	Sex partner acquisition while overseas: results from a British national probability survey. <i>Sexually Transmitted Infections</i> , 2007 , 83, 517-22	2.8	41
38	Use of a primary care database to determine trends in genital chlamydia testing, diagnostic episodes and management in UK general practice, 1990-2004. <i>Sexually Transmitted Infections</i> , 2007 , 83, 310-3	2.8	28
37	Interactive computer-based interventions for sexual health promotion 2007 ,		3
36	Women who report having sex with women: British national probability data on prevalence, sexual behaviors, and health outcomes. <i>American Journal of Public Health</i> , 2007 , 97, 1126-33	5.1	86
35	What impact has England's Teenage Pregnancy Strategy had on young people's knowledge of and access to contraceptive services?. <i>Journal of Adolescent Health</i> , 2007 , 41, 594-601	5.8	17
34	Trends in sexually transmitted infections in general practice 1990-2000: population based study using data from the UK general practice research database. <i>BMJ, The</i> , 2006 , 332, 332-4	5.9	53
33	Who uses condoms with whom? Evidence from national probability sample surveys. <i>Sexually Transmitted Infections</i> , 2006 , 82, 467-73	2.8	14
32	Estimating adult HIV prevalence in the UK in 2003: the direct method of estimation. <i>Sexually Transmitted Infections</i> , 2006 , 82 Suppl 3, iii78-86	2.8	14
31	Factors associated with heterosexual transmission of HIV to individuals without a major risk within England, Wales, and Northern Ireland: a comparison with national probability surveys. <i>Sexually Transmitted Infections</i> , 2006 , 82, 15-20	2.8	9
30	Men who have sex with men: a comparison of a probability sample survey and a community based study. <i>Sexually Transmitted Infections</i> , 2006 , 82, 86-7	2.8	31
29	Learning about sex: results from Natsal 2000. <i>Health Education and Behavior</i> , 2006 , 33, 802-11	4.2	25
28	The social shaping of childhood vaccination practice in rural and urban Gambia. <i>Health Policy and Planning</i> , 2006 , 21, 373-91	3.4	39

27	Ethnic variations in sexual activity and contraceptive use: national cross-sectional survey. <i>Contraception</i> , 2006 , 74, 224-33	2.5	24
26	Sociodemographic and sexual health profile of users of emergency hormonal contraception: data from a British probability sample survey. <i>Contraception</i> , 2006 , 74, 309-12	2.5	23
25	First sexual partnerships--age differences and their significance: empirical evidence from the 2000 British National Survey of Sexual Attitudes and Lifestyles ('Natsal 2000'). <i>Journal of Adolescent Health</i> , 2006 , 39, 87-95	5.8	25
24	A comparison of the population diagnosed with chlamydia in primary care with that diagnosed in sexual health clinics: implications for a national screening programme. <i>Public Health</i> , 2006 , 120, 984-8	4	22
23	Developing a realistic sexual network model of chlamydia transmission in Britain. <i>Theoretical Biology and Medical Modelling</i> , 2006 , 3, 3	2.3	56
22	Ethnic variations in sexual behaviour in Great Britain and risk of sexually transmitted infections: a probability survey. <i>Lancet, The</i> , 2005 , 365, 1246-55	4.0	142
21	Chlamydia trachomatis testing in the second British national survey of sexual attitudes and lifestyles: respondent uptake and treatment outcomes. <i>Sexually Transmitted Diseases</i> , 2005 , 32, 387-94	2.4	20
20	Investigating the relationship between HIV testing and risk behaviour in Britain: National Survey of Sexual Attitudes and Lifestyles 2000. <i>Aids</i> , 2005 , 19, 77-84	3.5	42
19	Who pays for sex? An analysis of the increasing prevalence of female commercial sex contacts among men in Britain. <i>Sexually Transmitted Infections</i> , 2005 , 81, 467-71	2.8	58
18	Vicious and virtuous circles in the dynamics of infectious disease and the provision of health care: gonorrhoea in Britain as an example. <i>Journal of Infectious Diseases</i> , 2005 , 192, 824-36	7	71
17	Changes in the circumstances of young mothers in Britain: 1990 to 2000. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 828-33	5.1	14
16	Who reports sexual function problems? Empirical evidence from Britain's 2000 National Survey of Sexual Attitudes and Lifestyles. <i>Sexually Transmitted Infections</i> , 2005 , 81, 394-9	2.8	48
15	Reported sexually transmitted disease clinic attendance and sexually transmitted infections in Britain: prevalence, risk factors, and proportionate population burden. <i>Journal of Infectious Diseases</i> , 2005 , 191 Suppl 1, S127-38	7	66
14	The sensitivity of estimates of the change in population behaviour to realistic changes in bias in repeated surveys. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2004 , 167, 579-595 ^{2.1}	2.1	1
13	Increasing prevalence of male homosexual partnerships and practices in Britain 1990-2000: evidence from national probability surveys. <i>Aids</i> , 2004 , 18, 1453-8	3.5	72
12	Sexual function problems and help seeking behaviour in Britain: national probability sample survey. <i>BMJ, The</i> , 2003 , 327, 426-7	5.9	283
11	Male circumcision in Britain: findings from a national probability sample survey. <i>Sexually Transmitted Infections</i> , 2003 , 79, 499-500	2.8	47
10	Maintaining patient access to GUM clinics: is it compatible with appointments?. <i>Sexually Transmitted Infections</i> , 2003 , 79, 11-5	2.8	11

9	Treating sexually transmitted infections in primary care: a missed opportunity?. <i>Sexually Transmitted Infections</i> , 2003 , 79, 134-6	2.8	19
8	The accuracy of reported sensitive sexual behaviour in Britain: exploring the extent of change 1990-2000. <i>Sexually Transmitted Infections</i> , 2002 , 78, 26-30	2.8	68
7	Sexual behaviour in Britain: partnerships, practices, and HIV risk behaviours. <i>Lancet, The</i> , 2001 , 358, 1835-42	4.2	614
6	Sexual behaviour in Britain: early heterosexual experience. <i>Lancet, The</i> , 2001 , 358, 1843-50	4.0	457
5	Sexual behaviour in Britain: reported sexually transmitted infections and prevalent genital Chlamydia trachomatis infection. <i>Lancet, The</i> , 2001 , 358, 1851-4	4.0	324
4	Using a crowdsourcing open call, hackathon and a modified Delphi method to develop a consensus statement and sexual health survey instrument		4
3	Methodology of Natsal-COVID Wave 1: a large, quasi-representative survey with qualitative follow-up measuring the impact of COVID-19 on sexual and reproductive health in Britain. <i>Wellcome Open Research</i> , 6 , 209	4.8	1
2	Factors associated with non-use of condoms among heterosexually-active single people in Germany: Results from the first representative, population-based German health and sexuality survey (GeSiD). <i>International Journal of STD and AIDS</i> , 095646242211003	1.4	1
1	Methodology of Natsal-COVID Wave 2: A large, quasi-representative, longitudinal survey measuring the impact of COVID-19 on sexual and reproductive health in Britain. <i>Wellcome Open Research</i> , 7 , 166	4.8	0