

# Bradley W Bolling

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4417390/bradley-w-bolling-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

2,588

citations

30

h-index

50

g-index

67

ext. papers

3,125

ext. citations

6

avg, IF

5.65

L-index

#	Paper	IF	Citations
66	Tree nut phytochemicals: composition, antioxidant capacity, bioactivity, impact factors. A systematic review of almonds, Brazils, cashews, hazelnuts, macadamias, pecans, pine nuts, pistachios and walnuts. <i>Nutrition Research Reviews</i> , <b>2011</b> , 24, 244-75	7	225
65	Review of nut phytochemicals, fat-soluble bioactives, antioxidant components and health effects. <i>British Journal of Nutrition</i> , <b>2015</b> , 113 Suppl 2, S68-78	3.6	215
64	Flavonoid content and antioxidant activity of vegetables from Indonesia. <i>Food Chemistry</i> , <b>2010</b> , 121, 1231-1235	8.5	156
63	Nuts and their co-products: The impact of processing (roasting) on phenolics, bioavailability, and health benefits [A comprehensive review. <i>Journal of Functional Foods</i> , <b>2016</b> , 26, 88-122	5.1	95
62	A review of the efficacy of dietary polyphenols in experimental models of inflammatory bowel diseases. <i>Food and Function</i> , <b>2015</b> , 6, 1773-86	6.1	87
61	Underutilized chokeberry ( <i>Aronia melanocarpa</i> , <i>Aronia arbutifolia</i> , <i>Aronia prunifolia</i> ) accessions are rich sources of anthocyanins, flavonoids, hydroxycinnamic acids, and proanthocyanidins. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 8581-8	5.7	85
60	Polyphenol content and antioxidant activity of California almonds depend on cultivar and harvest year. <i>Food Chemistry</i> , <b>2010</b> , 122, 819-825	8.5	83
59	Polyphenols, carotenoids, and ascorbic acid in underutilized medicinal vegetables. <i>Journal of Functional Foods</i> , <b>2012</b> , 4, 339-347	5.1	77
58	<i>Aronia melanocarpa</i> (chokeberry) polyphenol-rich extract improves antioxidant function and reduces total plasma cholesterol in apolipoprotein E knockout mice. <i>Nutrition Research</i> , <b>2013</b> , 33, 406-13 <sup>4</sup>		73
57	Phase II enzyme-inducing and antioxidant activities of beetroot ( <i>Beta vulgaris</i> L.) extracts from phenotypes of different pigmentation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2002</b> , 50, 6704-9	5.7	70
56	The phytochemical composition and antioxidant actions of tree nuts. <i>Asia Pacific Journal of Clinical Nutrition</i> , <b>2010</b> , 19, 117-23	1	69
55	Evidence for the effects of yogurt on gut health and obesity. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2017</b> , 57, 1569-1583	11.5	67
54	Almond Polyphenols: Methods of Analysis, Contribution to Food Quality, and Health Promotion. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2017</b> , 16, 346-368	16.4	67
53	Betalains, phase II enzyme-inducing components from red beetroot ( <i>Beta vulgaris</i> L.) extracts. <i>Nutrition and Cancer</i> , <b>2005</b> , 53, 91-103	2.8	62
52	A common antimicrobial additive increases colonic inflammation and colitis-associated colon tumorigenesis in mice. <i>Science Translational Medicine</i> , <b>2018</b> , 10,	17.5	62
51	Flavonoids and gut health. <i>Current Opinion in Biotechnology</i> , <b>2020</b> , 61, 153-159	11.4	60
50	Egg intake improves carotenoid status by increasing plasma HDL cholesterol in adults with metabolic syndrome. <i>Food and Function</i> , <b>2013</b> , 4, 213-21	6.1	58

49	The influence of roasting, pasteurisation, and storage on the polyphenol content and antioxidant capacity of California almond skins. <i>Food Chemistry</i> , <b>2010</b> , 123, 1040-1047	8.5	57
48	High-Molecular-Weight Proanthocyanidins in Foods: Overcoming Analytical Challenges in Pursuit of Novel Dietary Bioactive Components. <i>Annual Review of Food Science and Technology</i> , <b>2016</b> , 7, 43-64	14.7	53
47	Bioavailability of anthocyanins and colonic polyphenol metabolites following consumption of aronia berry extract. <i>Food Chemistry</i> , <b>2016</b> , 211, 860-8	8.5	52
46	Yogurt inhibits intestinal barrier dysfunction in Caco-2 cells by increasing tight junctions. <i>Food and Function</i> , <b>2017</b> , 8, 406-414	6.1	48
45	Characterisation of stilbenes in California almonds ( <i>Prunus dulcis</i> ) by UHPLC-MS. <i>Food Chemistry</i> , <b>2014</b> , 148, 300-6	8.5	48
44	Polyphenol-rich black chokeberry ( <i>Aronia melanocarpa</i> ) extract regulates the expression of genes critical for intestinal cholesterol flux in Caco-2 cells. <i>Journal of Nutritional Biochemistry</i> , <b>2013</b> , 24, 1564-70 <sup>3</sup>	6.3	44
43	Aronia berry polyphenol consumption reduces plasma total and low-density lipoprotein cholesterol in former smokers without lowering biomarkers of inflammation and oxidative stress: a randomized controlled trial. <i>Nutrition Research</i> , <b>2017</b> , 37, 67-77	4	41
42	Quantification of almond skin polyphenols by liquid chromatography-mass spectrometry. <i>Journal of Food Science</i> , <b>2009</b> , 74, C326-32	3.4	39
41	Anti-inflammatory activity of aronia berry extracts in murine splenocytes. <i>Journal of Functional Foods</i> , <b>2014</b> , 8, 68-75	5.1	38
40	Tea and health: preventive and therapeutic usefulness in the elderly?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2009</b> , 12, 42-8	3.8	36
39	Characterization of ellagitannins, gallotannins, and bound proanthocyanidins from California almond ( <i>Prunus dulcis</i> ) varieties. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 12151-6	5.7	35
38	Harvest date affects aronia juice polyphenols, sugars, and antioxidant activity, but not anthocyanin stability. <i>Food Chemistry</i> , <b>2015</b> , 187, 189-96	8.5	32
37	Low-fat yogurt consumption reduces biomarkers of chronic inflammation and inhibits markers of endotoxin exposure in healthy premenopausal women: a randomised controlled trial. <i>British Journal of Nutrition</i> , <b>2017</b> , 118, 1043-1051	3.6	31
36	Characterizing and improving the sensory and hedonic responses to polyphenol-rich aronia berry juice. <i>Appetite</i> , <b>2016</b> , 107, 116-125	4.5	29
35	Effects of roasting on proanthocyanidin contents of Turkish Tombul hazelnut and its skin. <i>Journal of Functional Foods</i> , <b>2016</b> , 23, 647-653	5.1	26
34	Screening for Phase II Enzyme-inducing and Antioxidant Activities of Common Vegetables. <i>Journal of Food Science</i> , <b>2002</b> , 67, 2583-2588	3.4	26
33	Quercetin and Its Metabolites Inhibit Recombinant Human Angiotensin-Converting Enzyme 2 (ACE2) Activity. <i>Journal of Agricultural and Food Chemistry</i> , <b>2020</b> , 68, 13982-13989	5.7	26
32	Assay dilution factors confound measures of total antioxidant capacity in polyphenol-rich juices. <i>Journal of Food Science</i> , <b>2012</b> , 77, H69-75	3.4	24

31	Dietary supplementation of ferulic acid and ferulic acid ethyl ester induces quinone reductase and glutathione-S-transferase in rats. <i>Food Chemistry</i> , <b>2011</b> , 124, 1-6	8.5	22
30	Contributions of phenolics and added vitamin C to the antioxidant capacity of pomegranate and grape juices: synergism and antagonism among constituents. <i>International Journal of Food Science and Technology</i> , <b>2013</b> , 48, 2650	3.8	20
29	Starch Utilization Promotes Quercetin Degradation and Butyrate Production by. <i>Frontiers in Microbiology</i> , <b>2019</b> , 10, 1145	5.7	17
28	The kinetic basis for age-associated changes in quercetin and genistein glucuronidation by rat liver microsomes. <i>Journal of Nutritional Biochemistry</i> , <b>2010</b> , 21, 498-503	6.3	17
27	Phenolic and tocopherol content of autumn olive ( <i>Elaeagnus umbellata</i> ) berries. <i>Journal of Functional Foods</i> , <b>2015</b> , 16, 305-314	5.1	16
26	Premeal Low-Fat Yogurt Consumption Reduces Postprandial Inflammation and Markers of Endotoxin Exposure in Healthy Premenopausal Women in a Randomized Controlled Trial. <i>Journal of Nutrition</i> , <b>2018</b> , 148, 910-916	4.1	15
25	Microsomal quercetin glucuronidation in rat small intestine depends on age and segment. <i>Drug Metabolism and Disposition</i> , <b>2011</b> , 39, 1406-14	4	14
24	Antioxidant fractions of <i>Khaya grandifoliola</i> C.DC. and <i>Entada africana</i> Guill. et Perr. induce nuclear translocation of Nrf2 in HC-04 cells. <i>Cell Stress and Chaperones</i> , <b>2015</b> , 20, 991-1000	4	13
23	Aronia berry ( <i>Aronia mitschurinii</i> [Viking]) inhibits colitis in mice and inhibits T cell tumour necrosis factor- $\beta$ secretion. <i>Journal of Functional Foods</i> , <b>2018</b> , 44, 48-57	5.1	13
22	Dietary Prevention of Colitis by Aronia Berry is Mediated Through Increased Th17 and Treg. <i>Molecular Nutrition and Food Research</i> , <b>2019</b> , 63, e1800985	5.9	13
21	Review and Perspective on the Composition and Safety of Green Tea Extracts. <i>European Journal of Nutrition &amp; Food Safety</i> , <b>2015</b> , 5, 1-31	0	12
20	Extraction methods determine the antioxidant capacity and induction of quinone reductase by soy products in vitro. <i>Food Chemistry</i> , <b>2009</b> , 116, 351-355	8.5	11
19	Phenolic derivatives from soy flour ethanol extract are potent in vitro quinone reductase (QR) inducing agents. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 10473-80	5.7	11
18	Polyphenol Extracts from Three Colombian Passifloras (Passion Fruits) Prevent Inflammation-Induced Barrier Dysfunction of Caco-2 Cells. <i>Molecules</i> , <b>2019</b> , 24,	4.8	11
17	Dairy Foods and Dairy Fats: New Perspectives on Pathways Implicated in Cardiometabolic Health. <i>Advances in Nutrition</i> , <b>2020</b> , 11, 266-279	10	10
16	Anthocyanins and intestinal barrier function: a review. <i>Journal of Food Bioactives: an Official Scientific Publication of the International Society of Nutraceuticals and Functional Foods (ISNFF)</i> , <b>5</b> , 18-30	3.7	10
15	Aronia Berry Supplementation Mitigates Inflammation in T Cell Transfer-Induced Colitis by Decreasing Oxidative Stress. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	9
14	Specialty seeds: Nutrients, bioactives, bioavailability, and health benefits: A comprehensive review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2021</b> , 20, 2382-2427	16.4	9

13	Aronia berry polyphenols have matrix-dependent effects on the gut microbiota. <i>Food Chemistry</i> , <b>2021</b> , 359, 129831	8.5	9
12	Aronia berry inhibits disruption of Caco-2 intestinal barrier function. <i>Archives of Biochemistry and Biophysics</i> , <b>2020</b> , 688, 108409	4.1	8
11	Composition, polyphenol bioavailability, and health benefits of aronia berry: a review. <i>Journal of Food Bioactives: an Official Scientific Publication of the International Society of Nutraceuticals and Functional Foods (ISNFF)</i> , <b>2020</b> , 11, 13-30	3.7	8
10	Browning Index of Anthocyanin-Rich Fruit Juice Depends on pH and Anthocyanin Loss More Than the Gain of Soluble Polymeric Pigments. <i>Journal of Food Science</i> , <b>2018</b> , 83, 911-921	3.4	6
9	Limited contribution of isoflavones to hepatocellular phase II enzyme-inducing activity of soybean ( <i>Glycine max</i> ) extracts. <i>Food Chemistry</i> , <b>2009</b> , 113, 1069-1075	8.5	6
8	Development of a Simple Method for Detecting Presumptive <i>Escherichia coli</i> on Fresh Retail Beef. <i>Journal of Food Science</i> , <b>2002</b> , 67, 258-261	3.4	5
7	Quinone reductase inducing and antioxidant activities of aqueous isolates of green bean ( <i>Phaseolus vulgaris</i> L.). <i>Food Research International</i> , <b>2007</b> , 40, 182-190	7	2
6	Refrigerated and frozen storage impact aronia berry quality. <i>Food Production Processing and Nutrition</i> , <b>2022</b> , 4,	4.6	2
5	Sugars and Citric Acid Differently Modulate DPPH Antioxidant Activity in Polyphenol-rich Fruit Juices. <i>FASEB Journal</i> , <b>2015</b> , 29, 922.14	0.9	2
4	Exploring the Links between Diet and Inflammation: Dairy Foods as Case Studies. <i>Advances in Nutrition</i> , <b>2021</b> , 12, 1S-13S	10	1
3	De novo assembly of a fruit transcriptome set identifies AmMYB10 as a key regulator of anthocyanin biosynthesis in <i>Aronia melanocarpa</i> .. <i>BMC Plant Biology</i> , <b>2022</b> , 22, 143	5.3	0
2	Time of harvest affects United States-grown <i>Aronia mitschurinii</i> berry polyphenols, Brix, and acidity. <i>Journal of Agriculture and Food Research</i> , <b>2021</b> , 6, 100248	2.6	0
1	Age-related increases in microsomal quercetin glucuronidation in rat small intestine.. <i>FASEB Journal</i> , <b>2009</b> , 23, 750.1	0.9	